

Page 1/9

phone: +49 231 94510-0

e-mail: sales@tintometer.de

phone: +49 231 94510-755

e-mail: sales@aqualytic.de

phone: +44 1980 664800

e-mail: SDS@tintometer.com

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.08.2018 Version number 41 Revision: 04.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Ammonia No.2
- · Catalog number: 00512591, 512590(BT), 512591(BT), 512593(0), 4512590(BT), 4512591(BT), 00512599(BT)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

Tintometer GmbH Division AQUALYTIC® Schleefstr. 12 44287 Dortmund Made in Germany www.aqualytic.de

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

Informing department:
 e-mail: sds@tintometer.de
 Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

 (Contd. on page 2)

- GB -

Printing date 08.08.2018 Version number 41 Revision: 04.07.2018

Product name: Ammonia No.2

· Hazard pictograms

(Contd. of page 1)





GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

lithium hydroxide monohydrate

sodium dichloroisocyanurate, dihydrate

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards No further relevant information available.
- · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of organic and inorganic compounds

· Dangerous components:			
CAS: 1310-66-3	lithium hydroxide monohydrate	30-40%	
EINECS: 215-183-4	🥎 Skin Corr. 1A, H314; Eye Dam. 1, H318; ∿ Acute Tox. 4, H302		
CAS: 51580-86-0	sodium dichloroisocyanurate, dihydrate	0.1-≤2.5%	
EINECS: 220-767-7	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2,		
Index No: 613-030-01-7	H319; STOT SE 3, H335		

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Instantly rinse with water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eve contact

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

· 4.2 Most important symptoms and effects, both acute and delayed:

burns

after inhalation:

coughing

breathing difficulty

damage to the affected mucous membranes

after swallowing:

(Contd. on page 3)

(Contd. of page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.08.2018 Version number 41 Revision: 04.07.2018

Product name: Ammonia No.2

strong caustic effect.

absorption

after absorption of large amounts:

sickness

vomiting

cardiovascular disorders

CNS disorders

ataxia (impaired locomotor coordination)

cramps

· Danger

Danger of system failure.

Danger of gastric perforation.

Danger of disturbed cardiac rhythm.

· 4.3 Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Hydrogen chloride (HCI)

Dipotassium oxide

LiÒx

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: No special precautions necessary if used correctly.
- · Hygiene measures:

Do not inhale dust / smoke / mist.

Printing date 08.08.2018 Version number 41 Revision: 04.07.2018

Product name: Ammonia No.2

(Contd. of page 3)

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidising agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

WEL (Great Britain) Short-term value: 0.07 mg/m³

Long-term value: 0.02 mg/m³

Sen; as -NCO

- · Regulatory information WEL (Great Britain): EH40/2011
- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Protection of hands:

Alkaline resistant gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Tightly sealed safety glasses.
- Body protection: Alkaline resistant protective clothing
- · Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · Appearance:

Form / Physical state: **Tablets** Colour: White

· Odour: Chlorine-like

(Contd. on page 5)

Printing date 08.08.2018 Version number 41 Revision: 04.07.2018

Product name: Ammonia No.2

	(Contd. of page 4)
· Odour threshold:	Not determined.
· pH-value (11.2 g/l) at 20°C:	12.9
Melting point/Freezing point: Initial boiling point and boiling range:	Not determined Not determined
· Flash point:	Not applicable
· Flammability (solid, gas):	The product is not combustible.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
Explosive properties: Flammability or explosive limits:	Product is not explosive.
Lower: Upper:	Not applicable Not applicable
· Oxidising properties:	none
 Vapour pressure: Density: Relative density: Vapour density: Evaporation rate:	Not applicable. Not determined Not determined. Not applicable. Not applicable.
· Solubility(ies): Water:	Soluble
· Partition coefficient: n-octanol/water:	Not applicable.
· Viscosity:	Not applicable.
· Solvent content: Organic solvents: Solids content:	0.0 % 100.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions

Aqueous solution reacts alkaline.

Aqueous solution reacts with metals.

Corrodes aluminium

Reacts with acids

Reacts with oxidizing agents

--> forms heat

Reacts with light alloys to form hydrogen

- · 10.4 Conditions to avoid Exposure to moisture.
- · 10.5 Incompatible materials:

organic substances

aluminium

zinc

· 10.6 Hazardous decomposition products:

Chlorine compounds

In case of fire: see section 5.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Classification according to calculation procedure:

Harmful if swallowed.

Printing date 08.08.2018 Version number 41 Revision: 04.07.2018

Product name: Ammonia No.2

(Contd. of page 5)

· Acute toxicity estimate (ATE _(MIX)) - Calculation method:			
Oral CLP ATE _(MIX) 908 mg/kg (.)			
· LD/LC50 values that are relevant for classification:			
CAS: 1310-66-3 lithium hydroxide monohydrate			
Oral	LD50	368 mg/kg (rat) (Registrant, ECHA)	
Inhalative	LC50.	>6.15 mg/l/4h (rat) (Registant, ECHA)	
CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate			

· Primary irritant effect:

Oral

Dermal

· Skin corrosion/irritation

LD50

LD50

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

Risk of blindness!

· Information on components:

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

1671 mg/kg (rat) (EPA OPP 81-1)

>5000 mg/kg (rat) (EPA OPP 81-2)

(Registrant, ECHA)

(Registrant, ECHA)

Irritation of eyes OECD 405 (rabbit: burns)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Information on components:

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

Sensitisation | OECD 406 | (guinea pig: negative) (Magnusson / Klingman)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test) (Escherichia coli)

· Additional toxicological information:

The following applies to lithium compounds in general:

after absorption: CNS disorders, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

EC50 0.28 mg/l/48h (Daphnia magna)

(ECOTOX)

EC50 >5000 mg/l/96h (Algeal toxicity) (OECD 201)

(Contd. on page 7)

(Contd. of page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.08.2018 Version number 41 Revision: 04.07.2018

Product name: Ammonia No.2

NOEC 2600 mg/l (Daphnia magna) (OECD 2011, 21d)

(Registrant, ECHA)

756 mg/l (fish) (28d) (Registrant, ECHA)

1000 mg/l (rainbow trout) (OECD 2015, 28d)

(Registrant, ECHA)

0.25 mg/l/96h (rainbow trout) LC50

(ECOTOX)

Other information:

The following applies for lithium compounds in general:

fish toxic from 100 mg/l, Daphnia toxic from 16 mg/l, plants toxic from 0,2 mg/l

12.2 Persistence and degradability

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

OECD 306 4 (.) (Biodegradation Test – Seawater)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· 12.6 Other adverse effects

Harmful effect due to pH shift.

Avoid transfer into the environment.

· Water hazard:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA

UN2680

· 14.2 UN proper shipping name

· ADR

2680 LITHIUM HYDROXIDE mixture

· IMDG, IATA LITHIUM HYDROXIDE mixture

- 14.3 Transport hazard class(es)
- · ADR



 Class 8 (C6) Corrosive substances.

(Contd. on page 8)

Printing date 08.08.2018 Version number 41 Revision: 04.07.2018

Product name: Ammonia No.2

(Contd. of page 7)

· Label 8

· IMDG, IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group · ADR, IMDG, IATA

• 14.5 Environmental hazards: Not applicable.

• 14.6 Special precautions for user Warning: Corrosive substances.

Kemler Number:
EMS Number:
Segregation groups
Stowage Category

80
F-A,S-B
Alkalis
Alkalis

Segregation Code
 SG35 Stow "separated from" acids.

· 14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code Not applicable.

· Transport/Additional information:

ADR

Limited quantities (LQ)
 Excepted quantities (EQ)
 1 kg
 Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

· Transport category 2
· Tunnel restriction code E

· IMDG

Limited quantities (LQ)
 Excepted quantities (EQ)
 1 kg
 Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Regulation (EU) No 649/2012

None of the ingredients is listed.

- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. of page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.08.2018 Version number 41 Revision: 04.07.2018

Product name: Ammonia No.2

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Training hints Provide adequate information, instruction and training for operators.

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

ECOTOX Database

· * Data compared to the previous version altered.

GB -