

DYKEM[®]
Brand

INDUSTRIAL MARKING PRODUCTS CATALOG



MARK YOUR TERRITORY[™]



Manufactured by

ITW
PRO
BRANDS
great chemistry at work[™]



Experience the **MARKED DIFFERENCE** of DYKEM®

Let's face it - there's nobody that knows your job better than you. Nobody does it better. And nobody takes more pride in it.

Your work is your mark. And you mark your territory with DYKEM® because **you don't settle for second-best.** Experienced tradespeople have trusted the DYKEM® brand for almost a hundred years because it always stands up to the toughest, most demanding tests they can throw at it. *And then some.*

From the world-renowned DYKEM® STEEL BLUE® Layout Fluid to our advanced DYKEM® High Temp and High Purity marker lines, and from DYKEM® Cross Check™ Torque Seal® to DYKEM® BRITE-MARK® industrial paint markers, **DYKEM® has all the tools you need to mark your territory as you see fit.**

They're bold...They're tough...And they're smart...

JUST LIKE YOU.

So place your order today!

INDICATOR
PASTES



Scan to view product demonstration.



CROSS CHECK™ Torque Seal®

DYKEM® Cross-Check™ Torque Seal® Tamper-Proof Indicator Paste provides a convenient visual method for identification of vibratory loosening or tampering in nuts, bolts, fasteners, and assemblies.

Features

- Tamper-Proof Torque Mark
- Safe for most surfaces
- Highly visible
- Excellent adhesion
- Visually detects loose nuts and bolts
- Provides warranty protection
- Orange, green, red, yellow and blue fluoresce under black/UV light
- Boeing Specification: BMS8-45 Type II
- 2-year shelf life

***AVAILABLE
IN 3 NEW
COLORS**

1 OZ TUBE	
PART #	COLOR
83314	ORANGE
83315	GREEN
83316	RED
83317	YELLOW

1 OZ TUBE	
PART #	COLOR
83318	BLUE
83319*	WHITE
83320*	PINK
83321*	GREY




HI-SPOT BLUE

Detects high spots on bearings, gears and other close fits

Features

- Blue, soft, uniform paste spreads easily and evenly
- Never dries out
- Film remains pliable and transferable for months
- Saves time and money in surface scraping work

PART #	CONTAINER SIZE
83307	.55 oz. Tube





Scan to view product demonstration.

STEEL BLUE® & STEEL RED™

Provides a deep, uniform color that prevents glare so scribes appear clear, sharp and precise for machinists.

Features

- Resists cracking and chipping
- Adds practically no thickness to work piece
- Dries in minutes
- Reduces eye strain
- Toluene free

STEEL BLUE®

PART #	CONTAINER SIZE
80000	16 oz. Aerosol
80200	2 oz. Felt Tip Applicator
80300	4 oz. Brush-In-Cap
80400	8 oz. Brush-in-Cap
80600	930 mL Bottle
80700	1 Gallon Container

STEEL RED™

PART #	CONTAINER SIZE
80096	16 oz. Aerosol
80296	2 oz. Felt Tip Applicator
80396	4 oz. Brush-In-Cap
80496	8 oz. Brush-in-Cap
80696	930 mL Bottle



REMOVER & PREP

Prepares surfaces for better adhesion of layout fluids and removes layout fluids when project is complete.

Features

- Prepares metal surfaces
- Dries in minutes
- Does not contain toluene or chlorinated solvent



PART #	CONTAINER SIZE
82038	16 oz. Aerosol
82638	930 mL Bottle
82738	1 Gallon Container
82838	5 Gallon Pail
82938	55 Gallon Drum



STAINING COLORS

DYKEM® Staining Colors provide quick identification on a variety of component parts. These stains repel oils as they adhere without flaking and scaling. DYKEM® Staining Colors are easily applied by brushing or spraying and dry quickly to the touch. Transparent and Opaque colors are available.

Opaque Stains: Apply slightly thicker than transparent stains and take slightly longer to dry. Provide better hiding/opacity.

Transparent Stains: Apply slightly thinner than opaque stain and dry slightly quicker.

Features

- Perform well on light and dark tinted metals
- Provide excellent coverage properties and opacity
- Thickness can be adjusted by adding DYKEM® Remover & Prep
- Fast drying
- Resists cracking, chipping, flaking or scaling
- Will not interfere with moving parts when thinly applied

USES: Identify parts, inventory, work in progress, tools, assemblies, or finished goods



OPAQUE STAINS

8 OZ BRUSH-IN-CAP	PART #	COLOR
	81405	YELLOW
	81413	ORANGE
	81427	WHITE
	81478	DK BLUE
	81491	RED

1 GALLON BOTTLE	PART #	COLOR
	81705	YELLOW
	81706	DK GREEN
	81708	LT GREEN
	81713	ORANGE
	81724	BLACK
	81725	LT BLUE

1 GALLON BOTTLE	PART #	COLOR
	81727	WHITE
	81760	PINK
	81763	VIOLET
	81778	DK BLUE
	81791	RED

5 GALLON PAIL	PART #	COLOR
	81806	DK GREEN
	81827	WHITE

TRANSPARENT STAINS

1 GALLON BOTTLE	PART #	COLOR
	81731	BLACK



Scan to view product demonstration.



BRITE-MARK®

Typical Applications

- Identifying inventory
- Work in progress
- Identifying tools
- Welding/fabricating metal
- Finished products

Features

- General-purpose felt tip paint markers that write on virtually any surface
- Quick drying, oil-based paint withstands indoor and outdoor conditions without fading, chipping or losing opacity
- Valve-action mechanism prevents paint in barrel from drying when cap is left off
- Formula is not xylene-based
- Drying time: 25 - 35 seconds



MEDIUM
TIP

MEDIUM

- Permanent paint marker with medium, fiber tip valve-action.

PART #	COLOR
84001	BLUE
84002	BLACK
84003	WHITE
84004	YELLOW
84005	ORANGE
84006	RED
84007	GREEN

PART #	COLOR
84008	LT BLUE
84009	PINK
84010	BROWN
84019	VIOLET
84050	SILVER
84051	GOLD



FINE TIP

FINE

- Permanent paint marker with fine, poly tip valve-action ideal for easy labeling of small parts.

PART #	COLOR
41001	BLUE
41002	RED
41003	BLACK

PART #	COLOR
41004	GREEN
41006	YELLOW
41008	WHITE

PART #	COLOR
41010	ORANGE



44
THREADED
CAP


44 THREADED CAP

- Permanent paint marker with medium, fiber tip valve-action. Clip cap screw for secure closure. Threaded barrel allows marker to be screwed into a jig or apparatus.

PART #	COLOR
40001	BLUE
40002	RED
40003	BLACK

PART #	COLOR
40004	GREEN
40006	YELLOW
40008	WHITE

PART #	COLOR
40010	ORANGE
40016	SILVER



JUMBO
TIP

JUMBO

- Permanent paint marker with 1/2 inch, poly tip valve-action.
- Drying time: 2 minutes

PART #	COLOR
77001	BLUE
77002	BLACK
77003	WHITE
77004	YELLOW

PART #	COLOR
77005	ORANGE
77006	RED
77007	GREEN





BRITE-MARK® RoughNeck

Typical Applications

- Identifying inventory
- Work in progress
- Identifying tools
- Welding/fabricating metal
- Finished products

Features



- Writes longer, with 20% more paint than competitive paint markers
- Plastic tip resists fraying and disintegrating when used on rough surfaces
- Tip repels oil and grease and can be wiped clean
- Industrial-grade UV-resistant paint withstands harsh outdoor conditions



- Ultra-durable permanent tip designed to withstand rusty, rough, oily, greasy and demanding jobsites.

PART #	COLOR
84201	BLUE
84202	BLACK
84203	WHITE
84204	YELLOW

PART #	COLOR
84205	ORANGE
84206	RED
84207	GREEN



TEXPEN® & DALO® Steel Tip Markers

Typical Applications

- Structural steel
- Steel stockholders
- Construction sites
- Identifying rusty/oily/greasy tools
- Identifying parts that are stored outside

Features

- Stainless steel ball tip - no risk of tip wear, even when writing on rough concrete or rusty metal
- Easily writes through oil, grease and water
- Pressurized pen writes at all angles, even upside down
- Paint withstands extreme weather conditions without losing legibility or brightness
- Available in different tip sizes and colors
- TEXPEN® marker is a smaller version of the DALO® marker
- Drying time: 25 - 35 minutes

TEXPEN® Industrial Steel Tip Paint Marker

- Stainless steel ball tip paint marker - Medium Barrel



PART #	COLOR
16020	RED
16030	BLACK

PART #	COLOR
16060	YELLOW
16080	WHITE



PART #	COLOR
16013	BLUE
16023	RED
16033	BLACK
16043	GREEN

PART #	COLOR
16063	YELLOW
16083	WHITE
16103	ORANGE



PART #	COLOR
16064	YELLOW

PART #	COLOR
16084	WHITE



DALO® Industrial Steel Tip Paint Marker

- Stainless steel ball tip paint marker - Large Barrel



PART #	COLOR
26013	BLUE
26023	RED
26033	BLACK
26043	GREEN

PART #	COLOR
26063	YELLOW
26083	WHITE
26103	ORANGE



PART #	COLOR
26064	YELLOW

PART #	COLOR
26084	WHITE





RINZ OFF® & SUDZ OFF® Temporary/Easily Removed Marking

Typical Applications

- Quality control
- Work in progress
- Automotive industry

Features


- Perfect for temporary writing on non-treated, non-painted metal surfaces that require ink that can be removed with water or with detergents with a pH ≥ 10
- General purpose xylene-free temporary ink markers
- Ideal for quality control
- No ghosting or bleed-through occurs when removed marks are painted over
- Drying time: 25 - 35 seconds

RINZ OFF® Water Removable

- Marks can be removed with water



PART #	COLOR
91105	BLUE
91106	RED
91108	GREEN
91109	BLACK
91757	YELLOW




PART #	COLOR
44105	BLUE
44106	RED
44108	GREEN
44109	BLACK
44709	WHITE
44757	YELLOW




SUDZ OFF® Detergent Removable

- Marks can be removed with mild detergent (pH ≥ 10)



PART #	COLOR
91146	WHITE
91371	GREEN
91694	YELLOW
91938	BLUE
91939	RED
91985	BLACK



PART #	COLOR
44146	WHITE
44371	GREEN
44694	YELLOW
44938	BLUE
44939	RED
44985	BLACK




HIGH TEMP

Typical Applications

- Components exposed to high temperatures
- Ideal for marking glass, metal and ceramics
- Electronics industry

Features

- Ideal for marking on surfaces that are exposed to extreme high temperatures
- Mark becomes fused and permanent after heat is applied - up to 2000°F (1093°C)
- Ideal for marking glass, metal and ceramics
- Paint withstands extreme weather conditions without losing legibility or brightness



44 THREADED CAP

- Permanent fiber tip valve-action paint
- Valve-action mechanism prevents paint in barrel from drying when cap is left off
- Threaded barrel allows marker to be screwed into a jig or apparatus
- Drying time: 45 seconds - 1 minute

PART #	TEMP RANGE	COLOR
44094	2000°F (1093°C)	BLUE
44219	1550°F - 1650°F (848°C - 899°C)	WHITE
44250	2000°F (1093°C)	BLACK

PART #	TEMP RANGE	COLOR
44266	1800°F (982°C)	GREEN
44424	800°F - 900°F (426°C - 482°C)	YELLOW

PART #	TEMP RANGE	COLOR
44266	1800°F (982°C)	GREEN
44424	800°F - 900°F (426°C - 482°C)	YELLOW



TXP

- Stainless steel ball tip - no risk of tip wear even when writing on rough surfaces
- Easily writes through oil, grease and water
- Pressurized pen writes at all angles, even upside down
- Drying time: 25 - 30 minutes

PART #	TEMP RANGE	COLOR
17063	800°F - 900°F (426°C - 482°C)	YELLOW
17083		WHITE

PART #	TEMP RANGE	COLOR
17063	800°F - 900°F (426°C - 482°C)	YELLOW
17083		WHITE





HIGH PURITY

Typical Applications


- Marking stainless steel
- Aerospace industry
- Ship/boat/marine industries
- Oil & gas
- Power & Utilities
- Nuclear facilities

Features


- Used where surface degradation, contamination or other adverse effects are a concern
- Will not etch metal
- Paint will not contaminate or adversely affect the surface being marked
- Meet requirements of US Energy Research & Development Administration "Nuclear Grade" for black, red, yellow, and white inks

HIGH PURITY

- Permanent, valve-action paint marker
- Valve-action mechanism prevents paint in barrel from drying when cap is left off
- Drying time: 45 seconds - 1 minute



PART #	COLOR
33301	RED
33404	BLACK
33729	WHITE



PART #	COLOR
44301	RED
44404	BLACK
44534	BLUE
44729	WHITE
44916	YELLOW




TXP

- Stainless steel ball tip - no risk of tip wear even when writing on rough surfaces
- Easily writes through oil, grease and water
- Drying time: 25 - 30 minutes




PART #	COLOR
17463	WHITE



TUFF GUY™


- Ideal for transmission and engine marking that won't chip off
- Resistant to most coolants and cutting fluids
- Excellent for marking plastics
- Permanent ink writes on smooth surfaces such as metal, aluminum, steel, plastics, cardboard, and more
- Marks withstand dirt, oil, grease, extreme weather conditions and even degreasing solvents
- Drying Time: 25 - 35 seconds

PART #	COLOR
44175	WHITE
44177	GREEN
44179	BLUE
44203	BLACK
44401	YELLOW
44819	RED



MILE MARKER

- Marks for almost 1.4 miles; nearly 12 times the marking power of the leading ink marker.
- Valve-action means the marker won't dry out - if the tip becomes dry just press down to re-wet.
- Fast drying and comes with a reversible tip - ensuring the mark stays strong and crisp!



PART #	COLOR
91102	BLACK



Scan to
view product
demonstration.



UV MARKER

- Detectable by UV light
- Excellent for security applications
- Marks on plastic, glass and nonporous surfaces
- Drying Time: 45 seconds to 1 minute




PART #	COLOR
91195	CLEAR




ACTION MARKER®

- Ink writes on smooth surfaces such as glass, aluminum, plastic, rubber and more
- Marks will not smudge or rub off
- Interchangeable and replaceable tips available
- 6 to 8 times the writing life of most other capillary markers of comparable size
- Drying Time: 45 seconds - 1 minute



PART #	COLOR
33003	BLACK



PART #	COLOR
44002	RED
44003	BLACK



APPLICATION CHART: DYKEM® MARKERS

		METAL CONDITIONS															
		COLD SURFACE	HIGH TEMPERATURE RESISTANT	GREASY SURFACE	DETERGENT REMOVABLE	WATER REMOVABLE	ROUGH, RUSTY SURFACE	HIGH VISIBILITY	NUCLEAR/ AIRCRAFT SPECS	BLACK LIGHT VISIBILITY	WOOD	PLASTIC	GLASS	CONCRETE	PAPER	CARDBOARD	RUBBER
Paint Markers	BRITE-MARK®	✓		✓				✓			✓	✓	✓	✓	✓	✓	✓
	TEXPEN®	✓		✓			✓	✓			✓	✓	✓	✓			
	DALO®	✓		✓			✓	✓			✓	✓	✓	✓			
Specialty Markers	RINZ-OFF®	✓				✓		✓									
	SUDZ-OFF®	✓			✓			✓									
	HIGH TEMP	✓	✓					✓					✓				
	HIGH PURITY	✓						✓	✓				✓				
	SAFE-MARK™	✓						✓				✓	✓			✓	✓
Ink Markers	TUFF GUY™	✓		✓				✓			✓	✓				✓	✓
	MILE MARKER	✓						✓			✓	✓			✓	✓	✓
	UV MARKER	✓											✓			✓	✓
	ACTION MARKER®	✓						✓			✓		✓		✓	✓	✓

Always test surface to determine suitability

	DYKEM Part #	COLOR / CONTAINER SIZE	NIB TYPE
Indicator Pastes	CROSS CHECK® TORQUE SEAL®		
	83314	Orange - 1 oz. Tube	
	83315	Green - 1 oz. Tube	
	83316	Red - 1 oz. Tube	
	83317	Yellow - 1 oz. Tube	
	83318	Blue - 1 oz. Tube	
	83319	White - 1 oz. Tube	
	83320	Pink - 1 oz. Tube	
	83321	Grey - 1 oz. Tube	
	83307	55 oz. Tube	
Layout Fluids & Staining Colors	HI-SPOT BLUE		
	80000	16 oz. Aerosol	
	80200	2 oz. Felt Tip Applicator	
	80300	4 oz. Brush-In-Cap	
	80400	8 oz. Brush-In-Cap	
	80600	930 mL Bottle	
	80700	1 Gallon Container	
	STEEL BLUE®		
	80096	16 oz. Aerosol	
	80296	2 oz. Felt Tip Applicator	
Paint Markers	STEEL RED™		
	80096	16 oz. Aerosol	
	80296	2 oz. Felt Tip Applicator	
	80396	4 oz. Brush-In-Cap	
	80496	8 oz. Brush-In-Cap	
	80696	930 mL Bottle	
	REMOVER & PREP		
	82038	16 oz. Aerosol	
	82638	930 mL Bottle	
	82738	1 Gallon Container	
Specialty Markers	OPAQUE STAINING COLOR		
	81405	Yellow	
	81413	Orange	
	81427	White	
	81478	Dk Blue	
	81491	Red	
	81705	Yellow	
	81706	Dk Green	
	81708	Lt Green	
	81713	Orange	
Ink Markers	TRANSPARENT STAINING COLORS		
	81724	Black	
	81725	Lt Blue	
	81727	White	
	81760	Pink	
	81763	Violet	
	81778	Dk Blue	
	81791	Red	
	81806	5 Gallon Pail	
	81827	Dk Green	
Replacements	ACETONE®		
	85738	1 Gallon Container	
	85838	5 Gallon Pail	
	85938	55 Gallon Drum	
	FOUNTAIN BRUSH & BOTTLE®		
	89157	5 oz. Bottle	

	DYKEM Part #	COLOR / CONTAINER SIZE	NIB TYPE
Paint Markers	BRITE-MARK® - Medium Tip		
	84001	Blue	
	84002	Black	
	84003	White	
	84004	Yellow	
	84005	Orange	
	84006	Red	
	84007	Green	
	84008	Lt Blue	
	84009	Pink	
Specialty Markers	BRITE-MARK® - Fine Tip		
	41001	Blue	
	41002	Red	
	41003	Black	
	41004	Green	
	41006	Yellow	
	41008	White	
	41010	Orange	
	BRITE-MARK® - 44 Threaded Cap		
	40001	Blue	
Ink Markers	BRITE-MARK® - Jumbo Tip		
	77001	Blue	
	77002	Black	
	77003	White	
	77004	Yellow	
	77005	Orange	
	77006	Red	
	77007	Green	
	BRITE-MARK® ROUGHNECK - Medium Tip		
	84201	Blue	
Replacements	H ₂ O Water-Based Paint - Medium Tip		
	91425	White	
	91427	Yellow	
	91602	Green	
	TEXPEN® - Steel Fine Tip		
	16020	Red	
	16030	Black	
	16060	Yellow	
	16080	White	

	DYKEM Part #	COLOR / CONTAINER SIZE	NIB TYPE
Paint Markers	TEXPEN® - Steel Medium Tip		
	16013	Blue	
	16023	Red	
	16033	Black	
	16043	Green	
	16063	Yellow	
	16083	White	
	16103	Orange	
	TEXPEN® - Steel Broad Tip		
	16064	Yellow	
Specialty Markers	DALO® - Steel Medium Tip		
	26013	Blue	
	26023	Red	
	26033	Black	
	26043	Green	
	26063	Yellow	
	26083	White	
	26103	Orange	
	DALO® - Steel Broad Tip		
	26064	Yellow	
Ink Markers	RINZ OFF® - Medium Tip		
	91105	Blue	
	91106	Red	
	91108	Green	
	91109	Black	
	91757	Yellow	
	RINZ OFF® - 44 Threaded Cap		
	44105	Blue	
	44106	Red	
	44108	Green	
Replacements	SUDZ OFF® - Medium Tip		
	91146	White	
	91371	Green	
	91694	Yellow	
	91938	Blue	
	91939	Red	
	91985	Black	
	SUDZ OFF® - 44 Threaded Cap		
	44146	White	
	44371	Green	
Specialty Markers	HIGH TEMP MARKER - 44 Threaded Cap		
	44094	Blue	2000°F (1093°C)
	44219	White	1550°F - 1650°F (848°C - 899°C)
	44250	Black	2000°F (1093°C)
	44266	Green	1800°F (982°C)
	44424	Yellow	800°F - 900°F (426°C - 482°C)

	DYKEM Part #	COLOR / CONTAINER SIZE	NIB TYPE
Specialty Markers	HIGH TEMP MARKER - TXP - Steel Medium Tip		
	17063	Yellow	800°F - 900°F (426°C - 482°C)
	17083	White	
	HIGH PURITY MARKER - Fine Tip		
	33301	Red	#2
	33404	Black	
	33729	White	#5
	HIGH PURITY MARKER - 44 Threaded Cap		
	44301	Red	
	44404	Black	
Ink Markers	SAFE-MARK™ - Medium Tip		
	44534	Blue	
	44729	White	
	44916	Yellow	
	HIGH PURITY MARKER - TXP - Steel Medium Tip		
	17463	White	
	TUFF GUY™ - 44 Threaded Cap		
	44029	Orange	
	44039	Red	
	44097	Black	
Replacements	MILE MARKER - Medium Tip		
	40996	White	
	40997	Yellow	
	40998	Green	
	40999	Blue	
	ACTION MARKER® - Fine Tip		
	33003	Black	#2
	ACTION MARKER® - 44 Threaded Cap		
	44002	Red	
	44003	Black	#10
Specialty Markers	REPLACEMENT NIBS*		
	99002	#2 Fine Felt Nib	
	99005	#5 Fine Plastic Nib	
	99010	#10 Broad Felt Nib	
	99011	#11 Chisel Felt Nib	
	99015	#15 Medium Felt Nib	
	99016	#16 Medium Plastic Nib	
	99029	#29 Medium Felt Nib	
	99038	#38 Broad Felt Nib	
	99045	#45 Locking Felt Nib	

*Not in catalog, contact us for more details.



ITW Pro Brands

805 East Old 56 Highway • Olathe, KS 66061

TEL: (800) 443-9536 or (913) 397-9889 • FAX: (800) 323-9536

WEB SITE: www.itwprobrands.com

©2016 ITW Pro Brands • LPS®, DYKEM®, SCRUBS®, Rustlick™, Accu-Lube®, Spray Nine®, Brite-Mark®, Texpen®, Dalor®, Rinz Off®, Sudz Off®, Action Marker®,

Tuff Guy™, SAFE-MARK™, Steel Blue®, Steel Red™ and Cross Check™ are registered trademarks of Illinois Tool Works • All Rights Reserved

LI338 • 160826