

## RW Lyall Gas Products



- Steel mechanical fittings
- No special installation tools required
- Nut bottoms out when fully secure
- Meets DOT 192.283 requirements



| ITEM #   | DESCRIPTION     | SDR  | MASTER<br>CARTON<br>QTY | LIST<br>PRICE |
|--|-----------------|------|-------------------------|---------------|
| <b>STEEL MECHANICAL FITTINGS<br/>COMPRESSION COUPLINGS (IPS X IPS)</b>     |                 |      |                         |               |
| 361051050800   | 3/4" X 3/4"     | 11.0 | 15                      | 71.80         |
| 361321320800   | 1" X 1"         | 11.0 | 10                      | 86.21         |
| 361661660700   | 1-1/4" X 1-1/4" | 10.0 | 5                       | 96.04         |
| 361901900800   | 1-1/2" X 1-1/2" | 11.0 | 3                       | 154.07        |
| 362382380800   | 2" X 2"         | 11.0 | 2                       | 196.12        |
| <b>STEEL MECHANICAL FITTINGS<br/>COMPRESSION TEES (IPS X IPS)</b>          |                 |      |                         |               |
| 381051050800   | 3/4" X 3/4"     | 11.0 | 3                       | 160.71        |
| 381321320800   | 1" X 1"         | 11.0 | 2                       | 183.59        |
| 381661660700   | 1-1/4" X 1-1/4" | 10.0 | 1                       | 188.17        |
| <b>STEEL MECHANICAL FITTINGS<br/>COMPRESSION MALE ADAPTERS (NPT X IPS)</b> |                 |      |                         |               |
| 341051050800   | 3/4" X 3/4"     | 11.0 | 10                      | 46.71         |
| 341321320800   | 1" X 1"         | 11.0 | 5                       | 52.87         |
| 341661660700   | 1-1/4" X 1-1/4" | 10.0 | 4                       | 64.39         |
| 341901900800   | 1-1/2" X 1-1/2" | 11.0 | 2                       | 121.90        |
| 342382380800   | 2" X 2"         | 11.0 | 1                       | 120.80        |

**HYDRAPRO INC.**

Phone: 877-813-2333; Fax 877-249-8435

Atlanta - Boston - Dallas - Houston - Philadelphia - Pompano Beach

[www.hydrapro.biz](http://www.hydrapro.biz)

## RW Lyall Gas Products



- Transition Fittings
- Fusion bonded epoxy coating on external steel surface
- 100% Tested and individually serialized
- Meets DOT testing flow requirements 192.238

| ITEM #  | DESCRIPTION            | STEEL LENGTH | PE LENGTH | MASTER CARTON QTY | LIST PRICE |
|---|------------------------|--------------|-----------|-------------------|------------|
| <b>TRANSITION FITTINGS<br/>WELDED END (NPT X IPS)</b>   |                        |              |           |                   |            |
| 123503500800 †‡   | 3" X 3" SDR 11.5       | 13-3/4"      | 12"       | 4                 | 181.22     |
| 124504500900 †‡   | 4" X 4" SDR 11.5       | 14-3/8"      | 12"       | 4                 | 269.65     |
| <b>TRANSITION FITTINGS<br/>THREADED END (NPT X CTS)</b> |                        |              |           |                   |            |
| 101050630100 †‡   | 3/4" X 1/2" W/T 0.09   | 5"           | 12"       | 25                | 38.48      |
| <b>TRANSITION FITTINGS<br/>THREADED END (NPT X IPS)</b> |                        |              |           |                   |            |
| 101051050800 †‡   | 3/4" X 3/4" SDR 11     | 5"           | 12"       | 6                 | 38.09      |
| 101321320800 †‡   | 1" x 1" SDR 11         | 5"           | 12"       | 3                 | 46.30      |
| 101661660700 †‡   | 1-1/4" X 1-1/4" SDR 10 | 5-1/2"       | 12"       | 2                 | 54.30      |
| 101901900800 †‡   | 1-1/2" X 1-1/2" SDR 11 | 5-1/2"       | 12"       | 2                 | 67.65      |
| 102382380800 †‡   | 2" X 2" SDR 11         | 5-3/4"       | 12"       | 2                 | 82.59      |
| 103503500900 †‡   | 3" X 3" SDR 11.5       | 6-5/8"       | 12"       | 2                 | 220.52     |
| † = CSA Approved / ‡ = IAPMO/UPC Listed                 |                        |              |           |                   |            |



HYDRAPRO INC.

Phone: 877-813-2333; Fax 877-249-8435

Atlanta - Boston - Dallas - Houston - Philadelphia - Pompano Beach

www.hydrapro.biz

## RW Lyall Gas Products



- Anodeless Service Risers
- Eliminates need for cathodic protection
- Electrostatic epoxy coating on riser casing
- Meets all DOT 192.281, 192.283 and 1092.375 specifications
- Meets ASTM D-2513 CAT-1 specifications



| ITEM #                                   | DESCRIPTION                           | VERT. "A" | HORZ. "B" | PE "C" | MASTER CARTON QTY | LIST PRICE |
|--|---------------------------------------|-----------|-----------|--------|-------------------|------------|
| <b>ANODELESS SERVICE RISERS</b>          |                                       |           |           |        |                   |            |
| 240840630120 †‡                          | 1/2" NPT X 1/2" CTS .090              | 24"       | 22"       | 10"    | 12                | 71.05      |
| 241051050820 †‡                          | 3/4" NPT X 3/4" IPS SDR 11            | 24"       | 22"       | 10"    | 12                | 63.88      |
| 241051050830 †‡                          | 3/4" NPT X 3/4" IPS SDR 11            | 30"       | 16"       | 10"    | 12                | 65.40      |
| 241051050850 †‡                          | 3/4" NPT X 3/4" IPS SDR 11            | 36"       | 16"       | 10"    | 12                | 67.50      |
| 241321320820 †‡                          | 1" NPT X 1" IPS SDR 11                | 24"       | 22"       | 10"    | 8                 | 73.65      |
| 241321320830 †‡                          | 1" NPT X 1" IPS SDR 11                | 30"       | 16"       | 10"    | 8                 | 75.70      |
| 241321320850 †‡                          | 1" NPT X 1" IPS SDR 11                | 36"       | 16"       | 10"    | 8                 | 77.10      |
| 241661660760 †‡                          | 1-1/4" NPT X 1-1/4" IPS SDR 10        | 36"       | 22"       | 10"    | 6                 | 126.20     |
| 241661660770 †‡                          | 1-1/4" IPS X 1-1/4" IPS PREBENT SDR10 | 30"       | 22"       | 10"    | 6                 | 137.56     |
| 241901900860 †‡                          | 1-1/2" NPT X 1-1/2" IPS SDR 11        | 36"       | 26"       | 10"    | 2                 | 244.01     |
| 242382380840 †‡                          | 2" NPT X 2" IPS SDR 11                | 36"       | 30"       | 10"    | 1                 | 248.40     |
| <b>ANODELESS STRAIGHT SERVICE RISERS</b> |                                       |           |           |        |                   |            |
| 243503500910                             | 3" NPT X 3" IPS SDR11                 | N/A       | N/A       | N/A    | 1                 | 796.14     |
| † = CSA Approved / ‡ = IAPMO/UPC Listed  |                                       |           |           |        |                   |            |

HYDRAPRO INC.

Phone: 877-813-2333; Fax 877-249-8435

Atlanta - Boston - Dallas - Houston - Philadelphia - Pompano Beach

www.hydrapro.biz

## RW Lyall Gas Products



- Service Head Adapter Risers
- Risers come in kit form, ready for installation
- Kit includes: the proper all-flex, UV protected or pre-bent rigid casing and Service Head Adapter that is required for fast field assembly

| ITEM #   | DESCRIPTION                         | LENGTH | MASTER<br>CARTON<br>QTY | LIST<br>PRICE |
|--|-------------------------------------|--------|-------------------------|---------------|
| <b>SERVICE HEAD ADAPTER RISERS<br/>THREADED END X SPIGOT END - (PE PIPE)</b> |                                     |        |                         |               |
| SHAFCO50010B-48  | 1/2" NPT X 1/2" CTS .090 /<br>SDR 7 | 48"    | 20                      | 89.13         |
| SHAFCO60010B-48 †  | 3/4" NPT X 1/2" CTS .090 /<br>SDR 7 | 48"    | 20                      | 87.92         |
| SHAFCO60060Y-36  | 3/4" NPT X 3/4" IPS SDR 11          | 36"    | 10                      | 157.60        |
| SHAFCO60060Y-48  | 3/4" NPT X 3/4" IPS SDR 11          | 48"    | 10                      | 170.58        |
| † = CSA Approved / ‡ = IAPMO/UPC Listed                                      |                                     |        |                         |               |




## RW Lyall Gas Products



- Transition Meter Risers
- Corrosion resistant
- Meets or exceeds all ASTM, DOT, ANSI and ASME specifications
- NFPA listed

| ITEM #                                  | DESCRIPTION                    | VERT. "V" | HORZ. "H" | PE "C" | MASTER CARTON QTY | LIST PRICE |
|---|--------------------------------|-----------|-----------|--------|-------------------|------------|
| <b>TRANSITION (ANODELESS) RISERS</b>    |                                |           |           |        |                   |            |
| 201051050820 †‡                         | 3/4" NPT X 3/4" IPS SDR 11     | 24"       | 36"       | 6"     | 12                | 65.64      |
| 201051050830 †‡                         | 3/4" NPT X 3/4" IPS SDR 11     | 30"       | 30"       | 6"     | 12                | 68.29      |
| 201321320810 †‡                         | 1" NPT X 1" IPS SDR 11         | 36"       | 24"       | 6"     | 8                 | 74.06      |
| 201321320820 †‡                         | 1" NPT X 1" IPS SDR 11         | 24"       | 36"       | 6"     | 8                 | 74.06      |
| 201321320830 †‡                         | 1" NPT X 1" IPS SDR 11         | 30"       | 30"       | 6"     | 8                 | 74.66      |
| 201661660720 †‡                         | 1-1/4" NPT X 1-1/4" IPS SDR 10 | 24"       | 36"       | 6"     | 6                 | 94.72      |
| 201661660730 †‡                         | 1-1/4" NPT X 1-1/4" IPS SDR 10 | 30"       | 30"       | 6"     | 6                 | 91.55      |
| 201901900820 ‡                          | 1-1/2" NPT X 1-1/2" IPS SDR 11 | 24"       | 36"       | 6"     | 2                 | 109.36     |
| 202382380820 ‡                          | 2" NPT X 2" IPS SDR 11         | 24"       | 36"       | 6"     | 3                 | 138.89     |
| † = CSA Approved / ‡ = IAPMO/UPC Listed |                                |           |           |        |                   |            |




## RW Lyall Gas Products



- Compression Service Risers
- No special installation tools required
- Nut bottoms out when fully secure
- Meets DOT 192.283 requirements

| ITEM #   | DESCRIPTION                       | VERT.<br>"A" | HORZ.<br>"B" | MASTER<br>CARTON<br>QTY | LIST<br>PRICE |
|--|-----------------------------------|--------------|--------------|-------------------------|---------------|
| <b>COMPRESSION RISERS<br/>THREADED END X COMPRESSION END</b> |                                   |              |              |                         |               |
| 221051050810<br>†‡   | 3/4" NPT X 3/4" IPS SDR 11        | 36"          | 24"          | 12                      | 73.99         |
| 221051050820<br>†‡   | 3/4" NPT X 3/4" IPS SDR 11        | 24"          | 36"          | 12                      | 73.99         |
| 221321320810 ‡   | 1" NPT X 1" IPS SDR 11            | 36"          | 24"          | 8                       | 81.61         |
| 221321320820 ‡   | 1" NPT X 1" IPS SDR 11            | 24"          | 36"          | 8                       | 81.61         |
| 221661660710 ‡   | 1-1/4" NPT X 1-1/4" IPS SDR<br>10 | 36"          | 24"          | 6                       | 114.51        |
| 221661660720 ‡   | 1-1/4" NPT X 1-1/4" IPS SDR<br>10 | 24"          | 36"          | 6                       | 114.51        |
| 221901900810 ‡   | 1-1/2" NPT X 1-1/2" IPS SDR<br>11 | 36"          | 24"          | 6                       | 147.40        |
| 221901900820 ‡   | 1-1/2" NPT X 1-1/2" IPS SDR<br>11 | 24"          | 36"          | 6                       | 147.40        |
| 222382380810 ‡   | 2" NPT X 2" IPS SDR 11            | 36"          | 24"          | 3                       | 207.14        |
| 222382380820 ‡   | 2" NPT X 2" IPS SDR 11            | 24"          | 36"          | 3                       | 207.14        |
| † = CSA Approved / ‡ = IAPMO/UPC Listed                      |                                   |              |              |                         |               |



**HYDRAPRO INC.**

Phone: 877-813-2333; Fax 877-249-8435

Atlanta - Boston - Dallas - Houston - Philadelphia - Pompano Beach

www.hydrapro.biz