Summary Product and List Price Guide

The Standard In Central Water Filtration.





ENVIRONMENTAL WATER SYSTEMS

Calendar Year 2010

Revised 6/14/2010

www.ewswater.com o. 702.256.8182; m-f; 8:30am-4:30pm; PST f. 702.256.3744 e-mail. customerservice@ewswater.com



Professional Series "Central Water" - Whole Home Water Filtration



EWS SPECTRUM SYSTEM Model#: CS-EWS-1354-7000

EWS Spectrum System is the Standard in Central Water Whole Home Water Filtration and Physical Conditioning.

The EWS Spectrum System is the Professional's #1 Choice. Quality EWS water filtration to the whole home and EWS physical conditioning to assist with those issues associated with water hardness without the salts. Inhibit scale buildup in pipes and heaters and an easier clean up of water spotting.

This value added Professional Series is designed with a white plastic tank cover for contractor sales and use with a built-in bypass and an adaptable valve suitable for line sizes from 3/4" up to 11/2" and up to 35gpm. MNPT 1", 11/4" and 11/2" adaptors included for easy install with flexible tubing and connections.

EWS Unit size: 64"H x 13"D x 13"W; weight: 150lbs.

Replacement Tank/Filtration Media & ICN Riser Manifold: Up to 10 Years: Based on usage and local water conditions Item #: T-ICN/GAC1354-1

Replacement size: 55"H x 13"D x 13"W; weight: 135lbs.

CWL SPECTRUM SYSTEM Model#: CS-CWL-1354-7000

CWL Spectrum System is the Standard in Central Water Where water hardness is not a real or perceived issue.

Quality EWS water filtration to the whole home <u>without</u> EWS conditioning for those areas in the country or local water conditions with naturally softer water.

This value added Professional Series is designed with a white plastic tank cover for contractor sales and use with a built-in bypass and an adaptable valve suitable for line sizes from 3/4" up to 11/2" and up to 35gpm. MNPT 1", 11/4" and 11/2" adaptors included for easy install with flexible tubing and connections.

CWL Unit size: 64"H x 13"D x 13"W; weight: 140lbs.



Replacement Tank/Filtration Media: Up to 10 Years: Based on usage and local water conditions Item #: T-M/GAC1354

Replacement size: 55"H x 13"D x 13"W; weight: 125lbs.

Applicable to most municipally-treated water. Well water needs to be properly and completely tested before the specification of any filtration and treatment system(s). Any EWS System can be combined with EWS softeners (hot-side only) and/or additional EWS sink filtration product based on consumer preference, need, and/or based on the local water conditions. Larger units available. Any questions please inquire with EWS, Inc.



Professional Series - Options in Addition to Central Water The Options of Softening and/or Heater Protection

SOFTENING (not a filtration system) Model#: CS-TT1054-7000

Soft Spectrum System in addition to EWS Spectrum System and Central Water for those that prefer the feeling and perceived benefits of salt softened water.

To be installed on the hot-side/inlet to water heater(s) or after EWS Central Water and avoiding any drinking water, this value added Professional Series is designed for contractor sales and use with a built-in bypass and an adaptable valve suitable for line sizes from 3/4" up to 11/2" and up to 25gpm. MNPT 1", 11/4" and 11/2" adaptors included for easy install with flexible tubing and connections.

TT Unit size: 64"H x 10"D x 10"W; Brine Tank: 34"H X 18"Dia. Total weight: 120lbs.

Replacement Tank/Softener Resin: Item #: T-RESIN1.5 Years based on usage and local water conditions Replacement size: 55"H x 10"D x 10"W; weight: 105lbs.





Softeners Only - Does not apply to any EWS or CWL filtration product WARNING: Legal restrictions or outright ban may apply to the use of softeners and the brine discharge. WARNING: Warranty issues with other product(s), fixtures and/or finishes may apply to the use of softeners.

HEATER GUARD PRE-SEDIMENT PROTECTION OF WATER HEATERS Designed for Tankless Heaters



In conjunction with EWS/CWL Central Water, the Heater Guard provides additional protection against costly water heater scaling and sediment build-up especially in tankless heaters. 5 Micron Polyphosphate filter cartridge prevents scaling on flash heating surfaces. Change filter annually or when change gauge indicates.

3/4" NPT inlet/outlet, up to 9.5gpm Size 5.25"w x 25.75"h x 5.5"d

EWS HEATER GUARD-3/4

Filter Replacement: Item #: BB-Guard-Filter-3/4 1-1/2" NPT inlet/outlet, up to 20gpm Size 7.5"w x 29"h x 8.75"d



EWS HEATER GUARD-1.5

Filter Replacement: Item #: BB-Guard-Filter-1.5

POINT OF ENTRY CARTRIDGE FILTRATION Model#: CS-BB-FUGAC200A-1



10gpm, point of entry cartridge filtration unit contains a 5 micron string wound pre-sediment filter which prevents clogging and a Radial Flow Carbon filter. For the initial budget conscious consumer looking for limited benefits with costly yearly or semi-annual filter replacements. Inexpensive and very limited application that eventually makes the EWS or CWL Series more cost effective.

Replacement Filters: Up to a Year: Based on usage and local water conditions


CS-BB-FUGAC200A-1

Item #: BB-PRESED-50-SW Item #: BB-GACB-10-RFA

Optional Safeguards for Point of Use/Sink Units in addition to EWS Central Water can be found in the EWS Catalog

P-3

2010 EWS, Inc. / Environmental Water Systems[®] #1 Since 1987





Complete Booklets on All Product are Available (PDF) by e-mail attachment by simply contacting EWS Customer Service



Authorized Building Wholesale Supply Locations, Appliance Dealers, and their Building and Plumbing Contractors

Policies and Procedures:

Minimum Orders:

A minimum order is six (6) each of any of the following items:

- ■EWS HEATER GUARD-3/4 or -1.5
- ■CS-BB-FUGAC200A-1
- ■BB-GUARD-FILTER-3/4 or -1.5
- ■BB-PRESED-50-SW
- ■BB-GACB-10-RFA

■Any combination of six (6):CS-EWS- or CWL-1354-7000

Any item ordered must have a minimum of six (6) of that item to fulfill your order. No other combinations or substitutions allowed.

Exception: Less than six (6) CS-TT1054-7000 Softeners can be added to any CS-EWS- or CWL-1354-7000 stock (6 units) order

Freight Policy:

Stocking Order/Pre-Paid:

Any combination of six (6) of: CS-EWS- or CS-CWL-1354-7000

A maximum of 36 additional items can ride with a stocking order freight pre-paid. A minimum of six (6) of the following items still applies: EWS HEATER GUARD-3/4 or 1.5, CS-BB-FUGAC200A-1, BB-GUARD-FILTER-3/4 or -1.5, BB-PRESED-50-SW, or BB-GACB-10-RFA.

 \Box Larger orders of stock (any combination of six (6) of: CS-EWS- or CS-CWL-1354-7000) and more than 36 additional items will be quoted for incremental cost.

□ Non-Stocking orders will be quoted

Six (6) or more EWS HEATER GUARD-3/4 or 1.5, CS-BB-FUGAC200A-1, BB-GUARD-FILTER-3/4 or -1.5, BB-PRESED-50-SW, and/or BB-GACB-10-RFA will be quoted. The use of your own UPS, Fed-Ex or Truck account is preferrable to expedite all Non-Stocking orders.

Contact Information:



Revised 6/14/2010

EWS, INC. Environmental Water Systems[®] www.ewswater.com

9101 W. Sahara Avenue #105-J8, Las Vegas, Nevada 89117

Office: 702-256-8182 (Monday - Friday; 8:30am - 4:30pm, Pacific Standard Time) Fax: 702-256-3744; E-mail: customerservice@ewswater.com

All Filtration Product Made

And Assembled In The U.S.A.

P-4