



Core Products Catalog

Industrial Products



*World Class Products
for Worldwide Solutions*



As one of the most comprehensive suppliers of industrial and packaging products, Intertape Polymer Group (IPG) is uniquely positioned to touch a broad base of customers with specialized solutions. The product solutions engineered by Intertape are designed to create efficiencies, cost containment and performance advantages for the end use markets and applications served by IPG products. The Core Products highlighted in this catalog meet the needs of most widespread industrial applications. To learn more about the complete line of IPG products that range from general to highly specialized, log on to www.intertapepolymer.com.



Paper Masking Tape



Intertape Brand Paper Masking Tapes are designed for superior performance in a variety of applications and environments ranging from demanding temperature and UV sensitive paint masking to general purpose functions such as holding or light duty splicing, bundling and more.

UV Resistant

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
PT14	PT14...35	18mmx54.8m	23	26	5.5	11	Blue	48
	PT14...36	24mmx54.8m	23	26	5.5	11	Blue	36
	PT14...37	36mmx54.8m	23	26	5.5	11	Blue	24
	PT14...38	48mmx54.8m	23	26	5.5	11	Blue	24
PT8	85283	18mmx54.8m	18	22	5.9	11	Green	48
	85284	24mmx54.8m	18	22	5.9	11	Green	36
	85285	36mmx54.8m	18	22	5.9	11	Green	24
	85286	48mmx54.8m	18	22	5.9	11	Green	24

Premium Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
PG5	PG5...127	18mmx54.8m	25	30	6.3	10	Natural	48
	PG5...128	24mmx54.8m	25	30	6.3	10	Natural	36
	PG5...129	36mmx54.8m	25	30	6.3	10	Natural	24
	PG5...130	48mmx54.8m	25	30	6.3	10	Natural	24

Additional products, sizes and specifications available. Log on to www.intertapepolymer.com to view our complete product offering.

Masking Applications

Paint masking • Holding • Light duty splicing, bundling and packaging





Paper Masking Tape



Medium Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
519	73848	18mmx54.8m	23	36	6.0	7	Natural	48
	73858	24mmx54.8m	23	36	6.0	7	Natural	36
	73859	36mmx54.8m	23	36	6.0	7	Natural	24
	73860	48mmx54.8m	23	36	6.0	7	Natural	24

Utility Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
PG505	PG505.120	18mmx54.8m	20	30	5.8	10	Natural	48
	PG505.121	24mmx54.8m	20	30	5.8	10	Natural	36
	PG505.122	36mmx54.8m	20	30	5.8	10	Natural	24
	PG505.123	48mmx54.8m	20	30	5.8	10	Natural	24
515	70830	18mmx54.8m	21	40	6	7	Natural	48
	70885	24mmx54.8m	21	40	6	7	Natural	36
	70934	36mmx54.8m	21	40	6	7	Natural	24
	70988	48mmx54.8m	21	40	6	7	Natural	24
PG415	85328	18mmx54.8m	15	37	5.3	8	Natural	48
	85324	24mmx54.8m	15	37	5.3	8	Natural	36
	85325	36mmx54.8m	15	37	5.3	8	Natural	24
	85326	48mmx54.8m	15	37	5.3	8	Natural	24
513	87217	18mmx54.8m	19	36	5	6.4	Natural	48
	87202	24mmx54.8m	19	36	5	6.4	Natural	36
	87218	36mmx54.8m	19	36	5	6.4	Natural	24
	87201	48mmx54.8m	19	36	5	6.4	Natural	24

Additional products, sizes and specifications available. Log on to www.intertapepolymer.com to view our complete product offering.

Masking Applications

Paint masking • Holding • Light duty splicing, bundling and packaging





Cloth/Duct Tape



Intertape Brand Cloth/Duct Tapes satisfy even the most demanding requirements and industry standards. A must have for the most discerning contractors and every job site.

Premium Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
AC50	82762	48mmx54.8m	40	50	14.0	14	Silver	24
	82763	48mmx54.8m	40	50	14.0	14	Black	24

Medium Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
AC36	82843	48mmx54.8m	20	54	11.0	18	Silver	24
	83053	72mmx54.8m	20	54	11.0	18	Silver	16
	82842	48mmx54.8m	20	54	11.0	18	Black	24
	83052	72mmx54.8m	20	54	11.0	18	Black	16

Utility Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
AC20	74977	48mmx54.8m	19	54	9.0	18	Silver	24
	78750	72mmx54.8m	19	54	9.0	18	Silver	16
AC10	87372	48mmx54.8m	17	41	7.5	15	Silver	24

Additional products, sizes and specifications available. Log on to www.intertapepolymer.com to view our complete product offering.

Cloth/Duct Applications

Sealing • Bundling • Weatherproofing • Convention set-up • Entertainment • Construction
Maintenance • Book binding/repair





Filament & MOPP Tape



Intertape Brand fiberglass reinforced Filament Tape delivers superior adhesion for a variety of light to medium load applications. Intertape Brand MOPP Strapping Tape utilizes mono-oriented tensilized polypropylene for light duty strapping, palletizing and bundling.

Performance Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
RG316*	RG316.3	18mmx54.8m	300	70	6.1	4	Clear	48
	RG316.4	24mmx54.8m	300	70	6.1	4	Clear	36
	RG316.5	48mmx54.8m	300	70	6.1	4	Clear	24

Medium Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
RG315*	RG315.3	18mmx54.8m	175	49	4.2	4	Clear	48
	RG315.4	24mmx54.8m	175	49	4.2	4	Clear	36
	RG315.5	48mmx54.8m	175	49	4.2	4	Clear	24

Utility Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
RG400*	RG400.12	12mmx54.8m	100	75	5.3	4	Clear	72
	RG400.18	18mmx54.8m	100	75	5.3	4	Clear	48
	RG400.24	24mmx54.8m	100	75	5.3	4	Clear	36
RG300	RG300.38	9mmx54.8m	100	48	4.0	3	Clear	96
	RG300.39	12mmx54.8m	100	48	4.0	3	Clear	72
	RG300.40	18mmx54.8m	100	48	4.0	3	Clear	48
	RG300.41	24mmx54.8m	100	48	4.0	3	Clear	36
	RG300.43	48mmx54.8m	100	48	4.0	3	Clear	24

Bundling/Strapping (MOPP)

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
197	197...4	9mmx54.8m	100	60	2.7	34	Clear	192
	197...5	12mmx54.8m	100	60	2.7	34	Clear	144
	197...7	18mmx54.8m	100	60	2.7	34	Clear	96
	197...13	9mmx54.8m	100	60	2.7	34	Black	192
	197...15	12mmx54.8m	100	60	2.7	34	Black	144
	197...16	18mmx54.8m	100	60	2.7	34	Black	96

Additional products, sizes and specifications available. Log on to www.intertapepolymer.com to view our complete product offering.

*Standard lead times may not apply.

Filament & MOPP Applications

Bundling & unitizing • Box closure • Splicing • Sealing





Paper Flatback Tape



Intertape Brand Flatback Tape is designed for a variety of packaging, splicing and tabbing applications, providing a quick, positive seal under a wide range of temperature and humidity conditions.

Medium Grade

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils	Elongation %	Color	Rolls/Case
PM2	PM2...74	24mmx54.8m	47	57	6.0	3	Tan	36
	PM2...75	36mmx54.8m	47	57	6.0	3	Tan	24
	PM2...77	48mmx54.8m	47	57	6.0	3	Tan	24
539	74936	18mmx54.8m	40	50	7.2	7	Brown	48
	74937	24mmx54.8m	40	50	7.2	7	Brown	36
	74938	36mmx54.8m	40	50	7.2	7	Brown	24
	74941	48mmx54.8m	40	50	7.2	7	Brown	24

Paper Flatback Applications

Splicing • Tabbing • Box closure



Double-Coated Tape



Intertape Brand Double-Coated Tape features an extremely aggressive tack. Ideal for many industrial uses such as mounting, adhering and bonding applications.

Double-Coated Tape

Style	Item Number	Size	Tensile lb/in	Adhesion oz/in	Thickness mils w/o liner	Thickness mils w/liner	Elongation %	Color	Rolls/Case
591	72699	18mmx32.9m	34	52	7.0	12.0	3	Natural	48
	72706	24mmx32.9m	34	52	7.0	12.0	3	Natural	36
	72713	36mmx32.9m	34	52	7.0	12.0	3	Natural	24
	84913	2inx36yds	34	52	7.0	12.0	3	Natural	24
592	82738	18mmx32.9m	23	47	6.0	10.4	8.5	Natural	48
	82739	24mmx32.9m	23	47	6.0	10.4	8.5	Natural	36
	82741	48mmx32.9m	23	47	6.0	10.4	8.5	Natural	24

Additional products, sizes and specifications available. Log on to www.intertapepolymer.com to view our complete product offering.

Double-Coated Applications

Golf grip application • Photograph mounting • Carpet installation • Plate mounting





Carton-Sealing Tape



Hot Melt Adhesive Pressure-Sensitive

Intertape Brand Hot Melt Adhesive Carton-Sealing Tapes offer the widest range of application flexibility available. Superior adhesion properties, holding force and tensile strength ensure consistent, reliable seals. Noted for quiet release and easy unwind, IPG's Hot Melt Tape is well suited for automatic case-sealing machines.



Extra Heavy Duty

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
1100	F4210	48mmx55m	Hand	Clear	3.0	36
	F4225	72mmx55m	Hand	Clear	3.0	24

Heavy Duty

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
9100	F4185	48mmx55m	Hand	Clear	2.5	36
	F4195	48mmx914m	Machine	Clear	2.5	6
	F4208	72mmx914m	Machine	Clear	2.5	4

Super Production Grade

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
8100	F4150	48mmx100m	Hand	Clear	2.2	36
	F4155	48mmx914m	Machine	Clear	2.2	6
	F4170	72mmx914m	Machine	Clear	2.2	4

Production Grade

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
7100	F4085-05	48mmx100m	Hand	Clear	1.85	36
	F4105-05	72mmx100m	Hand	Clear	1.85	24
	F4090-05	48mmx914m	Machine	Clear	1.98	6
	F4110-05	72mmx914m	Machine	Clear	1.98	4

Cold Temp Performance Grade

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
7151QT	F4318	48mmx100m	Hand	Clear	1.95	36
	F4321	72mmx100m	Hand	Clear	1.95	24
	F4319	48mmx914m	Machine	Clear	1.98	6
	F4314	72mmx914m	Machine	Clear	1.98	4
6151QT	F4502	48mmx100m	Hand	Clear	1.7	36
	F4322	72mmx100m	Hand	Clear	1.7	24
	F4503	48mmx914m	Machine	Clear	1.7	6
	F4508	48mmx1371m	Machine	Clear	1.7	6
	F4326-QT	72mmx1371m	Machine	Clear	1.7	4

Additional products, sizes and specifications available. Log on to www.intertapepolymer.com to view our complete product offering.



Carton-Sealing Tape



General Purpose Hot Melt

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
6100	F4020-05	48mmx100m	Hand	Clear	1.6	36
6100	F4039-05	72mmx100m	Hand	Clear	1.6	24
6100	F4030-05	48mmx914m	Machine	Clear	1.6	6
6100	F4043-05	72mmx914m	Machine	Clear	1.6	4

Acrylic Adhesive Pressure-Sensitive

Intertape Brand Acrylic Carton-Sealing Tape is best suited for applications in temperatures less than 40°F and greater than 120°F. Providing excellent clarity, acrylic tape ages well over extended periods in sunlight and fluorescent lighting.



Performance Grade

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
400	G8180	48mmx100m	Hand	Clear	2.1	36
	G8186	72mmx100m	Hand	Clear	2.1	24
	G8195	48mmx914m	Machine	Clear	2.1	6
	G8380	72mmx914m	Machine	Clear	2.1	4


General Purpose

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
300	G8152	48mmx100m	Hand	Clear	1.75	36
	G8155	72mmx100m	Hand	Clear	1.75	24
	G8163	48mmx914m	Machine	Clear	1.75	6
	G8165	48mmx1371m	Machine	Clear	1.75	6

Light Duty

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
170	G2002	48mmx100m	Hand	Clear	1.7	36
	G2003	72mmx100m	Hand	Clear	1.7	24
	G2007	48mmx914m	Machine	Clear	1.7	6
	G2009	72mmx914m	Machine	Clear	1.7	4

Additional products, sizes and specifications available. Log on to www.intertapepolymer.com to view our complete product offering.





Carton-Sealing Tape

CENTRAL
A Division of Intertape Polymer Group, Inc.

Natural Rubber Adhesive Pressure-Sensitive

Central® Natural Rubber Tape has the most aggressive adhesive available offering fast, positive bonding on “problem” applications such as high recycled content cartons, rough or ultra-smooth cartons, heavy ink coverage, dusty and/or dirty environments, humid conditions and temperature extremes.



Heavy Duty

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
510	N8222	48mmx100m	Hand	Clear	2.3	36
	N8228	72mmx100m	Hand	Clear	2.3	24
	N8224	48mmx914m	Machine	Clear	2.3	6

Production Grade

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
500	N8213	48mmx100m	Hand	Clear	1.9	36
	N8218	72mmx100m	Hand	Clear	1.9	24
	N8291	48mmx914m	Machine	Clear	1.9	6
	NA416	72mmx914m	Machine	Clear	1.9	4

General Purpose

Product ID	Item Number	Size	Type	Color	Mil	Rolls/Case
570	N8245	48mmx100m	Hand	Clear	1.6	36
	N8249	72mmx100m	Hand	Clear	1.6	24

Water-Activated

Central® Water-Activated Tapes bond instantly to both virgin and recycled fiber (corrugated carton, paper, etc.) surfaces and therefore, generate an immediate destructive bond resulting in a tamper evident package. Central is a recognized pioneer and innovator in water activated technology.




Reinforced

Product ID	Item Number	Size	Top/Bottom Paper Weight	Color	Rolls/Case
260	K7450	3"x450'	25lbs/25lbs	Natural	10
240	K7000	72mmx450'	25lbs/23lbs	Natural	10
235	K6044	72mmx450'	25lbs/23lbs	Natural	10

Paper

Product ID	Item Number	Size	Paper Weight	Color	Rolls/Case
160	K2800	3"x600'	57lbs + 5%	Natural	10

Additional products, sizes and specifications available. Log on to www.intertapepolymer.com to view our complete product offering.



Films



Stretch Film

A market leader in technology, IPG manufactures monolayer and 3-layer blown film, both 5 & 7-layer cast films and specialty products on state-of-the-art equipment in ISO Certified facilities.

SuperFlex™ High Performance Films provide significant downgauging opportunities yielding as much as a 30% reduction in the amount of film needed to securely contain a load. In addition to providing a measurable cost savings, the reduction in film consumed means that SuperFlex films are environmentally preferred over conventional films.

StretchFlex™ Stretch Wrap rounds out the Intertape Polymer Group line of films and is designed to meet a variety of stretch wrapping needs.




Style	Type	Item Number	Film Thickness	Width	Length	Roll Count
PROLITE™ High Performance Cast Hand Wrap Film	Hand	HY1200355-01	47 gauge	14in	1500ft	4/case
		HY1200400-01	47 gauge	15.7in	1500ft	4/case
		HY1200457-01	47 gauge	18in	1500ft	4/case
Genesys™ High Performance Cast 1-Side Machine Film	Machine	HA1272000-V9	50 gauge	20in	9000ft	40/pallet
		HA1602000-V7	63 gauge	20in	7500ft	40/pallet
		HA1603000-V7	63 gauge	30in	7500ft	20/pallet



Style	Type	Item Number	Film Thickness	Width	Length	Roll Count
HW IV Cast Hand Wrap Film	Hand	HF1781800-00	70 gauge	18in	1500ft	4/case
		HF2031800-00	80 gauge	18in	1500ft	4/case
HW II Blown Hand Wrap Film	Hand	HR1781800-00	70 gauge	18in	1500ft	4/case
		HR2031500-00	80 gauge	15in	1500ft	4/case
		HR2031800-00	80 gauge	18in	1500ft	4/case
		HR2291800-00	90 gauge	18in	1500ft	4/case
StretchFlex I Cast 2-Side Cling Machine Grade Film	Machine	H11782000-V6	70 gauge	20in	6000ft	40/pallet
		H11902000-V5	75 gauge	20in	5000ft	40/pallet
		H11902000-V6	75 gauge	20in	6000ft	40/pallet
		H12032000-V5	80 gauge	20in	5000ft	40/pallet
		H12032000-V6	80 gauge	20in	6000ft	40/pallet
		H12033000-V6	80 gauge	30in	6000ft	30/pallet
		H12292000-V5	90 gauge	20in	5000ft	40/pallet

Additional products, sizes and specifications available. Log on to www.intertapepolymer.com to view our complete product offering.





Films




Shrink Film

Exlfilm® shrink films guarantee your packaging looks its absolute best, while providing unmatched durability, versatility and value. Our advanced crosslinking technology enables sealing on all types of equipment across a wider range of temperatures, and improves burn through resistance ensuring the best possible package.

Style	Item Number	Film Thickness	Width	Length	Rolls/Case	Rolls/Pallet
Exlfilmplus™ LTF Cross Linked Centerfold Shrink Film	IA6F1200	60 gauge	12in	4,375ft	1	40
	IA6F1400	60 gauge	14in	4,375ft	1	40
	IA6F1600	60 gauge	16in	4,375ft	1	32
	IA6F1800	60 gauge	18in	4,375ft	1	32
	IA6F2000	60 gauge	20in	4,375ft	1	32
	IA7F1200	75 gauge	12in	3,500ft	1	40
	IA7F1400	75 gauge	14in	3,500ft	1	40
	IA7F1600	75 gauge	16in	3,500ft	1	32
	IA7F1800	75 gauge	18in	3,500ft	1	32
	IA7F2000	75 gauge	20in	3,500ft	1	32

Style	Item Number	Film Thickness	Width	Length	Rolls/Case	Rolls/Pallet
Exlfilm® HSP Centerfold Shrink Film	IG6F12	60 gauge	12in	4,375ft	1	40
	IG6F14	60 gauge	14in	4,375ft	1	40
	IG6F16	60 gauge	16in	4,375ft	1	32
	IG6F18	60 gauge	18in	4,375ft	1	32
	IG6F20	60 gauge	20in	4,375ft	1	32
	IG7F12	75 gauge	12in	3,500ft	1	40
	IG7F14	75 gauge	14in	3,500ft	1	40
	IG7F16	75 gauge	16in	3,500ft	1	32
	IG7F18	75 gauge	18in	3,500ft	1	32
	IG7F20	75 gauge	20in	3,500ft	1	32



Complementary Products



iCushion™ Protective Packaging

For years, Intertape Polymer Group has been a trusted source for the products that secure your packages as a leading supplier of carton-sealing tapes and stretch film. It only makes sense that you would also rely on Intertape to protect the contents of your packages. That is why the iCushion™ Protective Packaging line emerged with the fastest Air Pillow System on the market and continues to expand with the addition of Flashpac™ Foam-In-A-Bag Instant Packaging.



AP-8000C Inflatable Air Pillow System

- Available in conventional or Oxo-Biodegradable film
- Popular pillow sizes: 8" x 8" and 8" x 12"

Placement of air pillow systems requires customer commitment.



Flashpac Foam-In-A-Bag

Produces instant foam packaging that expands up to 30 times its original size.

Bag sizes: 15" x 18" 18" x 18"
 18" x 24" 20" x 20"

For more details on these complementary products, contact your IPG Sales Representative or visit www.intertapepolymer.com!

Distributed by:

Corporate Profile

Intertape Polymer Group Inc. (IPG) is an acknowledged leader in the packaging industry. Leveraging its advanced manufacturing technologies, extensive research and development capabilities and a comprehensive strategic acquisition program, the company believes it has assembled the broadest and deepest range of products in the industry.

IPG is widely recognized for its development and manufacture of specialized polyolefin, plastic and paper-based packaging products, as well as complementary packaging systems for industrial and retail use. Additionally, IPG is a woven and flexible intermediate bulk container (FIBC) manufacturer. Its performance products, including tapes and cloths, are designed for demanding aerospace, automotive and industrial applications and are sold to a broad range of industrial/specialty distributors, retail stores and large end-users in diverse industries.

Interpack™ Case Sealing Equipment

IPG's Interpack brand of quality case sealers and accessories offers the features and versatility you need with performance you can depend on... all at the most cost-effective price. Our comprehensive equipment line includes case sealers, tape heads, case erectors, standard and special options and custom-built special application machinery.



INTERPACK
PACKAGING SYSTEMS

Meet Lili™

Lili™ is Intertape's environmental stewardship program and stands for "Low environmental impact line from Intertape".

Lili™ encompasses:

- Corporate Commitment
- Socially Responsible Corporate Initiatives

Lili Approved Products

- Oxo-Biodegradable Films
- High Performance products offering down-gauging opportunities
- Most environmentally preferred method of box closure



Toll Free: **800-IPG-8273 / 800-474-8273**

Marysville, MI Fax: 800-368-8273

Columbia, SC Fax: 800-462-1293

Montreal, QC Fax: 800-561-3671

Tape Technical Help: 877-447-4832

Machinery Technical Help: 800-972-4675 / Fax: 813-621-9680

www.intertapepolymer.com | E-mail: info@itape.com