



Kimberly-Clark
PROFESSIONAL

Protective Clothing

Protective apparel must be fitted correctly so the wearer can perform tasks without restriction. Employers are required to provide employees with all PPE suited specifically to each task.

Visit www.osha.gov for complete details and regulation requirements.



DUPONT PERSONAL PROTECTION



DuPont™
Tychem

DuPont™
Tyvek

DuPont™
ProShield



DuPont
Personal Protection

DuPont™ ProShield® NexGen® Coveralls

ProShield® NexGen® garments are suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications. Made with a microporous film that is laminated to a spunbonded polypropylene substrate. Applications include automotive refinishing, waste cleanup and remediation. Features zipper front and serged seams. White.



ITEM #	ORDER #	SIZES	UOM
Collar, Open Wrists and Ankles			
NG120S-L	31710125	L	25/Cs
NG120S-XL	31710128	XL	25/Cs
NG120S-2XL	31710129	2XL	25/Cs
NG120S-3XL	31710130	3XL	25/Cs
NG120S-4XL	31710131	4XL	25/Cs
Attached Hood and Boots, Elastic Wrists			
NG122S-M	31710135	M	25/Cs
NG122S-L	31710134	L	25/Cs
NG122S-XL	31710136	XL	25/Cs
NG122S-2XL	31710137	2XL	25/Cs
NG122S-3XL	31710138	3XL	25/Cs
NG122S-4XL	31710139	4XL	25/Cs
NG122S-5XL	31710140	5XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
Collar, Elastic Wrists and Ankles			
NG125S-M	31710635	M	25/Cs
♦ NG125S-L	31710141	L	25/Cs
NG125S-XL	31710142	XL	25/Cs
NG125S-2XL	31710143	2XL	25/Cs
NG125S-3XL	31710144	3XL	25/Cs
NG125S-4XL	31710145	4XL	25/Cs
♦ NG125S-5XL	31710146	5XL	25/Cs
Storm Flap, Respirator-Fit Hood, Elastic Face, Wrists and Ankles			
♦ NG127S-M	31716146	M	25/Cs
NG127S-L	31716147	L	25/Cs
NG127S-XL	31716148	XL	25/Cs
NG127S-2XL	31716149	2XL	25/Cs
NG127S-3XL	31716150	3XL	25/Cs
NG127S-4XL	31716151	4XL	25/Cs

DuPont™ Tyvek® and General Protection Products

Typical General Industrial Hazards/Description/Examples

Brands	Exposure	Non-Hazardous							Hazardous												
		Particles			Aerosol	Light Liquid Splash			Particles							Aerosol	Flame Resistant				
		General Dirt & Grime	Animal Waste	Sanding & Grinding Waste	Spray Paints	Oil & Grease	Lubricants	Fertilizer	Sewage	Fertilizer	Pesticides	Asbestos	Lead	Chromium	Beryllium	Mold	Fiberglass	Carbon	Radioactive Particles	Isocyanate	
Tyvek®																					
ProShield® NexGen®																					
ProShield® Basic																					
Tempo®																					

It is the user's responsibility to determine the nature and level of hazard and the proper personal protective equipment needed. The information set forth herein reflects laboratory performance of fabrics, not complete garments under controlled conditions. It is intended for informational use by persons having technical skill for evaluation under their specific end-use conditions, at their own discretion and risk. Anyone intending to use this information should first verify that the garment selected is suitable for the intended use. In many cases, seams and closures have shorter breakthrough times and higher penetration rates than the fabric. Please contact the garment manufacturer for specific data. These garments are intended for limited use and should be disposed of after single use. If fabric becomes torn, abraded or punctured, end user should discontinue use of garment to avoid potential exposure.

WARNINGS:

Tyvek®, NexGen®, NuFab® and ProShield® garments are not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments made of Tyvek®, NexGen®, NuFab®, ProShield® and Tempo® should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping may occur. Tempo® garments are flame retardant treated, not inherently flame-resistant, and are intended to be worn OVER flame-resistant protective apparel.



PB120SBU



PB122SWH



PB125SWH



PB127SWHM

DuPont
Personal Protection

DuPont™ ProShield® Basic Coveralls

Meltblown, spunbond polypropylene garments have been optimized for comfort, softness and breathability. Features serged seams and zipper front with storm flap. Offers protection from dirt, grime and non-hazardous dry particles. Applications include general maintenance and janitorial/cleaning.

ITEM #	ORDER #	SIZES	COLOR	UOM
Collar, Open Wrists and Ankles				
PB120SBUMD002500	31712500	M	Blue	25/Cs
PB120SBULG002500	31712501	L	Blue	25/Cs
PB120SBUXL002500	31712502	XL	Blue	25/Cs
PB120SBU2X002500	31712503	2XL	Blue	25/Cs
PB120SBU3X002500	31712504	3XL	Blue	25/Cs
◆ PB120SBU4X002500	31712505	4XL	Blue	25/Cs
PB120SWHMD002500	31712510	M	White	25/Cs
PB120SWHLG002500	31712511	L	White	25/Cs
PB120SWHXL002500	31712512	XL	White	25/Cs
PB120SWH2X002500	31712513	2XL	White	25/Cs
PB120SWH3X002500	31712514	3XL	White	25/Cs
◆ PB120SWH4X002500	31712515	4XL	White	25/Cs
Attached Hood and Boots, Elastic Wrists				
PB122SBUMD002500	31712520	M	Blue	25/Cs
PB122SBULG002500	31712521	L	Blue	25/Cs
PB122SBUXL002500	31712522	XL	Blue	25/Cs
PB122SBU2X002500	31712523	2XL	Blue	25/Cs
PB122SBU3X002500	31712524	3XL	Blue	25/Cs
◆ PB122SBU4X002500	31712525	4XL	Blue	25/Cs
PB122SWHMD002500	31712530	M	White	25/Cs
PB122SWHLG002500	31712531	L	White	25/Cs
PB122SWHXL002500	31712532	XL	White	25/Cs
PB122SWH2X002500	31712533	2XL	White	25/Cs
PB122SWH3X002500	31712534	3XL	White	25/Cs
◆ PB122SWH4X002500	31712535	4XL	White	25/Cs


ITEM #	ORDER #	SIZES	COLOR	UOM
Collar, Elastic Wrists and Ankles				
PB125SBUMD002500	31712540	M	Blue	25/Cs
PB125SBULG002500	31712541	L	Blue	25/Cs
PB125SBUXL002500	31712542	XL	Blue	25/Cs
PB125SBU2X002500	31712543	2XL	Blue	25/Cs
PB125SBU3X002500	31712544	3XL	Blue	25/Cs
◆ PB125SBU4X002500	31712545	4XL	Blue	25/Cs
PB125SWHMD002500	31712550	M	White	25/Cs
PB125SWHLG002500	31712551	L	White	25/Cs
PB125SWHXL002500	31712552	XL	White	25/Cs
PB125SWH2X002500	31712553	2XL	White	25/Cs
PB125SWH3X002500	31712554	3XL	White	25/Cs
◆ PB125SWH4X002500	31712555	4XL	White	25/Cs
Attached Hood, Elastic Wrists and Ankles				
PB127SBUMD002500	31712560	M	Blue	25/Cs
PB127SBULG002500	31712561	L	Blue	25/Cs
PB127SBUXL002500	31712562	XL	Blue	25/Cs
PB127SBU2X002500	31712563	2XL	Blue	25/Cs
PB127SBU3X002500	31712564	3XL	Blue	25/Cs
◆ PB127SBU4X002500	31712565	4XL	Blue	25/Cs
PB127SWHMD002500	31712570	M	White	25/Cs
PB127SWHLG002500	31712571	L	White	25/Cs
PB127SWHXL002500	31712572	XL	White	25/Cs
PB127SWH2X002500	31712573	2XL	White	25/Cs
PB127SWH3X002500	31712574	3XL	White	25/Cs
◆ PB127SWH4X002500	31712575	4XL	White	25/Cs



DuPont
Personal Protection

DuPont™ Tyvek® Coveralls

Provides an effective barrier for dry, small particles, even after abrasion, with an ideal balance of protection, durability and comfort. Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light non-hazardous liquid splash. Proprietary comfort-fit design offers greater range of movement and increased worker comfort. Feature serged seams and nylon zipper. White.



TY120S

TY122S

TY125S

TY127S



TY122S



TY120S

ITEM #	ORDER #	SIZES	UOM
Collar, Open Wrists and Ankles			
TY120S-M	31710459	M	25/Cs
TY120S-L	31710458	L	25/Cs
TY120S-XL	31710461	XL	25/Cs
TY120S-2XL	31710462	2XL	25/Cs
TY120S-3XL	31710463	3XL	25/Cs
TY120S-4XL	31710464	4XL	25/Cs
Attached Hood and Boots, Elastic Wrists and Ankles			
TY122S-M	31710467	M	25/Cs
TY122S-L	31710466	L	25/Cs
TY122S-XL	31710469	XL	25/Cs
TY122S-2XL	31710470	2XL	25/Cs
TY122S-3XL	31710471	3XL	25/Cs
TY122S-4XL	31710472	4XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
Collar, Elastic Wrists and Ankles			
TY125S-M	31710476	M	25/Cs
TY125S-L	31710475	L	25/Cs
TY125S-XL	31710478	XL	25/Cs
TY125S-2XL	31710479	2XL	25/Cs
TY125S-3XL	31710480	3XL	25/Cs
TY125S-4XL	31710481	4XL	25/Cs
Attached Hood, Elastic Wrists and Ankles			
TY127S-M	31710485	M	25/Cs
TY127S-L	31710484	L	25/Cs
TY127S-XL	31710487	XL	25/Cs
TY127S-2XL	31710488	2XL	25/Cs
TY127S-3XL	31710489	3XL	25/Cs
TY127S-4XL	31710490	4XL	25/Cs

DuPont
Personal Protection

DuPont™ Tychem® QC Coveralls

Made with polyethylene-coated fabric which provides protection against light liquid splash. Bright yellow color creates contrast across a wide range of natural backgrounds for high visibility in the workplace. Lightweight fabric is durable and resistant to tear and abrasion. Ideal for use in chemical processing and manufacturing applications. Features zipper front closure.

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.



QC120B

QC122S

QC125B

QC125S

QC127S

ITEM #	ORDER #	SIZES	SEAMS	UOM
Collar, Open Wrists and Ankles				
◆ QC120B-L	31710295	L	Bound	12/Cs
◆ QC120B-XL	31710298	XL	Bound	12/Cs
◆ QC120B-2XL	31710299	2XL	Bound	12/Cs
◆ QC120B-3XL	31710300	3XL	Bound	12/Cs
◆ QC120B-4XL	31710323	4XL	Bound	12/Cs
Attached Hood and Socks, Elastic Wrists and Face				
QC122S-L	31710314	L	Serged	12/Cs
QC122S-XL	31710317	XL	Serged	12/Cs
QC122S-2XL	31710318	2XL	Serged	12/Cs
QC122S-3XL	31710319	3XL	Serged	12/Cs
Collar, Front Storm Flap, Elastic Wrists and Ankles				
◆ QC125B-L	31710321	L	Bound	12/Cs
QC125B-XL	31710324	XL	Bound	12/Cs
◆ QC125B-2XL	31710325	2XL	Bound	12/Cs
◆ QC125B-3XL	31710326	3XL	Bound	12/Cs

ITEM #	ORDER #	SIZES	SEAMS	UOM
Collar, Front Storm Flap, Elastic Wrists and Ankles, Continued				
QC125B-4XL	31710327	4XL	Bound	12/Cs
◆ QC125S-L	31710329	L	Serged	12/Cs
◆ QC125S-XL	31710332	XL	Serged	12/Cs
QC125S-2XL	31710333	2XL	Serged	12/Cs
◆ QC125S-3XL	31710334	3XL	Serged	12/Cs
◆ QC125S-4XL	31710335	4XL	Serged	12/Cs
Attached Hood, Elastic Face, Wrists and Ankles				
QC127S-M	31710346	M	Serged	12/Cs
QC127S-L	31710345	L	Serged	12/Cs
QC127S-XL	31710348	XL	Serged	12/Cs
QC127S-2XL	31710349	2XL	Serged	12/Cs
QC127S-3XL	31710350	3XL	Serged	12/Cs
◆ QC127S-4XL	31710351	4XL	Serged	12/Cs
QC127S-5XL	31710352	5XL	Serged	12/Cs

◆ Non-stock item. Minimum quantity may apply.



Disposable



TF145T


DuPont
Personal Protection

DuPont™ Tychem® F Coveralls

Made of proprietary barrier film laminated to Tyvek® substrate. Fabric provides at least 30 minutes of protection against over 180 challenge chemicals including chemical warfare agents and toxic industrial chemicals. Strong, durable and lightweight. Low-visibility gray color is preferred by law enforcement, emergency medical service (EMS) technicians and military personnel. Taped seams (sewn seams covered with a strip of compatible chemical-resistant fabric through heat sealing) offer strong chemical resistance against heavy liquid splashes. Features elastic wrists and ankles, 2-piece attached hood design with zipper that extends to chin, and storm flap that covers zipper.

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.

ITEM #	ORDER #	SIZES	UOM	ITEM #	ORDER #	SIZES	UOM
◆ TF145T-M	31710728	M	6/Cs	◆ TF145T-2XL	31710730	2XL	6/Cs
◆ TF145T-L	31710727	L	6/Cs	◆ TF145T-3XL	31710731	3XL	6/Cs
TF145T-XL	31710729	XL	6/Cs	◆ TF145T-4XL	31710732	4XL	6/Cs



DuPont
Personal Protection

DuPont™ Tychem® SL Coveralls

Made from lightweight Tyvek® laminated to chemical-resistant Saranex™ 23P film. Provides protection against a broad spectrum of chemicals, hazardous particles and liquids. Strong fabric reduces risk of tears and abrasions. Zipper front with storm flap. White.

Warning: Not flame-resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.

ITEM #	ORDER #	SIZES	SEAMS	UOM
Collar, Open Wrists and Ankles				
◆ SL120B-L	31710378	L	Bound	12/Cs
◆ SL120B-XL	31710381	XL	Bound	12/Cs
◆ SL120B-2XL	31710382	2XL	Bound	12/Cs
◆ SL120B-3XL	31710383	3XL	Bound	12/Cs
◆ SL120B-4XL	31710384	4XL	Bound	12/Cs
Attached Hood and Socks, Elastic Face and Wrists				
SL122B-XL	31710389	XL	Bound	12/Cs
SL122B-2XL	31710390	2XL	Bound	12/Cs
SL122B-3XL	31710391	3XL	Bound	12/Cs
Collar, Elastic Wrists and Ankles				
◆ SL125T-L	31712378	L	Taped	12/Cs
◆ SL125T-XL	31710699	XL	Taped	12/Cs
◆ SL125T-2XL	31712382	2XL	Taped	12/Cs
◆ SL125T-3XL	31713529	3XL	Taped	12/Cs
SL125T-4XL	31713314	4XL	Taped	12/Cs
◆ SL125B-L	31710399	L	Bound	12/Cs
◆ SL125B-XL	31710402	XL	Bound	12/Cs
◆ SL125B-2XL	31710403	2XL	Bound	12/Cs
◆ SL125B-3XL	31710404	3XL	Bound	12/Cs
◆ SL125B-4XL	31710405	4XL	Bound	12/Cs

SL120B

SL122B

SL125T

SL125B



DuPont
Personal Protection

DuPont™ Tempo® Coveralls

Cost-efficient over garment designed to be worn over primary flame-resistant garments to provide a barrier against non-hazardous particles and aerosols. Serge seams. Blue.



ITEM #	ORDER #	SIZES	UOM
Collar, Open Wrists and Ankles			
♦ TM120S-L	31712975	L	25/Cs
♦ TM120S-XL	31712978	XL	25/Cs
♦ TM120S-2XL	31712979	2XL	25/Cs
♦ TM120S-3XL	31712980	3XL	25/Cs
♦ TM120S-4XL	31713965	4XL	25/Cs
♦ TM120S-5XL	31714029	5XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
Attached Hood and Socks, Elastic Wrists			
♦ TM122S-L	31713564	L	25/Cs
♦ TM122S-XL	31713761	XL	25/Cs
♦ TM122S-2XL	31714082	2XL	25/Cs
♦ TM122S-3XL	31711122	3XL	25/Cs
♦ TM122S-4XL	31711123	4XL	25/Cs
♦ TM122S-5XL	31712509	5XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
Attached Hood, Elastic Wrists and Ankles			
♦ TM127S-L	31712985	L	25/Cs
♦ TM127S-XL	31712988	XL	25/Cs
♦ TM127S-2XL	31712989	2XL	25/Cs
♦ TM127S-3XL	31712990	3XL	25/Cs
♦ TM127S-4XL	31710457	4XL	25/Cs
♦ TM127S-5XL	31714038	5XL	25/Cs



10468



Kleenguard* A10 Light-Duty Coveralls

Lightweight polypropylene material provides great comfort. Features zipper front closure and elastic wrists and ankles. Typical uses include food processing, general maintenance and manufacturing. White. Meets ANSI/ISEA 101-1996 sizing standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10468	15401114	A10 Coveralls	L	25/Cs
♦ 10636	15401111	A10 Coveralls	XL	25/Cs



36811



Kleenguard* A10 Light-Duty Shoe Covers

Lightweight spunbond polypropylene material for cool comfort and protection in non-hazardous environments. Light-duty protection provided against dirt, grime and certain non-hazardous dry particulates. Fully elasticized and low-skid. Blue. Universal. Meets ANSI/ISEA 101-1996 sizing standards.

ITEM #	ORDER #	DESCRIPTION	UOM
36811	15406811	A10 Shoe covers	300/Cs



**More Shoe and Boot Covers,
Page 190.**

♦ Non-stock item. Minimum quantity may apply.



49002



49102



49112



58502



KleenGuard* A20 Breathable Particle Protection Coveralls

Constructed of patented Microforce* Barrier SMS fabric that offers protection against dry particulates. Patented Reflex* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Features zipper front closure. Typical uses include laboratories, decontamination modesty garment, remediation, pesticides and heavy-dust environments. Lightweight and breathable.

ITEM #	ORDER #	SIZES	COLOR	UOM
Collar, Open Wrists and Ankles				
◆ 49002	15409002	M	White	24/Cs
49003	15408225	L	White	24/Cs
49004	15408238	XL	White	24/Cs
49005	15408239	2XL	White	24/Cs
◆ 49006	15408235	3XL	White	20/Cs
◆ 49007	15400618	4XL	White	20/Cs
Collar, Elastic Back, Wrists and Ankles				
◆ 49102	15408246	M	White	24/Cs
◆ 49103	15408248	L	White	24/Cs
49104	15408250	XL	White	24/Cs
49105	15408244	2XL	White	24/Cs
49106	15408245	3XL	White	20/Cs
◆ 49107	15404910	4XL	White	20/Cs
Attached Hood, Elastic Back, Wrists and Ankles				
◆ 49112	15408251	M	White	24/Cs
◆ 49113	15408252	L	White	24/Cs
49114	15408254	XL	White	24/Cs
49115	15408256	2XL	White	24/Cs
49116	15408219	3XL	White	20/Cs
◆ 49117	15400619	4XL	White	20/Cs
Collar, Elastic Wrists and Ankles				
◆ 58502	15400286	M	Blue	24/Cs
58503	15408503	L	Blue	24/Cs
58504	15400279	XL	Blue	24/Cs
58505	15408505	2XL	Blue	24/Cs
58506	15408506	3XL	Blue	20/Cs
58507	15408507	4XL	Blue	20/Cs



KleenGuard* A30 Breathable Splash and Particle Protection Coveralls

Breathable, patented Microforce* Barrier SMS Fabric. Strong and abrasion-resistant. Typical uses include pharmaceutical research, dry particle contamination, aerospace, maintenance/general manufacturing. Patented Reflex* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Features zipper front closure with 1" flap and elastic back. White.

ITEM #	ORDER #	SIZES	UOM
Collar, Elastic Wrists and Ankles			
46102	15400580	M	25/Cs
46103	15400581	L	25/Cs
46104	15400582	XL	25/Cs
46105	15400583	2XL	25/Cs
46106	15400585	3XL	21/Cs
46107	15400586	4XL	21/Cs
Attached Hood, Elastic Wrists and Ankles			
◆ 46112	15400587	M	25/Cs
◆ 46113	15400588	L	25/Cs
46114	15406114	XL	25/Cs
◆ 46115	15400589	2XL	25/Cs
◆ 46116	15400590	3XL	21/Cs
◆ 46117	15406117	4XL	21/Cs



KleenGuard* A40 Liquid and Particle Protection Coveralls

Breathable, microporous film laminate with zipper front closure. Low in lint. Ideal for fiberglass manufacturing, tank cleaning, utilities and liquid handling. White. NFPA 99 compliant anti-static material. Passes ASTM F1670 testing for penetration of blood and bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard.

ITEM #	ORDER #	SIZES	UOM
Collar, Open Wrists and Ankles			
◆ 44302	15400302	M	25/Cs
44303	15400303	L	25/Cs
44304	15400304	XL	25/Cs
44305	15400305	2XL	25/Cs
44306	15400306	3XL	25/Cs
Collar, Elastic Wrists and Ankles			
◆ 44313	15400313	L	25/Cs
◆ 44314	15400314	XL	25/Cs
◆ 44315	15401315	2XL	25/Cs
44316	15401316	3XL	25/Cs
Attached Hood, Elastic Wrists and Ankles			
44323	15400298	L	25/Cs
44324	15400299	XL	25/Cs
44325	15401325	2XL	25/Cs
44326	15400300	3XL	25/Cs
44327	15400301	4XL	25/Cs

◆ Non-stock item. Minimum quantity may apply.



42527



KleenGuard* A40 Breathable Back Coveralls with Thumb Hole

Front and sleeves are a microporous film laminate designed for protection against hazardous particles and liquids while breathable back is a SMS fabric extending from shoulder to ankle to keep wearer cool. Features zipper front closure, elastic ankles and elastic wrists with thumb holes for easy donning of gloves. Provides air movement and ventilation. Ideal for fiberglass manufacturing, tank cleaning, utilities and liquid handling. White. NFPA 99 compliant anti-static material. Passes ASTM F1670 testing for penetration of blood and bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
42526	15402503	A40 Breathable back coveralls w/ thumb hole	L	25/Cs
42527	15404252	A40 Breathable back coveralls w/ thumb hole	XL	25/Cs
◆ 42528	15402504	A40 Breathable back coveralls w/ thumb hole	2XL	25/Cs
◆ 42529	15402505	A40 Breathable back coveralls w/ thumb hole	3XL	25/Cs



37167



KleenGuard* A45 Liquid and Particle Protection Coveralls

TAA-compliant protective apparel constructed with Reflex* design. Features snap front closure and open wrists and ankles. All components are specified as silicone-free. Contains no components made from natural rubber latex. Passes NFPA 99 for anti-static materials. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
37167	15407167	A45 Coveralls w/ snap closure	XL	25/Cs
◆ 37168	15407168	A45 Coveralls w/ snap closure	2XL	25/Cs
◆ 37169	15407169	A45 Coveralls w/ snap closure	3XL	25/Cs



45094



KleenGuard* A60 Bloodborne Pathogen and Chemical Protection Coveralls

Patented 3-layer fabric construction designed with a middle layer of microporous film that allows heat and sweat vapor to escape, yet protects against many dry particulates and liquids, even under pressure. Outer layers provide protection of the film barrier against tearing and abrasion. Seamless front provides greater protection. Features attached hood and boots, elastic wrists and ankles, and zipper front closure with taped storm flap. Patented Reflex* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Blue. Passes ASTM F1670/F1671 testing for penetration of blood, bodily fluids and bloodborne pathogens.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
45093	15400424	A60 Coveralls	L	24/Cs
45094	15405094	A60 Coveralls	XL	24/Cs
◆ 45095	15400426	A60 Coveralls	2XL	24/Cs
◆ 45096	15400427	A60 Coveralls	3XL	20/Cs





Our Quality Shows in Every Format...



Collar, open wrists and ankles



Collar, elastic wrists and ankles




Attached hood, elastic wrists and ankles




Attached hood and boots, elastic wrists and ankles

...And in Every Seam.



SERGED SEAM is a basic stitched seam that's appropriate for exposure to non-hazardous substances. Overlap stitching provides strength and durability.



BOUND SEAM is a serged seam that's reinforced with binding for strength and tear resistance.



TAPED SEAM is serged, then reinforced with a film tape that's resistant to water and many liquid chemicals.*

*If your application requires a chemical-resistant taped seam, you should ensure that the tape offers appropriate resistance to the chemical involved.

Symbol Key



Breathable



Allows Sweat and Moisture Vapor to Escape




Resistant to Dry Particles




Repellent to Liquid Splashes




Resistant to Liquids Under Pressure



Resistant to Blood, Body Fluids and Bloodborne Pathogens



Resistant to Many Liquid and Dry Particulate Chemicals



Resistant to Select Chemicals and Vapors




Anti-Static



Resistant to Flame

These symbols will help you identify the Kimberly-Clark Professional* Protective Apparel that meets your specific needs. Look for them on the product pages.

Sizing Chart for Reflex* Design Garments





DuPont
Personal Protection

DuPont™ SureStep™ Shoe and Boot Covers

Features a unique polyethylene extrusion coating for skid resistance. Tear-resistant fabric has a seamless bottom design and is fluid-resistant for safety and extended life. Virtually lint-free, will not delaminate. Generous cut.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
◆ PE444SWHLG010000	31716622	SureStep™ boot covers, 13" high	L	White	100/Cs
◆ PE444SWHXL010000	31714441	SureStep™ boot covers, 13" high	XL	White	100/Cs
◆ PE440SWHLG020000	31710217	SureStep™ shoe covers	L	White	200/Cs
PE440SWHXL020000	31710218	SureStep™ shoe covers	XL	White	200/Cs
PE440SBULG020000	31711669	SureStep™ shoe covers	L	Blue	200/Cs
◆ PE440SBUXL020000	31711670	SureStep™ shoe covers	XL	Blue	200/Cs



PE440S

DuPont
Personal Protection

DuPont™ Tyvek® Shoe Covers

Flashspun high-density polyethylene provides an ideal balance of durability and comfort. Provides an effective barrier against hazardous, small sized particles, even after abrasion. Features elastic top and serged seams. Universal. White.



TY450S

ITEM #	ORDER #	DESCRIPTION	UOM
TY450SWH00020000	31713959	Tyvek® shoe covers, 5"	200/Cs
◆ TY450SWH000200LG	31714083	Tyvek® shoe covers, 8 1/4"	200/Cs

DuPont
Personal Protection

DuPont™ Tyvek® Boot Covers

Made of flashspun high-density polyethylene that provides an effective barrier against hazardous, small sized particles, even after abrasion. Features elastic top and serged seams. 18" Height.



TY454S

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
TY454SWH00010000	31718090	Boot covers	L	White	100/Cs
◆ TY454SWHLG0100SR	31714075	Boot covers	L	Gray	100/Cs
◆ TY454SWHXL0100SR	31714065	Boot covers	XL	Gray	100/Cs



DuPont
Personal Protection

DuPont™ Tyvek® FC Boot Covers

Made with spunbonded olefin with skid-resistant friction coating. Features elastic top and serged seams. 18" Height. Universal. Gray.

FC454S

ITEM #	ORDER #	DESCRIPTION	UOM
FC454SGY00010000	31714100	Tyvek® FC boot covers	100/Cs



DuPont
Personal Protection

DuPont™ Tyvek® FC Shoe Covers

Made from Tyvek® with skid-resistant coating and low elastic top. Features serged seams. 5" Height. Universal. Gray.

FC450S

ITEM #	ORDER #	DESCRIPTION	UOM
FC450SGY00020000	31713961	Tyvek® FC shoe covers	200/Cs



TY273B

QC273B

DuPont
Personal Protection

DuPont™ Tyvek® Aprons

Provide front body protection from non-hazardous particles and light liquid splash. Bib-style with neck loop for easy on and off. Low linting and static-free. Measures: 28" x 36". White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY273BWH00010000	31710784	Tyvek® bib-style aprons	100/Cs

DuPont
Personal Protection

DuPont™ Tychem® QC Bib Aprons

Polyethylene-coated fabric offers effective splash protection. Lightweight fabric is durable and resistant to tear and abrasion. Bright yellow color creates contrast across a broad range of backgrounds. Features sewn ties and bound seams. Measures: 28" x 36".

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ QC273BYL00010000	31710674	Tychem® QC aprons	100/Cs



DuPont
Personal Protection

DuPont™ Tyvek® Frocks

Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light liquid splash. Features snap closures and no pockets. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Open Wrists				
TY210SWHMD003000	31710494	Tyvek® frocks	M	30/Cs
TY210SWHLG003000	31710493	Tyvek® frocks	L	30/Cs
TY210SWHXL003000	31710496	Tyvek® frocks	XL	30/Cs
TY210SWH2X003000	31710497	Tyvek® frocks	2XL	30/Cs
TY210SWH3X003000	31710498	Tyvek® frocks	3XL	30/Cs
TY210SWH4X003000	31710499	Tyvek® frocks	4XL	30/Cs

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Elastic Wrists, Extra Long				
TY211SWHMD003000	31710502	Tyvek® frocks	M	30/Cs
TY211SWHLG003000	31710501	Tyvek® frocks	L	30/Cs
TY211SWHXL003000	31710504	Tyvek® frocks	XL	30/Cs
TY211SWH2X003000	31710505	Tyvek® frocks	2XL	30/Cs
TY211SWH3X003000	31710506	Tyvek® frocks	3XL	30/Cs
TY211SWH4X003000	31713282	Tyvek® frocks	4XL	30/Cs
◆ TY211SWH5X003000	31713266	Tyvek® frocks	5XL	30/Cs

DuPont
Personal Protection

DuPont™ Tyvek® Lab Coats

Constructed of flashspun high-density polyethylene. Features open wrists, snap closures and (2) pockets. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY212SWHMD003000	31710508	Tyvek® lab coats	M	30/Cs
TY212SWHLG003000	31710507	Tyvek® lab coats	L	30/Cs
TY212SWHXL003000	31710510	Tyvek® lab coats	XL	30/Cs

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY212SWH2X003000	31710511	Tyvek® lab coats	2XL	30/Cs
TY212SWH3X003000	31710512	Tyvek® lab coats	3XL	30/Cs

DuPont
Personal Protection

DuPont™ Tyvek® Shirts

Flashspun high-density polyethylene (HDPE) substrate provides comfortable inherent barrier protection against hazardous dry particles and non-hazardous, light liquid splash. Featured serged seams and snap front with open wrists. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ TY303SWHMD005000	31710521	Tyvek® long sleeve shirts	M	50/Cs
◆ TY303SWHLG005000	31710520	Tyvek® long sleeve shirts	L	50/Cs
TY303SWHXL005000	31710523	Tyvek® long sleeve shirts	XL	50/Cs

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY303SWH2X005000	31710524	Tyvek® long sleeve shirts	2XL	50/Cs
◆ TY303SWH3X005000	31710525	Tyvek® long sleeve shirts	3XL	50/Cs
◆ TY303SWH4X005000	31710526	Tyvek® long sleeve shirts	4XL	50/Cs

DuPont
Personal Protection

DuPont™ Tyvek® Hoods

Designed as a pullover with elasticized face opening and helps cover shoulders. Features serged seams. Universal. White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY657SWH0010000	31710539	Tyvek® pullover hood	100/Cs

DuPont
Personal Protection

DuPont™ Tyvek® Pants

Unique non-woven technology offers barrier protection against dry particulates and light liquid splash. Reinforced in high stress areas. Features elastic waist and open ankles. Stop particles down to one micron. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY350SWHMD005000	31710528	Tyvek® pants	M	50/Cs
TY350SWHLG005000	31710527	Tyvek® pants	L	50/Cs

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY350SWHXL005000	31710530	Tyvek® pants	XL	50/Cs
TY350SWH2X005000	31710531	Tyvek® pants	2XL	50/Cs

◆ Non-stock item. Minimum quantity may apply.



DuPont
Personal Protection

DuPont™ Tyvek® Sleeves

Offers extra protection for arms and garments. Effective barrier to hazardous dry particles, aerosols and non-hazardous light liquid splash. Features elastic ends to ensure secure fit and serged seams. 18" Length. White.



ITEM #	ORDER #	DESCRIPTION	UOM
TY500S	31710538	Tyvek® sleeves	200/Cs



Kevlar® Double-Ply Cut-Resistant Sleeves

Made with 100% DuPont™ Kevlar. Provides high-tensile strength and will not melt, ignite or conduct electricity. High comfort level allows for manual dexterity. Non-coated, 2-ply, washable and made with FDA-accepted materials for use in food processing applications. Do not bleach. 18" Length. Yellow. ANSI cut level 3.

ITEM #	ORDER #	DESCRIPTION	UOM
9378	331493791	Kevlar regular weight sleeve	Ea
9378E	331416411	Kevlar econo weight sleeve	Ea
9378T	331493781	Kevlar regular weight sleeve w/ thumb slot	Ea
9378TE	331416441	Kevlar econo weight sleeve w/ thumb slot	Ea

2003



Classic 3-Piece Rain Suit

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and durability. Consists of jacket, detachable hood and fly-front bib pants. Ideal for construction, utilities, airlines and municipalities. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2003-L	331455641	Classic 3-piece rain suit	L	Ea
2003-XL	331455651	Classic 3-piece rain suit	XL	Ea
2003-2X	331455661	Classic 3-piece rain suit	2XL	Ea
2003-3X	331455671	Classic 3-piece rain suit	3XL	Ea
2003-4X	331449851	Classic 3-piece rain suit	4XL	Ea



Schooner Ponchos

Made of .10 mm PVC film that provides light-duty protection from rain, dust and wind. Features attached hood and side snap closures. Includes handy tote pouch. Measures: 52" x 80". Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
042	331423711	Schooner poncho	Clear	Ea
043	331423721	Schooner poncho	Blue	Ea



042



3882



Dominator Rainwear

Made with .42 mm PVC/hi-tensile polyester/PVC in green for easy identification. Offers excellent splash protection and is a good choice for use in environments with exposure to chemicals and acids. Jacket has attached hood and zipper front with storm flap; bib pants have plain front and black plastic take-up snaps at ankles. Limited flammability tested in accordance with ASTM D6413-08 test method.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3882-L	331456491	Dominator 2-piece rain suit	L	Ea
3882-XL	331456501	Dominator 2-piece rain suit	XL	Ea
3882-2X	331429241	Dominator 2-piece rain suit	2XL	Ea
3882-3X	331436261	Dominator 2-piece rain suit	3XL	Ea



Honeywell

Kevlar® Sleeve

100% DuPont™ Kevlar engineered fiber. Two-ply tube design offers superior cut and slash resistance. Thumb hole keeps sleeve securely in place while offering increased protection in the palm area. 18" Length. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
KVS-2-18TH	341514211	Kevlar knit sleeve	Ea

DuPont
Personal Protection

DuPont™ Proshield® NexGen® Sleeves

ProShield® NexGen® garments are suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications. Made with a microporous film that is laminated to a spunbonded polypropylene substrate. Applications include automotive refinishing, waste cleanup and remediation. Features serged seams. 18" Length. White.



ITEM #	ORDER #	DESCRIPTION	UOM
NG500SWH00020000	31711577	Proshield® NexGen® sleeves	200/Cs



Classic Series 49" Raincoat

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and long-term durability. Applications include construction, utilities, airlines, municipalities and more. Features cape-vented back and (2) patch pockets. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
200C-M	331482561	Classic raincoat	M	Ea
200C-L	331482571	Classic raincoat	L	Ea
200C-XL	331482581	Classic raincoat	XL	Ea
200C-2X	331482591	Classic raincoat	2XL	Ea



200C



Classic Rainwear Rider Coat

Features extended 60" length, matching corduroy collar, detachable hood, cape-ventilated back, badge tab holder, black plastic take-up snaps at wrists and snap-close, storm-fly front. Includes inner leg snaps that form chaps. Applications include security work, refineries and wherever more coverage is needed. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
267C-L	331427171	Classic rainwear rider coat	L	Ea
267C-XL	331427201	Classic rainwear rider coat	XL	Ea
267C-2X	331427211	Classic rainwear rider coat	2XL	Ea
267C-3X	331427221	Classic rainwear rider coat	3XL	Ea
◆ 267C-4X	331437381	Classic rainwear rider coat	4XL	Ea



267C



Classic Plus 3-Piece Reflective Suit

Constructed of .35 mm PVC on polyester broadloom fabric. Ideal for both indoor and outdoor use. Jacket features corduroy collar, cape-ventilated back and detachable hood. Jacket and bib-style pants have highly reflective tape stripes to increase visibility in low-light conditions. Applications include construction, utilities, airlines and municipalities. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2403R-L	331426321	Classic Plus reflective suit	L	Ea
2403R-XL	331426351	Classic Plus reflective suit	XL	Ea
2403R-2XL	331426361	Classic Plus reflective suit	2XL	Ea



2403R

◆ Non-stock item. Minimum quantity may apply.