





Strategies that guide us BITE

- B Build a recognizable and trusted BRAND
- I INNOVATE products and processes
- T Continually equip and strengthen our TEAM
- E Continually develop and ENGAGE end users for our distributors

Principles we live by CARE

C – Commitment – Focus on the goal and make it a reality!

A - Accountability - Take ownership...if it's your responsibility, the buck stops with you!

R - Relentless - Never give up! If it was easy, anyone could do it!

E - Empowerment - Step up and take charge!

WHO WE ARE

We are MCR Safety. Just try to outwork us.









WHAT'S INSIDE.		Triwear™, Triwear™ Metal, Tremor™	88
WHAI S INSIDE.		Plasma®, Digital Camo - Wounded Warrior	89
		Mossy Oak®	90
		Dallas® ,Dallas® Magnifier	91
Gloves		Swagger [®]	92
Forceflex [™]	6-9	Hellion®, Inertia®	93
Memphis Multi-task	10-13	Klondike®, Klondike® Plus, Klondike® Metal	94
Fasguard®	12	Desperado®, Storm®, Blackjack®	95
Ninja® Styles	14-18	Reaper® Goggles, Reaper® Glasses	96
Flex Tuff®	19	Mantis®	97
Memphis Multi-Purpose	20-21	Luminator®, Rattler®	98
Ultra Tech®	22-23	Deuce, Frostbite, Frostbite 2, Hombre®	99
ITC Lab	24	BearKat®, BearKat® 3, BearKat® Magnifier	100
Cut Protection		Checklite®, Checkmate® 2, Checkmate®	101
Cut Test Methods	25	Law®, Law® 2, Law® OTG, Tacoma®	102
Alycore™	26-27	Stratos®, Tomahawk®, Yukon®, Excalibur®	103
Dyneema®	28-29	Magnifiers	100
Kevlar [®]	30-33	Rattler®, Dallas®, Beatkat®,	104
Steelcore II, Survivor	34	Klondike®, Klondike® RX, Tomahawk®	105
Ultra Tech® Cut Protection	35	Goggles	103
Cotton Styles		Forceflex®, Rattler®, GX1®, Reaper®	106
String Knits	36-37	PGX1°, Stryker°, Verdict°	107
Dotted and Coated String Knits	38-39	Headgear	107
Clute, Jersey, Inspectors, Chore	40-41	XO Skeleton®	108
Double Palms, Hot Mills, Terrys	42-43	Faceshields	109
Leather Styles		Accessories, Lens Cleaning	110-111
Big Jake®, SideKick™	44-45	Displays	112
Bronco™, Mustang™, Gloves for Glory™	46	Vending Program	113
Gunn & Clute Patterns	47-49	vending Frogram	113
Insulated Gunn Patterns	50-51	Garments	
Drivers Patterns	52-56	Rainwear	
Insulated Drivers Patterns	56-57	High-Vis Garments Class 3	116-118
Memphis Welding	58	Luminator Rainwear	110-116
Mig/Tig Welders	59-60	Classic	120-121
Welders, Foundry, High Heat	61-63	Classic Classic Plus, Concord	120-121
Unsupported Styles	0.00		124
Disposable Nitrile, NitriShield™ Color Fusion	64-65	Dominator, Cyclone	
Disposable Latex, Vinyl, VitriShield, PE	66-67	Hydroblast, Navigator	125
Latex, Nitrile, Neoprene, Butyl, Blended	68-71	Wizard, Commodore, Challenger	126
Supported Styles	00 7 1	Schooner Ponchos, Zodiac, Squall	127
Memphis PVC, Red Coat™, Oil Hauler™	72-74	Disposable Garments	100
Vinyl, Whizzbang®, Whizzknit®, Whizbee®	75	Tyvek®, Polypropylene	128
Latex, Blue Grit®, Nitri-Grit™, PlyFlex™, Tufftex		Aprons, Sleeves	129
Neoprene, Neomax™, Duoprene™, Black Jack		Limited Flammability Garments	120
Nitrile, Predator™ Styles	78-79	Memphis Welding Leather	130
Nitrile, Consolidator®	78-79	Memphis Welding L/F Cotton	131
Glove Accessories	70 73	L/F Rainwear, L/F Safety Vests	132-133
Glove Clips, Keychains	80	Safety Vests	104 105
Glove Displays	81	Class 3 Vests & Garments	134-135
Glove Displays	01	Class 2 Vests & Garments	136-138
Glasses		General Purpose Vests	139-140
Lens Color Descriptions	82	Public Service Vests	141
Forceflex®	84-85	Incident Command Vests	142
Rubicon®, Shock®		Boots	142
Tribal®, Tribal® V	86 87	Index	143-145
midal, midal V	07		

Yeah, It's a legend.

It's a legend.

We've made it even easier to locate the technology and features that make MCR Safety's products the toughest in the business. You'll see the icons listed here throughout this catalog. Whether it's extra pockets in your rain gear, anti-fog technology for your goggles or cut-resistant cloth for your gloves, MCR Safety delivers hard workin' gear for hard workin' people.



DEERSKIN



PIGSKIN



GOATSKIN



COW LEATHER



OIL-RESISTANT



LAUNDERABLE



HI-VISIBILITY



CUT-RESISTANT



CLASS 1 MEDICAL DEVICE



FDA COMPLIANT



HIGH HEAT



INSULATED



POCKET COUNT



LIMITED FLAMMABILITY




FLAME RESISTANT



CASE AND CORD INCLUDED



HIGH VELOCITY IMPACT PROTECTION





FORCEFLEX® Multi-Purpose (1978)





durability, grip, and dexterity in dry,

wet or oily conditions.

MEMPHIS

HV100 ForceFlex™ Hi-Vis

Sizes: M-XXXL

Kevlar® reinforced palm pads provide a rough texture to improve abrasion and grip in wet or oily conditions. Clarino® synthetic leather palm with breathable fourchettes and mesh fabric back combine for personal fit and comfort. EVA foam padding in Kevlar® reinforced palm pads aid impact resistance. Additional features include extra tacky fingertips, TPR (Thermoplastic Rubber) exoskeleton, Reflexite® micro-prismatic retro-reflective material, plus a neoprene slip-on cuff with dual side flex panels and continuous pull aid ease in donning and doffing.

· Industry applications include rigging, pipe fitting, oil field maintenance, heavy construction, demolition, manufacturing, mining, fabrication

HI-VI HV300 ForceFlex™ Hi-Vis Sizes: M-XXL

Features an ergonomically designed synthetic palm with a rough grip pad to enhance grip in dry applications. Additional features include breathable fourchettes and high visibility yellow mesh fabric on the palm and back, extra tacky fingertips, TPR (Thermoplastic Rubber) exoskeleton, a micro-terry cloth perspiration wipe on back of thumb, and an adjustable wrist closure with red nylon pull tab.

Industry applications include any with lowlight environments or where operations are conducted before or after day-light hours.

Targeted industries include airport, emergency response, law enforcement, lawn and tree service, mining, road construction, railroad, sanitation workers, and municipal utilities.

HV200 ForceFlex™ **Insulated Hi-Vis**

Sizes: M-XXL All the features of the HV100 plus a water/wind resistant inner breathable bladder and 3M⁶ Thinsulate® lining. The extended fleece snow guard cuff provides warmth along with an internal heat pocket that will accommodate a HotHands® hand warmer which provides up to 10 hours of added warmth. Rated to temperatures as low as -20° F.





FORCEFLEX® Multi-Purpose

FEATURES / Multi-layer construction / Injection Molded TPR Padding on back of hand / Synthetic leather / Adjustable wrist closures / Insulated styles available



All ForceFlex®

styles are

washable in cold water and air dry.

7

aid in ease in donning

and doffing.

FORCEFLEX® Cut Protection





 Industry applications include Auto Repair, Construction, landscaping, power tools, assembly, equipment handling.

KV200 ForceFlex™

Sizes: L-XXL

Features a full sock Kevlar® lining for enhanced cut protection. A high visibility yellow Clarino® leather palm and high visibility yellow injection molded TPR (Thermoplastic Rubber) exoskeleton strategically covers the back of hand and fingers provide for full dorsal metacarpal protection and assure high visibility. Additional features include reinforced finger tips for added abrasion resistance and durability, ergonomically designed PU coated leather reinforced palm for maximum grip in oily or wet conditions, mesh fabric backing for improved breathability, and an adjustable wrist closure with pull tab for easy donning. Cut Protection Performance Test (CPPT) Level 3.

 Industry applications include rigging, pipe fitting, oil field maintenance, heavy construction, demolition, manufacturing, mining, and fabrication.



FORCEFLEX® Impact Protection



ZB100 ForceFlex™ Zoombang®

Sizes: M-XXL

MCR Safety has exclusive distribution of the patented Zoombang® technology for industrial hand protection. Our first introduction is the Force Flex with Zoombang® technology in the palm that increases comfort while providing unparalleled protection from impact. Thermoplastic Rubber (TPR) material provides comprehensive protection for the knuckle and back of the hand. Pull cord to ease donning, breathable mesh fabric back, synthetic leather palm, and micro terry cloth perspiration band are additional features.

T100 ForceFlex™

Sizes: M-XXL

An anti-vibration polymer pad strategically located on the interior that minimizes impact and vibration. Clarino® synthetic leather palm base material with breathable and expandable fourchettes and a mesh fabric back combine to provide extra fit and comfort. Additional features include ergonomically designed rough textured palm, TPR (Thermoplastic Rubber) exoskeleton, durable neoprene slip-on cuff with dual side flex panels, and continuous pull for ease in donning and doffing.

 Industry applications include construction, heavy equipment operation, metal fabricating, and applications requiring protection from excessive vibration or stress to the hands. All ForceFlex styles are washable in cold water and air dry.

synthetic leather palm base material with breathable

and expandable fourchettes and a mesh fabric back

combine to provide extra fit and comfort. Additional

features include reinforced finger tips, ergonomically

closure with pull cord, and breathable mesh fabric back.


designed rough textured palm, an adjustable wrist

MEMPHIS[™] Multi-Task





HI-VIS



Synthetic Leather Palm with PVC Dots. Terry cloth Thumb. Adjustable Wrist Closure, Hi-Vis Green Fabric Back, Neoprene Wrist. Black Synthetic Fingertips and Reinforced Thumb Crotch. Waterproof/Windproof Full Sock Membrane and Full Sock 40-gram Thermosock Lining.

· Applications include construction, automotive, demolition, fabrication, and general maintenance.

Fingertips. Black Spandex Back with Neoprene

Knuckle Strap and Hook and Loop Wrist Closure

Forefinger with Foam Pads and Reinforced

Provide Excellent Fit and Comfort.

MEMPHIS[™] Multi-Task



Black Synthetic Palm with Red Silicone Wave Grip, TPR (Thermoplastic Rubber) Exoskeleton Knuckle and Finger Pads, Neoprene Fourchettes and Wrist with Adjustable Closure, Reinforced Thumb Crotch.

909 Sizes: S-XL
Black Synthetic Palm with Silver
Silicone Spider Web Grip,
Breathable Mesh Fabric on Back
of Hand, Neoprene Fourchettes
and Wrist with Adjustable
Closure, Reinforced Thumb
Crotch, Micro-terry Perspiration
Pad on Wing Thumb.

924 Sizes: S-XXL Synthetic Leather Palm, Micro-Textured Polymer on Fingertips, Reinforced Foam Padded Palm, Wing Thumb with Perspiration Pad, Adjustable Wrist Closure, LED Lights with Four Attachment Points, CE 4131.

905P



924WW Digital Camo Multi-Task Sizes: M-XXL Synthetic Leather Palm, PVC Grip on Palm and Fingertips, Foam Lining, Micro-terry cloth Perspiration Pad on Wing Thumb, Adjustable Wrist Closure, 2 High Density LED Lights with Four Attachment Points.

905WW Digital Camo Multi-Task Sizes: M-XXL Synthetic Leather Palm, Closed Cell Foam Palm Pad, Micro-terry cloth Perspiration Pad on Wing Thumb, Adjustable Wrist Closure.

924C Sizes: S-XXL
Synthetic Leather Palm with
Foam Lining, PVC Grip on
Palm & Fingertips, Wing
Thumb, Adjustable Wrist
Closure, 2 High Density

LED Lights with Four

Attachment Points.

900P Sizes: XS-XL Synthetic Leather Palm and Fingers, Pink Spandex Back, Adjustable Wrist Closure.

905P Sizes: XS-XL Synthetic Leather Palm, "G" Patch Palm, Closed Cell Foam Palm Padding, Spandex Fabric Back.

MEMPHIS[™] Fasguard

FEATURES / Multi-task style / Multi-layer construction / Adjustable wrist closures / Insulated styles available

Multi-lave



Parity® by Clarino® Synthetic Leather Palm and Fingers, Blue Spandex Fabric Back.

904 Fasguard® Insulated

Sizes: S-XL

100 Gram Thermosock® Full Sock Lining, Synthetic Leather Palm and Fingers, Multi-layered Knuckle Protection Including Foam Pads, Blue Spandex Fabric Back.



904



902 Fasguard® 3 Fingerless

Sizes: M-XL

Synthetic Leather Palm Design with "G" Shape Palm Patch with Foam Pads, Spandex Fabric Back.

905 Fasguard®

Sizes: S-XXL

Same as 902 with Full Fingers.





903 Fasguard® Sizes: S-XXL Closed Foam Palm Pad, Grain Goatskin Leather Palm and Fingertips, Multi-layered Knuckle Protection, Spandex Fabric Back.





906 Fasguard® Sizes: M-XL Grain Goatskin with Double Palm Patch and Fingertips, Black Spandex Back.



901 Fasguard® Sizes: M-XXL Premium Grain Deerskin Palm and Fingers, Black Spandex Back.

MEMPHIS™ Multi-Task



945 Multi-Task Sizes: S-XXL

Viscarb® Leather Palm Patches on a Synthetic Leather Palm, High Visibility Orange Four-way Stretch Nylon Fabric Back with 5mm Rubber Meta-carpal Padding Back of Hand and Glass Bead Retro-reflective Material on Knuckle Area, TPR Cage on the Fingers and Thumb, Hook & Loop Wrist Closure.

944 Multi-Task Sizes: M-XXL

Orange Corded Double Palm, High Visibility Orange Four-way Stretch Nylon Fabric Back with 5mm Rubber Meta-carpal Padding Back of Hand and Glass Bead Retro-reflective Material on Knuckle Area, TPR Cage on the Fingers and Thumb, 3" Neoprene Slip-On Cuff with Continuous Pull, Reinforced Thumb Crotch.



Premium Grade Grain Cow, Reflective Material on Knuckle, Wrist and 3 Fingertips, Absorbent Micro-Terry Fabric and Double Pad on Wing Thumb, Orange Fluorescent Polyester (back), Unlined, Adjustable Wrist Closure.



911DP Luminator™

Sizes: S-XL Premium Side Split Cow, Double Leather Palm, Micro Absorbent Terry Fabric on Wing Thumb.



911DP



907 Multi-Task Sizes: S-XL

Synthetic Leather Palm, Silicone Spider Web Grip on Palm and Fingers, High Quality Star Fabric Back, Neoprene Knuckle Strap, Micro-terry cloth Perspiration Pad on Wing Thumb, Adjustable Wrist Closure and Continuous Pull Strap. CPPT 2.





968 Luminator™ Sizes: S-XL

Premium Grade Grain Goatskin, Reflective Material on Knuckle, Wrist and 3 Fingertips, Keystone Thumb, Lime Fluorescent Polyester (back), Thermosock® Full Sock Lining, Adjustable Wrist Closure.



958 Luminator™ Sizes: S-XL Premium Side Split Deerskin, Unlined, Adjustable Wrist Closure.

NINJA® Multi-Purpose



N9680A Ninja® Flex Alycore™

CE Cut Level 5 Test Rating.

ACTIFRESH®

All Ninja® Gloves are Treated with Actifresh® which Promotes Freshness and Kills Bacteria.



All Ninja® Gloves are Launderable. Machine Wash and Drip Dry. Caution: Do Not Use Chlorine Bleach or Harsh Detergents.

Sizes: M-XXL



FDA MATERIAL N9680 Ninja® Flex Sizes: S-XL Textured Latex Coated Palm and Fingertips on a 15-Gauge Nylon Shell. CE 3131.



Alycore™ Protection Zone in the Palm and Fingers.

Textured Latex Coated Palm and Fingertips on a

15-Gauge Nylon Shell. Exceeds ANSI/ISEA and

MEMPHIS Quina N9674L

N9699 Ninja® HPT
Sizes: S-XL
Proprietary HPT™
(Hydropellent
Technology™) coated
palm and fingertips
to repel liquids on a
15-Gauge nylon
shell.

N9696 Ninja® Lite Sizes: XS-XL Feather-light Polyurethane Coated Palm and Fingertips on an 18-Gauge Nylon Shell for Extreme Tactile Sensitivity. CE 4131. N9674 Ninja® X Sizes: S-XL Bi-Polymer Coated Palm and Fingertips for Durability and Softness on a 15-Gauge Nylon/Spandex Shell, made without Silicone. CE 412X.

Ninja® and HPT® Hydropellent Technology are registered trademarks of Midas Safety, Inc. MCR Safety is the exclusive distributor for Ninja® products in the United States.

NINJA® Multi-Purpose



N96790 Ninja® BNF Sizes: S-XXL 15-Gauge, Nylon/Spandex Shell, Black Breathable Nitrile Foam Technology (BNF) Coated Palm and Fingertips. CE 4141.



N96797 Ninja® BNF Sizes: S-XXL 15-Gauge, Nylon/Spandex Shell, Black Breathable Nitrile Foam Technology (BNF) Coated Palm and Fingertips with Dots. CE 4141.



N96793 Ninja® BNF Sizes: S-XXL 15-Gauge, Nylon/Spandex Shell, Black Breathable Nitrile Foam Technology (BNF) Over-the-knuckle Coated. CE 4141.



N96970 Ninja® BNF Sizes: S-XXL 18-Gauge Skin Tight Athletic Grade Nylon/Spandex Shell, Black Breathable Nitrile Foam Technology (BNF) Coated Palm and Fingertips. CE 4121.

NINJA® Wave / Coral



N96830 Ninja® Wave Sizes: S-XXL 15-Gauge Red/Black Speckled Nylon Shell with Black Nitrile Wave Coating on Palm and Fingers, Neoprene Cuff, Hook & Loop Closure. CE 4131. N96780 Ninja® Wave Sizes: S-XXL 13-Gauge Black/White Speckled Dyneema®/Diamond Technology Shell with Black Nitrile Wave Coating on Palm and Fingers. CE 4444, CPPT 3.



N96930 Ninja® Wave Sizes: S-XXL 10-Gauge Kevlar® Shell with Nitrile Wave Coating on Palm and Fingers. CE 4343, CPPT 2.





The unique textured "wave" coating provides excellent abrasion resistance and performs good in oil applications. Abrasion testing endorses a 2.5 times longer wear life than traditional competitive styles.





A combination of innovation and performance to deliver a higher level of chemical and cut protection. This waterproof offering is excellent in wet and dry grip, plus good in oil grip.



N9690TC Ninja® Therma Force Sizes: M-XXL Dual Shell Construction with a 13-Gauge, Dyneema®/ Synthetic Outer Shell and a Brushed Acrylic Interior Liner with Textured Bi-Polymer Coating on Palm and Fingertips. CE 4544, CPPT 3.

N9677 Ninja® Force Sizes: S-XL

NINJA® Thermal Protection







N9690 Ninja® Ice Sizes: M-XXL Proprietary HPT™ (Hydropellent Technology™) Coated Palm and Fingertips on a 15-Gauge Nylon Exterior Shell with a 7-Gauge Brushed Acrylic Interior Liner. CE 3232.



N9690FC Ninja® Ice Fully Coated Sizes: M-XXL Fully Coated for Extra Liquid Protection. CE 3232.



HI-VIS

N9690HV Ninja® Ice® Hi-Vis Sizes: M-XXL Proprietary HPT™ (Hydropellent Technology™) Coated Palm and Fingertips with Extended Coating Over Knuckles on a 15-Gauge Nylon Exterior Shell with a 7-Gauge Brushed Acrylic Interior Liner. CE 3232.



Available Displays

4HCD - 4 Peg Counter Display **8HCD** - 8 Peg Counter Display

12HFD - 12 Peg Floor Display





N9695 Ninja® Coral Sizes: M-XXL 15-Gauge High Visibility Orange Nylon Exterior / 7-Gauge Acrylic Terry Interior Shell with Black Coral ¾ Dip Coating Over Premium Clear PVC Full Dip.



FLEX TUFF®



9687 FLEX TUFF® KEVLAR®

Sizes: S-XXL

Textured Latex Palm & Fingertips Dipped, 10-Gauge KEVLAR® Shell. CE 3443, CPPT 2.

FTKV350 FLEX TUFF® Green Nitrile Dip, CE 4443.

FTKV350

Sizes: S-XL

FT350 FLEX TUFF® Sizes: L, M, S, XL Green Nitrile Palm & Fingertips Dipped, 10-Gauge Cotton/Polyester Shell. CE 4232.

9690 FLEX THERM® Sizes: S-XL Textured Latex Palm & Fingertips Dipped, 10-Gauge Acrylic/Cotton/Polyester Shell. CE 2241.

9690Y FLEX THERM® HI-VIS Sizes: S-XL Textured Latex Palm & Fingertips Dipped, Fully Dipped Thumb, 7-Gauge Brushed Acrylic Shell. CE 1331.

9690Y



with Abrasion Performance Grip™ Sizes: S-XXL 13-Gauge Green Spun Dyneema® Blended Seamless

Shell with Black APG Palm & Finger Coating. CE 3243. APG provides excellent abrasion resistance and excellent grip in dry or wet conditions. It is designed to deliver key benefits over and above those found in traditional single polymer coatings.

· Applications include recycling, warehousing, manufacturing, light construction, oil and grease environments.



96731HV MEMPHIS™ FLEX® HI-VIS Sizes: S-XL Foam Latex Palm and Fingertips Dipped, 13-Gauge Stretch Nylon Shell. CE 3131.



Foam Latex Palm & Fingertips Dipped, 13-Gauge Stretch Nylon/Polyester Shell. CE 3131.



9673 MEMPHIS™ FOAM PALM DIP Sizes: XS-XL Black Foam Nitrile Palm and Fingertips Dipped, 13-Gauge Gray Nylon Shell. Enhanced Wet & Dry Grip. CE 4121. 96781 MEMPHIS™ FOAM ¾ DIP Sizes: XS-XXL 9673GW MEMPHIS™ FOAM Sizes: XS-XXL

Gray Foam Nitrile Palm and Fingertips, 13-Gauge White Nylon Shell 9679 MEMPHIS™ NITRILE Sizes: XS-XL

Gray Nitrile Palm and Fingertips, 13-Gauge White Nylon Shell. CE 4121.

MEMPHIS[™] Multi-Purpose



9669TP MEMPHIS™ TOUCH SCREEN Sizes: S-XL 15-Gauge Pink Nylon Shell with Copper Fibers in Each Fingertip to Operate Touch Screen Devices, Polyurethane Dip Palm and Fingers. CE 4131.



9669TR MEMPHIS™ TOUCH SCREEN Sizes: S-XL 15-Gauge Red Nylon Shell with Copper Fibers in Each Fingertip to Operate Touch Screen Devices, Polyurethane Dip Palm and Fingers. CE 4131.



9673SF MEMPHIS™ SANDY FINISH NITRILE Sizes: S-XXL Sandy Finish, Foam Nitrile Palm & Fingertips Dipped, 13-Gauge Nylon Shell. Enhanced Grip.
96731G MEMPHIS™ GREEN BAMBOO Sizes: S-XL Foam Latex Palm and Fingertips Dipped, 13-Gauge Bamboo Fabric Shell. CE 3131.



9666 MEMPHIS™ - GRAY Sizes: XS-XXL 9665 MEMPHIS™ - WHITE Sizes: S-XL 9669 MEMPHIS™ - BLACK Sizes: XS-XXL Polyurethane Palm and Fingertips Dipped, 13-Gauge Nylon Shell. CE 2121.

ULTRA TECH® Multi-Purpose



9698 ULTRA TECH® TEXTURED LATEX

Especially for Glass. CE 2131.

Textured Latex Over the Knuckle Palm and Fingertips

Dipped, 13-Gauge Stretch Nylon Shell. Excellent Grip,

Sizes: S-XL

22

CE 4131.

Sizes: XS-XXL

Polyurethane Palm and Fingertips Dipped, 13-Gauge

Nylon Shell. Extra Dexterity and Sense of Touch.

ULTRA TECH® Multi-Purpose



9674 ULTRA TECH® FOAM Sizes: XS-XL Foam Nitrile Palm and Fingertips Dipped, 15-Gauge Nylon Shell. Enhanced Wet & Dry Grip. CE 3121.



9694 ULTRA TECH® AIR INFUSED Sizes: XS-XL Air Infused Nitrile Palm and Fingertips Dipped, 15-Gauge Nylon Shell. CE 3132.



AS9674 ULTRA TECH® AS Sizes: XS-XL Anti-Static Foam Nitrile Palm and Fingertips Dipped, 15-Gauge White/Silver Nylon Shell. CE 4131.



9684 ULTRA TECH® RED Sizes: S-XL 13-Gauge Polyester/Cotton Shell, Nitrile Dipped Palm and Fingertips.

MCR Safety ITC Lab

MCR Safety's Innovations Technology Center (ITC) provides ANSI/ISEA safety standards testing data on gloves, glasses, and garments. Our lab serves as an important component of our quality control and product inspections by providing data to assure compliance with product specifications.


The ITC lab has grown in popularity for its ability to provide competitive analysis and quantitative endorsement of our product quality. We encourage our distributors to take advantage of this resource by sending us competitor safety gear for testing. We will provide test results and recommended equivalent products.



ABRASION



CUT



HIGH VELOCITY IMPACT

ANSI Z87+

A crowd favorite is the high impact eyewear testing equipment. The test captures your attention while substantiating the impact levels of our glasses and face shields. Frames must be capable of resisting impact at a velocity of 150 fps.

ABRASION

Taber Abrader ANSI – 105 ASTM D3389-05

CUT

TDM - 100 ANSI/ISEA 105 Test Method ASTM F1790 ISO 13997 EN388

TEAR / TENSILE


Instron-Tensometer BS EN 388 (CE)

Tear Resistance – the force necessary to tear specimen half way along its length.


Tensile – measures the force required to pull material to the point where it breaks.

PUNCTURE

Instron-Tensometer BS EN 388 (CE) Puncture – the force exerted by a steel stylus to puncture a test specimen held by a retaining device.



TEAR / TENSILE



PUNCTURE

CUT TEST METHODS

MCR Safety is a licensed provider of DSM™ Dyneema® and DuPont™ Kevlar®, and one of two exclusive Alycore® sources in the US. This catalog introduces Alycore® which is one of the most cut and puncture resistant materials available. Our Alycore® gloves offer greater dexterity and sense of touch than previously available due to the high degree of flexibility.


Cut protection is one of our industry's fastest growing product groups. To capitalize on today's technology and innovation, you need to understand our industry's test methods. Each test method has unique processes and testing equipment. Therefore, it is difficult to make comparisons with each of these test methods and results (scores).

The International Safety Equipment Association (ISEA) in conjunction with the American National Standards Institute (ANSI) have created test protocol known as ASTM F1790 standard, then revised and updated as ASTM F1790-97 and ASTM F1790-05. Differences in the 1997 and 2005 revisions are noted in the table below.



Criteria Performance Guide for EN 388: Mechanical Hazards **Performance Level** 0 1 2 3 4 5 Abrasion Resistance (Cycles) 2000+ 8000+ N/A < 100 100+ 500+ Blade Cut Resistance (Index) 1.2 +< 1.2 2.5 +5.0 +10.0 +20.0 +Т Tear Resistance (Newtons) < 10 10 +25+ 50+ 75+ N/A Puncture Resistance (Newtons) < 20 20 +60+ 100 +150 +N/A

The European Standard EN388 includes four physical tests required for gloves. Our catalog and industry identifies this testing information with CE and a four digit number. Each number represents an individual test for abrasion, cut, tear, and puncture. The cut test uses a circular blade under a fixed load, moves back and forth until cut through is achieved. Consider the acronym ACT-P as a convenient reference to remembering the four physical tests.





Performance Level	Weight (grams) needed to cut through material 25mm (1.0 in.) of blade travel – ASTM F1790-97 20mm (0.8 in.) of blade travel – ASTM F1790-05
0	< 200
1	≥ 200
2	≥ 500
3	≥ 1000
4	≥ 1500
5	≥ 3500

The Cut Protection Performance Test (CPPT) utilizes a straight razor blade and calculates a gram weight necessary to cut through test material. There are three types of testing equipment (CPP, TDM, and Couptest tester) used to support the CPPT and CE standards. This is another reason it is difficult to make any comparisons between test scores. MCR Safety utilizes a TDM tester in our Innovations Technology Center (ITC). Our ITC provides testing data for gloves, glasses, and garments for internal evaluations. Independent testing labs are required for CE and CPPT scores.

See table on page 33 for DuPont's standard which incorporates gram weight performances in the scale and reinforces by including on product labels.

ALYCORE[™] Cut Protection



Alycore™ is one of the most cut and puncture resistant materials available. Our Alycore™ gloves offer maximum dexterity and sense of touch due to the high degree of flexibility and patent pending construction. All Alycore™ styles provide cut performance levels which exceeds CPPT and CE level 5 ratings. We offer different cut and puncture protection zones from just the palm to complete 360 degree coverage.

Alycore

The Highest Levels of Cut, Needle Stick and Puncture Protection.

Our literature identifies the protection zones for each style with Alycore™ material. Our Memphis Multitask ML300A glove meets modified ASTM F2878-10 standard for needle stick protection.

Characteristics of MCR Safety Alycore™ offerings include:

- Exceeds ANSI/ISEA and CE cut level 5 test rating
- Our needle stick offering meets ASTM F2878-10 standard
- Label that endorses "Exceeds Cut Level 5" and specific protection zone
- · ID tag for personalizing
- · Launderable machine wash, line dry



HV100A FORCEFLEX™ Alycore™ Sizes: M-XXXL Alycore™ protection zone in the palm. Kevlar® reinforced palm pads provide a rough texture to improve abrasion and grip in wet or oily conditions. Clarino® synthetic leather palm with breathable fourchettes and mesh fabric back combine for personal fit and comfort. EVA foam padding in Kevlar® reinforced palm pads aid impact resistance. Additional features include extra tacky fingertips, TPR (Thermoplastic Rubber) exoskeleton, Reflexite® microprismatic retro-reflective material, plus a neoprene slipon cuff with dual side flex panels and continuous pull aid ease in donning and doffing.



HV300A FORCEFLEX™ Alycore™ Sizes: M-XXL Alycore™ protection zone in the palm. Features an ergonomically designed synthetic palm with a rough grip pad to enhance grip in dry applications. Additional features include breathable fourchettes and high visibility yellow mesh fabric on the palm and back, extra tacky fingertips, TPR (Thermoplastic Rubber) exoskeleton, a micro-terry cloth perspiration wipe on back of thumb, and an adjustable wrist closure with red nylon pull tab.



ALYCORE[™] Cut Protection



MB200A Memphis Multitask Alycore™ Sizes: M-XXL Alycore™ protection zone in 360 degrees. Black single ply synthetic leather palm with extra tacky fingertips, vented finger side panels for extra fit and breathability, black fabric mesh back with red Max logo, nylon pull strap for donning, slip-on cuff.

MR100A Memphis Multitask Alycore™ Sizes: M-XXL Alycore™ protection zone in the palm and fingers. Black single ply synthetic leather palm with extra tacky fingertips, vented finger side panels for extra fit and breathability, red fabric mesh back with black Max logo, nylon pull strap for donning and adjustable wrist closure.



ML300A Memphis Multitask Alycore™ Sizes: M-XXL Alycore™ protection zone in the palm and fingers. Black single ply synthetic leather palm with extra tacky fingertips and rough grip palm, vented finger side panels for extra fit and breathability, high visibility lime fabric back with black max logo, continuous pull with cut level rating, adjustable wrist closure. Meets modified ASTM F2878-10 standard for needle stick protection.

ML200A Memphis Multitask Alycore™ Sizes: M-XXL Alycore™ protection zone in the palm and fingers. Black single ply synthetic leather palm with extra tacky fingertips, vented finger side panels for extra fit and breathability, high visibility lime fabric back with black Max logo, continuous pull with cut level rating, slip on cuff.

DYNEEMA® Cut Protection





FEATURES / Cut Resistant / Excellent Abrasion / 15x Stronger than steel on an equal weight basis / Cool to the touch / Inherently dissipates body heat / Soft & Flexible / Extended wear times and product life / Washable



9672 MEMPHIS™ DYNEEMA® PU Sizes: XS-XXL 13-Gauge Dyneema®/Synthetic Shell, Polyurethane (PU) Palm and Fingertips Dlpped. CE 4341, CPPT 2.



9251 Sizes: S, L
7-Gauge Spun Dyneema®/Synthetic Shell, Seamless Knit, Reversible Pattern. CPPT 2.
9252 Sizes: S, L

10-Gauge Spun Dyneema®/Synthetic Shell, Seamless Knit, Reversible Pattern. CPPT 2.



96720NF MEMPHIS™ DYNEEMA® NITRILE FOAM Sizes: S-XXL

13-Gauge Dyneema®/Synthetic Shell, Nitrile Foam Coating on Palm and Fingertips. CE 4344, CPPT 2.



9672HVG MEMPHIS™ DYNEEMA® HI-VIS GREEN 9672HVO MEMPHIS™ DYNEEMA® HI-VIS ORANGE

Sizes: XS-XXL

13-Gauge Salt-n-Pepper Dyneema®/Synthetic Shell, Hi Vis Latex Coated Palm and Fingertips. CE 4343, CPPT 2.



DYNEEMA® Cut Protection

Diamond Technology - A progression from the original Dyneema® incorporating state of the art technology enhancing cut resistance properties with a light-weight and "natural feeling" fiber.



9672DT MEMPHIS™ DIAMOND TECH 3 Sizes: XS-XXL 13-Gauge, Blue Dyneema® Diamond Technology Shell, Blue Bi-polymer Coated Palm and Fingertips. CE 4442, CPPT 3.



9672DT5 MEMPHIS™ DIAMOND TECH 5 Sizes: S-XXL 10-Gauge, Blue Speckled Dyneema® Diamond Technology Shell, Blue Nitrile Foam Coated Palm and Fingertips. CE 4542, CPPT 5.



MEMPHIS™ DYNEEMA® SLEEVES

9318D7 7-Gauge, Plain 9318D7T 7-Gauge, Thumb Slot 9318D10 10-Gauge, Plain 9318D10T 10-Gauge, Thumb Slot 18" length, Available in 7-Gauge or 10-Gauge, Dyneema®/Synthetic Sleeve, with Thumb Hole or Plain. CPPT 2.

9318DT10 MEMPHIS™ DYNEEMA® DIAMOND TECHNOLOGY SLEEVE

18" Length, 10-Gauge Salt-n-Pepper Dyneema® Diamond Technology Sleeve with Black Silicone Grid Pattern on Both Sides. CE 444X, CPPT 3.



DUPONT™ KEVLAR® is the World's **Most Cut Resistant Fiber -**Be KEVLAR® Ready.

FEATURES

- / Cut Resistant
- / Lightweight and comfortable
- / Flame resistant (will not melt)
- / Complies with FDA regulations for direct food contact
- / Available in a wide range of styles
- / Washable (do not use bleach)
- / Long wearing



Sizes: L-XXL

Features a full sock Kevlar® lining for enhanced cut protection. A high visibility yellow Clarino® leather palm and high visibility yellow injection molded TPR (Thermoplastic Rubber) exoskeleton strategically covers the back of hand and fingers provide for full dorsal metacarpal protection and assure high visibility. Additional features include reinforced finger tips for added abrasion resistance and durability, ergonomically designed PU coated leather reinforced palm for maximum grip in oily or wet conditions, mesh fabric backing for improved breathability, and an adjustable wrist closure with pull tab for easy donning. Cut Protection Performance Test (CPPT) Level 3.

· Industry applications include rigging, pipe fitting, oil field maintenance, heavy construction, demolition, manufacturing, mining, and fabrication.



9379ARC MEMPHIS™ KEVLAR® ARC 13-Gauge Speckled Green/Black Kevlar®/Synthetic Shell with Black APG Coated Palm and Fingers. CE 3543, CPPT4.



Sizes: M-XL

A 13-Gauge Stretch KEVLAR® Seamless Knit Shell is Dipped in Nitrile and Covered with TPR Exoskeleton Pads for 360 Degrees of Protection. CE 3221, CPPT 2.

· Industry applications include auto repair, construction, landscaping, power tools, assembly, equipment handling.



FEATURES / Cut Resistant / Lightweight and comfortable / Flame resistant (will not melt) / Complies with FDA regulations for direct food contact / Available in a wide range of styles / Washable (do not use bleach) and long wearing



KEVLAR® Brand Fiber Regular Weight

9370 7-Gauge,

Sizes: S-XL

9373 7-Gauge, Fingerless, Sizes: S-XL

Heavy Weight

9375

7-Gauge, Sizes: S-XL

Medium Weight

9390 10-Gauge,

Sizes: S, L

Light Weight 9393

13-Gauge, Sizes: S-XL

Ultra Light Weight

9394 13-Gauge, Sizes: S-XL

9397 13-Gauge, Economy, Sizes: S-L

KEVLAR® PLAITED Kevlar® Brand Fiber Outside with Cotton Inside

7-Gauge 9362 Regular Weight, Sizes: S-XL

9367 Heavy Weight, Sizes: S, L

PVC Dots 1-Side, 9361

Sizes: S, L PVC Dots 2-Sides, 9363

Sizes: XS-XL PVC Dots 2-Sides, Economy, 9363E

Sizes: XSE, SE, LE, XLE 9368 Palm Coat,

> Sizes: XS, S, L 9470K 2-Ply Heavy Weight, Nitrile Blocks 2-Sides, Protects to 600°F, Size: L



KEVLAR® DOTTED

Regular Weight

9365 7-Gauge, PVC Dots 1-Side, Sizes: S-XL

9366 7-Gauge,

PVC Dots 2-Sides, Sizes: XS-XL

9369 7-Gauge, Fingerless, PVC Dots 2-Sides, Sizes: S-XL

Dotted, Economy Weight

9366E 7-Gauge, PVC Dots 2-Sides,

Sizes: SE, LE

9392 10-Gauge, PVC Dots 2-Sides,

Sizes: S, L 9396 13-Gauge, PVC Dots 2-Sides,

Sizes: S, L

Dotted, Heavy Weight 9376

7-Gauge, PVC Dots 2-Sides, Sizes: XS-XL



KEVLAR® TERRY CLOTH Loop-out, Regular Weight

9440KM Cotton Knit Wrist,

Sizes: L 9442KM Cotton Knit Wrist,

Size: S

9441LM Continuous Knit Wrist, Sizes: S, L, XL, XXL



KEVLAR® TERRY CLOTH Kevlar®/Brown Cotton Blend, Reversible, Seamless Pattern, Loop-out, Knit Wrist

9430KM Regular Weight, Size: L


Regular Weight, 9432KM Size: S

9430KME Economy Weight,

Size: L 9433KM

Economy Weight, Continuous Knit Wrist, Size: L









9389PV MEMPHIS™ KS-4™ KEVLAR®-STEEL

Sizes: S-XL

10-Gauge Kevlar®/Stainless Steel/Nylon Shell, Black HPT ¾ Dip Coated Palm and Fingertips. CE 4342, CPPT 4.



9389 MEMPHIS™ KS-5™ KEVLAR®-STEEL

Sizes: S-XXL

13-Gauge Kevlar®/Stainless Steel/Nylon Shell with Textured Latex Palm and Fingertips Dipped. CE 2542, CPPT 4.

9399 KEVLAR® ARMOR TECH Sizes: S, L 7-Gauge Kevlar®/Stainless Steel Shell, with Reinforced Thumb Crotch. CPPT 4.



9686 MEMPHIS™ GRIP SHARP™ Sizes: S-XXL 7-Gauge Kevlar® Knit Shell with Select Split Shoulder Leather Palm, Reinforced Thumb Crotch. CE 4344, CPPT 3.

9380 Sizes: S-XL 7-Gauge Kevlar® Outside/Cotton Inside Plaited Shell with Leather Palm. CPPT 3.



9370H HONEY GRIP® Sizes: S-L 7-Gauge Regular Weight Kevlar® Shell, PVC Honey Grip® Coated on Two Sides. CPPT 3.



DuPont[™] is championing the use of ASTM and International Standard Organization (ISO) cut protection standards. The chart below includes gram weight ranges to endorse suitable levels of cut performance. Note testing can be performed on CPP or TDM testers.

New labeling guide for DuPont™ Kevlar® fiber tied to ASTM and ISO standards

Finished glove cut performance		Brand Name
CPP machine (g)*	TDM machine (g)**	
500-999	500-949	Made with Kevlar [®] 500
1000-1499	950-1399	Made with Kevlar® 1000
1500-2199	1400-2099	Made with Kevlar® 1500
2200-2999	2100-2799	Made with Kevlar® 2200
3000-3999	2800-3699	Made with Kevlar® 3000
4000-4999	3700-4599	Made with Kevlar® 4000
5000+	4600+	Made with Kevlar [®] 5000

^{*}Use ASTM 1790-97 method

^{**}Use 1790-05 or ISO 13997 method. For reinforced materials (steel, glass, and other), false cuts and high variability in cut readings may be an issue; use of insulating material may be required. If used, note material and type. Suitable insulation can be obtained by using double-sided tape (PolyKen Tyco 2" x 36 yards, which is the same material used in ASTM 1790-97) or by leaving the copper-strip backing in place (RGI part #2147 3/8" wide copper strip).



STEELCORE® II / SURVIVOR™ Cut Protection





Steelcore II / Survivor -

Two strands of stainless steel wrapped with a soft knit yarn for a comfortable fit. PVC coating is also available on one or two sides. This product is cut resistant, not cut-proof or puncture-proof. It is not recommended to use with serrated or moving blades. Sleeves available in 12, 18, 21 inch lengths.

Features: cut resistant, complies with FDA regulations for food contact, reversible patterns, launderable.

Applications: Food processing, canning operations, glass handling or metal fabricating.



9345

9350 STEELCORE® II - 7-Gauge Sizes: XS-XL

Regular Weight. CPPT 5.

9356 STEELCORE® II - 10-Gauge Sizes: XS-XL

Medium Weight. CPPT 5.

9381 STEELCORE® II - 7-Gauge Sizes: S-XL PVC Blocks on One Side. CPPT 5.

Specify Right or Left hand. 9382 STEELCORE® II - 7-Gauge

> Sizes: XS-XL PVC Blocks Two Sides. CPPT 5.

> > 9349



All Survivor and Steelcore II are Launderable.



Component materials of all Steelcore II and Survivor products comply with all relevant federal regulations for food contact.

9345 SURVIVOR™ - 7-Gauge

Sizes: XSD, SD, MD, LD, XLD

STEELCORE® II SLEEVES

9312 12"Sleeve 9318 18"Sleeve 9321 21"Sleeve 7-Guage, Dual Stainless Steel with Polyester Wrap.

CPPT 5.

9349 SURVIVOR™ - 7-Gauge, Fingerless Sizes: XSD, SD, MD, LD, XLD

9346 SURVIVOR™ - 10-Gauge

Sizes: SD, MD, LD

9348 SURVIVOR™ - 13-Gauge Sizes: XSD, SD, MD, LD, XLD







ULTRA TECH® Cut Protection



9693 ULTRA TECH® NITRILE KV Sizes: XS-XXL 13-Gauge Stretch Kevlar® Shell, Light Foam Nitrile Palm and Fingertips Dipped. Softer and More Flexible. Actifresh® Anti-bacterial Agent. CE 3221, CPPT 2.

DEPORT REVLAR

CEPT

3

9683CS

93891PU ULTRA TECH® CUT PRO Sizes: S-XXL 10-Gauge Kevlar®/Synthetic/Stainless Steel Shell, Black PU Coated Palm. CE 4543, CPPT 4.

9683CS ULTRA TECH® CUT/SPLASH Sizes: S-XXL 10-Gauge, Synthetic/Fiberglass Shell, Full Nitrile NFT Coating. CE 4442, CPPT 3.

9676 ULTRA TECH® DYNEEMA® PU - GRAY 9677 ULTRA TECH® DYNEEMA® PU - WHITE Sizes: XS-XXL

13-Gauge Dyneema®/Synthetic Shell, Polyurethane (PU) Palm and Fingertips Dlpped. CE 4343, CPPT 2.



96763APG ULTRA TECH® APG

with Abrasion Performance Grip™ Sizes: S-XXL 13-Gauge Black/White Speckled Dyneema®/Synthetic Shell, APG ¾ Dip Palm and Fingers. CE 4344, CPPT 2.

STRING KNITS Cotton/Polyester



STRING KNITS



DOTTED KNITS

COTTON/POLYESTER BLEND, 7-GAUGE

Two-Sided PVC Dots

Regular Weight

O 9660L White, Hemmed,

Fingertips Dipped,

Sizes: S, L

9660LM Natural, Sizes: XS, S, L, XL

9660LW Natural, White Dots*, Sizes: L

9662LM Gray, Sizes: S, L

Natural, Fingerless, Sizes: S, L 9508LM Natural, Hemmed, Sizes: S, L 9667L

Pastel Green, Hemmed **9514G**

Sizes: S-L

Economy Weight

9667LM Natural, Sizes: S, L

9668L Natural, Hemmed, Sizes: S, L

One-Sided PVC Dots

Regular Weight

9506LD1 100% Cotton, Natural,

Hemmed, Sizes: S, L

White, Hemmed, 9650L

Fingertips Dipped,

Sizes: S, L

Natural, Sizes: XS, S, L **9650LM**

Natural, Hemmed, Sizes: S, L 9657L

9650LW Natural, White Dots,*

Sizes: S. L.

Economy Weight

9657LM Natural, Hemmed, Sizes: S, L 9658L

Natural, Hemmed, Sizes: S, L

Blue PVC Blocks

Regular Weight

9660LMB Two-Sided Blocks

Sizes: S, L

9650LMB One-Sided Blocks

Sizes: S, L

13-GAUGE

Two-Sided PVC Dots, Regular Weight

9614P

Powder Pink, Hemmed

Sizes: XS, S, M

100% ACRYLIC, 7-GAUGE **Two-Sided PVC Dots**

Regular Weight

9662 9663

Hi-Vis Yellow, Sizes: S, L Hi-Vis Orange, Sizes: S, L

*Component materials comply with FDA regulations for food contact.



COATED KNITS



COTTON

8100C

Clute Pattern 8 oz. Cotton Canvas, Knit Wrist

Straight Thumb

8100C Deluxe, White,

Size: L

8100 White, Size: L 8102 White, Size: S

8100P Tan, Size: L

Wing Thumb

8100A Cotton Blend

Knit Wrist, Size: L

8100B 2.5" Band Top,

Size: L

8100W Knit Wrist, Size: L

Reversible Pattern

8100R Knit Wrist, Size: L

Clute Pattern Industry Medium Weight 10 oz. Cotton Canvas

Straight Thumb

8200 Knit Wrist, Size: L

8200B 2.5" Band Top,

Size: L 8200G 4.5" Gauntlet Cuff,

Size: L

Wing Thumb

8200A Cotton Blend,

Knit Wrist, Size: L

8200CD Corded, Knit Wrist,

Size: L

8200CDXL Corded, Knit Wrist,

Size: XL

Clute Pattern Industry Heavy Weight 12 oz. Cotton Canvas

Straight Thumb

8300 Knit Wrist, Size: L

8300C Premium,

Knit Wrist, Size: L

Wing Thumb

8300A Cotton Blend

Knit Wrist, Size: L

943 SIZES: M-XXXXL

Orange Canvas Dotted Palm, 5mm Rubber Meta-carpal Padding Back of Hand and Knuckle Area, Reinforced

Thumb and Forefinger Crotch, Knit Wrist.



943G SIZES: M-XL

Green Corded Double Palm, 5mm Rubber Meta-carpal Padding Back of Hand and Knuckle Area, Reinforced Thumb and Forefinger Crotch, Knit Wrist.

Clute Pattern Brown Jersey, Knit Wrist

7100 Size: L Size: S 7102 7100D Size: L

7900

7100

7100P 100% Cotton,

Size: L

7100C Deluxe, Heavy

Weight, Size: L





Brown Jersey, Knit Wrist, **Clute Pattern, Plastic Dots**

Dots, Size: L 7800 7802 Dots, Size: S 7810 Mini Dots, Size: L 7812 Mini Dots, Size: S



Inspectors
Reversible/Unhemmed

Blended Lisle

8600 Size: L 8610 Size: S

31Ze. 3

100% Cotton Lisle 8600C Size: L

8610C Size: S

8614C 14" Length, Size: L

Medium Weight Knit Lisle 100% Cotton

8620C Hemmed, Size: L **8621C** Hemmed, Size: S

Inspectors – Made in Pakistan Reversible/Unhemmed

Blended Lisle

8600PK Size: L

8610PK Size: S

100% Cotton Lisle

8600CPK Size: L

8610CPK Size: S

8614CPK 14" Length,

Size: L

Medium Weight Knit Lisle 100% Cotton 8620CPK Hemmed,

Size: L

Nylon Inspectors Reversible/Hemmed 100% Nylon, Low Lint

8700 Sizes: Men's M-XL 8710 Sizes: Ladies' S-L

Medium Weight 100% Stretch Nylon

8720 Sizes: Men's M-L 8730 Sizes: Ladies' S-L Inspectors with Fourchettes, Reversible/Hemmed, 100% Stretch Nylon, Low Lint, Inset Thumb

8750 Regular Weigth,

Size: S, L

8760 Heavy Weight,

Size: S, L

100% Stretch Polyester

8771 Regular Weight,

Size: S, L

8781 Heavy Weight,

Size: S, L

80001



Reversible Jersey Knit Wrist, Straight Thumb 7100RI Brown, Size: L 7102RI Brown, Size: S Two Piece Reversible Natural Jersey, Knit Wrist

8000l Natural, Size: L 8002l Natural, Size: S 8010 Natural, Heavy

Weight, Size: L

COTTON



8808 G,O,Y **Dotted Cotton Canvas Knit Wrist, Clute Pattern** Straight Thumb 8 oz. Regular Weight

8808G Green, Size: L 88080 Orange, Size: L 8808Y Yellow, Size: L

8 oz. Dotted Canvas

Regular Weight Size: L

8808

8802 Regular Weight

Size: S

8800 Medium Weight

Size: L

Napped Canvas 8800B

> Blaze Orange Dotted Palm, Index Fingers & Thumb, Knit Wrist

Size: L

10 oz. Heavy Napped Canvas **Dotted Palm, Index Fingers &** Thumb

8800C Premium Quality Size: L



Dotted Double Palm Heavy Weight Hi-Vis Cotton Canvas With Knit Wrist, Clute Pattern, Straight Thumb. 9018DG Green, Size: L

9018DO Orange, Size: L Yellow, Size: L 9018DY





Flame Resistant, High Visibility Green Nap-in Double Palm, Knit Wrist, Tested in accordance to ASTM F1358-08 to meet ANSI/ISEA 105-2011.



8526C

8526C **Heavy Weight**

Regular Weight, Size: L 8526

Canvas Back, Regular Weight

8516 Knit Wrist, Size: L 8516G 5" Plasticized,

Gauntlet Cuff, Size: L

8516S 2.5" Safety Cuff, Size: L

Knit Wrist

Nap-In Double Palm

9018C Knit Wrist

9018CB 21/2" Band Top

9018CD Corded, Knit Wrist

9018CR Red Knit Wrist

9018CDPC Corded,

Poly/Cotton, Knit Wrist

Nap-Out

9118B 2 1/2" Band Top

9118G 5" Gauntlet

Knit Wrist, Nap-In Double Palm, Corded, Hi-Vis

9018CDO Orange, Size: L 9018CDG Green, Size: L 9018CDY Yellow, Size: L



9018FRO SIZES: L

Flame Resistant, High Visibility Orange Nap-in Double Palm, Knit Wrist, Tested in accordance to ASTM F1358-08 to meet ANSI/ISEA 105-2011.

HOTLINE[™] Cotton



Protects to 250°F Seamless Loop-out Terry Cloth, Gunn Pattern, Knit Wrist, Black Stripe, Reversable

Heavy Weight (28 oz.) 9429

Size: L

Extra Heavy Weight 9433

(32 oz.) Size: L



9400KM **Terry Cloth, Knit Wrist** Reversible/Seamless Pattern Regular Weight

(18 oz.) Size: L 9400KM (18 oz.) Size: M 9401KM 9402KM (18 oz.) Size: S 9405KM (20 oz.) Reinforced Thumb Crotch, Size: L

Heavy Weight 9403KM (24 oz.) Size: L

Continuous Knit Wrist, Loop-In 9411KM (22 oz.) Size: L

Regular Weight, Loop-In 9410KM (16 oz.) Natural Size: L 9412KM (16 oz.) Natural Size: S

9413KM (16 oz.) Gray Size: L

9414KM (16 oz.) Gray Size: S

Regular Weight, Gray

9420KM (22 oz.) Size: L 9422KM (22 oz.) Size: S 9423KM (18 oz.) Size: L 9424KM (18 oz.) Size: S

Light Weight, Grey, Loop-In **Continuous Knit Wrist** 9425KM (14 oz.) Size: L

9124 Hot Mill Knuckle Strap Regular Weight

9124KI 2.5" Band Top, Nap-in

9124K 2.5" Band Top 9124G 4.5" Gauntlet Cuff 9124C 2.5" Band Top

100% Cotton Liner

LFR

Economy Weight 100% Cotton 9124 2.5" Band Top

Heavy Weight

100% Cotton

9128 28 oz. 2.5" Band Top 9132 32 oz. 2.5" Band Top

Heavy Weight Burlap-Lined 3-Ply, **Knuckle Strap**

5" Gauntlet Cuff 9132G 9132K 2.5" Band Top 9136K Premium Quality

2.5" Band Top



9460K RED BRICK® Protects to 600°F Nitrile Blocks 2 Sides 9460K Size: L

9462K Size: S

2-Ply Heavy Weight, **Loop-In Terry Cloth** 9450K Size: L





9432GFR HOTLINE™ Size: XL Flame Resistant to 450°F, 5" Gauntlet Cuff, Inset Thumb, Extra Heavy Weight (32 oz.), Lined & Quilted Throughout.

BIG JAKE® Gunn Pattern





Double Leather Palm, Index Finger & Thumb

1711

2.75" Safety Cuff

Sizes: XL

4.5" Gauntlet Cuff 1712

Sizes: XL

Double Leather Palm, Fingers & Thumb

2.75" Safety Cuff 1715

Sizes: XL

Double Layer Patch on Small Finger 1715P

Sizes: S-XL

1716 4.5" Gauntlet Cuff

Sizes: XL

Full Feature Gunn Pattern Leather Palm, Sewn with KEVLAR®

1700 2.75" Safety Cuff, CPPT 2,

Sizes: S-XL

1710 4.5" Gauntlet Cuff, Sizes: M-XL

4.5" Duck Gauntlet Cuff, 1730

(Launderable) -

Sizes: L-XL





and Gauntlet Cuffs come standard on all Big Jake styles except the 1730 Duck Cuff which is great for laundering.



3/4 Leather Back

2.75" Safety Cuff, Size: XL 1713 4.5" Gauntlet Cuff, Size: XL

3/4 Leather Back, Quilted Double Leather Palm & Thumb, **Triple Layer Thumb Crotch**

2.75" Safety Cuff, Size: XL 1734



Full Leather Back

1717 2.75" Safety Cuff, Size: XL 1718 4.5" Gauntlet Cuff, Size: XL



1734

All Big Jake® styles have CE certification and are labeled with CE test results.

BIG JAKE® / SIDEKICK™ Gunn Pattern



1702 BIG JAKE® KEVLAR® PALM

PALM LINED with a Non-woven KEVLAR®/Poly Material 2.75" Safety Cuff, CPPT 3, Sizes: M-XL

1700K BIG JAKE® KEVLAR® LINED

FULLY LINED with a Non-woven KEVLAR®/Poly Material 2.75" Safety Cuff, CPPT 3, Size: XL

1700K meets National Fire Prevention Association standard for puncture resistance. Inside-out view of the palm KEVLAR® Lining

1735 LUMBER JAKE® Sizes: M-XL Double Leather Palm & Finger, Full Leather Back, Triple Layer Thumb Crotch, 2.75" Safety Cuff



of the full KEVLAR® lining





SIDEKICK™ – Sewn with Kevlar® Double Leather Palm

16012 Green Double Leather Palm, Thumb, & Index Finger, 2.5" Safety Cuff Sizes: M-XL

16025 Green Double Leather Palm, Thumb, & Fingers, 2.5" Safety Cuff, Size: L

Full Leather Back

16017 2.5" Safety Cuff, Sizes: L-XL

Select Side Leather, Full Feature

1500K 2.5" Safety Cuff, Size: S-XL 1500Y 2.5" Safety Cuff, Yellow Striped Back,

Size: L



16010

SIDEKICK™ - Sewn with Kevlar®

Full Feature Gunn

16010 2.5" Safety Cuff, Sizes: S-XL 16011 4.5" Gauntlet Cuff, Size: L





BRONCO™

Full Feature Gunn, Rubberized Cuff

1680 Select "A" Side Split

2.5" Safety Cuff, Size: L Select "A" Side Split

1690 Select "A" Side Split 4.5" Gauntlet Cuff, Size: L

16810 "B" Shoulder Leather, Heavy Yellow Fabric

2.5" Safety Cuff, Size: L

16811 "B" Shoulder Leather, Heavy Yellow Fabric

4.5" Gauntlet Cuff, Size: L





MUSTANG™

Premium Grain Cow, Full Feature Gunn, Rubberized Cuff

1935 Premium 2.5" Safety Cuff, Sizes: S-XL

1936 Premium 4.5" Gauntlet Cuff, Sizes: M-XL 1932 Select Grade Grain, 2.5" Safety Cuff

Select Grade Grain, 2.5" Safety Cuff Sizes: S-XL

1933 Industry Grade Grain, 4.5" Gauntlet Cuff Sizes: S-XL

1930 Industry Grade Grain, 2.5" Safety Cuff Sizes: S-XL

1931 Economy, Patch Palm Grain Cow,2.5" Safety Cuff, Size: L



BULL'S EYE™

Select "A" Side, Sewn with KEVLAR® Full Feature Gunn, Rubberized Cuff

1900 2.75" Safety Cuff

Sizes: S-XL

1910 4.5" Gauntlet Cuff

Size: L

1911 Double Leather Palm

2.75" Safety Cuff

Size: L





1940 GLOVES FOR GLORY™

Premium Grain Goatskin Full Feature Gunn,

2.5" Rubberized Safety Cuff,

Size: L







1440 LUMINATOR™ Size: L

Select Split Cow Leather Palm, Reflective Material on Cuff and Knuckle, Orange Fluorescent Polyester Back, 2.5" Rubberized Safety Cuff.



14401DP LUMINATOR™ Size: L Select Shoulder Double Leather Palm, Reflective Material on Cuff and Knuckle, Orange Fluorescent Shirred Elastic Polyester Back, Fleece Cotton Palm Lining, 2.5" Rubberized Safety Cuff.





"B" Select Shoulder

Blue Fabric with Red Stripe **Rubberized Cuff**

1300 2.5" Safety Cuff, Sizes: S-XL 4.5" Gauntlet Cuff, Sizes: S-XL 1310

Double Leather Palm

2.5" Safety Cuff, Size: L, XL 1311

1311J 2.5" Safety Cuff, Jointed Palm, Size: L

1312 4.5" Gauntlet Cuff, Size: L

Full Leather Back

2.5" Safety Cuff, Size: L 1317 4.5" Gauntlet Cuff, Size: L 1318

White Fabric

13267L 2.5" Plasticized Safety Cuff, Size: L





"C" Select Shoulder **Green Fabric with Pink Stripe Rubberized Cuff**

1350 2.5" Safety Cuff, Size: L 1360 4.5" Gauntlet Cuff, Size: L

Double Leather Palm

2.5" Safety Cuff, Size: L 1361 1362 4.5" Gauntlet Cuff, Size: L

Full Leather Back

2.5" Safety Cuff, Size: L 1370 1380 4.5" Gauntlet Cuff, Size: L





Clute Pattern Knit Wrist

1030 Unlined Palm,
Size: L

1040 Select Grade
Lined Palm,
Size: L

1042 Green/Pink
Stripe Fabric,
Size: S

1080 2.5" Safety Cuff,
Size: I



1220D



1220D

1220DX 2.5" Denim Fabric

Cuff & Back,

Patch Palm, Size: L Full Leather Palm,

2.5" Denim Fabric Cuff & Back, Size: L

1220S Economy Full Leather Palm, 2.5" Starched Safety Cuff,


Assorted Fabric Colors, Size: L 1220SX Patch Palm, 2.5" Starched Safety Cuff,

Assorted Striped Fabric Colors, Size: L

1200S 2.5" Starched Safety Cuff, Assorted Striped Fabric Colors,
Sizes: L. XL

1201S 2.5" Starched Safety Cuff, Striped Fabric, Size: S 1210S 4.5" Starched Gauntlet Cuff, Striped Fabric, Size: L

1220WD 2.5" Duck Cuff & Back, White Fabric, Launderable, Size: L



12010 Economy, 2.5" Safety Cuff,
Assorted Colors, Sizes: S-XL

12011 Economy, 4.5" Gauntlet Cuff,
Assorted Fabric Colors, Size: L

1455 Patch or Single Palm, 2.5" Safety Cuff,
Assorted Fabric Colors, Size: L

1235 Knit Wrist, without Knuckle Strap,
Size: L

1235K Knit Wrist, with Knuckle Strap, Size: L 1200 2.5" Safety Cuff, CE 4132

Sizes: L-XXL

1210 4.5" Gauntlet Cuff, Size: L

1250C 2.5" Plasticized Safety Cuff, Size: L1205L 2.5" Safety Cuff, Red Fleece Lined,

Sizes: L

Double Leather Palm

12010DP Economy, Double Leather Palm, 2.5" Safety Cuff, Sizes: L 1201DP 3.5" Safety Cuff, Size: S

1201DP 3.5" Safety Cuff, Size: S
1211 2.5" Safety Cuff, Sizes: L-XL
1211J Economy, Jointed Double Palm,

2.5" Safety Cuff, Size: L 4.5" Gauntlet Cuff, Size: L

Green/Pink Stripe Fabric Back

1230 2.5" Safety Cuff, Sizes: S-XL1231 4.5" Gauntlet Cuff, Sizes: S-XL

1230DP Double Leather Palm, 2.5" Safety Cuff, Size: L

... D. ..

Fuil Leather Back

1212

1237 2.5" Safety Cuff, Green/Pink Stripe Cuff,

Size: L

Select Shoulder

1270B Economy Leather,

2.5" Plasticized Safety Cuff, Size: L 1240 2.5" Leather Cuff, White Fabric,

Launderable, Size: L

INSULATED GUNN PATTERNS





19251 LUMINATOR™ Sizes: S-XL Premium Grade Grain Pigskin, Gunn Pattern, Wing Thumb, Reflective Material, Orange Fluorescent Polyester Back, 2.5" Rubberized Safety Cuff, Fleece Cotton Palm Lining "Only".

19261 Thermosock® Full Sock Lining Sizes: S-XL



34411 LUMINATOR™ Size: S-XL Premium Grade Grain Pigskin, Waterproof Barrier, Wing Thumb, Reflective Material, Orange Fluorescent Polyester Back, 2.5" Knit Wrist, Pull Strap, Thermosock® Full Sock Lining.







3440 LUMINATOR™ Sizes: S-XL Grain Pigskin Driver, Reflective Material on Knuckle, Orange Fluorescent Polyester Back, Thermosock® Lining, 2.5" Knit Wrist.



1925W SNORT'N BOAR™ Sizes: S-XL Premium Grain Pigskin, 2.5" Safety Cuff Wool Lined Full Sock Lining.

INSULATED GUNN PATTERNS





ARTIC JACK™

Premium Split Pigskin, Thermosock® Full Sock Lining

1955 2.5" Safety Cuff, Sizes: S-XL1956 Knit Wrist, Sizes: S-XL



ARTIC JACK™

Grain Pigskin, Full Sock Lining

1965 2.5" Safety Cuff, Sizes: M-XXL

MEMPHIS

1966 Knit Wrist, Size: L





1450 Size: L
"A" Select Shoulder Cow
Foam Insulated, Full Sock Lining, Full
Feature Gunn Pattern, 2.5" Safety Cuff.

1685L "B" Shoulder Size: L 2.5" Safety Cuff, Pile Lined.





1970 MEMPHIS™ Size: S-XXL Memphis™, Grain Pigskin, Thermal Lined, Black Fabric Back, 2.5" Plasticized Safety Cuff.

1205L "C" Shoulder Full Feature Gunn Red Fleece Full Sock Lining, 2.5" Rubberized Safety Cuff, Size: L

1320 "B" Select Shoulder Full Feature Gunn Thermosock® Full Sock Lining, 2.5" Rubberized Safety Cuff, Size: L

1965

DRIVERS 😩









ROAD HUSTLER™

Premium Grade Cow Grain Leather, Shirred Elastic Back, Unlined, Rolled Leather Hem

Keystone Thumb

Premium Grade, Sizes: S-XL 3200

3211 Select Grade, Cotton Hem, CE 3132 Sizes: XS-XXXL

3213 Industry Grade*, Cotton Hem,

Sizes: S-XXXL

Wing Thumb

3224 Premium Grade, Sewn with KEVLAR®, Sizes: S-XL

3215 Economy Grade*, Cotton Hem, Sizes: S-XL

3214 Select Grade, Cotton Hem, Sizes: S-XL

3214I "SAFETY BEGINS HERE", Sizes: S-XXL



32111 LUMINATOR™ Sizes: XS-XL Premium Grade Grain Cow, Keystone Thumb, Reflective Material on Back and 3 Fingertips, Orange Fluorescent Polyester Back and Thumb.







3213CHVSP



ROAD HUSTLER™

Premium Grade Cow Grain Leather, Unlined, **Rolled Leather Hem**

Straight Thumb

3220 Premium Grade, Leather Pull Strap, Sizes: S-XL

Cotton Hem, Straight Thumb, Shirred Elastic Back

Industry Grade*, Grain Leather, with Leather Pull Strap, Sizes: S-XL

3201 Select Grade, Sizes: XS-XXL

Industry Grade*, Sizes: S-XXL 3203

3202 Economy Grade*, Sizes: S-XL



Industrial Grade, Cow Grain, Shirred Elastic Back, Keystone Thumb, High Visibility **Orange Fingertips and Thumb** 3213CHVSP Sizes: S-XXL 3213HVI "WATCH YOUR HANDS"

Sizes: XS-XXL





3204K

3205

Shirred Elastic Back, Keystone Thumb

3204 Select Grade, Rolled Leather Hem, Sewn with KEVLAR®

Sizes: XS-XXL

Industry Grade*, Sizes: S-XL

KEVLAR® String Knit Liner, CPPT 3

Sizes: S-XL



3204K **KEVLAR® Knit Liner** 32055 Sizes: S-XL Cow Grain Patch Palm & Split Back, Economy Grade, Unlined, Shirred Elastic Back, Brown Cotton Hem, Wing Thumb.





3100HVI "WATCH YOUR HANDS"

Premium Grade Cow Split Leather, Shirred Elastic Back, Cotton Hem, Straight Thumb, Natural Pearl Gray, **Unlined, Straight Thumb**

HI-VIS

3100 Premium Grade, Sizes: S-XL 3120 Regular Grade, Sizes: S-XL



Cotton Hem, Keystone Thumb, Unlined

3110 Premium Grade

Sizes: S-XL Regular Grade 3130

Sizes: S-XL 3125 Black Mesh Fabric Back, Knuckle Strap, Keystone Thumb

Sizes: S-XL

DRIVERS 🦈



FEATURES - Pig Leather Drivers

· Useful in wet applications, due to pigskin's ability to remain soft after being exposed to moisture or water. Hair follicles allow the leather to breath.





3420 Premium Grain Pigskin Sizes: S-XL Premium Grain Pigskin, Unlined, Shirred Elastic Back, Rolled Leather Hem, Keystone Thumb.

Premium Grain Pigskin, Unlined, **Shirred Elastic Back, Cotton Hemmed**

3410 Straight Thumb, Sizes: S-XL 3411

Keystone Thumb, Sizes: S-XL

Keystone Thumb, Green Mesh Fabric Back, 3425 Knuckle Strap, Sizes: S-XL

Industry Grade Grain Pigskin

3400 Straight Thumb, Sizes: S-XL 3401 Keystone Thumb, Sizes: S-XXL

3405 Grain Palm, Split Back, Keystone Thumb,

Sizes: S-XL

Economy Grade Grain Pigskin

Straight Thumb, Sizes: S-XL



3407 Hi-Vis Grain Pigskin Sizes: S-XXL Unlined Grain Pigskin, Industry Grade, High Visibility Lime Fabric Back with Silver Reflective Material, Keystone Thumb.





3413HVI Grain Pigskin Sizes: S-XL Unlined Grain Pigskin, Industry Grade, Orange High Visibility Fingertips, "Watch Your Hands" Logo, Keystone Thumb,

HI-VIS

DRIVERS






34111 Grain Pigskin Sizes: S-XXL Unlined Grain Pigskin Palm and Fingertips, High Visibility Orange Mesh Back with Yellow Prismatic Reflective Tape Knuckle Strap, Shirred Elastic Back, Keystone Thumb, Cotton Hem.







3601 Straight Thumb, Sizes: S-XXXL 3611 Keystone Thumb,

Sizes: S-XXL 3601K

KEVLAR® String Knit Liner, Straight Thumb, CPPT 3

Sizes: S-XXL

Select Grain Goatskin

3603 Straight Thumb, Sizes: S-XL 3613 Keystone Thumb, Sizes: S-XL

3601K **KEVLAR® Knit Liner**









3620 Premium Grain Goatskin Sizes: XS-XXL Gold/Yellow, Unlined, Rolled Leather Hem, Shirred Elastic Back, Keystone Thumb.

DRIVERS





3500 Sizes: S-XL
Premium Grade Grain Deerskin, Unlined,
Rolled Leather Hem, Shirred Elastic Back,
Keystone Thumb

3501 Regular Grade, Sizes: S-XL3505 Split Back, Sizes: XS-XXL

FEATURES - Deerskin Drivers

Naturally Soft with an excellent sense of touch.
 All day comfort with less hand fatigue.



3750 Sizes: S-XL Synthetic Split Grain Cow Texture, Insulated - 8 oz. Red Fleece Lining, Shirred Elastic Back, Cotton Hem, Keystone Thumb, CE 2331.



FEATURES - Synthetic Leather Drivers

- · Consistent quality and appearance
- · Stable material cost and sourcing
- · Texture resembles traditional leathers
- · Breathable synthetic material and light weight
- · Soft fabric with enhanced dexterity
- Chrome Free
- Launderable





3711 Sizes: S-XL Synthetic Grain Pigskin Texture, Shirred Elastic Back, Unlined, Cotton Hem, Keystone Thumb. CE 2231.



3730DP Sizes: S-XL Synthetic Split Grain Cow Texture, Double Palm, Shirred Elastic Back, Unlined, Cotton Hem, Wing Thumb. CE 4342.



INSULATED DRIVERS





3460 ARTIC JACK[™] Sizes: S-XL Premium Grain Pig, Thermosock® Lining, Keystone Thumb,



Premium Grain Pigskin, Red Fleece Lined

Sizes: S-XL

3451 Industry Grade Grain Pigskin, Red Fleece

Lined, Keystone Thumb

Sizes: M-XXL





3250 Red Fleece Lined

Sizes: S-XL 3260 Foam Lined

Sizes: S-XL

Industry Grade Grain Cow, Keystone Thumb

3266 Thermosock® Lined

Sizes: S-XI

3280 Thermal Cotton Lined

Sizes: S-XXL

3280CHVSP Thermal Lined, Orange High Visibility

Fingertips, Shirred Elastic Back

Sizes: S-XL

Industry Grade Cow, Straight Thumb

3255 Red Fleece Lined

Sizes: S-XL





3170 Sizes: S-XXL

Premium Grade Split Cow, Pile Lined, Keystone Thumb



3150

Red Fleece Lined, Straight Thumb Sizes: S-XXL

ZSULA U



555 Sizes: S-XL

Regular Grade Deerskin Split Back, Grain Palm Red Fleece Lined, Rolled Leather Hem, Keystone Thumb.

MEMPHIS™ WELDING





3204T MEMPHIS™ WELDING Sizes: S-XXL Point of Purchase Hang Tag, Select Grain Cowhide with Split Back, Sewn with KEVLAR®, Rolled Leather Hem.



4860 MEMPHIS™ WELDING Sizes: S-XXL Point of Purchase Hang Tag, Grain Goat Leather Gunn Pattern, Blue Split 4" Cowhide Cuff, Sewn with Black KEVLAR® Thread.





4150T MEMPHIS™ WELDING Sizes: M-XXL Point of Purchase Hang Tag, Sewn with KEVLAR®, Premium Select Shoulder Leather Welder, Wing Thumb, Black Cotton Drill Lining. CE 4243.





49850 MEMPHIS™ WELDING Sizes: S-XL
Black Grain Deer Back of Hand with Foam/Jersey
Lining, Reversed Grain Unlined Palm, Cow Welting,
Sewn with Black KEVLAR® Thread, 5″ Black Side Split
Cowhide Gauntlet Cuff with FR Lining, Straight Thumb.

MIG/TIG WELDERS



Select Grade Grain Cow, Double Leather

Grain Palm, Index, & Thumb, Split Cow Back

and Cuff, Gunn Pattern, Wing Thumb, 2.5"

Leather Safety Cuff, Sewn with KEVLAR®.

FEATURES Mig/Tig Welders

- · Premium grade leather
- Split leather gauntlet cuff
- Enhanced dexterity
- Softness for less hand fatigue
- Sewn with super-strong heat resistant DuPont™ KEVLAR® thread
- All styles generously cut
- Private label imprint program



4840 RED RAM™

4840

Sizes: S-XL Premium Grade Grain Goatskin, Straight Thumb, 5" Bell Split Cow Cuff.



49610L RED RAM™

Size: L Select Grade Grain Pigskin, Clute Pattern Back, Outside Seam, Straight Thumb, Reinforced Thumb Strap, 4.5" Gauntlet Split Pig Cuff, Sewn with KEVLAR®.



925 MEMPHIS™ MULTITASK

Sizes: M-XXL point of purchase hang tag, Premium Grain Cow & Split Deerskin, Wing Thumb, Adjustable Wrist Closure, Sewn with KEVLAR®.



4984

4984 BIG BUCK™ Premium Grain Deerskin, Gunn Pattern, Full Leather Back, Unlined, Straight Thumb, 4.5" Split Cow Cuff Sewn with KEVLAR®

49600 MEMPHIS™ WELDING Sizes: M-XXL Premium Grade Black Grain Pigskin, Full Back, Wing Thumb, 4.5" Bell Gauntlet Split Cow Cuff, Sewn with KEVLAR®.

4982 Premium Grain Deerskin, Clute Pattern, with Thumb Strap, Reinforced Thumb Crotch Unlined, Straight Thumb, 2.5" Split Cow Cuff Sewn with KEVLAR®, Sizes: S-XL

MIG/TIG WELDERS





4850 GLOVES FOR GLORY™ Sizes: M-XXL Premium Grade Grain Goatskin, Gunn Pattern, Wing Thumb, 4.5" Split Cow Gauntlet Cuff

Gain Goat, 4.5" Split Cow Gauntlet Cuff, KEVLAR® Liner. CE 2222, CPPT 2. Sizes: S-XXL





4900 RED RAM™

Sizes: 7, 8, 9, 10, 11, 12 Premium Grade Grain Goatskin, Straight Thumb Clute Pattern, 2.5" Grain Goat Band Cuff



4800 RED RAM™ BUNDLER'S GLOVE

Sizes: 7, 8, 9, 10, 11, 12

Premium Grade Grain Goatskin, Straight Thumb Clute Pattern, 2.5" Grain Goat Band Top Cuff, Fingerless with Finger Tabs for Easy Removal





4950 MUSTANG™ Sizes: S-XL Premium Grain Cow Palm & Back, Wing Thumb 4.5" Gauntlet Split Cow Cuff, Sewn with KEVLAR®

4952 Select Grade, Sewn with KEVLAR®

Sizes: S-XL

4940 Premium Grain Cow, Reinforced Straight Thumb, 5" Bell Gauntlet Split Cow Cuff, Sewn with KEVLAR®, Sizes: S-XL

4950LB Select Grade, (Not sewn with Kevlar®), Size: L

WELDERS / HIGH HEAT





4901 MEMPHIS™ WELDING Size: M-XL Premium Grain Cow, Gunn Pattern, 4.5" Grain Leather Gauntlet, Cuff, Sewn with Kevlar®, Fleece Lined

4902 Industry Standard Grade, Grain Cow, 4.5" Canvas PE Gauntlet Cuff

Size: L

4900LN 100% Cotton Palm Lining,

4.5" Gauntlet Duck Cuff,



4620A MEMPHIS™ ALUMINIZED WELDER

Size: XL

Premium Brown Side Leather, 1 Piece Aluminum Back, Reinforced Palm, Wing Thumb, Sewn with KEVLAR®, Fully Welted, FR Sleeve Lining.

Back of Hand: Aluminized TR Backing Fabric Reflects 90% of Radiant Heat Resisting Up to 1832°F.









4550 MEMPHIS™ HIGH HEAT

Size: XL

Select Shoulder Clute Pattern, Generous Cut, Cotton Drill Cuff Lining, Palm Red Jersey Lining, Reinforced Straight Thumb,

Protects to 400°F.



4750 MEMPHIS™ HIGH HEAT

Size: XL


Select Side Split Leather, Double Wool Lined Palm, Sewn with KEVLAR®, 3.5" 16 oz. Duck Cuff, Protects to 500°F.



Straight Thumb

4320 Select Shoulder Leather, Sewn with KEVLAR®, Black Cotton Drill Cuff Lining Size: L

4320LH Left Hand Only, Size: L



Foam Lined.





4622 RED FOX® Size: XL Select Side Leather, Sewn with KEVLAR® Thread, Reinforced Palm, Wing Thumb, Foam Lined.



4730 WAR HORSE™ Size: XL Premium Select Side Leather, Foam Lining, Wing Thumb.

WELDERS





4600 BLUE BEAST® Sizes: XL-XXL Premium Select Side Leather, Reinforced Palm

4600LH Left Hand Only, Wing Thumb

Size: XL

4605 Unlined Gunn Pattern,

Straight Thumb, Size: L

Sewn with KEVLAR®, Foam/Red Jersey Lining

Select Shoulder Blue Leather 4500

Double Reinforced Palm Pad

Sizes: S, XL, XXL

4501 Regular Shoulder Blue Leather

Double Reinforced Palm Pad

Size: L

Premium Welders

- Select heavy side cow split leather
- Full 100% cotton sock lining
- All seams FULLY welted for durability
- · Turned leather hems
- Flame-resistant sleeves
- Extra-large die cut
- · Gunn pattern/One piece back
- All premium welders sewn with super-strong heatresistant DuPont® KEVLAR® thread



4700 MUSTANG™ Size: XL Premium Select Side Leather, Wing Thumb

Gunn Pattern, Black Cotton Drill Cuff Lining

Select Shoulder Leather, CE 4243, Size: L

4150LH Left Hand Only, Size: L

4152 Ladies' Economy Shoulder Leather, Size: S

Economy Shoulder Leather 4150B

Size: XL-XXL

4155 Regular Shoulder Leather

Size: L





Black Cotton Drill Cuff Lining

Select Shoulder

Size: L

Economy Shoulder

Size: L

4300N No Logo Size: L





4620 KODIAK® Size: XL

Premium Select Side Leather, Reinforced Palm, Wing Thumb

NITRILE Disposables



6012



NitriMed™

Powder-Free Nitrile, Class 1 Medical Device, Chlorinated, Textured Grip, 100 Gloves Per Dispenser, 10 Dispensers Per Case

6010 4 mil Thickness 6012 NitriMed™ Extra

6 mil Thickness, 12" Length

6010E 3 mil Thickness, Economy Grade

NEW

6015

NitriShield®

Nitrile, Industrial/Food Service Grade, Chlorinated, Textured Grip

4 mil Thickness

100 Gloves Per Dispenser, 10 Dispensers Per Case

6015 Powder-Free - also in XXL

6020 Powdered

8 mil Thickness

50 Gloves Per Dispenser, 20 Dispensers Per Case

6025 Powdered

6030 Powder-Free - also in XXL6032 Powder-Free, 12" Length

(NEW)

6060

NitriShield Stealth®

Black Powder-Free Nitrile, Industrial/Food Service Grade, Textured Grip, Lightweight, High Dexterity, 100 Gloves Per Dispenser, 10 Dispensers Per Case

6060 3 mil Thickness, Economy Grade 6062 NitriShield Stealth® Xtra - also in XXL

6 mil Thickness, 12" Length



All nitrile disposable glove component materials comply with relevant federal regulations for food contact. 6001

DuraShield®

Nitrile, Industrial/Food Service Grade, Industry Standard Thickness, Textured Grip, 100 Gloves Per Dispenser, 10 Dispensers Per Case

6001 4 mil, Powder-Free - also in XS, XXL, XXXL

6002 4 mil, Powdered

8 mil, Heavy Weight Powder-Free8 mil, Heavy Weight Powdered

Food Service Favorite!

60011 3 mil, Economy Grade, Powder-Free

New softer formulation.

60021 3 mil, Economy Grade, Powdered

All Disposable Offerings are Available in S-XL.

XXL Noted.



NITRISHIELD™ COLOR FUSION

Fuse Your Colors

with Custom Box

Choices

NitriShield™ Color Fusion Your Color, Your Choice

All styles comply with 3 Grades and Market Application areas:



1. Industrial Grade

Janitorial, Mechanics, Recycling, Plant Maintenance,



2. Food Service Grade

Food Processing, Food Service, Food Preparation, Slaughter Houses



3. Medical Grade - Class 1 Medical Device Doctor's Offices, Dental, Lab Work,

EMT - First Response

NitriShield™Color Fusion

Powder-Free Nitrile

3-in-1 - Industrial/Food Service/Medical Grades

Class 1 Medical Device, Chlorinated, Textured Grip, 4 mil Thickness, 9.5" Length, 100 Gloves Per Dispenser, 10 Dispensers Per Case

	6010	Blue
0	6010G	Green
0	6010GY	Grey
	60100	Orange
	6010P	Pink
0	6010W	White

100 Gloves Per Dispenser (50 each color) 10 Dispensers Per Case

Color Fusion Boxes - Standard Stock

6010GYP Grev - Pink

60100G Hi-Vis Orange - Green

Color Fusion Boxes - Custom Order

6010GYG Grey - Green 6010GYO Grey - Orange 6010GYW Grey - White 6010GYB Grey - Blue **6010WG** White - Green **6010WB** White - Blue 6010OW Orange - White 6010OB Orange - Blue 6010PG Pink - Green **6010PB** Pink - Blue

6010PO Pink - Orange **6010PW** Pink - White 6010BG Blue - Green

Available in sizes S-XL

6010 Blue

6010G Green

6010GY Grey

60100 Orange

> 6010P Pink

6010W White



300D ACRYLIC DISPENSER

Holds 3 Color Fusion boxes to dispense 6 individual items. *6010GYP, 6010OG and 6010WB product shown in dispenser.

65

LATEX Disposables



5045



Sensatouch™

Latex, Class 1 Medical Device, 5 mil Thickness, 100 Gloves Per Dispenser, 10 Dispensers Per Case

5045 Powder-Free, Double Chlorinated,

Textured Grip - also in XXL

5050 Powdered, Smooth Grip



Med-Tech™

5048

Powder-Free Latex, Class 1 Medical Device, Double Chlorinated, High Risk Blue, 12" Length, 50 Gloves Per Dispenser, 10 Dispensers Per Case

5048 15 mil Thickness **5049*** 11 mil Thickness

*NFPA 2008 Certified

5059

5055



in dispenser.

SensaGuard™

Latex, Industrial/Food Service Grade, 100 Gloves Per Dispenser, 10 Dispensers Per Case

Powder-Free, Double Chlorinated, 5 mil Thickness

5055 Smooth Grip5056 Textured Grip

Powdered, 5 mil Thickness

5060 Smooth Grip

Industry Standard Thickness

5054 Powder-Free, Smooth Grip

5059 Powdered, Smooth Grip

Food Service Favorite!

100 ACRYLIC DISPENSER

1 Slot *6062 product shown in dispenser.

All Disposable Offerings are Available in L, M, S, XL. XXL Noted.



VINYL / POLYETHYLENE Disposables





Sensatouch™

Clear Vinyl, Class 1 Medical Device, 5 mil Thickness, 100 Gloves Per Dispenser, 10 Dispensers Per Case

5000 Powdered 5010 Powder-Free



SensaGuard™

Vinyl, Industrial/Food Service Grade

Green, 6.5 mil Thickness,

100 Gloves Per Dispenser, 4 Dispensers Per Case

5025 Powdered

Blue, 3 mil, Lightweight/High Dexterity,

100 Gloves Per Dispenser, 10 Dispensers Per Case

5030 Powdered 5035 Powder-Free

Clear, 3 mil, Lightweight/High Dexterity,

100 Gloves Per Dispenser, 10 Dispensers Per Case

5014 Powder-Free 5019 Powdered

5040 SensaGuard™ **Food Service Favorite!**

HDPE Polyethylene, Industrial/Food Service Grade, Reversible, Powder Free, Embossed Grip, 500 Gloves Per Dispenser, 20 Dispensers Per Case.

SensaGuard™

Clear Vinyl, Industrial/Food Service Grade, 5 mil Thickness, 100 Gloves Per Dispenser, 10 Dispensers Per Case

5015 Powder-Free 5020 Powdered



7010

7010 VitriShield™

Vinyl/Nitrile Blend, Industrial/Food Service Grade, Powder-Free, 4 mil Thickness, Rolled Cuff, 100 Gloves Per Dispenser, 10 Dispensers Per Case.





All latex, vinyl, and polyethylene disposable glove component materials comply with relevant federal regulations for food contact.

NITRI-CHEM[™] Unsupported



5309

NITRI-CHEM™ Nitrile, 11 mil, Unlined, Textured Grip,Bulk Packed/12 Pairs Per Bag, 13″ Length

5307 Size: 7 **5308** Size: 8 **5309** Size: 9 **5310** Size: 10 **5311** Size: 11

NEW

Industry Standard, Nitrile, 11 mil, Unlined, Textured Grip,Bulk Packed/12 Pairs Per Bag

13" Length 5307E Size: 7 5308E Size: 8 5309E Size: 9 5310E Size: 10



All Nitri-Chem glove component materials comply with relevant federal regulations for food contact.



Nitrile, 15 mil, Unlined, 13" Length, Diamond Grip

5316U Size: 6 5317U Size: 7 5318U Size: 8 5319U Size: 9 5320U Size: 10 5321U Size: 11

Nitrile, 22 mil, Unlined, 18" Length, Textured Grip 5350 L, XL, XXL 5319U

Yest,

NITRI-CHEM™

Nitrile, 15 mil, Flock-Lined, 13" Length, Diamond Grip 5316 Size: 6

5317 Size: 7 **5318** Size: 8 **5319** Size: 9 **5320** Size: 10 **5321** Size: 11 5319

FLOCKED

Industry Standard, 15 mil, Flock-Lined, 13" Length,

 Diamond Grip, Bulk Packed/12 Pairs Per Bag

 5317E
 Size: 7

 5318E
 Size: 8

 5319E
 Size: 9

 5320E
 Size: 10

 5321E
 Size: 11

5339S

BLOCKED

NITRI-CHEM™

Nitrile, 18 mil, Flock-Lined, 13" Length, Diamond Grip

5336S Size: 6 **5337S** Size: 7 **5338S** Size: 8 **5339S** Size: 9 **5330S** Size: 10

5330S Size: 10 **5331S** Size: 11



INDUSTRY APPLICATIONS Nitrile

Heavy Duty Non-slip Grip, Straight Cuff, Poly Bagged in Pairs, Manufacturing Facility ISO9002 Certified, (© Certified.



All component materials for gloves on this page comply with relevant federal regulations for food contact.



5409S

FLOCKED



5430 Neoprene and Latex Blend, 28 mil, 12" Length, Straight Cuff, Flock Lined, Sizes: L, M, S, XL

INDUSTRY APPLICATIONS Neoprene

Handling Automotive Parts Metal Cleaning Mechanical Applications 5409S CHEM-TECH™ Neoprene on Latex, 28 mil, Flock-Lined, Straight Cuff

5406S Size: 6 5407S Size: 7 5408S Size: 8 5409S Size: 9 5400S Size: 10 5401S Size: 11

Industry Standard, Neoprene on Latex, 20 mil, Flock-Lined, Straight Cuff 5410E Sizes: LE, ME, SE, XLE

Black Neoprene, 30 mil, Flock-Lined, Straight Cuff 5435 Size: L, M, S, XL



LATEX Unsupported



5110



5110 Sizes: S-XL

Premium 18 mil, Latex Canner, Amber Color, Rolled Cuff



5110T Sizes: S-XL

Premium 10 mil, Latex Canner, Amber Color, Rolled Cuff

Latex Canner, Amber Color

18 mil	Economy, 16 mil	
5170E	5070E	Size: 7-7 ¹ / ₂
5180E	5080E	Size: 8-8 ¹ / ₂
5190E	5090E	Size: 9-9 ¹ / ₂
5199E	5099E	Size: 10-10 ¹

5500 50 mil, Heavy Latex, Amber Color, Rolled Cuff, Size: 10 $^{1}\!/_{2}$

• Extra Thick, High Quality Latex Provides a Tough Performer for Plywood, Lamination and Other Glue-related Applications.

5190B



Premium 18 mil, Latex Canner, Blue Color,

Dark Blue	Light Blue	
5070B	5170B	Size: 7-7 ¹ / ₂
5080B	5180B	Size: 8-8 ¹ / ₂
5090B	5190B	Size: 9-9 1/2
5099B	5199B	Size: 10-10 ¹ / ₂



5170BE	Size: 7-7 1/2
5180BE	Size: 8-8 ¹ / ₂
5190BE	Size: 9-9 ¹ / ₂
5199BE	Size: 10-10 1/s

INDUSTRY APPLICATIONS – Latex

Canning, Development Labs, Food Processing, Janitorial Work, Maintenance, Poultry, Research.



LATEX / BUTYL Unsupported



Yellow Flock-Lined Latex, 18 mil, Straight Cuff

13" Length	12" Length	
5270	5270P*	Size: 7-7 ¹ / ₂
5280	5280P*	Size: 8-8 ¹ / ₂
5290	5290P*	Size: 9-9 ¹ / ₂
5299	5299P*	Size: 10-10 1/2

*Polybag Per Pair.

FLOCKED

5250

Industry Standard, Flock-Lined Latex

20 mil, 15" Length, Yellow

5255L Size: L

15 mil, 12" Length, Yellow

5250 Size: S-XL



12 mil, 12" Length 5212Y Yellow, Size: S-XL

5212B Blue, Size: S-XL



Blue Flock-Lined Latex, 18 mil, Straight Cuff

13" Length	12" Length	
5270B	5270PB*	Size: 7-7 1/2
5280B	5280PB*	Size: 8-8 ¹ / ₂
5290B	5290PB*	Size: 9-9 1/2
5299B	5299PB*	Size: 10-10 1/2
	*Polyhag Per Pa	ir

CP14 MCR GUARD™
Butyl, 14 mil, 14" Gauntlet,
Rolled Cuff
CP14 Smooth Finish,
Sizes: L, M, S, XL
CP14R Rough Grip,
Sizes: L, M, S, XL
25 mil, 14" Gauntlet, Rolled Cuff
CP25 Smooth Finish,
Sizes: L, M, S, XL
For protection from most hazardous chemicals and gases.

GUARDIAN
CHEMICAL PROTECTIVE GLOVES

• Made in USA.

PVC Supported



6410SC 6410SCHV Size: L

MEMPHIS OIL HAULER™

Premium Double Dipped, Jersey Liner, Sandy Finish, Safety Cuff. CE 4121.

Green PVC on Hi-Vis Orange PVC

Hi-Vis Orange on Hi-Vis Lime

HI-VIS 6224HV

6410SCHV

6224HV Size: L Hi-Vis Premium PVC, 12" Gauntlet, Jersey Liner, Smooth Finish, Hi-Vis Orange Finger Tips. CE 4121.

PVC Supported

6412



Premium Black, Double Dipped, Sandy Finish. CE 4121.

Interiock	Lining
6100S	Knit Wrist
6200S	10" Gauntlet
6212S	12" Gauntlet
63005	14" Gauntlet

Premium Red,

6450S

6451S

6452S

6454S

Double Dipped, Sandy Finish

Jersey Lining, CE 4121.

Knit Wrist

10" Gauntlet

12" Gauntlet

14" Gauntlet

Jersey Lining

6100SJ	Knit Wrist
6200SJ	10" Gauntlet
6212SJ	12" Gauntlet
6300SJ	14" Gauntlet



6410 10" Gauntlet 6412 12" Gauntlet 6414 14" Gauntlet 6418 18" Gauntlet



Industry Standard Black, Single Dipped

Smooth Finish, Interlock Lining

mitorioon	9
6100	Knit Wrist
6200	10" Gauntlet
6212	12" Gauntlet
6300	14" Gauntlet
6300RH	14" Gauntlet,
	Right Hand
6218	18" Gauntlet

Rough Finish, Interlock Lining

6212R	12"	Gauntlet
6300R	14"	Gauntlet

Textured Finish, Interlock Lining

6500S	Knit Wrist
6510S	10" Gauntlet
6512S	12" Gauntlet
6514S	14" Gauntlet

Textured Finish, Jersey Lining

6521SCO

6500SJ	Knit Wrist
6510SJ	10" Gauntle
6512SJ	12" Gauntle
6514SJ	14" Gauntle

Industry Standard Black, Double Dipped, Sandy Finish

Interlock Lining

IIILETIOCE	Lilling
6520S	Knit Wrist
6521S	10" Gauntlet
6522S	12" Gauntlet
6524S	14" Gauntlet
65285	18" Gauntlet

Jersey Lining


6520SJ	Knit Wrist
6521SC	Safety Cuff NEW
6521SCO	Safety Cuff, Orange NEW
6521SJ	10" Gauntlet
6522SJ	12" Gauntlet
6524SJ	14" Gauntlet

Industry Standard Green

6420	Knit Wrist
6421	10" Gauntlet
6422	12" Gauntlet
6424	14" Gauntlet

FOAM-LINED PVC Supported





Sandy Finish, Both Foam and Polar Fleece Linings, Internal Knit Wrist, 14" Gauntlet. CE 4121. Size: L



6710T Double Dipped, Sandy Finish, Foam Lined and Fully Coated, Safety Cuff, Tan. Size: L



Double Dipped, Sandy Finish, Foam Lined and Fully Coated, Fluorescent Orange. CE 4121.

6700F Knit Wrist, Size: L6710F Safety Cuff, Size: L



Single Dipped, Sandy Finish, Foam Lined and Fully Coated, Fluorescent Orange. CE 3121.

6702F Knit Wrist, Size: L 6710FS Safety Cuff, Size: L 6712F 12" Gauntlet, Size: L

VINYL Supported



Textured Vinyl Coated Gloves. CE 3121.

Whizzbang® Two-Piece Interlock Liner 9890

Sizes: S-L

Whizzbee® Jersey Liner, Seams Out Pattern 9892

Sizes: S-L

Textured Vinyl Coated Gloves. CE 3121.

Whizz-knit® Seamless Liner

Sizes: S-L

Whizz-knit II® Seamless Knit Liner, 9894

Knit Wrist, Sizes: L



Cut and Sewn Russet, Vinyl Impregnated on Soft Cotton Interlock Lining, Stretch, Slip-On Cuff.

9800 Size: M-L 9800J Size: XL

9810 Ladies' Size: S-L

9850 Yellow, Non-stretch, Size: M-L 9860 Yellow, Non-stretch, Size: Ladies' L 9870 Yellow, Stretch with Russet Double Palm,

Cotton Lining, Size: M-L



Cut and Sewn Vinyl Laminated, Garden Style Gloves, 2" Band Top.

White, Nylon Back, Slip-on, Size: M-XL 9870

9875 White, Nylon Back, Slip-on,

Size: Ladies'S-L

9880 Blue, Size: S, L 9885 Blue, Slip-on, Size: S, L

9880Y Yellow, Size: S, L

NATURAL RUBBER Supported **BLUE GRIT® Textured Rubber Coating,** Interlock Lining. CE 4121. **Features Waterproof Protection.** 10" Length 6850 Sizes: L, S 6852 12" Length 6820 TUFFTEX™ Size: L Sizes: L, S Premium Grade, Natural Rubber, Component materials comply Crinkle Finish, Plasticized Safety Cuff, with all relevant federal Cotton Jersey Shell. CE 2241. regulations for food contact. 6825 Knit Wrist, Cotton Jersey Shell Size: L 6832 6832 Cotton Seamless Knit Shell 6862 NITRI-GRIT™ CE 3132, Sizes: L, S **Textured Nitrile and** Rubber Coating, 12" Length, Interlock Lining, **Features Extra Abrasion Protection and** Waterproof Protection. CE 3121. Sizes: S-L 6831 6845 Size: L Crinkle Finish Natural Rubber, 12" Gauntlet, Interlock Lining 6800 Rubberized Safety Cuff, Size: M*, L, XXL* * NEW SIZE! 6885 PLYFLEX™ 6810 Economy, Duck Safety Cuff, **Textured Latex** Size: L Coating, 12" Length, 6830 Knit Wrist, Jersey Lined, Interlock Lining, Size: L **Provides Excellent** 6831 Knit Wrist, Fully Coated, **Dexterity & Flexibility** Jersey Lined, in Wet and Dry Conditions. Size: L CE 4141. 6840 Rubberized Safety Cuff, Size: L, M, S, XL, XXL* Jersey Lined, * NEW SIZE! Size: L 76

NEOPRENE Supported



NITRILE Supported







PREDAKNIT™

Interlock Liner, Rough Finish. CE 3121.

9782

9782 12" Gauntlet, Size: S-XL9784 14" Gauntlet, Size: L



PREDAFLEX™
Brushed Interlock Liner, Rough Finish. CE 4121.
9792 12" Gauntlet, Size: L
9794 14" Gauntlet, Size: L





9685 PREDASTRETCH™ Sizes: S-L
Triple Dipped Nitrile, 12" Gauntlet,
13-Gauge Seamless Knit Shell. CE 4132.
Features Waterproof and Liquid Protection.

NITRILE Supported





Premium Nitrile Fully Coated. CE 4221.

Palm Coated, Knit Wrist, Size: L 9751 Fully Coated, Knit Wrist, Size: L Palm Coated, 2.5" Safety Cuff, 9760

Sizes: S*, M*, L, XL* * NEW SIZES!

9761 Fully Coated, 2.5" Safety Cuff, Size: L 9770 Fully Coated, Foam Lined,

2.5" Safety Cuff, Size: L

Industry Standard

97950 Palm Coated, Knit Wrist, Size: L 97951 Fully Coated, Knit Wrist, Size: L Palm Coated, 2.5" Safety Cuff, Size: L 97960 Fully Coated, 2.5" Safety Cuff, Size: L 97961



PREDALITE™

Premium Nitrile Palm Coated

9780

9780 Knit Wrist, CE 3111, Sizes: S-XL 9785 2.5" PVC Safety Cuff, CE 3111,

Sizes: S-XL

Fully Coated

Knit Wrist, CE 3111, Sizes: S-XL 9781 9786 2.5" PVC Safety Cuff, CE 4121, Sizes: S-XL

Industry Standard

97980 Palm Coated, Knit Wrist, Sizes: S-XL 97981 Fully Coated, Knit Wrist, Sizes: S-XL





PREDATOR'

Extra Rough Nitrile Coating

Fully Coated - CE 4242 9761R 2.5" Safety Cuff,

> Sizes: S*, M*, L, XL* * NEW SIZES!

9751R Knit Wrist, Size: L

Palm Coated - CE 4242 9760R 2.5" Safety Cuff, Size: L 9750R Knit Wrist, Size: L



MATERIAL



Size: L KEVLAR® Reinforced Palm, Extra Cut Protection, Jersey Back for Breathability, Nitrile Palm Coated, Nitrile Coated Safety Cuff. CE 4432.

NITRILE / GLOVE ACCESSORIES



Lining, CE 4111.

9700 Slip-On, Size: M-XXL Slip-On, Ladies' Size: S-L 9710

Perforated Back, Slip-On, Size: M-XL 9720 Perforated Back, Slip-On, Ladies' Size: S-L 9730 Nylon Mesh Back, Slip-On, Size: M-XL 9725 Nylon Mesh Back, Slip-On, Ladies' Size: S-L 9735

9700G 2.5" Band Top, Size: L, XL

9740 CONSOLIDATOR® PLUS

Nitrile Coating on Jersey Lining, Striped Canvas Back, Driver's Style, CE 3121. Size: S-XL



Dielectric - Clip to Clip

UCDB Black UCDO Orange

Dielectric - Clip to Belt Loop

UCDBB Black **UCDBO** Orange

Nylon Glove/Utility Clip Nickel Metal Clasp - Clip to Belt **Loop with Hook & Loop Closure**

GCB Black **GCO** Orange

MINI GLOVE KEYCHAINS available for imprinting

3211KEY -3211 Mini Leather Driver

1211JKEY -1211J Mini

Gunn Pattern

4600KEY -4700 Mini Welder

1211JKEY

4600KEY

DISPLAYS



12HFD - 12 PEG **FLOOR DISPLAY**



4HCD - 4 PEG **COUNTER DISPLAY**



8HCD - 8 PEG **COUNTER DISPLAY**

LENS COLOR DESCRIPTIONS

All of our glasses pass the ANSI Z87+ standard for coverage, impact protection and optical clarity. We sell internationally and many of our styles meet the EN166 (Europe), CSA Z94.3 (Canada) and AS/NZS 1337.1 (Australia and New Zealand).

Lens tints are not merely decorative, but enhance a worker's vision under various lighting conditions. Following are different lens options, their applications and percentage of **visible light transmission (VLT)**. Please remember that these are general definitions only. Consult your safety director to insure the proper application.

Duramass® AF4 Anti-fog Coating: Exclusive **Duramass®** scratch resistant coating with Anti-Fog provides excellent fog prevention in high humidity environments where sudden shifts in temperature occur.

- Clear: Provides excellent optics for general applications where impact protection is required. 85% VLT.
- Light Gray: Serves the same purpose as gray lens, yet allows more visible light through the lens for indoor/outdoor use. Reduces glare from artificial light such as halogen and fluorescent. 62% VLT
- Gray: For outdoor applications where light and glare can cause eye strain and fatigue. 12% VLT.
- Amber: Blocks the blue portion of the visible light spectrum, creating maximum contrast enhancement, particularly in low light. 85% VLT.
- Orange: Excellent for indoor and low light areas as well as cloudy or hazy days.Blocks out blue and green light portion. 57% VLT.
- Fire, Blue Diamond, Emerald, Rainbow, Blue, Silver,
 Banana Mirror and Copper: For outdoor use where
 sunlight and glare cause eye strain and fatigue. 'Mirror'
 coating reflects light, reducing the amount of light that
 passes through the lens. 9% VLT.
- Brown: Outdoor applications where sunlight and glare cause eye strain and fatigue. Meets color traffic signal recognition requirements. 12% VLT.
- Indoor/Outdoor Clear Mirror: Allows more visible light through the lens for indoor/outdoor use. Reduces glare from artificial light such as halogen and fluorescent. 55% VLT.
- Vermilion: Enhances contrast while reducing all colors equally for optimum color recognition. Ideal for indoor inspection. 55% VLT.
- Light Blue: Allows more visible light through the lens for indoor/outdoor use. Reduces glare from artificial light such as halogen and fluorescent. 70% VLT.
- Filter Shades: Protects against ultra-violet and infrared radiation generated when working with molten metal, and in welding, cutting, soldering and brazing.
- Polarized: For use outdoors to protect from excessive glare that can cause eye fatigue.

RECOMMENDED FILTER

WELDING FILTER SHADE SECTION

SHADE Torch Soldering Torch Brazing Light Cutting up to 1"* Medium Cutting 1" to 6"* Heavy Cutting more than 6"* Gas Welding, light, up to 1/8"* Gas Welding, medium, 1/8" to 1/2"* *Indicates thickness of material to be cut



OPERATION



FORCEFLEX®

The most advanced performance glasses and goggles have arrived. Our 3rd generation ForceFlex® is now lighter, more comfortable, and even more flexible than before. This patented style surpasses military ballistic MIL-31013 test regiment for high velocity impact along with ANSI Z87+ standards. Radical styling combining soft materials on temple and nose pads enhance looks and comfort.







All ForceFlex® glasses meet military MIL-PRF-31013 test regimen for high velocity impact protection and exceed ANSI Z87+.

TRANSLUCENT ORANGE FRAME

FF132 Gray

TI 132 Gray

FF137 Silver Mirror

BLACK FRAME

FF120 Clear

FF122 Gray

FF124 Amber

FF128B Blue Diamond Mirror



FORCEFLEX®



We rewrote the book on how a goggle should look, fit, perform and flex. The ForceFlex® soft shell goggle surpasses ANSI Z87+ standards. Its full TPR body forms a tight seal to protect from small particles, debris, liquids, and injury. ForceFlex is the new standard for light weight, low profile, comfortable goggles.



RUBICON® / SHOCK®





TRIWEAR™/TREMOR®



PLASMA® / DIGITAL CAMO



MOSSY OAK®



DALLAS®



SWAGGER®



HELLION® / INERTIA®



KLONDIKE®



DESPERADO® / STORM® / BLACKJACK®



REAPER®



MANTIS®







DEUCE® / FROSTBITE® / HOMBRE®



BEARKAT®



CHECKLITE® / CHECKMATE®



LAW® / TOCOMA®



LAW® SERIES 3 FRAME

- LW310AF Clear Anti-Fog
- LW312AF Gray Anti-Fog



LAW® SERIES 2 FRAME

- LW210 Clear
- LW210AF Clear Anti-Fog
- LW212 Gray
- LW212AF Gray Anti-Fog
- Light Blue LW213
- LW214
- Amber

- LW217
- Silver Mirror
- LW218
- Blue Mirror
- LW219


- Indoor/Outdoor
 - Clear Mirror
 - Filter 2.0
- NEW LW2120
- NEW LW2130
 - Filter 3.0
 - **LW2150** Filter 5.0



Law[®] Series OTG "Over the Glass"

LAW® SERIES OTG FRAME

- OG110AF Clear Anti-Fog
- OG112AF Gray Anti-Fog



- TC110XL Clear
- TC112XL Gray
 - TC1150XL Filter 5.0

TACOMA® - BLACK FRAME

TC110

TC010

- Clear
- O TC112 Gray

TACOMA® - BLUE FRAME

- TC120 Clear
- TACOMA® BLACK FRAME
- **NON-ADJUSTABLE TEMPLES**

Clear Uncoated







MAGNIFIERS





Inter-changeable Temples and Headband included with each pair.





BLACK FRAME

- RTH10AF +1.0 diopter
- RTH15AF +1.5 diopter
- RTH20AF +2.0 diopter
- RTH25AF +2.5 diopter

DALLAS® MAGNIFIER CLEAR with Polished Black Frame

- DLH10 +1.0 diopter
- **DLH15** +1.5 diopter
- DLH20 +2.0 diopter
 - **DLH25** +2.5 diopter

DALLAS® MAGNIFIER GRAY with Polished Black Frame

- DLH10G +1.0 diopter
- O DLH15G +1.5 diopter
- DLH20G +2.0 diopter
- DLH25G +2.5 diopter



Bearkat[®] Magnifier

BEARKAT® MAGNIFIER-CLEAR

- **BKH10**
- +1.0 diopter
- **BKH15**
- +1.5 diopter
- **BKH20**
- +2.0 diopter
- **BKH25**
- +2.5 diopter

BEARKAT® MAGNIFIER-GRAY

- **BKH10G**
- +1.0 diopter
- BKH15G
- +1.5 diopter
- BKH20G
- +2.0 diopter
- **BKH25G**
- +2.5 diopter



MAGNIFIERS



Determine Your Magnifier Diopter Strength	
Determine the smallest text that you can read without glasses, with some difficulty, from a distance of 14 inches (average reading distance).	Diopter needed
We are MCR Safety Just Try To Outwork Us!	+2.5
We are MCR Safety Just Try To Outwork Us!	+2.0
We are MCR Safety Just Try To Outwork Us!	+1.5
We are MCR Safety Just Try To Outwork Us!	+1.0

^{**}Text size based on the Rosenbaum Optical Test Card viewed at 14 inches. The magnifying eyewear is designed to focus at a distance of 14 to 26 inches.

GOGGLES



RP110AF Clear Anti-Fog

GOGGLES



PGX1® GOGGLE with ELASTIC STRAP

PGX110AF Clear Anti-Fog

PGX112AF Gray Anti-Fog

PGX1® GOGGLE with TPR STRAP

PGX120AF Clear Anti-Fog

PGX122AF Gray Anti-Fog

VERDICT® GOGGLES

2400

Clear Clear

2400F

w/ Foam Lining

2410

Clear Anti-Fog

2410F

Clear Anti-Fog w/ Foam Lining

2410NF Clear Anti-Fog w/ Foam Lining

and Adjustable

Neoprene Strap





Stryker® Goggle

Standard Goggles

2322AF Gray

STRYKER® GOGGLES

2310AF Clear Anti-Fog w/ Rubber Strap

2312AF Gray Anti-Fog w/ Rubber Strap

2320AF Clear Anti-Fog

w/ Elastic Strap 2322AF Gray Anti-Fog w/ Elastic Strap



PERFORATED GOGGLES **Direct Vented**

The water

2220 Clear, Regular Size w/ Elastic Strap

2120 Clear, Small Size w/ Elastic Strap

Clear w/ Rubber Strap 2220R 2225R Clear Anti-Fog

w/ Rubber Strap

CHEMICAL GOGGLES

Indirect Vented

Clear w/ Rubber Strap 2230R 2235R Clear Anti-Fog

w/ Rubber Strap

VENTLESS GOGGLES

2237R Clear Anti-Fog w/ Rubber Strap


HEADGEAR

XO Skeleton®

Features and benefits:

- Headgear with integrated one piece molded PC faceshield providing better optical quality
- Z87+ AS/NZS 1337.1 compliant
- Faceshield's curvature on sides and underneath chin providing optimum protection
- DURAMASS hardcoating to reduce scratching after repeated use
- Ratchet action adjustment with terrycloth sweatband to provide both a precise fit and maximum comfort
- · Retail packaging






- 104 Headgear with integrated clear faceshield
- 105 Headgear with integrated gray faceshield







103560 Headgear/Face Shield Combo 103 Ratchet Take-Up Headgear + 181560 (PC)

103640 Headgear/Face Shield Combo 103 Ratchet Take-Up Headgear + 181640 (PETG)



101
DIELECTRIC NYLON HEADGEAR
BRACKET for Hardhat
shown with faceshield 181542




102
ALUMINUM RIM HEADGEAR
BRACKET for Hardhat
shown with faceshield 181541



103 RATCHET TAKE-UP HEADGEAR shown with faceshield 181640


FACE SHIELDS




181640 PETG Universal Visor 8" X 15.5", .040 thick, Clear Sold by qty of 25.



181640A PETG Universal Visor 8" X 15.5", .040 thick, Clear 181640 Aluminum bound for adjustability. Sold by qty of 25.



101640 PETG Universal Visor 10" X 15.5", .040 thick, Clear Sold by qty of 25.



Sold by qty of 25.

190940 PETG Universal Visor 9.5" X 19.5", .040 thick, Clear Sold by qty of 25.

181540 POLYCARBONATE Universal Visor 8" X 15.5", .040 thick, Clear Sold by qty of 25. 181540E Economy 181540

181560 POLYCARBONATE Universal Visor 8" X 15.5", .060 thick, Clear Sold by qty of 25.



190942 PETG Universal Visor 9.5" X 19.5", .040 thick, Dark Green Sold by qty of 25.



181541 POLYCARBONATE Universal Visor 8" X 15.5", .040 thick, Medium Green Sold by qty of 25.



181542 POLYCARBONATE Universal Visor 8" X 15.5", .040 thick, Dark Green Sold by qty of 25.

ACCESSORIES



ACCESSORIES

LCT
ANTI-STATIC,
ANTI-FOG
CLEANING
TOWELETTES
100 individually
packaged
towelettes
per box,
10 boxes per case.



LCS1 LENS CLEANING STATION

Contains: 2 boxes of 300 tissues; one 8-oz. bottle of anti-fog, anti-static cleaning spray. 6 boxes per case.





LFT FOG BUSTER ANTI-FOG 2 STEP LENS TREATMENT SYSTEM 10 individually

10 individually packaged applications per box, 15 boxes per case.

LCS2 LENS CLEANING STATION

Contains: 4 boxes of 300 tissues; one 16-oz. bottle of anti-fog, anti-static cleaning spray. 4 boxes per case.



LENS CLEANING STATION

For Plastic, Polycarbonate, and Glass Lensee.
 Safe and Effective With All Types of Lens Dranngs
 ideal for Glasses, Googles, Face Shields and

Anti-Fog, Anti-Static Formula, Contains no process

LINGETTES A NETTOYER LES LUNETTES

 Pour les series en plantique, en euro et an polycurbane

 Securitars et efficace pour tous les tipes de series

the surface
Model prior the function, the furnishing the stronger
Section of this territory (prioritization of the stronger
Territory and the stronger
TOALLITAS PARKA A LIMPIEZA DE LENTES
Park Interes to Priparities, principalments or visite
Seguint y efficar para foliate has been der schollentes
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der socialments or
Seguint y efficar para foliate has been der y socialments or
Seguint y efficar para foliate has been der y socialments o

de lectos

de lectos

de desagra homos, potentes de prosección, cuerdo de
periorico y participas de computariose
periorico y participas de computariose
factuals antemprisante, potentidos. No susonos side

LC



207 Top View



208 BLACK SATIN EYEGLASS BAG

Holds 1 pair of glasses. Excellent for lens cleaning.



200 EYEGLASS CASE Black vinyl. Belt clip on back.



207 HARD SHELL EYEGLASS CASE

Crush-proof case with padded interior lining and handy clip attachment.



204 EYEGLASS CASE

Holds 1 pair of glasses and 2 replacement lenses. Web belt loops on back. Velcro® closure.



201 EYEGLASS CASE

Velcro[®] closure on flap, belt clip on back. Black vinyl.

DISPLAYS



BAD6 6-Unit Black Flat Acrylic Counter Display Display Only. Glasses, labels, and

stickers not included.



GAD24 Rotating Tower Display

Display
Holds 24 pair of
eyewear. Three
sides, each display
8 pair of eyewear.
Tower Rotates.
Glasses not included.



ED12 12 Unit Rotating Counter Display

Holds 12 pair of eyewear. Displays 6 pair on each side. White tower with clear acrylic shelves and full length mirror, mounted on a rotating base. Glasses not included.





ED7C Crews® Eyewear Counter Display Holds 7 pair of eyewear. Clear

eyewear. Clear acrylic tower with black cap and base, Crews® label and mirror.

Glasses not included.

ED12MO 12-Unit Mossy Oak® Counter Display

Shown. Glasses not included.

ED12CWS 12-Unit Crews® Counter Display Not Shown. Glasses not

ESC-6 6-Unit Sample

Box with Crews Logo Not Shown. Glasses not included.

ESC-10 10 Unit Sample Case with Foam Inserts.

Not Shown. Glasses not included.



VEND PACK - VENDING GEAR



Vending Gear options are available for our gloves, glasses, and garments. Gloves are rolled, boxed, poly-bagged, and also available with hang tags. Glasses are poly-bagged or boxed. Garments are individually packaged. Glove styles with "VP" incorporated into the style number are individually

rolled and shrinkwrapped. Our Product Listing and Price Lists do reflect "pair" and "each" unit of measure which are potentially vending machine ready.



Glasses - Polybag

D7 D8



Gloves - Rolled

Gloves - Polybag

JUST TRY TO OUTWORK US



Rainwear Style Number Guide

1st and 2nd Numbers

02 - .02mm Polvethylene

04 - .10mm PVC

05 - .10mm PVC

07 - .20mm PVC

10 - .25mm PVC/PVC

12 - .25mm PVC/PVC w/ Elastic Waist Pants

20 - .35mm PVC/Polyester

22 - .35mm PVC/Polyester Jacket w/ Zipper Front

23 - 32mm PVC/Polyester

24 - 35mm PVC/Polyester Jacket w/Corduroy Collar

26 - .35mm PVC/Polyester

29 - .35mm PVC/Polyester

30 - .28mm PVC/Nylon/PVC, LFR

34 - .28mm PVC/Nylon/PVC w/ Corduroy Collar, LFR

36 - 28mm PVC/Nylon/PVC 60" Ridercoat, LFR

38 - 42mm PVC/Hi Tensile Polyester/PVC, LFR

39 - .28mm PVC/Nylon/PVC, LFR

40 - .35mm PVC/Wavelock Nylon/PVC, LFR

50 - .16mm Polyester/Polyurethane, LFR

51 - 40mm Polyurethane/Polyester

55 - .22mm Nylon/Polyurethane, LFR

59 - .35mm Polyester/Polyurethane

60 - 40mm PVC/Non-woven Polyester/Nylon Lining

70 - .16mm PVC/Nylon

80 - 35mm Neoprene/Nylon, LFR

84 - .35mm Neoprene/Nylon w/ Hook & Loop Closure, LFR

*LFR = Limited Flammability

3rd Number

0 - Yellowo

1 - Flat Orange, or Fluorescent Orange

2 - ClearO

3 - Blue •

4 - Red •

7 - Black

8 - Olive Green, Kelly Green, or Lime Green

4th Number

0 - Poncho (3 digit style #'s) 1 - 1 Piece Coverall

2 - 2 Piece Suit

3 - 3 Piece Suit

BF - Bib Style Pants w/ No Fly BP - Bib Style Pants w/ Fly

C - 49" Raincoat w/ Detachable Hood

CH - 49" Raincoat w/ Attached Hood CN - 49" Raincoat w/ No Hood

J - Jacket w/ Detachable Hood

JH - Jacket w/ Attached Hood

JN - Jacket w/ No Hood PW - Waist Pants

R - Reflective

SR - Silver Reflective

Z - Zipper Front

	Me	en's	Ladies		
Sizing is Denoted	Jacket	Pants	Jacket	Pants	
S - Small	34 - 36	28 - 30	6 - 8	10 - 12	
M - Medium	38 - 40	32 - 34	10 - 12	14 - 16	
L - Large	42 - 44	36 - 38	14 - 16	18 - 20	
XL - Extra large	46 - 48	40 - 42	18 - 20	22 - 24	
X2 - XX Large	50 - 52	44 - 46	22 - 24	26 - 28	
X3 - XXX Large	54 - 56	48 - 50	26 - 28	30 - 32	
X4 - XXXX Large	58 - 60	52 - 54	30 - 32	34 - 36	
X5 - XXXXX Large	62 - 64	56 - 58	24 - 36	38 - 40	
X6 - XXXXXX Large	66 - 68	60 - 62	38 - 40	42 - 44	
X7 - XXXXXXX Large	70 - 72	64 - 66	42 - 44	46 - 48	

For Chest / Bust Size - Measure just under the arms and across the broadest

part of the chest area. Hold tape firm and level.

. Waist - Measure around waist, over shirt (not over pants) at the height you













LUMINATOR RAINWEAR



RAINWEAR CLASSIC



200C RAINCOAT

Sizes: S-X6

49 inch raincoat with cape-vented back, underarm air vents, 2 patch pockets and detachable hood.

Yellow



FR200C RAINCOAT

Sizes: M-X5

Same as 200C but tested in accordance with ASTM D6413-08

Yellow

201C RAINCOAT

Sizes: M-X3

Fluorescent Orange

200CH RAINCOAT

Sizes: M-X3

Model 200C with attached hood.

Yellow

230C RAINCOAT

Sizes: M-X4

Industry Standard knee-length raincoat with cape-vented back, 2 patch pockets and detachable

hood. Yellow

200S5 APRON

35" x 47" Yellow

2303 SUIT

Sizes: M-X5

Industry standard PVC/Polyester 3 piece suit; jacket with detachable hood and bib pants.

Yellow

2003 SUIT

Sizes: S-X7

Complete 3 piece suit; jacket, detachable hood and bib pants. Yellow

2013 SUIT

Sizes: M-X3

Fluorescent Orange



FR2003 SUIT

LFR Sizes: M-X7

Same as 2003 but tested in accordance with ASTM D6413-08

2003F SUIT

Sizes: M-X7

Complete 3 piece suit; jacket with detachable hood and bib pants with plain front.

Yellow

2903 SUIT

Sizes: S-X4

Complete 3 piece suit; jacket with detachable hood and elastic waist pants.

Yellow



Classic & Classic Plus **Color Options**



RAINWEAR CLASSIC



200J JACKET

Sizes: S-X6

Jacket with detachable hood. Yellow

200JH JACKET

Sizes: S-X5

Jacket with attached hood.

Yellow

220JH JACKET

Sizes: M-X3

Jacket with attached hood, zipper front, underarm air vents and cape-vented back.

Yellow



200BF BIB PANTS

Sizes: M-X5 Bib pant with plain front. Yellow

Sizes: M-X6

Yellow



200PW WAIST PANTS

Sizes: M-X3


Elastic waist pant with plain front.

Yellow



CLASSIC STYLES EATURE

- · .35mm PVC on polyester fabric
- · Long term durability
- Well suited for a wide variety of job applications
- Soft fabric
- · Most popular garment in the industry





RAINWEAR CLASSIC PLUS





240C RAINCOAT

Sizes: S-X6 Yellow


49 inch raincoat with corduroy collar, cape-vented back, 2 slash, reach through pockets, badge tab and detachable hood.

241C M-X6 Orange 243C M-X3 Blue

247C S-X5 Black

CLASSIC PLUS FEATURES


- Excellent value
- · Versatile, good for outdoor and indoor use
- Corduroy lined collar for comfort
- · Available in many colors
- · .35mm PVC on polyester broadloom fabric



CONCORD

CONCORD FEATURES

- · Premium quality neoprene with a single coat over nylon fabric base
- Limited Flammability ASTM D-6413
- · Double stitched and taped seams
- · Quick release suspenders
- · Offers excellent resistance to most chemicals, oils, and acids
- · .35mm neoprene/nylon





and snap storm fly front.

Yellow


800H HOOD One Size Detachable Hood

Yellow

800JN JACKET


Sizes: S-X4

Jacket, no hood, snap storm fly front, and snaps for hood attachment. Yellow



Snap fly front. Yellow

800BF BIB PANTS





800CN COAT Sizes: M-X4 49 inch raincoat, no hood,

snaps for hood attachment. Yellow

800S4P APRON

Sewn edge 35" x 45" Yellow

RAINWEAR

DOMINATOR (F)

3882 SUIT Sizes: S-X7

Complete 2 piece suit; jacket with an attached hood, inner sleeve and bib pants. Green

388J JACKET
Sizes: M-X3
Jacket with a
detached hood,
double enclosed zipper front
and inner sleeves with elastic
wrist closure. Green

388JH JACKET Sizes: S-X5 Attached Hood

3881 COVERALL

Sizes: M-X5

One piece coverall features zipper front with double storm flap, attached hood with drawstring closure, 10" x 10" reinforced crotch and inner sleeves with elastic wrist closure. Green 3981 S-X4 Inner Pant Cuffs 2981 S-X4 Inner Pant Cuffs PVC/Polyester *(2981) Not Limited Flammability



388BF BIB Sizes: S-X5


Bib pants, no fly, 10" x 10" reinforced crotch full elastic suspenders. Green

368R5 APRON
One Size 35" x 48"
.45mm PVC/Polyester,
Limited Flammability
Green





- Specially designed Hi-Tensile strength polyester double coated with 2 thick layers of PVC for a combined thickness of .42mm
- Limited Flammability ASTM D-6413
- · Roomy construction
- Best protection against many chemicals and acids




CYCLONE



CYCLONE FEATURES

- Wave-lock nylon material coated on both sides with heavy weight PVC
- Limited Flammability, ASTM D-6413
- · Excellent tear and abrasion resistance
- Offers excellent resistance to most industrial oil, acids, and chemicals
- Thickest wavelock material available in the industry .35mm PVC/Nylon/PVC



400J JACKET

Sizes: M-X3

Jacket with detachable hood and storm fly snap front. Yellow

400BP BIB PANTS

Sizes: L-X3

Bib pants with fly and take up snaps at waist and ankles. Yellow

400PW WAIST PANTS

Sizes: M-X3

Elastic waist pants with fly and take up snaps at ankles. Yellow





8402 SUIT Sizes: S-X5



.35mm Neoprene/Nylon. 2 piece suit; jacket features attached hood, drawstring bottom, velcro closure on the front, wrist and the neck. Overalls feature full elastic suspenders and velcro closure at the ankles. Limited Flammability. Yellow



HYDROBLAST

3902 SUIT Sizes: M-X5



.28mm Double coated PVC over nylon scrim. 2 piece suit; jacket features attached hood, drawstring bottom, velcro closure front, wrists and neck. Overalls feature full elastic suspenders and velcro closure at the ankles. Limited Flammability. Yellow

5182Y

Sizes: M-X4

Stretchable

.40mm polyurethane on a knitted polyester backing.

Jacket with plastic snap storm fly front, Plastic take up snaps at the wrists, detachable drawstring hood, cape vented back, D-Ring access, Two patch pockets with storm flap. Bib Pants with elastic adjustable suspenders with clip closure, plastic take up snaps at waist and ankle, plastic snap fly front, No pockets. Yellow



550J JACKET Sizes: S-X3
Jacket with detachable hood.
Limited Flammability. Yellow

550BP BIB PANTS Sizes: S-X3
Bib pants with snap fly front, quick release suspenders and full elastic suspenders.
Limited Flammability. Yellow





.35mm PVC/Polyester.
2 piece suit; jacket features attached hood, drawstring bottom, velcro closure on the front, wrist and the neck. Overalls feature full elastic suspenders and velcro closure at the ankles. Limited Flammability.
Yellow



597JH JACKET Sizes: M-X4



lining, Black





550C RAINCOAT Sizes: S-X3

LFR

49 inch coat with corduroy tip collar, cape-vented back, underarm air vents, badge holder, slash pockets and detachable hood.
Limited Flammability. Yellow

NAVIGATOR FEATURES

- High quality polyurethane nylon and polyurethane polyester materials
- Double sewn and taped seams
- Quick release suspenders
 .22mm Polyurethane/Nylon

RAINWEAR

WIZARD 😘

3003 SUIT Sizes: S-X7

Complete 3 piece suit; jacket with detachable hood and bib pants. Yellow

300C COAT Sizes: S-X6

49 inch coat with detachable hood. Yellow

300J JACKET Sizes: S-X6

Jacket with detachable hood. Yellow

300JH M-X3 Attached Hood

300BP BIB PANTS Sizes: S-X5

Bib pants with fly. Yellow 300BF M-X2 No Fly

360C 60" RIDER COAT

Sizes: M-X3

Coat with detachable hood Yellow

WIZARD FEATURES

- Double coated PVC over 210 denier nylon scrim material
- "Rip-Stop" material provides excellent resistance to snags and tears
- Limited Flammability, ASTM D-6413
- Protects against most chemicals, oils & acids
- .28mm PVC/Nylon/PVC



COMMODORE

6003 SUIT

Sizes: M-X3

Complete 3 piece suit; jacket with detachable hood and bib pants. Yellow

600J JACKET

Sizes: M-X3

Jacket with detachable hood and storm fly front. Yellow

600BP BIB PANTS

Sizes: M-X3

Bib pants with fly and take Yellow

600C RAINCOAT

Sizes: L-X2

49 inch raincoat with cape-vented back; 2 patch pockets and detachable hood. Yellow

COMMODORE FEATURES

- Heavy ribbed pattern of PVC on a soft lining of blended polyester/nylon
- · Stays soft in cold temperatures
- · Absorbs perspiration in hot weather
- Provides warm lining in cold weather PVC/Non-woven polyester/nylon





CHALLENGER

7002 SUIT

Sizes: S-X2

2 piece suit; jacket with an attached hood, cape vented back, zipper front, additional pocket, and built in visor. .18mm Nylon/PVC material. Elastic wrists and a drawstring bottom. Elastic waist pants with a reach through pocket. Yellow

7032 M-X4 Blue



CHALLENGER FEATURES

- .18mm PVC over a tough nylon material
- Available in yellow and blue
- · Tough, yet lightweight
- Exceptional safety award





Schooner Poncho

.10mm PVC poncho

O40 Yellow O41 Orange O42 Clear

O47 Black O48 OD Green

O44 Red

O43 Blue



Schooner II Poncho

.35mm PVC/Polyester poncho

2000 Yellow

Schooner II FEATURES

- · 52" x 80"
- Attached hood
- Snap closure at sides
- One size fits all .35mm PVC/Polyester

Schooner Jr.

.02mm Polyethylene poncho w/o drawstring

020 Yellow

O20B Yellow - Dispenser

Box (12 per Box)

Orange 021 022 Clear

O22B Clear - Dispenser Box

(12 per Box)

023 Blue

Schooner Jr. FEATURES

- .02 Polyethylene
- Poncho
- 50" x 80"
- **Emergency Use**
- Sealed Sides
- Attached Hood

Sold by the Dozen



ZODIAC

0503 SUIT

Sizes: S-X3

3 piece suit; jacket with detachable hood and elastic waist pants.

Yellow

ZODIAC FEATURES

- .10mm single ply PVC
- Versatile garment at an affordable price

.10mm PVC Film

O722 SUIT Sizes: S-X5

Complete 2 piece suit; jacket with attached hood, zipper front, cape-vented back, underarm air vents and elastic waist pants. Clear

0703 SUIT Sizes: M-X5

Complete 3 piece suit; jacket with detachable hood and bib pants. Yellow

O70J JACKET Sizes: L-X6

Jacket with detachable hood. Yellow

SQUALL FEATURES

- Single ply PVC
- Non conductive hardware
- Economically priced
- Excellent for plant turnarounds .20mm single ply PVC

072C RAINCOAT Sizes: S-X5 49 inch raincoat with detachable hood. Clear



GARMENTS

TY120S Sizes: M-X4

Coverall with collar, zipper front, open sleeves and ankles. No hood or boots.

Serged seams. 25/case

TY122S Sizes: L-X4

Coverall with zipper front, elastic sleeves and ankles. Attached hood and boots. Serged seams. 25/case

TY125S Sizes: L-X4

Coverall with collar, zipper front, elastic sleeves and ankles. No hood or boots. Serged seams. 25/case



TY127S Sizes: L-X4

Coverall with zipper front, elastic sleeves and ankles. Attached hood. Serged seams. 25/case

TY210S Sizes: L-X4

Lab coat with collar, front snap closure, open sleeves. No pockets. Serged seams. 30/case

FEATURES

- · Inherent barrier protection against dry particulate hazards.
- Even after abrasion, stops microporous particles better than other reusable
- The best balance of protection, durability





12WPC COVERALLS Size: L-X3

1.0 oz. White coverall with zipper front, open wrists and ankles. 25/case

12WPL LAB COAT Size: S-X4

1.0 oz. White lab coat with turn down collar, open sleeves, two pockets and button closure. 25/case

12BNSC SHOE COVER Size: One Size 1.0 oz. Blue, non-skid shoe cover. 300/case

S123E4 SLEEVE GUARD Size: One Size 18" Blue sleeve guard. 200/case

S125E4 SLEEVE GUARD Size: One Size 18" White sleeve guard. 200/case

04WBCM BOUFFANT CAP Size: M .40 oz. 21" White bouffant cap. 1000/case

04WBCL BOUFFANT CAP .40 oz. 24" White bouffant cap. 1000/case

04WBG BEARD GUARD Sizes: One Size .40 oz. 18" White beard guard. 1000/case

04WPCM BOUFFANT CAP Size: M .40 oz. 21" White pleated bouffant cap. 1000/case

FEATURES

- 1.0 oz. Polypropylene
- · Excellent for splash protection from water and non oil based liquids
- · Breathable comfort and ease of disposal
- Serged seams
- Sold in case lots





6 mil Blue Vinyl Apron, Raw Edge O63R4 35" x 45"

O63R5 35" x 48"

O63R7 35" x 55"

6 mil Blue Vinyl Apron, Sewn Edge

O63S4 35" x 45"

063S5 35" x 48"

O63S7 35" x 55"

8 mil Blue Vinyl Apron, **Raw Edge O73R4** 35" x 45"

8 mil Blue Vinyl Apron, Sewn Edge **O73S4** 35" x 45"

200S5 Classic Series Apron .35mm PVC/Poly, Sewn Edge Yellow 35" x 47"

388R5 Dominator Series Apron .42mm PVC, Raw Edge Aqua Green 35" x 48"

368R5 Dominator II Series Apron .45mm PVC/Polyester, Sewn Edge LFR Green 35" x 48" Limited Flammability

800S4P Concord Series Apron .35mm Neoprene/Nylon, Sewn Edge Yellow 35" x 45" Limited Flammability



SLEEVES



S063E4



S072E4



368R5

S075E4

18" Vinyl Elastic Sleeves S063E4 6 mil Blue S072E4 8 mil Clear S073E4 8 mil Blue S075E4 8 mil White



MEMPHIS™ WELDING APPAREL



Leather Jacket

Riveted in all major stress points. All button snaps black anodized to prevent arc flashback. Leather reinforced snaps on buttons. Soapstone pocket on each sleeve. Take up snaps for waist and adjustable snaps at wrist for perfect fit. 38030MW

30" Length Sizes: M-XXXL

38242MW

Leather Split Leg Bib Apron Riveted in all major stress points. Large front chest pocket. "D" Ring to hold accessories. Crossed back straps with quick release buckle. Quick side release buckles down the legs.

38236MW 24" x 36" 38242MW 24" x 42"

38142MW

Leather Bib Apron Riveted in all major stress points. Large front chest pocket. "D" Ring to hold accessories. Crossed back straps with quick release buckle.

38142MW 24" x 42" 38130MW 24" x 30" 38136MW 24" x 36" **Leather Waist Apron**

Heavy duty adjustable waist strap with quick release buckle. 38318MW 24" x 18"

38324MW 24" x 24"



38505MW **Leather Shoe Protector** Adjustable Sizes: One size fits all



38100MW & 38120MW Leather Cape with Snap-on Bib Riveted in all major stress points. All button snaps black anodized to prevent arc flashback. Leather reinforced snaps on buttons. Soapstone pocket on each sleeve. Adjustable snaps at wrist.

38100MW Leather Cape Sizes: M-XXXI

38114MW 14" Length Snap-on Bib 38120MW 20" Length Snap-on Bib



38418MW **Leather Sleeve** 18" Length

Protects above elbow down to wrist. Adjustable take up snaps at both ends of sleeve for snug fit.

38423MW

Leather Sleeve with Support Strap Leather protects top of shoulder down to wrist. Adjustable wrist snaps for snug fit. Support sling has adjustable strap with quick release buckle.

38423MW 23" Length 38425MW 25" Length



38525MW **Leather Rod Holder Reinforced Bottom Spring Clip**



38600MW 38" Chaps

KEVLAR

LIMITED FLAMMABILITY GARMENTS



L/F Cotton Cape Sleeve with Bib

Anodized button snap closures and open back. Provides increased ventilation while protecting front of body, arms and shoulder.

39100

Sizes: S-XXL

39114 22" x 14" Bib 39120



L/F Cotton Bib Apron Shoulder and waist adjustable straps.

39136 24" x 36" 39142 24" x 42"

39518

39136

L/F Cotton 18" Sleeve with Snap Wrist

- Elastic at top and anodized button snap at wrist.



LFR

L/F Cotton Jacket Anodized snap button front. Snap sleeves for snug fit. Large inside pocket. Soapstone shoulder pocket. 39030 30" S-XXXL

39045 45" L, XL

39418 L/F Cotton Sleeve 2 1/4" heavy duty elastic at top and wrist. 18" Sleeve 39418 39423 23" Sleeve



FEATURES

Denim Apron with 2 Pockets

39818 18" Denim Sleeve

Denim not L/F treated

36" Length

L/F Cotton Welding Apparel

- · USA treated limited flammability cotton fabric
- 100% 9 oz. cotton specially treated to be limited flammability
- Provides economic protection from sudden flame exposure, sparks and light molten splash
- Anodized button snap closures
- Breathable lightweight cool 100% cotton
- Washable: maintains flame resistance up to 50 home washings and 25 commercial washings up to 165° F

LIMITED FLAMMABILITY GARMENTS 🔀



Wizard Rainwear

Sizes S-X7

3003 3 Piece Suit

- .28mm PVC/nylon/PVC
- Double coated PVC over 210 denier nylon scrim material
- Rip stop material is resistant to snags and tears
- Protects against many chemicals, acids and oils
- Complete 3 piece suit; jacket, detachable hood and bib pants with fly

300C	Coat	Sizes S-X6
300J	Jacket	Sizes M-X6
300JH	Jacket att hood	Sizes M-X3
300BP	Bib Pant	Sizes S-X5
300BF	Bib Pant no fly	Sizes M-X2
360C	60" Coat	Sizes M-X3

Concord Rainwear

800JH Jacket Sizes S-X4 800BP Bib Pant w/Fly Sizes S-X3

- · .35mm Neoprene/nylon
- Premium quality neoprene with a single coat over the nylon fabric base
- · Double stitched and taped seams
- Quick release suspenders
- Excellent resistance to many chemicals, oils and acids
- · Jacket: attached hood and storm fly snap front
- · Bib pants; fly front and take up snaps at waist and ankles

800BF	Bib Pant	Sizes M-X4
800JN	Jacket no hood	Sizes M-X4
800CN	Coat	Sizes M-X4
800H	Hood	
800S4P	Apron	Sizes 35" x 45"

Hydroblast Rainwear

8402 2 Piece Suit Sizes S-X5

· .35mm Neoprene/nylon

3902 2 Piece Suit Sizes L-X5 .28mm PVC/Nylon/PVC

- Premium quality neoprene with a single coat over the nylon fabric base
- · Double stitched and taped seams
- Quick release suspenders
- Excellent resistance to many chemicals, oils and acids
- Jacket features attached hood, drawstring bottom, hook and loop closure on the front, wrist and neck
- Overalls feature full elastic suspenders and hook and loop closure at the ankles

Dominator Rainwear

3882 2 Piece Suit

Sizes S-X7

- Hi-tensile strength polyester double coated with 2 thick layers of PVC for a combined thickness of .42mm
- Great protection against many chemicals and acids
- Complete 2 piece suit; jacket with attached hood and inner sleeves, bib pants with take up snaps at waist and ankles

388J	Jacket	Sizes M-X3
388JH	Jacket att hood	Sizes S-X5
388BF	Bib Pant no fly	Sizes S-X5
3881	Coverall	Sizes M-X5
3981	Coverall inner pant cuff	Sizes S-X4
368R5	Apron	35" x 45"

Cyclone Rainwear

400J	Jacket	Sizes M-X3
400BP	Bib Pant	Sizes L-X3
400PW	Elastic Waist Pant	Sizes M-X3

- .35mm PVC/nylon/PVC
- Wave-lock nylon material coated on both sides with heavy weight PVC
- · Excellent tear and abrasion resistance
- Protects against many chemicals, acids and oils
- Jacket: attached hood, storm fly, snap front
- Bib pants: fly front with take up snaps at waist and ankles

Navigator Rainwear

550J Jacket Sizes S-X3 550BP Bib Pant Sizes S-X3 550C Coat Sizes M-X3

- · .22mm Nylon/polyurethane
- · Jacket: detachable hood
- Pants: snap fly front, quick release elastic suspenders
- Light weight but strong, double stitched and taped seams





LIMITED FLAMMABILITY GARMENTS

Luminator Rainwear

340J Jacket

Sizes L-X3

- .28mm PVC/nvlon/PVC
- 11/2" White retro-reflective stripes
- · Jacket: snap front closure with detachable hood



2 Piece Suit 5182S 2 Piece Suit 518C Coat

Sizes M-X7 Sizes M-X4 Sizes M-X4

- ANSI/ISEA 107-2010 Class 3
- .40mm PU on a knitted cotton/polyester backing
- · 2" Silver retro-reflective stripes
- · Jacket: zipper front closure with tuck away hood, 2 front pockets

· Pants: elastic waist, expandable zippered ankle gussets and pant meets ANSI class F



Classic Rainwear

FR2003 3 Piece Suit

Sizes M-X7

- · .35mm PVC/Polyester
- · Complete 3 piece suit; jacket, detachable hood and bib pants



FR267C Sizes M-X5 FR267CR Sizes M-X7 with Silver Reflective

- · .35mm PVC/Polyester
- · 60" long coat
- Unisex front closure snaps
- · Corduroy collar with snaps
- · Badge holder
- · Cape-vented back
- · Detachable hood
- · 1 Interior & 1 Exterior pocket
- · Inner leg snaps can fasten around legs to make chaps



MCR Safety's Limited Flammability Garments have been tested in accordance with the ASTM D-6413-08 test method. The purpose of this test is to determine whether a fabric will continue to burn after the source of ignition is removed.

Luminator Safety

Luminator is MCR Safety's exclusive brand of high visibility PPE achieved by using quality reflective material for the highest performing garments.



FRMCL2L

Sizes M-X4

- Meets NFPA 70E & ASTM-1506 safety standards
- · 2" Flame resistant silver retro-reflective stripes
- ANSI/ISEA 107-2010 Class 2
- · FR modacrylic background material
- · Soft, strong, and resilient
- · D-ring access on back



CL2MLPFR

Sizes M-X4

- ANSI/ISEA 107-2010 Class 2
- · 100% Polyester mesh
- · Tear away hook and loop closure on front, sides and shoulders
- 1 Interior pocket
- Dielectric
- · 2" Silver retro-reflective stripes



WCCL2LFR Sizes M-X4



WCCL2OFR Sizes M-X4

- ANSI/ISEA 107-2010 Class 2
- 100% Polyester mesh
- Zipper front closure
- 2 Interior pockets
- Dielectric
- · 41/2" Orange/silver retro-reflective stripes



HI-VIS VESTS CLASS 3





BWCL2L BODY WARMER Sizes: L-X4 Class 2, Waterproof polyester outer shell, Insulated - soft inner polyester fleece liner for warmth and comfort, Zipper front, storm flap underneath, 2" Silver Retro-reflective stripes, 2 outer pockets, 2 inner pockets, Elastic waist, lined collar.



FRMCL2L Sizes: M-X4 ANSI/ISEA 107-2010 Class 2 Safety Vest, Modacrylic background material - modified acrylic that is inherently FR, 2" Flame resistant 3M retro-reflective material, Soft, strong, & resilient. Has look and feel of cotton, D-ring access for fall protection access. Currently, only vest with this feature. Meets ASTM F1506 material standard used for wearing apparel for use by electrical workers exposed to momentary electrical arc. Meets NFPA 70E Standard for Electrical Safety in the Workplace. Arc Rating: 5.3 cal/cm²



WCCL2L Sizes: M-X4

Class 2, 100% Polyester Mesh Safety Vest with zipper front closure, 4 1/2" Orange/Silver Reflective Material. Fluorescent Lime

WCCL20 Sizes: M-X4

4 ½" Lime/Silver Reflective Material.

Fluorescent Orange

WCCL2LFR Limited Flammability
WCCL2LA Limited Flammability
Limited Flammability
-Adjustable, Fits M-XL
WCCL2LAX -Adjustable, Fits X2-X4







SURVO Sizes: M-X4

Class 2, Solid 100% Polyester Surveyor Vest, Zipper Front Closure. 3" Lime/Silver Reflective Material.

Fluorescent Orange
SURVL Sizes: M-X4

3" Orange/Silver Reflective Material.

Fluorescent Lime



SURVOV Sizes: L-X4
Class 2, Solid 100% Polyester Surveyor
Vest, Snap Front Closure (not dielectric).
2" Lime Vinyl Reflective Material.
Fluorescent Orange



CL2OC Sizes: L-X4

Class 2 100% Polyester Safety Vest with Solid Front and Mesh Back, Dielectric Zipper Front Closure. 2" Reflective Material

2" Reflective Material. Fluorescent Orange

CL2LC Sizes: M-X4
Fluorescent lime



Mesh Back



VA22OR Sizes: L-X4

Class 2, Solid 100% Polyester Safety Vest, zipper front closure. 1 ³/₈" white Reflexite® Reflective material.

Fluorescent Lime

VA221R Sizes: L-X4 1 ³/₈" Lime Reflexite[®]. Fluorescent Orange





VCL2SL Sizes: L-X4
Class 2, Solid 100% Polyester Safety
Vest with Hook and Loop Front Closure,
2" Silver Reflective Material.
Fluorescent Lime



VCL2SO Sizes: M-X4
Class 2, Value, Solid Safety Vest
with Hook and Loop Front Closure,
2" Silver Stripe, 3 Pockets.
Fluorescent Orange



VCL2ML Sizes: M-X4
Class 2, 100% Polyester Mesh Safety
Vest with Hook and Loop Front Closure,
2" Silver Reflective Material.
Fluorescent Lime

Mesh

VCL2MLZ Sizes: M-X4
Zipper Front Closure,
2" Silver 3M™ Reflective Fabric.
Fluorescent Lime



VCL2MO Sizes: M-X4
Class 2, Value, Mesh Safety Vest
with Hook and Loop Front Closure,
2" Silver Stripe, 3 Pockets.
Fluorescent Orange

GENERAL PURPOSE SAFETY VESTS

General Purpose Class Protection Work Conditions
General purpose vests do not meet the requirements
for performance level classification by ANSI
standards. GP Vest are to be used for occupational
activities where Class 1 protection is not necessary.
GP vests are designed to give the wearer additional
visual conspicuity beyond that of normal attire.

General Purpose Class Industry Applications:

- · Yard maintenance workers
- Crowd control
- · Warehouse workers
- Construction
- · Parking lot attendants

MCR Safety recommends the use of Value Series Class 2 vests for any Class 1 requirement.



V041 One Size 18" x 27"
.10 mm Single Ply PVC Vest with 9" Tie Closures. Orange



V200 One Size 18" x 47"
Polyester Mesh Vest with
Hook and Loop Tab closure
and Elastic Side Straps.
Lime



V200FS One Size 18" x 47"
Polyester Mesh Vest with Hook and Loop Tab Closure and Elastic Side Straps.

1" Red/Orange Stripes. Lime



V200R One Size 18" x 47"
Polyester Mesh Vest with
Hook and Loop Tab Closure
and Elastic Side Straps.
2" Orange/Silver Reflective
Stripes. Lime



V201 One Size 18" x 47"
Polyester Mesh Vest with
Hook and Loop Tab Closure
and Elastic Side Straps.
Orange



V201BA One Size 18.5" x 49" Tear-away Polyester Mesh Vest with Hook and Loop Closures on Shoulders, Side and Front. Orange



V201FS One Size 18" x 47"
Polyester Mesh Vest with
Hook and Loop Tab Closure
and Elastic Side Straps.
1" Lime Stripes. Orange



V201R One Size 18" x 47"
Polyester Mesh Vest with
Hook and Loop Tab Closure
and Elastic Side Straps.
2" Lime/Silver Reflective
Stripes. Orange



V211R One Size 18" x 47"
Polyester Mesh Vest with Hook and Loop Tab Closure and Elastic Side Straps. 3/4" Lime Stripes.
Orange
V211RXL One Size 26" x 60"
Extra Large version of V211R

GENERAL PURPOSE SAFETY VESTS



V211SR One Size 18" x 47"
Polyester Mesh Vest with
Hook and Loop Tab Closure and
Elastic Side Straps. 1" Silver
Reflective Stripes. Orange
V211R1 1" Lime Vinyl Stripes



V211WR One Size 18" x 47" Polyester Mesh Vest with Hook and Loop Tab Closure and Elastic Side Straps. 3/4" White Stripes. Orange



S220WR One Size 18" x 47" Polyester Mesh Vest with Hook and Loop Tab Closure and Elastic Side Straps. 1 3/8" White Stripes. Lime




S221R One Size 18" x 47"
Polyester Mesh Vest with
Hook and Loop Tab Closure
and Elastic Side Straps.
1 3/8" Lime Stripes. Orange
S220R (Model S221R in Lime)
Lime



V231R One Size 18" x 47"
Polyester Mesh Vest with
Hook and Loop Tab Closure
and Elastic Side Straps.
2" Lime Stripes.
Orange



CHEV2O One Size 19" x 54" Polyester Mesh Vest with 360° of Reflective Protection, 3 Chevron Designs in the Back and Adjustable Hook and Loop Closure. 1 3/8" Lime Stripes. Orange





CHEV2L One Size 19" x 54"

Tear-away Polyester Mesh Vest with 360° of Reflective Protection, 3 Chevron Designs on Back and Adjustable Hook and Loop Closures on Front and Shoulders. 1 3/8" White Stripes. Lime



CHEV2OT One Size 19" x 54"

Tear-away Polyester Mesh Vest with 360° of Reflective Protection, 3 Chevron Designs on Back and Adjustable Hook and Loop Closures on Front and Shoulders. 1 3/8" White Stripes. Orange

HI-VIZ GARMENTS PUBLIC SAFETY VESTS



PSV303A Sizes: Adjustable, One size fits M-X4 Solid Polyester Front with Mesh Back. 2" Silver Reflective Material, Tear-away, Mic-tab Holders, Pre-printed with POLICE on Front Vertical Stripes, Trimmed in Blue. Fluorescent Lime



PSV304A Sizes: Adjustable, One size fits M-X4 Solid Polyester Front with Mesh Back. 2" Silver Reflective Material, Tear-away, Mic-tab Holders, Pre-printed with FIRE on Front Vertical Stripes, Trimmed in Red. Fluorescent Lime



PSV308A Sizes: Adjustable, One size fits M-X4 Solid Polyester Front with Mesh Back. 2" Silver Reflective Material, Tear-away, Mic-tab Holders, Pre-printed with EMS on Front Vertical Stripes, Trimmed in Green. Fluorescent Lime



PSV300A Sizes: Adjustable, One size fits M-X4 Solid Polyester Front with Mesh Back, 4" Orange/Silver Reflective Material, Tear-away, Mic-tab Holders. Fluorescent Lime



PSV301A Sizes: Adjustable, One size fits M-X4 Solid Polyester Front with Mesh Back, 4" Lime/Silver Reflective Material, Tear-away, Mic-tab Holders. Fluorescent Orange



PSV200 Sizes: M-X4
Polyester Mesh with Tear-away Sides, Shoulders, and Front Closure. 2" Silver Reflective Material.
Solid Panel on Back for Logo Imprint.
Fluorescent Lime

ANSI/ISEA 207-2006

This standard specifies performance requirements for high-visibility public safety vests intended to provide conspicuity of the user in hazardous situations under any light conditions by day and under illumination by vehicle headlights in the dark.

INCIDENT COMMAND VESTS/BOOTS



HS200V Sizes: L-X4
Economy Surveyor Vest,
Hybrid Half Mesh/Half
Solid Polyester Fabric,
1 ³/₄" Orange/Silver
Reflective Stripes,
Zipper Front Closure.
Fluorescent Lime



HS201V Sizes: L-X4
Economy Surveyor Vest,
Hybrid Half Mesh/Half
Solid Polyester Fabric,
1 3/4" Lime/Silver
Reflective Stripes,
Zipper Front Closure.
Fluorescent Orange

Many of today's environments require the quick identification of individuals coordinating or involved with site activities. Although incident command vests were initially designed for responders to disasters or hazardous situations, they are used in a wide variety of applications.

These vests are used to help quickly identify the person or persons responsible for a particular area.

ICV204 Cotton/Polyester vest with hook and loop tab front closure and elastic side straps.1" white vinyl reflective stripes. Front and back slot to insert interchangeable title information.

ICV203 Blue One Size: 21"x48"
ICV204 Red One Size: 21"x48"
ICV207 Black One Size: 21"x48"
ICV208 Green One Size: 21"x48"





POLICE



BOOTS



BYR100 Sizes: 7-18

17 inch over the shoe, 100% waterproof boot is constructed of flexible rubber material. Features an adjustable top strap with buckle for better fit. Inside cotton liner allows for ease in putting on and taking off. Cleated ripple soles provide additional grip and slip resistance. Excellent for moderate chemical resistance, construction and concrete work and general wet applications. Color: Yellow with Black outsole 6 pairs / case



PBS120 Sizes: 6-14

14 inch over the sock, 100% water-proof boot is constructed of heavy duty flexible PVC for comfort and excellent abrasion resistance. Steel toe meets F2413-05 requirements, offers protection against impact and falling objects. Features cleated sole for excellent grip and slip resistance, polyester liner and kick off lug for ease in putting on and taking off. Insoles made of foam EVA for comfort.

Color: Black with Black outsole 6 pairs / case

PBP120 – Same as PBS120 with Plain Toe.

INDEX

Clave		4921	59	9375	33	1685L	51	3407L	54	4952L	60
Glove		5040	67	9378	33	1700K	45	3410L	54	49600L	59
	Catalog	5270	71	9379	33	1700L	44	34111L	55	49610L	59
Item #	Page #										
100	66	5307	68	9429	43	1702L	45	3411L	54	4982L	59
300	66	5316	68	9433	43	1710L	44	3413HVIL	54	4984L	59
1030	49	5500	70	9620	37	1730L	44	3420L	54	4HCD	81
1040	49	6100	73	9622	37	1734XL	44	3425L	54	5000L	67
1042	49	6200	73	9750	79	1735L	45	3440L	57	5010L	67
1080	49	6212	73	9751	79	1900L	46	34411L	57	5014L	67
1150	49	6218	73	9760	79	1910L	46	3450L	57	5015L	67
		6300	73	9761	79	1911L	46	3451L	57	5019L	67
1200	49	6400	73	9770	79	1921L	47	3460L	57	5020L	67
1210	49	6410	73	12010	49	19251L	50	3475L	57	5025L	67
1211	49									5030L	
1212	49	6412	73	12011	49	1925WL	50	3480S	57		67
1235	49	6414	73	16810	46	1925WM	50	3500L	56	5035L	67
1300	48	6418	73	16811	46	19261L	50	3501L	56	5045L	66
1310	48	6420	73	38063	130	1931L	46	3505L	56	5048L	66
1311	48	6421	73	39114	131	1932L	46	3555L	57	5049L	66
1312	48	6422	73	39120	131	1933L	46	3601KL	55	5050L	66
1317	48	6424	73	39136	131	1935L	46	3601L	55	5054L	66
1318	48	6800	76	39142	131	1936L	46	3603L	55	5055L	66
		6810	76	39418	131	1940L	46	36111L	55	5056L	66
1350	48	6820	76	39423	131	1950L	47	3611L	55	5059L	66
1360	48	6825	76	39518	131	1952L	47	3613DPL	55	5060L	66
1361	48	6830	76	39818	131	1953L	47	3613L	55	5070B	70
1362	48										
1370	48	6831	76	39836	131	1955L	51	3620L	55	5070E	70
1380	48	6840	76	1200S	49	1956L	51	3711L	56	5110L	70
1680	46	6845	76	12010DP	49	1960L	47	3730DPL	56	5170B	70
1690	46	6922	77	1201DP	49	1965L	51	3750L	56	5170E	70
1711	44	6924	77	1201S	49	1966L	51	38030MWL	130	5250L	71
1712	44	6932	77	1205L	51	1970L	51	38100MWL	130	5255L	70
1713	44	6944	77	1210S	49	3100HVIL	53	38114MW	130	5270B	71
1714	44	6948	77	1211J	49	3100L	53	38120MW	130	5270P	71
1715	44	6950	77	1211JNKEY	49	3110L	53	38130MW	130	5270PB	71
1716	44	7100	40	1220D	49	3120L	53	38136MW	130	5300L	69
1717	44	7102	40	1220DX	49	3125L	53	38142MW	130	5307E	68
1717	44	7800	40	1220S	49	3130L	53	38236MW	130	5317E	68
		7802	40	1220SX	49	3200L	52	38242MW	130	5317U	68
4150	63	7810	40	1220WD	49	3201L	52	38318MW	130	5337S	68
4152	63	7812	40	1235K	49	3202L	52	38324MW	130	5350L	68
4155	63										
4300	63	7900	40	12440RL	49	3203L	52	38418MW	130	5407S	69
4320	63	8010	41	1250C	49	3204KL	53	38423MW	130	5410LE	69
4500	63	8100	40	12HFD	81	3204L	53	38425MW	130	5430L	69
4501	63	8102	40	1311JL	48	32055L	53	38505MW	130	5435L	69
4550	61	8200	40	1320L	51	3205L	53	38525MW	130	60011L	64
4600	63	8300	40	1400A	47	32111L	52	38600MW	130	6001L	64
4602	62	8516	42	1400KL	47	3211L	52	39030L	131	60021L	64
4620	63	8526	42	1400LH	47	3213HVIL	52	39045L	131	6002L	64
4622	62	8600	41	1400RH	47	3213L	52	39045XL	131	6004L	64
4700	63	8610	41	1410A	47	3213LCHVSP	52	39100L	131	6005L	64
		8800	42	1411A	47	3214L	52	4150B	63	6010L	64
4720	62	8802	42	1412A	47	3214LI	52	4150BXXL	63	6012L	64
4730	62	8808	42	1413A	47	3215L	52	4150LH	63	6015L	64
4740	62			1414A	47	3220L		4300B		6020L	
4750	61	9018	42				52		63		64
4807	60	9124	43	1417A	47	3221L	52	4320LH	62	6025L	64
4808	60	9128	43	1418A	47	3224L	52	4600KEY	63	6030L	64
4809	60	9132	43	1420A	47	3250L	57	4600LH	63	6032L	64
4810	60	9304	33	14401DPL	48	3255L	57	4620A	61	6060L	64
4811	60	9307	33	1440L	48	3260L	57	4840L	59	6062L	64
4812	60	9312	34	1450L	51	3266L	57	4850KL	60	6100S	73
4907	60	9318	34	1455N	49	3280L	57	4850L	60	6100SJ	73
4908	60	9321	34	16010L	45	3280LCHVSP	57	4900LN	61	6200S	73
4909	60	9370	33	16011L	45	3400L	54	4901L	61	6200SJ	73
4910	60	9371	33	16012L	45	3401L	54	4902L	61	6212R	73
		9372	33	16017L	45	3402L	54	4940L	60	6212RVP	73
4911 4912	60 60	9374	33	16025L	45	3405L	54	4950L	60	6212S	73
4312	00										

INDEX

			-								
6212SJ	73	8100W	40	905L	12	9374VP	33	9436KML	31	9662LM	38
6212VP	73	8200A	40	905PL	11	9375L	31	9440KM	31	9663L	38
		8200B		905WWL		9376L				9665L	
6224HV	73		40		11		31	9442KM	31		21
6300R	73	8200CD	40	906L	12	9378B	33	9450K	43	9666L	21
6300RH	73	8200CDXL	40	907L	13	9378BE	33	945L	13	9667L	38
6300S	73	8200G	40	908L	11	9378E	33	9460K	43	9667LM	38
6300SJ	73	8300A	40	909L	11	9378KC	33	9462K	43	9668L	38
6410SC	72	8300C	40	9118B	42	9378KCT	33	9475M	43	9669L	21
6410SCHV	72	8516G	42	9118G	42	9378P	33	9478M	43	9669TPL	21
6450S	73	8516S	42	911DPL	13	9378T	33	9500L	36	9669TRL	21
6451S	73	8526C	42	9124C	43	9378TE	33	9500LB	36	9670L	39
6452S	73	8600C	41	9124G	43	9378TES	33	9500LM	36	9670LM	39
6454S	73	8600CPK	41	9124GVP	43	9378VP	33	9501LM	36	96720NFL	28
6500S	73	8600PK	41	9124K	43	9379KCT	33	9506L	36	9672APGL	20
6500SJ	73	8610C	41	9124KI	43	9379KCTE	33	9506LD1	38	9672DT5L	29
6510S	73	8610CPK	41	9124KIG	43	9379KCTJ	33	9506LM	37	9672DTL	29
6510SJ	73	8610PK	41	9124KVP	43	9380L	32	9507L	36	9672HVGL	28
6512S	73	8614C	41	9128G	43	9381LLH	34	9507LM	36	9672HVOL	28
6512SJ	73	8614CPK	41	9128KW	43	9381LRH	34	9507LMH	36	9672L	28
6514S	73	8620C	41	9132G	43	9382L	34	9507LMHB	36	96731GL	21
6514SJ	73	8620CPK	41	9132K	43	9383L	31	9508LM	38	96731HVL	20
6520S	73	8621C	41	9136K	43	93891PUL	35	9508SM	38	96731L	20
6520SJ	73	8700L	41	9178NFL	33	9389L	32	9508XLM	38	9673GWL	20
6521S	73	8710L	41	9178T	33	9389PVL	32	9509LM	36	9673L	20
6521SC	73	8720L	41	921L	13	9390L	31	9510LM	37	9673SFL	21
6521SCO	73	8730L	41	924CL	11	9392L	31	9512GL	36	9674L	23
6521SJ	73	8750L	41	924L	11	9393L	31	9514GHL	39	9675L	39
				924WWL						9675LM	39
6522S	73	8760L	41		11	9394L	31	9514GL	38		
6522SJ	73	8771L	41	9251L	28	9395L	31	958L	13	96763APGL	35
6524S	73	8781L	41	9252L	28	9396L	31	9600L	36	9676L	35
6524SJ	73	8800B	42	925L	59	9397L	31	9610LB	36	9676LM	39
6528S	73	8800C	42	926L	10	9399L	32	9610LM	37	9677L	35
6620KVL	72	8808G	42	9318D10	29	9400G	43	9611LM	36	9677LM	39
6620L	72	88080	42	9318D10T	29	9400KM	43	9612PM	36	96781L	20
6632L	72	8808S	42	9318D10VP	29	9401KM	43	9613LM	37	9679L	20
6700F	74	8808Y	42	9318D7	29	9402KM	43	9614PHM	39	9679LM	39
										9680L	
6702F	74	8HCD	81	9318D7T	29	9403KM	43	9615LM	37		19
6710F	74	900L	12	9345LD	34	9405KM	43	9616LM	37	9683CSL	35
6710FS	74	900PL	11	9346LD	34	9407KM	43	9617LM	37	9683L	22
6710T	74	9018C	42	9348LD	34	9408KM	43	9630LM	37	9684L	23
6712F	74	9018CB	42	9349LD	34	940HVL	47	9633LM	37	9685L	78
6714FF	74	9018CD	42	9350L	34	940L	47	9634L	36	9686L	32
6832L	76	9018CDAGSS		9356L	34	9410KM	43	9635L	36	9687L	19
6850L	76	9018CDAO	42	935CHL	10	9411KM	43	9636L	36	96883L	19
6852L	76	9018CDAY	42	9361L	31	9411KMC	43	9636LM	36	9688L	19
6862L		9018CDG		9362L		9412KM	43	9637L		9688VL	19
	76		42		31				36		
6885L	76	9018CDGB	42	9362LB	31	9413KM	43	9637LM	36	9690L	19
6912L	77	9018CDO	42	9363L	31	9414KM	43	9638L	36	9690YL	19
6914L	77	9018CDOB	42	9363LE	31	9415KM	43	9638LM	37	9693L	35
6962L	77	9018CDPC	42	9365L	31	9416KM	43	9639LM	36	9694L	23
6964L	77	9018CDPCR	42	9366L	31	9420KM	43	9642L	37	9695L	22
7010L	67	9018CDPCS	42	9366LE	31	9422KM	43	9642LM	37	9696L	22
7100C	40	9018CDY	42	9367L	31	9423KM	43	9643LM	37	9698L	22
7100D	40	9018CDYB	42	9368L	31	9424KM	43	9650L	38	9699L	22
7100D 7100P		9018CR		9369L	31	9425KM		9650LM		9700L	80
	40		42				43		38		
7100RI	41	9018CRPC	42	9370HL	31	9426KM	43	9650LMB	38	9700LG	80
7102RI	41	9018DG	42	9370L	31	9427KM	43	9650LW	38	9710L	80
80001	41	9018DO	42	9371BE	33	9428GFR	43	9657L	38	9720L	80
80021	41	9018DY	42	9371E	33	9428KM	43	9657LM	38	9725L	80
8100A	40	9018DYM	42	9371T	33	9429KM	43	9658L	38	9730L	80
8100B	40	9018FRG	42	9372E	33	9430KM	31	9660L	38	9735L	80
8100C	40	9018FRO	42	9372T	33	9430KME	31	9660LM	38	9740L	80
8100C	40	901L	12	9373L	31	9432KM	31	9660LMB	38	9750R	79
								9660LW	38	9750N 9750S	79
8100P	40	902L	12	9374E	33	9433KM	31				
8100PC	40	903L	12	9374T	33	9434KML	31	9660S	38	9751R	79
8100R	40	904L	12	9374TL	33	9435KML	31	9662L	38	9760K	79
								Was de la company		N. STREET,	

INDEX

9760R	79	UCDO 80	DLH10G 91	0	5182SL	118	O63S7	129
9760S	79	Y200L 7	DS110 95		5182YL	125	O703L	127
9761R	79	Y300L 7	DS140 95		550BPL	125	O70JL	127
9780L	79	ZB100L 9	DS210 95		550CL	125	O722L	127
9781L	79	ZB200L 9	ED12 112	2000 127	550JL	125	O72CL	127
9782L	78		ED12CWS 112	12BNSC 128	597JHL	125	O73R4	129
9784L	78		ED12MO 112		598RJHL	116	073S4	129
9785L	79		ED7C 112		598RPWL	116	PBP1207	142
9786L	79	Glasses	ED7WW 112		6003L	126	PBS1207	142
9790L	78	Catalog	ESC-10 112		600BPL	126	PGCL3LL	116
9792L	78	Item # Page #	F2110 99		600CL	126	PSV200L	141
9794L	78	101 108	F2120 99		600JL	126	PSV300A	141
97950L	79	102 108	FB110 99		7002L	126	PSV300A	141
97951L	79	103 108	FF120 84		7032L	126	PSV303A	141
			FF210 85		7368CRL	119	PSV304A	141
97960L	79	104 108						
97961L	79	105 108	GAD24 112		800BFL	123	PSV308A	141
97962L	79	200 111	GX110AF 106		800BPL	123	S063E4	129
97980L	79	201 111	HB110 99		800CNL	123	S072E4	129
97981L	79	204 111	HL110AF 93		800H	123	S073E4	129
9800J	75	207 111	IA110 93		800JHL	123	S075E4	129
9800L	75	208 111	K3H10 94		800JNL	123	S123E4	128
9810L	75	210 110	KD110 94		800S4P	129	S125E4	128
9880L	75	212 110	KD210 94		8402L	125	S220R	140
9880LY	75	214 110	KD310 94	201CRL 119	BBCL3LL	117	S220WR	140
9880S	75	215 110	LCS1 111	2083SRL 118	BMRCL3LL	117	S221R	140
9890L	75	216 110	LCS1T 111	220JHL 121	BMRCL3LPL	117	SURVLL	137
9891L	75	217 110	LCS2 111	2303L 120	BPCL3LL	117	SURVOL	137
9892L	75	2400 107	LCT 111	2403L 122	BWCL2LL	135	SURVOVL	137
9894L	75	9800 103	LED2 110		BYR1007	142	TSCL2LL	136
AS9674L	23	99910 103	LFT 111	240CL 123	CHEV2L	140	TY120SL	128
B100L	7	101640 109	LW210 102		CHEV2LP	140	TY122SL	128
CP14L	71	102040 109	LW310AF 102		CHEV2O	140	TY125SL	128
CP14RL	71	181540 109	MO110 90		CHEV2OT	140	TY127SL	128
CP25L	71	181541 109	MT110 97		CL2LCL	137	TY210SL	128
DN100L							V040	139
	8	181542 109	OG110AF 102		CL2MLL	136		139
FG305L	19	181560 109	PA110 89		CL2MLPFRL	136	V041	
FT300L	19	181640 109	PA310 89	247CL 123	CL2MLPL	136	V200	139
FT350L	19	190940 109	PGX110AF 107		CL2MOL	136	V200FS	139
FTKV350L	19	190942 109	RP110AF 106		CL2MOPL	136	V200R	139
GCB	80	102040PC 109	RP210AF 96		CL2MOVL	136	V201	139
GCO	80	181540E 109	RT110AF 98		CL2OCL	137	V201BA	139
HV100L	6	181640A 109	RTH10AF 98		CL3MLL	134	V201R	139
HV300L	6	181640SS 109	S2110 95	3003L 126	CL3SOVL	134	V211R	139
KV100L	8	215C 110	S2210 95		FR2003L	120	V211R1	140
KV200L	8	215N 110	SH110AF 86		FR267CL	122	V211RXL	139
MB100L	10	2310AF 107	SH120AF 86		FRMCL2LL	135	V211SR	140
MD100L	10	BAD6 112	SH130AF 86		HS200VL	142	V211WR	140
MR100L	10	BD-2 110	SH140AF 86		HS201VL	142	V231R	140
N9674L	14	BD-4 110	SH152AF 86		ICV203	142		137
N9676GL	17	BD-MCR 110	SR110 92		ICV204	142	VA221RL	137
N9677L	17	BK110 100	SS010 103		ICV207	142	VCL2MLL	138
N96790L	15	BK210 100	ST110 95	3881L 124	ICV208	142	VCL2MLZL	138
N96793L	15	BK310 100	T1110AF 88	3882L 124	LTSCL2LL	136	VCL2MOL	138
N96797L	15	BKH10 100	T4110AF 86	388BFL 124	O20	127	VCL2SOL	138
N9680L	14	CG-XCLIP 110	TB110AF 87		O20B	127	VCL3SLL	134
N9690FCL	18	CK100 101	TB130AF 87		O40	127	WCCL2LA	135
N9690HVL	18	CK210 101	TC110 102		O4WBCL	128		135
N9690L	18	CK310 98	TK110 103		O4WBCM	128		135
N9690TCL	17	CL110 101	TKH10 105		O4WBG	128	WCCL2OFRL	
N9696L	14	DC210 99	TM110 88		O4WPCM	128	WCCL3LL	134
N96970L	15	DL110 91	TM120 88		O503L	127	WCCL30L	134
N9699L	14	DL210AF 91	TM130 88		O63R4	129	TO SECOL	101
UCDB	80	DL212AF 91	TM140 88		O63R5	129		
UCDBB	80	DL310AF 91	1111140 00	500RPWL 118	O63R7	129		
UCDBO	80			5182L 118	063S4	129		
UCDBY	80			5182SL 118	063S4 063S5	129		
OCDBT	00	DLH10 91		31023L 118	00333	123		
				The second secon				