


**Master
Lock®**

**AMERICAN
LOCK®**



End-to-End Safety Solutions: Lockout Padlocks, Devices and Services

Safety
Tags



Lockout
Isolation
I.D. Tags



Boxed
Roll of Tags

Custom-Built Padlocks & Safety Lockout Products

READY TO SHIP IN 48 HOURS!



When customers need products in a hurry, the Express Program delivers. Products are ready to ship in 48 hours!

The most popular custom-built Master Lock safety padlocks and American Lock safety and security padlocks are available to order.

For OSHA safety lockout situations, the Express Program also offers a full line of safety lockout devices and accessories.

- Order Online: masterlockshop.com
- Order by Email: lockexpressorders@mlock.com
- Order by Dedicated Fax: 1-866-808-2705

Orders must be placed by 2 p.m. CST and clearly marked "Express" in order for shipment within 48 hours.



Anodized Aluminum Padlocks



Zenex™ Thermoplastic Padlocks



Powder-Coated Aluminum Padlocks



Steel Padlocks



Laminated Steel Padlocks



Cable Lockouts



Hasps



Electrical Lockouts



Valve Lockouts



Group Lock Boxes



Lockout Stations and Kits

Table of Contents

Padlocks, Identification, & Accessories

| | | |
|--|--|---------------|
|  | Zenex™ Thermoplastic Safety Padlocks | P6-8 |
|  | Safety Padlock Keyed-Alike Sets | P9 |
|  | Aluminum Safety Padlocks | P10-12 |
|  | Steel Safety Padlocks | P13 |
|  | Padlock Identification | P14 |
|  | Padlock Accessories | P15-16 |

Lockout Devices & Covers

| | | |
|---|----------------------------------|---------------|
|  | Hasps | P17 |
|  | Electrical Lockouts | P18-19 |
|  | Electrical Covers | P20-21 |
|  | Valve Lockouts | P22-23 |
|  | Cable Lockouts | P24 |
|  | Group Lock Boxes | P25 |
|  | Permit Control Station | P26 |

Lockout Devices & Covers (continued)

| | | |
|---|---|------------|
|  | Blind Flange & Pneumatic Lockouts | P27 |
|  | Confined Space Covers & Steering Wheel Covers | P28 |

Lockout Kits & Stations

| | | |
|--|--|---------------|
|  | Lockout Kits | P29-30 |
|  | Padlock Stations | P31 |
|  | Lockout & Tag Stations | P32-34 |
|  | Custom Lockout Kits & Stations | P35 |

Signs & Tags

| | | |
|--|---|---------------|
|  | Safety Tags | P36-37 |
|  | Guardian Extreme™ Safety Tags | P38-39 |
|  | Safety Tag Stations | P40 |

Planograms

| | | |
|---|-------------------------------------|------------|
|  | Safety Lockout Planograms | P41 |
|---|-------------------------------------|------------|

Professional Services & Software

| | | |
|--|---|------------|
|  | Professional Lockout Services | P42 |
|  | Software | P43 |

Lockout/Tagout & OSHA Compliance

What is Lockout/Tagout?

In 1989, OSHA introduced Standard 29 CFR 1910.147 *The Control of Hazardous Energy* in order to establish lockout tagout compliance requirements for general industry. Lockout/Tagout is the process of controlling hazardous energy during the service and maintenance of machinery and equipment. These safety specific work procedures safeguard employees from accidental injuries or even death.

Why Lockout/Tagout?

The Control of Hazardous Energy (lockout/tagout) has been listed within OSHA's top 10 most frequently cited standards for several years. Non-compliance with this standard has resulted in thousands of worker related injuries and even deaths. Lockout/Tagout procedures are utilized to protect employees from the dangers of hazardous energy and ensure they go home safely every day.

For more information on Lockout/Tagout visit www.osha.gov

Master Lock offers the safety products and services you need to help you stay compliant

How to Implement a Lockout/Tagout System

The 1910.147 standard stated above establishes requirements for facilities to implement and employees to follow. In order to keep employees safe and to comply with the OSHA standard, facilities must:

- + **Develop** – create a lockout/tagout program specific to the machinery in your facility, including equipment that is not capable of being locked out
- + **Implement** – use lockout devices for equipment that can be locked out and tagout devices to identify who is performing maintenance
- + **Train** – teach employees the lockout/tagout procedures and be sure authorized employees can perform the procedure accurately
- + **Enforce** – monitor and maintain that the implemented procedures are being performed
- + **Inspect** – lockout/tagout procedures as well as employees should be audited at least annually



OSHA Requirements for Padlocks and Devices

The OSHA Lockout/Tagout standard outlines 5 requirements that all safety padlocks and devices must meet. Master Lock safety padlocks and devices were designed to meet all of these requirements.

| Requirement | Description | Master Lock LOTO Products |
|----------------------|---|---------------------------|
| Durable | Manufactured with materials that withstand usage environment | ✓ |
| Substantial | Cannot be removed unless considerable force is applied | ✓ |
| Standardized | Clearly differentiated from other devices by color, shape or size | ✓ |
| Identifiable | Indicates the authorized employee that applied the device | ✓ |
| Exclusive for Safety | Not to be used for purposes other than controlling energy | ✓ |

Keying: A Critical Component

“One Employee, One Lock, One Key”

It is important that each employee at a facility has a padlock key that is unique to them. Key charting is critical to prevent duplicate keys from entering the workplace and jeopardizing your lockout/tagout program.




Master Lock offers keying services and options to meet any safety system’s requirements

LifeGuard™

A no-charge Safety Lockout Padlock Key Charting System – critical for Safety Lockout


- Key charting is a record of all the safety padlock key codes assigned to a facility
- It is important that each authorized employee at a site has a unique padlock key that only opens that employee’s safety padlock. This complies with the “one lock, one employee, one key” directive
- To help prevent duplicate keys from jeopardizing your lockout program, register your workplace with Master Lock. Once registered, Master Lock will send you an End User Identification Number for your site’s Key Chart
- When you use that I.D. number on each additional padlock order, Master Lock will use a new key code for each padlock we manufacture for you. When used properly, this free service helps ensure that each employee carries a key unique to them, eliminating unwanted key duplication in a safety lockout program
- Locate the Master Lock End User Registration form and instructions at www.masterlock.com

Keying Options to fit your facility’s needs




Keyed Different

Each lock is opened by its own unique key which does not open any other lock in the set – complying with the “One lock, one employee, one key” mantra



Keyed Alike

All padlocks in the set are opened by the same key so only one key is necessary to open numerous padlocks – for employees who need many locks, they still only have one key



Master Keyed

A master key opens all locks within the system while each lock also has its own unique key – allows for responsible removal of improperly placed or forgotten lockouts according to your emergency notification policy

ZENEX™ THERMOPLASTIC SAFETY PADLOCK FEATURES

- ▶ Durable padlocks weigh only ounces (400 series 4 oz., S30 Series 3 oz.), making it easy to carry many
- ▶ Withstands extreme temperatures
- ▶ Excellent corrosion resistance
- ▶ UV stable
- ▶ No silicone used in padlock
- ▶ Over 40,000 unique safety key codes available. Over 1 million possible codes with optional key cylinders
- ▶ Keyed Different, Keyed Alike and Master Keyed options
- ▶ Key retaining – ensures padlock is not accidentally left unlocked. S33 non key-retaining for group lockout
- ▶ Available in up to 8 colors
- ▶ Includes one key to ensure compliance with “One Lock, One Employee, One Key” directive
- ▶ Includes write-on “Danger” and “Property Of” labels
- ▶ Body sides and face can be laser engraved for permanent identification
- ▶ Non-rekeyable ensures your safety lockout system stays pure by preventing haphazard rekeying and the accidental introduction of duplicate key codes
- ▶ Your facility’s padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees
- ▶ Virtually all components are made in the U.S.A.

Zenex™ Thermoplastic Safety Padlocks

Optimal safety padlock designed exclusively for Lockout/Tagout by Safety Directors. Distinctive Zenex™ Thermoplastic safety padlock is durable, standardized, substantial and identifiable for OSHA 1910.147 compliance. Stands up to chemicals, temperature extremes, and is UV stable.



410

4100RJ with S142 Label

410RED

406RED

406BLU

410YLW with cover (COV)

410LTGRN

406BLK with S142 Label

411LTTEAL

411YLW with 0411-5705 Label

411PRP

411LTORJ with cover (COV)

RED YLW GRN BLU BLK TEAL PRP ORJ

Designed by Safety Directors

Dielectric Protection

UL VALIDATED

• MASTER LOCK 410 SERIES: 410 AND 410LT CONTAIN A MINIMUM OF 50% RECYCLED CONTENT
UL.COM/ECV

UL VALIDATED

• MASTER LOCK 406 SERIES: 406 CONTAIN A MINIMUM OF 34% RECYCLED CONTENT
UL.COM/ECV

Multilingual Labels Available

UL VALIDATED

• MASTER LOCK 411 SERIES: 411 AND 411LT CONTAIN A MINIMUM OF 40% RECYCLED CONTENT
UL.COM/ECV

410 Zenex™ Thermoplastic Safety Padlock

- ▶ 1/4in diameter, 1-1/2in or 3in high plated metal shackles
- ▶ High security, reserved for safety cylinder
- ▶ Key-retaining, ensures padlock is not accidentally left unlocked
- ▶ English, Spanish, and French labels included

| Master Lock Model # | Description | Vertical Shackle Clearance (B) | Schematic |
|---|--|--------------------------------|-----------|
| 410 Safety Padlocks | | | |
| 1-1/2in Wide, 1-3/4in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 1/4in C: 25/32in | | | |
| 410RED | Keyed Different | 1-1/2in | |
| 410LTRED | Keyed Different, Extra Length Shackle | 3in | |
| 410REDCOV | Keyed Different with Extreme Environment Safety Padlock Cover | 1-1/2in | |
| 410KARED | Keyed Alike | 1-1/2in | |
| 410KALTRED | Keyed Alike, Extra Length Shackle | 3in | |
| 410MKRED | Master Keyed | 1-1/2in | |
| 410KAMKRED | Keyed Alike, Master Keyed | | |
| Eight Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ | | | |
| 400COVERS | Extreme Environment Safety Padlock Cover; bag of 12 covers – see page 15 | | |
| S140 | Write on North American English, Spanish, and French. Multilingual label options available. (50 labels/language) | | |
| S142 | North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk.) | | |



410RED

Keyed Alike Sets Available

406 Zenex™ Thermoplastic Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlock

- ▶ Ideal for medical, military, mining & electrical lockout
- ▶ 1/4in diameter, 1-1/2in high nylon shackle with Zenex™ Thermoplastic body
- ▶ All components are non-sparking and non-magnetic plastic, copper, or brass
- ▶ Exposed components are plastic and do not conduct electricity
- ▶ Shackle withstands over 300 lb pull force

| Master Lock Model # | Description | Vertical Shackle Clearance (B) | Schematic |
|---|--|--------------------------------|-----------|
| 406 Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlocks | | | |
| 1-1/2in Wide, 1-3/4in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 1/4in C: 25/32in | | | |
| 406RED | Keyed Different, Dielectric | 1-1/2in | |
| 406REDCOV | Keyed Different with Extreme Environment Safety Padlock Cover | | |
| 406KARED | Keyed Alike | | |
| 406MKRED | Master Keyed | | |
| 406KAMKRED | Keyed Alike, Master Keyed | | |
| 406AST | Pack – One each of all eight colors. Keyed Different | | |
| Eight Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ | | | |
| 400COVERS | Extreme Environment Safety Padlock Cover; bag of 12 covers – see page 15 | | |
| S140 | Write on North American English, Spanish, and French. Multilingual label options available. (50 labels/language) | | |
| S142 | North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk.) | | |



406YLW

Keyed Alike Sets Available

411 Zenex™ Thermoplastic Bilingual Safety Padlock

- ▶ 3in tall body with 1/4in diameter, 1-1/2in or 3in high plated metal shackles
- ▶ High security, reserved for safety cylinder
- ▶ English/Spanish and English/French combined labels

| Master Lock Model # | Description | Vertical Shackle Clearance (B) | Schematic |
|---|--|--------------------------------|-----------|
| 411 Bilingual Safety Padlocks | | | |
| 1-1/2in Wide, 3in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 1/4in C: 25/32in | | | |
| 411RED | Keyed Different | 1-1/2in | |
| 411REDCOV | Keyed Different with Extreme Environment Safety Padlock Cover | | |
| 411LTRED | Keyed Different, Extra Length Shackle | 3in | |
| 411KARED | Keyed Alike | 1-1/2in | |
| 411KALTRED | Keyed Alike, Extra Length Shackle | 3in | |
| 411MKRED | Master Keyed | 1-1/2in | |
| 411KAMKRED | Keyed Alike, Master Keyed | | |
| 411AST | Pack – One each of all eight colors. Keyed Different | | |
| Eight Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ | | | |
| 411COVERS | Extreme Environment Safety Padlock Cover; bag of 12 covers – see page 15 | | |
| S141 | Write on North American English/Spanish, English/French. Bilingual options available. (50 labels/language) | | |
| 0411-5705 | Photo ID labels for 411 padlocks (6 pk.) | | |



411BLU

Keyed Alike Sets Available



S31 Global Zenex™ Thermoplastic Safety Padlock

- ▶ 3/16in marine grade 316 stainless steel shackle for superior corrosion resistance
- ▶ Key retaining – ensures padlock is not accidentally left unlocked
- ▶ Available with 1-1/2in or 3in tall shackle
- ▶ Patented

S32 Zenex™ Thermoplastic Dielectric Safety Padlock

- ▶ Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlock – all components are plastic, copper or brass
- ▶ Ideal for medical, military, mining & electrical lockout
- ▶ 3/16in diameter x 1-1/2in high plastic shackle
- ▶ Non key retaining – padlock can be left unlocked and snap locked as needed. Ideal for use during group lockout
- ▶ Patented

S33 Global Zenex™ Thermoplastic Snap Lock Safety Padlock

- ▶ 3/16in marine grade 316 stainless steel shackle for superior corrosion resistance
- ▶ Non key retaining – padlock can be left unlocked and snap locked as needed. Ideal for use during group lockout
- ▶ Available with 1-1/2in or 3in tall shackle
- ▶ Patented

| Master Lock Model # | Description | Vertical Shackle Clearance (B) | Schematic | |
|--|--|--------------------------------|-----------|--|
| Zenex™ Thermoplastic Safety Padlock | | | | |
| 1-3/8in Wide, 1-7/8in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 3/16in C: 5/8in | | | | |
| S31RED | Keyed Different | 1-1/2in | | |
| S31LTRED | Keyed Different, Extra Length Shackle | 3in | | |
| S31KARED | Keyed Alike | 1-1/2in | | |
| S31KALTRED | Keyed Alike, Extra Length Shackle | 3in | | |
| S31MKRED | Master Keyed | 1-1/2in | | |
| S31KAMKRED | Keyed Alike, Master Keyed | | | |
| Zenex™ Thermoplastic Dielectric Safety Padlock | | | | |
| 1-3/8in Wide, 1-7/8in High Body. Shackle Dimensions: A: 3/16in C: 5/8in | | | | |
| S32RED | Keyed Different | 1-1/2in | | |
| S32KARED | Keyed Alike | | | |
| S32MKRED | Master Keyed | | | |
| S32KAMKRED | Keyed Alike, Master Keyed | | | |
| Zenex™ Thermoplastic Snap-Lock Safety Padlock | | | | |
| 1-3/8in Wide, 1-7/8in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 3/16in C: 5/8in | | | | |
| S33RED | Keyed Different | 1-1/2in | | |
| S33REDCOV | Keyed Different with Extreme Environment Safety Padlock Cover | | | |
| S33LTRED | Keyed Different, Extra Length Shackle | 3in | | |
| S33KARED | Keyed Alike | 1-1/2in | | |
| S33KALTRED | Keyed Alike, Extra Length Shackle | 3in | | |
| S33MKRED | Master Keyed | 1-1/2in | | |
| S33KAMKRED | Keyed Alike, Master Keyed | | | |
| Nine Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ | | | | |
| S30COVERS | Extreme Environment Safety Padlock Covers; bag of 12 covers – see page 15 | | | |
| S140 | Write on North American English, Spanish, and French. Multilingual label options available. (50 labels/language) | | | |
| S142 | North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk.) | | | |



Keyed Alike Sets Available



410KAS3

Safety Padlock Keyed-Alike Sets

Popular quantities of safety padlocks are conveniently packed in sets, simplifying the order process.

Safety Padlock Keyed-Alike Sets

Safety Padlocks Built and Packed in Popular Keyed Alike Quantities

Workers often need to lock out more than one energy source on a single piece of equipment. Keyed alike safety padlocks can help serve this purpose.

To simplify and expedite ordering, Master Lock now offers our Zenex™ Thermoplastic, Aluminum and Steel safety padlocks in popular keyed alike quantities – sets of 3, 6, or 12 locks. These locks are ordered as “1” unit and are packed together making them easy to distribute.

| “n” Denotes quantity of padlocks per keyed alike set. Choose quantity and color of set(s) at time of purchase. | |
|---|--|
| Master Lock Model | Description |
| Zenex™ Thermoplastic Safety Padlocks, 1/4in dia shackle | |
| 406KASn | |
| 410KASn | Choose quantity per set; 3, 6, or 12 (e.g. 406KAS12RED = twelve red 406KA Padlocks) |
| 411KASn | |
| Eight Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL | |
| Zenex™ Thermoplastic Safety Padlocks, 3/16in dia shackle | |
| S31KASn | Choose quantity per set; 3, 6, or 12 |
| S33KASn | (e.g. S31KAS3BLU = three blue S31KA Padlocks) |
| Nine Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL, WHT | |
| Powder Coated Aluminum Safety Padlocks, 1/4in dia shackle | |
| 6835KASn | Choose quantity per set; 3, 6, or 12 (e.g. 6835KAS12GRN = twelve green 6835KA Padlocks) |
| Six Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK | |
| Anodized Aluminum Safety Padlocks, 1/4in dia shackle | |
| A1105KASn | Choose quantity per set; 3, 6, or 12 |
| A1106KASn | (e.g. A1105KAS6ORJ = six orange A1105KA Padlocks) |
| Nine Color Options: Add Desired Color Suffix: RED, BLU, BRN, GRN, YLW, BLK, ORJ, CLR, PRP | |
| Laminated Steel, 9/32in dia shackle | |
| 3KASn | Choose quantity per set; 3, 6, or 12 (e.g. 3KAS12YLW = twelve yellow 3KA Padlocks) |
| Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, WHT. | |



410KAS3RED



411KAS6YLW



A1106KAS12BLU

Note: Contact Master Lock Customer Care to supply your site’s End User Registration ID Number and the key numbers received to update your site’s Key Chart.



S6835RED

Aluminum Safety Padlocks

Lightweight and durable aluminum body for Lockout/Tagout. Choose from powder coated or anodized finish. Stands up to chemicals, temperature extremes, and is UV stable.

ALUMINUM SAFETY PADLOCK FEATURES

- ▶ Durable padlock weighs 5 ounces, making it easy to carry
- ▶ Solid body construction stands up to physical abuse
- ▶ Durable aluminum body for superior corrosion resistance
- ▶ UV stable
- ▶ No silicone used in padlock
- ▶ 1/4in diameter boron steel shackle with plated finish for corrosion resistance
- ▶ Available Keyed Different, Keyed Alike and Master Keyed
- ▶ Available with 1in, 1-1/2in or 3in tall shackle
- ▶ Brass shackle option available for spark resistance
- ▶ Write on labels and Photo ID labels available
- ▶ Body sides and face can be laser engraved for permanent identification – 6 available spaces
- ▶ Virtually all components made in the U.S.A.
- ▶ Uses FDA approved lubricants safe for use in food processing

S-series Aluminum Safety Padlocks

Designed specifically for Safety lockout

- ▶ Featuring the W401/W417 Safety Exclusive keyway
- ▶ Key retaining
- ▶ Over 40,000 key changes to meet your system needs
- ▶ Complies with the “One Lock, One Key per Employee” mantra
- ▶ Durable aluminum construction for supreme corrosion resistance
- ▶ LifeGuard™ key charting free of charge

S6835 Series

Baked-on powder coated finish for vibrant color options



Master Lock



S1100 Series

Anodized aluminum no-chip finish – ideal for food processing facilities



AMERICAN LOCK



Master Lock S6835 Series



S6835RED with Cover (COV)



S6835YLW with 461 Label



S6835GRN



S6835LFLU with 6835-5700 Label



S6835LFLBK



S6835LTORJ

VALIDATED

- MASTER LOCK 6835 SERIES: 6835, 6835LF, 6835LT, 6835W7000, 6835LFW7000, 6835LTW7000, S6835, S6835LF, S6835LT CONTAIN A MINIMUM OF 62% RECYCLED CONTENT
- UL.COM/ECV

AMERICAN LOCK S1100 Series



S1105RED



S1105YLW



S1106GRN with Cover (COV)



S1106BLU



S1106BLK



S1106PRP



S1107ORJ with 461 Label



S1107BRN



S3107CLR with 6835-5700 Label

VALIDATED

- MASTER LOCK 1100 SERIES: A1105, A1106, A1107, A1165, A1166, A1167, S1105, S1106, S1107 CONTAIN A MINIMUM OF 60% RECYCLED CONTENT
- UL.COM/ECV

| Model # | Description | Vertical Shackle Clearance (B) | Schematic | |
|---|---|--------------------------------|-----------|--|
| S6835 Series Powder Coated Aluminum Padlocks | | | | |
| 1.5in Wide, 1.820in High—High Visibility Aluminum Body, Shackle Dimensions: A: 1/4in C: 3/4in | | | | |
| S6835RED | Keyed Different | 1in | | |
| S6835REDCOV | Keyed Different with Extreme Environment Safety Padlock | 1in | | |
| S6835LFRED | Keyed Different, Extra Length Shackle | 1-1/2in | | |
| S6835LTRED | Keyed Different, Extra Length Shackle | 3in | | |
| S6835KARED | Keyed Alike | 1in | | |
| S6835KALFRED | Keyed Alike, Extra Length Shackle | 1-1/2in | | |
| S6835KALTRED | Keyed Alike, Extra Length Shackle | 3in | | |
| S6835MKRED | Master Keyed | 1in | | |
| S6835KAMKRED | Keyed Alike, Master Keyed | | | |
| S6835WORED | Lock Body & Shackle w/o Cylinder | | | |
| S6835KZRED | Zero Bitting | | | |
| Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, ORJ | | | | |
| S101 | Extreme Environment Safety Padlock Covers; bag of 12 covers – see page 15 | | | |
| 6835-5700 | Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4in W x 1-3/4in T | | | |
| 461 | Padlock labels with clear overlamine (50 pk.) - 5in W x 1in T | | | |
| S1100 Series Anodized Aluminum Padlocks | | | | |
| 1.5in Wide, 1.820in High Anodized Aluminum Body, Shackle Dimensions: A: 1/4in C: 3/4in | | | | |
| S1105RED | Keyed Different | 1in | | |
| S1105REDCOV | Keyed Different with Extreme Environment Safety Padlock | | | |
| S1105KARED | Keyed Alike | | | |
| S1105MKRED | Master Keyed | | | |
| S1105KAMKRED | Keyed Alike, Master Keyed | | | |
| S1106RED | Keyed Different, Extra Length Shackle | 1-1/2in | | |
| S1106KARED | Keyed Alike | | | |
| S1106MKRED | Master Keyed | | | |
| S1106KAMKRED | Keyed Alike, Master Keyed | | | |
| S1107RED | Keyed Different, Extra Length Shackle | 3in | | |
| S1107KARED | Keyed Alike | | | |
| S1107MKRED | Master Keyed | | | |
| Also available as 6-pin; A1165, A1166, A1167 | | | | |
| Nine Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, PRP, ORJ, BRN, CLR | | | | |
| S101 | Extreme Environment Safety Padlock Covers; bag of 12 covers – see page 15 | | | |
| 6835-5700 | Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4in W x 1-3/4in T | | | |
| 461 | Padlock labels with clear overlamine (50 pk.) - 5in W x 1in T | | | |

Standard Aluminum Padlocks

Powder Coated Aluminum Safety Padlocks

Master Lock 6835 Series

- ▶ Available in 6 vibrant colors
- ▶ Durable baked-on powder coated finish
- ▶ Over 10,000 key changes available
- ▶ Rekeyable W6000 keyway, 5-pin cylinder available



| Master Lock Model # | Description | Vertical Shackle Clearance (B) | Schematic | |
|--|--|--------------------------------|-----------|--|
| 6835 Series Powder Coated Aluminum Padlocks | | | | |
| 1.5in Wide x 1.820in High—High Visibility Aluminum Body. Shackle Dimensions: A: 1/4in C: 3/4in | | | | |
| 6835RED | Keyed Different | 1in | | |
| 6835LFRED | Keyed Different, Extra Length Shackle | 1-1/2in | | |
| 6835LTRED | Keyed Different, Extra Length Shackle | 3in | | |
| 6835KARED | Keyed Alike | 1in | | |
| 6835KALFRED | Keyed Alike, Extra Length Shackle | 1-1/2in | | |
| 6835KALTRED | Keyed Alike, Extra Length Shackle | 3in | | |
| 6835MKRED | Master Keyed | 1in | | |
| 6835KAMKRED | Keyed Alike, Master Keyed | | | |
| 6835WORED | Lock Body & Shackle w/o Cylinder | | | |
| 6835KZRED | Zero Bitted | | | |
| Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, ORJ | | | | |
| COV | Extreme Environment Safety Padlock Cover option; add 'COV' to end of Product No. to order (e.g. S6835REDCOV) | | | |
| 6835-5700 | Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4in W x 1-3/4in T | | | |
| 461 | Padlock labels with clear overlaminate (50 pk.) - 5in W x 1in T | | | |



Keyed Alike Sets Available

Anodized Aluminum Safety Padlocks

American Lock A1100 Series

- ▶ Available in 9 colors
- ▶ Durable anodized finish suitable for lockout in food processing facilities
- ▶ Over 10,000 key changes available

American Lock A3100 Series

- ▶ Interchangeable Core Cylinder. Small Format
- ▶ Over 101,000 key changes available

| American Lock Model # | Description | Vertical Shackle Clearance (B) | Schematic |
|---|--|--------------------------------|-----------|
| A1100 Series Anodized Aluminum Padlocks | | | |
| 1.5in Wide x 1.820in High Anodized Aluminum Body. Shackle Dimensions: A: 1/4in C: 3/4in | | | |
| A1105RED | Keyed Different | 1in | |
| A1105KARED | Keyed Alike | | |
| A1105MKRED | Master Keyed | | |
| A1105KAMKRED | Keyed Alike, Master Keyed | | |
| A1106RED | Keyed Different, Extra Length Shackle | 1-1/2in | |
| A1106KARED | Keyed Alike | | |
| A1106MKRED | Master Keyed | | |
| A1106KAMKRED | Keyed Alike, Master Keyed | 3in | |
| A1107RED | Keyed Different, Extra Length Shackle | | |
| A1107KARED | Keyed Alike | | |
| A1107MKRED | Master Keyed | | |
| Also available as 6-pin; A1165, A1166, A1167 | | | |
| A3100 Series Interchangeable Core Anodized Aluminum Padlocks | | | |
| 1.5in Wide x 1.820in High Anodized Aluminum Body. Shackle Dimensions: A: 1/4in C: 3/4in | | | |
| A3105RED | Keyed Different | 1in | |
| A3106RED | Keyed Different, Extra Length Shackle | 1-1/2in | |
| A3107RED | Keyed Different, Extra Length Shackle | 3in | |
| Also available as 6-pin; A3165, A3166, A3167 | | | |
| Nine Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, PRP, ORJ, BRN, CLR | | | |
| COV | Extreme Environment Safety Padlock Cover option; add 'COV' to end of Product No. to order (e.g. S6835REDCOV) | | |
| 6835-5700 | Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4in W x 1-3/4in T | | |
| 461 | Padlock labels with clear overlaminate (50 pk.) - 5in W x 1in T | | |



Keyed Alike Sets Available – A1105 and A1106 padlocks

STEEL SAFETY PADLOCK FEATURES

- ▶ Weighs approximately 7 ounces
- ▶ Can withstand extreme temperatures
- ▶ 9/32in diameter shackle
- ▶ Available with 3/4in, 1-1/2in or 2in tall shackle
- ▶ 6 bumper colors available
- ▶ Keyed Different, Keyed Alike and Master Keyed options
- ▶ Over 1400 unique key codes available
- ▶ Includes 2 keys
- ▶ Key code stamped in key and on bottom of padlock
- ▶ Wrap around, write on labels available for identification
- ▶ Your facility's padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees
- ▶ Virtually all components made in the U.S.A.
- ▶ Uses FDA approved lubricants safe for use in food processing




Steel Safety Padlocks

Strong and economical. Reinforced laminated steel construction stands up to extreme physical abuse.

3 Steel Safety Padlock

| Master Lock Model # | Description | Vertical Shackle Clearance (B) | Schematic |
|--|--|--------------------------------|-----------|
| 1-9/16in Wide Laminated Steel Body. Shackle Dimensions: A: 9/32in C: 5/8in | | | |
| 3RED | Keyed Different | 3/4in | |
| 3LFRED | Keyed Different, Extra Length Shackle | 1-1/2in | |
| 3LHRED | Keyed Different, Extra Length Shackle | 2in | |
| 3KARED | Keyed Alike | 3/4in | |
| 3KALFRED | Keyed Alike, Extra Length Shackle | 1-1/2in | |
| 3KALHRED | Keyed Alike, Extra Length Shackle | 2in | |
| 3MKRED | Master Keyed | 3/4in | |
| 3KAMKRED | Keyed Alike, Master Keyed | | |
| Rainbow Color Assortment Packs | | | |
| 1220AST | One each of all six #3 colors. Keyed Different | 1-1/2in | |
| 1220LHAST | One each of all six #3LH colors. Keyed Different | 2in | |
| 1220DSPL | Safety Starter Kit. Two 420 safety lockouts; six 3 safety lockout padlocks (one each color); six 71TAG ID tags; and six 71SC9 attachment collars | 1-1/2in | |
| Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, WHT. | | | |
| 461 | Padlock labels with clear overlamine (50 pk.) | | |



Keyed Alike Sets Available

Breakaway Shackle Padlock

Laminated Steel Padlock with Breakaway Shackle for Emergency Access

- ▶ Ideal for emergency situations where emergency access is needed, such as fire extinguishers and hoses

NOTE: Does not meet OSHA 1910.147 Lockout/Tagout Standard

| Master Lock Model # | Description | Vertical Shackle Clearance (B) |
|---------------------|--|--------------------------------|
| 500KABRK | Keyed Alike, Warded Locking Mechanism. Breakaway Shackle | 13/16in |





Laser Engraving

Laser Engraving

A Permanent and Durable Method to Customize Your Safety Lockout Padlocks

- ▶ Available on Aluminum and Zenex™ Thermoplastic padlocks
- ▶ A name, logo or key number, you select the important information to engrave on the padlock
- ▶ Laser engrave information on the padlock face, sides or back
- ▶ Contact your preferred distributor or Master Lock for ordering and pricing information
- ▶ Available in many languages; call for details
- ▶ Visit www.masterlocksafety.com to see sample engraving on all lock styles and colors



Padlock Identification

Master Lock has the most comprehensive offering of padlock identification options available.

Padlock Identification Labels



0411-5705

6835-5700

461

S142

| Master Lock Model # | Description | Dimensions |
|---------------------|---|-----------------------|
| 0411-5705 | Photo ID labels for 411 padlocks (6 pk.) | 1in W x 2-3/8in T |
| 6835-5700 | Photo ID labels for A1105, A1106, A1107, A1165, A1166, A1167 and 6835 padlocks (6 pk.) | 1-1/4in W x 1-3/4in T |
| 461 | Padlock labels with clear overlamine (50 pk.) | 5in W x 1in T |
| S140 | North American English, Spanish & French Padlock Labels for 410, 406, S31 & S33 (50 labels/language) | 1in W x 1-3/16in T |
| S141 | North American English/Spanish, & English/French Padlock Labels for 411 padlocks (50 labels/language) | 1in W x 2-3/8in T |
| S142 | Photo ID labels for 410, 406, S31, and S33 Padlocks (6 pk.) | 1in W x 1-1/4in T |



| Master Lock Model # | Description | Dimensions |
|---|---|--------------------|
| "Danger Do Not Operate" Padlock Labels for 410, 406, S31 & S33 padlocks | | |
| S140 | North American English, Spanish & French (50 labels/language) | 1in W x 1-3/16in T |
| S140LES | European Spanish (50 labels/language) | |
| S140LFR | European French (50 labels/language) | |
| S140LCS | Czech (50 labels/language) | |
| S140LNL | Flemish/Dutch (50 labels/language) | |
| S140LDE | German (50 labels/language) | |
| S140LIT | Italian (50 labels/language) | |
| S140LJA | Japanese (50 labels/language) | |
| S140LZH | Mandarin Chinese (50 labels/language) | |
| S140LPL | Polish (50 labels/language) | |
| S140LPT | Portuguese (50 labels/language) | |
| S140LRU | Russian (50 labels/language) | |
| Bilingual "Danger Do Not Operate" Padlock Labels for 411 padlocks | | |
| S141 | North American English/Spanish, & English/French (50 labels/language) | 1in W x 2-3/8in T |
| S141LESLEN | European Spanish/English (50 labels/language) | |
| S141LFRLEN | European French/English (50 labels/language) | |
| S141LCSLEN | Czech/English (50 labels/language) | |
| S141LNLLEN | Flemish/Dutch/English (50 labels/language) | |
| S141LDELEN | German/English (50 labels/language) | |
| S141LITLEN | Italian/English (50 labels/language) | |
| S141LJALEN | Japanese/English (50 labels/language) | |
| S141LZHLEN | Mandarin Chinese/English (50 labels/language) | |
| S141LPLEN | Polish/English (50 labels/language) | |
| S141LPTLEN | Portuguese/English (50 labels/language) | |
| S141LRULEN | Russian/English (50 labels/language) | |



400COVERS

Extreme Environment Safety Padlock Covers

- ▶ Seals shackle and keyway to help keep out dust and grime from extreme environments
- ▶ Dual strap increases durability and minimizes the obstruction of labels
- ▶ Removable attached keyway cap allows for easier access to keyway (not included on S30COVERS)
- ▶ Available for American Lock S1100 Series and Master Lock S6835, 410, 411 and S30 Series safety padlock families



| Master Lock Model # | Description |
|---------------------|---|
| S101 | For American Lock S1100 and A1100 series and Master Lock S6835 and 6835 series padlocks; bag of 12 covers |
| 400COVERS | For Master Lock 410 and 406 series padlocks; bag of 12 covers |
| 411COVERS | For Master Lock 411 series padlocks; bag of 12 covers |
| S30COVERS | For Master Lock S31, S32 & S33 series padlocks; bag of 72 covers |

Padlock Accessories

Safety lockout accessories for OSHA compliance.

Barcode Labels

Ideal for Use with Barcode Scanning Software

- ▶ With electronic identification labels, equipment can be identified instantly and error free
- ▶ S153 barcode label features 1-D barcode graphic
- ▶ Durable polyester construction resists extreme environments




S153

| Master Lock Model # | Description |
|---------------------|--|
| S153 | 1-D Barcode labels – for use on metal or plastic surfaces. Use with barcode reader, smartphone or tablet. 100 Labels/Bag |

Padlock Chains, Collars & Tags

- ▶ Chains keep padlocks close to equipment requiring safety lockout
- ▶ Engravable brass tag provides for individual worker identification
- ▶ Tags attach to safety lockout padlocks with 71SC8 and 71SC9 collars

| Master Lock Model # | Description |
|---------------------|--|
| 71CS | 9in long lightweight zinc plated steel chain with chain holder attached; fits all master shackle collars (ordered separately) (12 pk.) |
| 71CH | 9in long heavy-duty zinc plated steel chain with chain holder attached; fits all master shackle collars |
| 71SC8 | Shackle collar. Fits 1/4in diameter shackles and smaller; for 410, 411, S1100/A1100, S6835/6835 padlocks |
| 71SC9 | Shackle collar. Fits 9/32in diameter shackles; for 3 laminated steel padlocks |
| 71TAG | 1/2in x 1-3/4in brass tag with ring for attaching to shackle collars listed above |



Safety Padlock Caddy

- ▶ Keep safety padlocks near appropriate machinery
- ▶ Hold up to 12 padlocks based on number of lockout points
- ▶ When locking out, conveniently carry caddy to all lockout points
- ▶ When all padlocks are gone, all lockout points have been met

| Master Lock Model # | Description |
|---------------------|--|
| S125 | Safety Padlock Caddy – Carry up to 12 padlocks from lockout job to job |



Hasps

Lockout hasps are integral parts of a successful safety lockout program, providing effective multi-person lockout.



S450

Safety Lockout Hasps

Lockout by Multiple Workers at Each Lockout Point

- ▶ Attach hasp to energy disconnect switch
- ▶ Control cannot be turned on until last worker's padlock is removed from hasp
- ▶ Multiple styles available to fit most needs; **Spark resistant aluminum, Pry-resistant steel, Dielectric plastic, Dual jaw aluminum**

Aluminum


Tabbed Steel

Steel



4mm Dia. Stainless – Steel Hasp

Aluminum Sliding Hasp



| Master Lock Model # | Description | Inside Jaw Clearance | Padlock Capacity |
|---------------------|---|----------------------|------------------|
| 416 | Spark Resistant Aluminum 1-1/2in x 4-3/8in | 1in | 6 |
| 417 | Spark Resistant Aluminum 2in x 4-7/8in | 1-1/2in | 6 |
| 418 | Heavy Duty Steel 2-3/8in x 3-1/4in | 1in | 4 |
| 419 | Heavy Duty Steel 2-3/8in x 6-5/8in | 3in | 8 |
| 420 | Steel Jaw with Vinyl Coated Handle 1-3/4in x 4-1/2in | 1in | 6 |
| 421 | Steel Jaw with Vinyl Coated Handle 2-3/8in x 5in | 1-1/2in | 6 |
| 428 | Nylon Non-Conductive Hasp 1-5/8in x 6-7/8in | 1in x 2-1/2in | 6 |
| 429 | Dual Jaw Aluminum Hasp 2in x 5-7/8in | 1in & 1-1/2in | 8 |
| AL080 | Tabbed Steel Jaw with Vinyl Coated Handle 1-3/4in x 4-1/2in | 1in | 6 |
| AL0802 | Tabbed Steel Jaw with Vinyl Coated Handle 2-3/8in x 5in | 1-1/2in | 6 |
| S430 | Steel Hasp with Red Plastic Handle 2-1/4in x 3in | 1in | 2 |
| S431 | 316 Stainless Steel Hasp 1-3/4in x 5-1/4in | 1in | 8 |
| S440 | Anodized Aluminum Sliding Hasp (9in x 1-3/4in) | 1in | 12 |
| S450 | Anodized Aluminum Sliding Hasp (13-1/2in x 1-3/4in) | 1in | 24 |

Model 427 – Labeled Snap-On Hasp

- ▶ Combines multiple-person lockout and tagout identification
- ▶ Features an easy-to-apply “snap-on” advantage with its spring-loaded locking arm
- ▶ Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- ▶ Anodized aluminum and stainless steel construction for combined corrosion-resistance and strength
- ▶ Complete with high visibility, re-usable, write-on safety labels (English, French & Spanish)



427

| Master Lock Model # | Description | Inside Jaw Clearance | Padlock Capacity |
|---------------------|---|----------------------|------------------|
| 427 | Red Labeled Snap-On Hasp 2-7/8in x 7in | 1-3/4in x 2-1/8in | 5 |
| 427BLU | Blue Labeled Snap-On Hasp 2-7/8in x 7in | | |
| 427YLW | Yellow Labeled Snap-On Hasp 2-7/8in x 7in | | |

Grip Tight™ Circuit Breaker Lockout

Increased Hold Strength Combined with Universal Fit

- ▶ Secure and simple mounting for a solid lockout. Holds tight with simple thumb turn and clamping handle
- ▶ Exclusive design accommodates virtually all styles of breaker toggles
 - Model 491B fits tall and wide breaker toggles
 - Model 493B fits standard height and tie-bar toggles
- ▶ Narrow profile permits side by side breaker lockout
- ▶ Compact devices are easy to carry and easy to store
- ▶ Both devices accept all American Lock and Master Lock safety padlock shackle and lockout hasp diameters
- ▶ Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments
- ▶ Patented

| Master Lock Model # | Description |
|---------------------|--|
| 491B | Circuit Breaker Lockout – tall and wide toggles |
| 493B | Circuit Breaker Lockout – standard single and double toggles |
| 506 | Set of each device – one 491B and one 493B |



Electrical Lockouts

Master Lock offers innovative, patented and patent pending devices for the effective lockout of electrical shut-off points, including circuit breakers, and electrical plugs.

Miniature Circuit Breaker Lockouts

Locks Out Most Miniature ISO/DIN Circuit Breakers Found Throughout the World

- ▶ S2390 fits standard width toggle openings. Pin out. Black Handle
- ▶ S2391 fits wide toggle openings. Pin out. Red Handle
- ▶ S2394 features thumb-turn dial screw for easy attachment – no tools needed!
- ▶ Works with all Master Lock and American Lock safety padlocks and most lockout hasps
- ▶ S2390, S2391, S2392 Patented devices
- ▶ S2394 Patent pending

| Master Lock Model # | Description |
|---------------------|---|
| S2390 | Fits pin-out breakers 11mm or less |
| S2391 | Fits pin-out breakers 11mm to 13mm |
| S2392 | Fits breakers with pin-in toggles |
| S2393 | Fits universal breaker toggles |
| S2394 | Fits universal breaker toggles, tool-free |



S2394 Side-by-Side Application



S2394 Horizontal Application



No Tools Required

Circuit Breaker Switch Padlock

Provides the Flexibility to Effectively Lock Out Breaker Switches

- ▶ 3/16in diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices
- ▶ Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly
- ▶ Fits the tight space constraints within circuit breaker shut-off boxes
- ▶ Numerous key changes are available to minimize the possibility of unwanted key duplication

| Master Lock Model # | Description |
|---------------------|--|
| 7C5RED | 1-1/8in wide steel body; 4-pin cylinder; 5in flexible steel cable. Keyed Different |

Allows Panel Door to Close



Rotating Electrical Plug Lockouts

Outward/Inward Rotation Allows for Easier Application & Storage

- ▶ Surrounds the electrical plug; protects against accidental reconnection
- ▶ Unique, patented rotating design allows for easier installation in confined space applications
- ▶ Complete with high-visibility permanent safety labels (English, French & Spanish). Labels can be written-on to identify the responsible person, then erased for the next job
- ▶ Tough, lightweight, dielectric Zenex™ Thermoplastic bodies withstand chemicals; perform effectively in extreme conditions

| Master Lock Model # | For Electrical Plug Sizes Up To: |
|---------------------|--|
| 487 | 2-1/4in dia. x 3-1/4in with cord dia. up to 3/4in (110-120 and 220-240 volt plugs) |
| 488 | 3in dia. x 6in with cord dia. up to 3/4in (Most 240 and 550 volt plugs) |



Compact Plug Prong Lockout

Compact Design Locks Out Smaller Plugs Easily & Effectively

- ▶ Locks on the prongs of 110-120 volt plugs
- ▶ Fits two prong plugs with and without ground
- ▶ Use with your existing lockout padlocks or lockout hasps
- ▶ Includes labels in English, Spanish, and French
- ▶ Patented

| Master Lock Model # | Description |
|---------------------|--|
| S2005 | Fits 110-120-volt plugs (with or without ground) |



Removable and Permanent Push Button and Rotary Switch Covers

Temporarily prohibit access or avoid the nuisance of changing rotary switch settings with these durable, versatile, push button & switch covers. Available in both removable and installed versions, covers feature a clear base and cover to allow visibility of nameplates, labels or rotary switch knobs.

- ▶ Fits both 30.5mm and 22.5mm diameter switches

S2151 Removable Push Button and Rotary Switch Cover

- ▶ Accommodates buttons up to 2in (50mm) diameter and 1-3/4in (45mm) tall
- ▶ Includes one cover, one install base and one retrofit base with double-faced adhesive tape
- ▶ S2152AST pack of 12 install bases allows one S2151 to service multiple switches on same panel



S2153 Permanent/Installed Push Button and Rotary Switch Cover

- ▶ Captured by the rotary or pushbutton switch bezel
- ▶ Accommodates buttons up to 1-9/16in (40mm) diameter and 1-3/4in (45mm) tall



S2152AST Install Bases

- ▶ Use with S2151
- ▶ Pack of 12 install bases
- ▶ Allows one S2151 removable cover to service multiple switches on same panel



S2154AST Retrofit Install Bases

- ▶ Use with S2151
- ▶ Pack of 12 horse-shoe shaped retrofit bases with double-faced adhesive tape
- ▶ Allows for use with raised nameplates and off-center installation to accommodate rotary switch knobs



| Master Lock Model # | Description |
|---------------------|---|
| S2151 | Removable Button and Switch Cover |
| S2153 | Installed Button and Switch Cover |
| S2152AST | Install Bases for S2151 Removable Cover (12 pk.) |
| S2154AST | Retrofit Install Bases for S2151 Removable Cover (12 pk.) |



S2152AST



S2154AST

Electrical Covers

Versatile, durable designs address need for temporarily prohibiting access to a switch or control or to avoid nuisance changing of rotary switch settings.

S2153




Universal Wall Switch Cover

Locks Out Both Toggle and Decora® Paddle Wall Switches

- ▶ Patented design assures switch is kept on or off
- ▶ Hinges open for unobstructed normal operation of switch
- ▶ Includes English/Spanish and English/French labels



**Patented
Innovative
Design**



| Master Lock Model # | Description |
|---------------------|-----------------------------|
| 496B | Universal Wall Switch Cover |

Oversized Plug & Hoist Control Cover

Effectively Covers Odd Size and Large Electrical Connectors and Hoist Controls

- ▶ The cinch sack offers broad application solutions
- ▶ Insert PVC tubing (not available through Master Lock) to block access to hoist control buttons
- ▶ Flexible & durable rip-stop nylon bag fits easily in safety tool boxes
- ▶ Lock out with up to 6 padlocks or hasps



| Master Lock Model # | Description | Dimensions |
|---------------------|--|-----------------------|
| 453L | Large Nylon Oversized Plug & Control Cover | 7in dia. x 17in tall |
| 453XL | Extra Large Nylon Oversized Plug & Control Cover | 10in dia. x 26in tall |



Electrical Connector Cover



Hoist Control Cover




S3068

Butterfly Valve Lockout Devices

Locks out virtually all butterfly valves

- ▶ Easy-to-use, adjustable design fits virtually all butterfly valves
- ▶ Locks out valve in seconds by feeding S806 cable lockout device through desired eyelet and around valve neck
- ▶ Stainless steel rivet allows device to smoothly pivot open and closed to ensure proper fit
- ▶ Durable, lightweight Zenex™ Thermoplastic material is chemical resistant and performs effectively in extreme environments
- ▶ Directional application arrows allow for ease of installation and minimize user error

| Master Lock Model # | Description |
|---------------------|--|
| S3920 | Butterfly Valve Lockout Device only |
| S3921 | Butterfly Valve Lockout Device + S806CBL3 Adjustable cable lockout |



Valve Lockouts

The exclusive, patented Master Lock gate and ball valve lockout devices work in difficult applications like tight spaces and insulated pipes.



S3920 device acts as a wedge between the two handles; locked out with S806 adjustable cable & padlock.



Rotating Gate Valve Lockouts

Outward/Inward Rotation Allows for Easier Installation & Storage

- ▶ Surrounds the valve operating handle to protect against accidental valve opening
- ▶ Multiple workers can apply their lockout hasps or personal safety locks
- ▶ Tough, lightweight, dielectric Zenex™ Thermoplastic bodies withstand chemicals; perform effectively in extreme conditions
- ▶ Unique, patented rotating design allows for easier installation in confined space applications
- ▶ Complete with high-visibility permanent safety labels (English, French & Spanish) that can be written-on to identify the responsible person, then erased for the next job
- ▶ Center knockout can be removed for rising stem gate valves
- ▶ Each size rotates into itself and nests within the next larger size to save space in storage

| Master Lock Model # | Description | Depth | Stem Opening |
|---------------------|---------------------------------|----------|--------------|
| 480 | 1 in to 3in dia. valve handles | 1-1/16in | 3/4in |
| 481 | 2in to 5in dia. valve handles | 1-1/2in | 1-1/2in |
| 482 | 4in to 6.5in dia. valve handles | 1-7/8in | 2-1/2in |
| 483 | 6in to 10in dia. valve handles | 2-3/4in | 3-1/2in |
| 484 | 8in to 13in dia. valve handles | 3-3/8in | 4in |
| 485 | 1 set of 480-484 | | |

Easy to Store Fits in Kits



485



480

482

483

481

Easy to Use Even in Tight Spaces

484

Pressurized Gas Valve Lockout

Fits Pressurized Gas Valves

- ▶ Patented design works with valve guard in place
- ▶ Fits virtually all pressurized gas valve handles up to 3in diameter
- ▶ Compact size easily stored when not being used
- ▶ Accepts any Master Lock or American Lock Safety Padlock
- ▶ Works with lockout hasps for multiple worker lockout

| Master Lock Model # | Description | Depth | Stem Opening |
|---------------------|-------------------------------|-------|--------------|
| S3910 | Pressurized Gas Valve Lockout | 1in | 1-5/8in |



Ball Valve Lockout Devices

Effective Lockout for Virtually Any Ball Valve

- ▶ Easy to use – simple, intuitive designs
- ▶ Broad application
 - Devices could lock up ball valves up to 4in
 - Fit virtually all types of pipe including insulated, PVC and metal
- ▶ Lightweight and compact – devices are easy to carry, store and apply even in tight, awkward spaces



S3068 Seal Tight™ Handle-On Lockout

Metal device clamps tight on handle stop. Defies corrosive environments and extreme temperatures.



468L Seal Tight™ Handle-Off Lockout

Device encloses the valve stem, with the handle removed, to make accidental reactivation virtually impossible. Operates in extreme temperatures.



S3081 Adjustable Lockout

Works with S806 cable lockout device for the most secure fit.

| Master Lock Model # | Description | For Valve Diameters of: |
|---------------------|--|-------------------------|
| S3068 | Seal Tight™ Handle-On Ball Valve Lockout 5-3/4in L x 2-1/8in W x 2-1/2in H | 1/4in to 4in |
| 468L | Seal Tight™ Handle-Off Lockout, 11-1/2in H x 12-3/4in W x 2-1/2in D | 3/8in to 4in |
| S3081 | Adjustable Ball Valve Lockout | 1/2in to 2in |



S3476/S3477 1/4 Turn Ball Valve Lockout

Fits manual, quarter turn ball valve handles to protect against accidental opening. Easy to use one piece design locks valve in OFF position. Two rows of lock out points allow for a secure fit.



| Master Lock Model # | Description |
|---------------------|---|
| S3476 | Fits valves between 1/4in (6.35mm) to 1in (25mm) diameter |
| S3477 | Fits valves between 1-1/4in (31mm) to 3in (76mm) |



Retractable Cable Lockouts

Adjustable cable lockout devices with Cable Management System for a variety of applications

- ▶ Cable take-up reel encloses the cable to provide protected storage and easy application by managing excess cable length during lockout
- ▶ Internal ratcheting mechanism ensures a secure lockout by only allowing the cable tension to increase, even after locks have been applied
- ▶ Patented 1/8in (3.3mm) diameter x 9ft (2.74m) cable features a colored plastic coating for added durability and visibility
- ▶ Tough, lightweight thermoplastic body withstands chemicals
- ▶ Ergonomic design eases operation when wearing gloves
- ▶ Contoured shape enables easy stacking, storage, and transportation of multiple devices
- ▶ Suitable for group or challenging, multi-point lockout
- ▶ Includes high-visibility, write-on safety labels in English, Spanish and French for easy identification (additional languages available)
- ▶ Replacement cable kits available separately with Steel or Nylon Core Cable; can use either cable type in same device



Cable Lockouts

Innovative patented cable lockout devices offer efficient multipoint safety lockout compliance for a variety of safety applications.

| Master Lock Model # | Description |
|-----------------------------|--|
| S856 | Retractable cable lockout device with 9ft (2.74m) x 1/8in (3.3mm) dia. red steel core cable |
| S866 | Retractable cable lockout device with 9ft (2.74m) x 1/8in (3.3mm) dia. yellow nylon core cable |
| Replacement Parts | |
| PKGP52709 | Replacement cable kit - Steel core cable (Red) |
| PKGP52711 | Replacement cable kit - Nylon core cable (Yellow) |
| Danger Labels for S856/S866 | |
| S143 | Trilingual danger labels (English, French, Spanish) and warning/write-on labels. Pack of 100 labels, 50 of each design |
| S143FR | Danger labels. French. Pack of 50 labels |
| S143ZH | Danger labels. Mandarin Chinese. Pack of 50 labels |
| S143RU | Danger labels. Russian. Pack of 50 labels |
| S143ES | Danger labels. European Spanish. Pack of 50 labels |
| S143PT | Danger labels. Portuguese. Pack of 50 labels |
| S143JA | Danger labels. Japanese. Pack of 50 labels |
| S143DE | Danger labels. German. Pack of 50 labels |
| S143CS | Danger labels. Czech. Pack of 50 labels |
| S143PL | Danger labels. Polish. Pack of 50 labels |
| S143NL | Danger labels. Flemish. Pack of 50 labels |
| S143IT | Danger labels. Italian. Pack of 50 labels |

Adjustable Cable Lockouts

Infinitely Adjustable for a Secure Fit Every Time

- ▶ Integrated safety hasp and cable are ideal for multi-point lockout
- ▶ Feed the cable end through the points to be locked out, then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature
- ▶ Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating
- ▶ Tough, lightweight Zenex™ Thermoplastic body withstands chemicals; performs effectively in extreme conditions (temperature range of -40° F to 200° F)
- ▶ Master Lock S806 includes a 6' cable. Cable available in 1ft increments from 2ft to 50ft
- ▶ Complete with high-visibility write-on safety labels (English, French & Spanish)



| Master Lock Model # | Description |
|-----------------------------|--|
| 3/16in (4mm) Diameter Cable | |
| S806 | 6' Adjustable cable lockout |
| S806CBL3 | 3' Adjustable cable lockout |
| S806CBL15 | 15' Adjustable cable lockout |
| S806CBL n | Adjustable cable lockout with user-specified cable length of 2' to 50' |





S600

Group Lock Boxes with Key Window

Heavy-Duty Group Lock Boxes with Key Window that Offer Visual Verification of Secured Keys During Group Lockout

- ▶ Constructed out of 430-grade stainless steel to withstand the toughest environments
- ▶ Each lock box includes a removable cup that creates a clear, impact-resistant window on the front, allowing participants to see keys are secured inside the box during a group lockout
- ▶ All models include 19 total lockout holes, including one on the front latch for the operations lock
- ▶ Models S600 and S601 feature a side window, offering visibility to unused locks
- ▶ The stackable design facilitates storage and simplifies transporting multiple boxes
- ▶ Replacement removable key cups are available

| Master Lock Model # | Description | Dimensions H x L x W |
|---------------------|--|---------------------------------|
| S600 | Small group lock box | 5-13/32in x 9-11/16in x 4-7/8in |
| S601 | Small group lock box with side window for viewing unused locks | |
| S602 | Large group lock box with rewritable label | 7-49/64in x 9-11/16in x 4-7/8in |



Group Lock Boxes

Made to withstand the toughest environments. Rugged construction offers enhanced design features, making these lock boxes stronger and easier to use.



Group Lockout Customization Services Available

- ▶ Master Lock builds group lockout kits containing lock boxes and padlocks configured to customer specifications
- ▶ Group lockout kits increase the efficiency of deploying products on site
- ▶ Contact your Master Lock safety sales representative for more information about our customization and kitting capabilities

Latch Tight™ Group Lock Boxes

Storage Devices Capture Keys for Effective Lockout of Large Equipment

- ▶ Secure each lockout point on a piece of equipment with a single padlock. Place the keys in the group lock box and then each authorized employee places their personal padlock on the lock box
- ▶ When work is complete, employees take their personal padlocks off the lock box, freeing the keys inside. Keys inside cannot be accessed until the last employee removes their padlock
- ▶ Feature an exclusive, patented Latch Tight™ locking mechanism that prevents keys from being accessed until the last padlock or lockout hasp is removed from the box. Provides the highest level of security available in a group lock box
- ▶ Lockout message on box is in three languages – English, Spanish and French
- ▶ Cold-rolled steel with durable powder-coated finish and stainless steel handle

498A

- ▶ Portable solution
- ▶ Available in Red
- ▶ Accepts 12 padlocks or lockout hasps
- ▶ Secures multiple keys

503RED/503YLW

- ▶ Can be mounted to wall or carried from job to job
- ▶ Accepts 14 padlocks or lockout hasps
- ▶ Secures multiple keys
- ▶ Includes organized storage for 12 keys in back of box



| Master Lock Model # | Description | Dimensions H x L x W |
|---------------------|--|------------------------------|
| 498A | Portable group lock box | 6in x 9-1/4in x 3-3/4in |
| 503RED | Dual application group lock box - Red | 12-3/4in x 3-1/2in x 6-3/8in |
| 503YLW | Dual application group lock box - Yellow | 12-3/4in x 3-1/2in x 6-3/8in |



S3500

Modular Permit Control Station

A single location to display and protect paperwork and padlocks for group lockout

- ▶ 430-grade stainless steel with heavy-duty powder coating withstands outdoor elements and provides corrosion resistance
- ▶ Wall mounted for accessibility or use on-the-go for convenience
- ▶ Clear, impact-resistant windows for viewing permit and key(s) during lockout
- ▶ Rubber seal on permit display case protects documents from water damage in outdoor applications or during cleaning
- ▶ Group lock box has 12 numbered lock holes for personal safety locks, plus a latch hole designated for the control lock
- ▶ Includes removable lock caddy for easy transportation of equipment locks to isolation points during lockout

Permit Control Station

Place group lockout where you need it to effectively communicate the status and details of permit-to-work jobs.

| Product Number | Description |
|----------------|---|
| S3500 | Permit Control Station (Includes S3501 and S3502) |
| S3501 | Permit Display Case |
| S3502 | Wall Mount Group Lock Box |



S3500



S3501



S3502



S3502



S3500



S3924

Blind Flange & Pneumatic Lockouts

Best-in-class lockout solution for pipeline maintenance and innovative ways to lock out virtually any pneumatic fitting.

Blind Flange Lockout

Device provides a physical barrier preventing unwanted blind removal during pipeline maintenance

- ▶ Ideal solution for protecting workers from hazards during pipeline maintenance
- ▶ Device fully conceals flange bolts preventing access to the blind until all work has been completed
- ▶ Easy-to-use, adjustable device provides a tight fit, adapting to multiple flanged pipe applications
- ▶ Three models designed to cover and lock out flange nuts ranging from 3/4in (19mm) to 2-3/4in (69.9mm) diameter and flange widths ranging from 1-1/2in (38.1mm) to 17-7/8in (447.8mm)
- ▶ Durable powder coated aluminum and hardened steel slide bar withstand conditions indoors and out
- ▶ Trilingual, write-on "Danger" labels provided for additional safety ID

Size Chart

| Master Lock Model # | Pipe Diameter Range | Nut Diameter | Flange Width Range |
|---------------------|--------------------------------------|------------------------------------|---|
| S3922 | 1/2in – 3in (12.7mm – 76.2mm) | 3/4in – 1-1/8in (19mm – 28.7mm) | 1-1/2in – 5-5/8in (38.1mm – 143.3mm) |
| S3923 | 3-1/2in – 12in (88.9mm – 304.8mm) | 1in – 1-7/8in (33.3mm – 47.8mm) | 3-3/4in – 10-3/4in (95.3mm – 274.6mm) |
| S3924 | 14in – 24in (355.6mm – 609.6mm) | 2in – 2-3/4in (52.3mm – 69.9mm) | 7-3/4in – 17-7/8in (196.9mm – 447.8mm) |



S3922
Blind Flange Lockout,
Small


S3923
Blind Flange Lockout,
Medium

S3924
Blind Flange Lockout,
Large


Pneumatic Lockout

Prevents Pneumatic Fitting From Being Connected to Pressurized Air Source

- ▶ Fits virtually all male pneumatic fittings
- ▶ Stainless steel construction for corrosion resistance
- ▶ Measures 1-3/8in wide x 7-3/4in tall x 1/8in thick
- ▶ Accepts any Master Lock or American Lock Safety Padlock with shackle diameter up to 9/32in
- ▶ Works with lockout hasps for multiple worker lockout
- ▶ Accommodates 1/4in, 5/16in, 3/8in, 7/16in, 1/2in, 9/16in, 5/8in, 13/16in connections



S3900



| Master Lock Model # | Description |
|---------------------|-----------------------------------|
| S3900 | Stainless Steel Pneumatic Lockout |

S201CS



Confined Space Covers

Best practice OSHA compliant solution to confined space entry protection



S201CS

- ▶ Features “Danger” signage and barrier protection to meet and exceed OSHA regulations for confined space
- ▶ Designed to protect employees from the dangers associated with confined spaces
- ▶ Elastic design is easy to use and applies in seconds
- ▶ Ventilated to prevent entry and allow airflow
- ▶ Wards against pests entering the confined space
- ▶ Reusable covers made from durable fabric to stand up to extreme environments

1 Model Available

| Master Lock Model # | Description |
|---------------------|---|
| S201CS | Elastic, ventilated cover; non-lockable |

When Do I Use Covers?

- ▶ Once a **confined space entryway has been opened**, covers provide required signage needed to alert workers of confined space danger
- ▶ During **break periods of active maintenance**, ventilated covers provide excellent signage and encourage air flow

4 Sizes Available

| HOW TO DETERMINE SIZE NEEDED | | | |
|---|------------------|---------|--------|
| | Man-Way Diameter | Size | Suffix |
| | 20in – 23in | Small | S |
| | 23in – 28in | Medium | M |
| | 28in – 32in | Large | L |
| | 32in – 39in | X-Large | XL |
| *Size also depends on flange size Add size suffix to model number to order, Ex. S201CSXL for X-Large | | | |

Confined Space Covers & Steering Wheel Covers

Covers for preventing access to confined spaces and prohibiting use of steering wheels.

Steering Wheel Covers

Provides Visual Deterrent During Vehicle Maintenance

- ▶ Three sizes available for various diameter steering wheels – 16in, 20in, 24in
- ▶ Trilingual warning notifies employees not to start or move vehicle
- ▶ Lock in place with a 421 hasp and safety padlock
- ▶ For added security, use Master S806 cable lockout around steering wheel and foot pedals

| Master Lock Model # | Description |
|---------------------|------------------------------------|
| 4716 | 16in diameter steering wheel cover |
| 4720 | 20in diameter steering wheel cover |
| 4724 | 24in diameter steering wheel cover |




4720



4716



4720



4724

Compact Lockout Pouches

Electrical Padlocks and Devices Stored for Convenience

- ▶ Compact, convenient design
- ▶ Velcro straps on back allow pouch to be easily applied to or removed from a belt
- ▶ Straps also serve as breakaway feature in the event the pouch is caught in machinery, protecting the employee

| Master Lock Model # | | | | Description |
|--|------------------------------|-----------------------|----------|---|
| 410RED Zenex™ Thermoplastic Padlock(s) | A1106RED Aluminum Padlock(s) | 3RED Steel Padlock(s) | Unfilled | |
| S1010E410 | S1010E1106 | S1010E3 | S1010 | Electrical Lockout Focus. Contains: 1 – Padlock; 1 – 7C5RED Breaker Switch Padlock; 1 – 420 Hasp; 2 – 493B, 1 – 491B Circuit Breaker Lockouts; 1 – 497A Tags (12 pk.). |

Lockout Kits

The Master Lock Lockout Kits combine and organize commonly used electrical and valve lockout devices for individuals or groups of workers.



S1010E1106

S1010E410

Personal Lockout Pouches

Padlocks and Devices for Individual Workers

- ▶ Zippered pouch is easy to carry or wear with adjustable waist strap
- ▶ Choice of three padlock styles: lightweight, safety Zenex™ Thermoplastic, anodized Aluminum, or durable laminated Steel padlocks
- ▶ Two standard assortment kits available, one designed with an electrical lockout focus, the other for general maintenance
- ▶ Personal Lockout Pouches are for an individual worker; padlocks are supplied keyed-alike for added worker convenience

| Master Lock Model # | | | Description |
|--|------------------------------|----------|---|
| 410RED Zenex™ Thermoplastic Padlock(s) | A1106RED Aluminum Padlock(s) | Unfilled | |
| 1456E410 | 1456E1106 | 1456 | Electrical Lockout Focus. Contains: 1 – Padlock; 1 – 7C5RED Breaker Switch Padlock; 1 – 420 Hasp; 2 pcs – 493B, 1 pc – 491B Circuit Breaker Lockouts; 1 – 497A Tags (12 pk.) |
| 1456P410KA | 1456P1106KA | | Padlocks & Tags. Contains: 3 – Padlocks Keyed Alike; 1 – 420 Hasp; 1 – 497A Tags (12 pk.) |



1456P1106KA

1456E410

CHOOSE THE PADLOCKS FOR YOUR NEEDS.

Master Lock

Zenex™ Thermoplastic Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



AMERICAN LOCK

Anodized Aluminum Padlocks

Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.



Custom Assortments of Padlocks & Devices Also Available-See Page 35

Personal Ultra-Durable Lockout Kits

Electrical, Valve and Combined Lockout/Tagout Toolboxes

- ▶ Upgraded safety lockout toolbox keeps important lockout devices and padlocks together
- ▶ Kits include high-use components, satisfying most lockout applications
- ▶ Personal kits are for an individual worker; padlocks are supplied **keyed-alike** for added worker convenience

| Master Lock Model # | | | | Unfilled | Description |
|--|------------------------------|-----------------------------------|--|----------|---|
| 410RED Zenex™ Thermoplastic Padlock(s) | A1106RED Aluminum Padlock(s) | 3 Series Laminated Steel Padlocks | | | |
| 1457E410KA | 1457E1106KA | 1457E3KA | | S1017* | Electrical Lockout Focus. Contains: 3 – Padlocks; 1 – 7C5RED Circuit Breaker Padlock; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 2 – 491B, 3 – 493B Circuit Breaker Lockouts; 1 – 496B Wall Switch Cover; 1 – 497A Tags (12 pk.) |
| 1457V410KA | 1457V1106KA | — | | | Valve Lockout Focus. Contains: 3 Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – 497A Tags (12 pk.) |
| 1457VE410KA | 1457VE1106KA | — | | | Electrical & Valve Lockout Focus. Contains: 3 – Padlocks; 1 – 7C5RED Circuit Breaker Padlock; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 491B, 3 – 493B Circuit Breaker Lockouts; 1 – 496B Wall Switch Cover; 1 – 497A Tags (12 pk.) |

*Unfilled toolboxes also available in 20in (S1020) and 23in (S1023)



Group Lockout Kits

Modular Lockout/Tagout Organizers

- ▶ Lightweight safety lockout carrying case, 15in W x 9-1/2in T x 7in D, with modular, translucent storage compartments for improved organization and fast component selection
- ▶ Kits include high-use components, satisfying most applications
- ▶ Separate compartments for effective grouping of (1) padlocks & hasps, (2) valve lockout & (3) electrical lockout components
- ▶ Group kits are for multiple workers; padlocks are supplied **keyed-different**, so that no unwanted key interchange occurs
- ▶ **LifeGuard™** safety padlock key charting system available at no charge. Visit www.masterlock.com for details

| Master Lock Model # | | | Unfilled | Description |
|--|------------------------------|--|----------|---|
| 410RED Zenex™ Thermoplastic Padlock(s) | A1106RED Aluminum Padlock(s) | | | |
| 1458E410 | 1458E1106 | | 1458 | Electrical Lockout Focus. Contains: 6 – Padlocks; 2 – 7C5RED Breaker Switch Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 487 & 1 – 488 Plug Covers; 4 pcs – 493B, 2 pcs – 491B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12 pk.) |
| 1458V410 | 1458V1106 | | | Valve Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12 pk.) |
| 1458VE410 | 1458VE1106 | | | Electrical & Valve Lockout Focus. Contains: 6 – Padlocks; 2 – 7C5RED Breaker Switch Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 487 & 1 – 488 Plug Covers; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 6 – 493B, 3 pcs – 491B Circuit Breaker Lockouts; 2 – 496B Wall Switch Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12 pk.) |



* Provided that your Registered System Number is included on all future orders.



1483BP410

Padlock Stations

Durable stations for the protection of, and easy access to, padlocks

- ▶ Integrated, one-piece molded construction eliminates loose parts
- ▶ Exclusive translucent cover protects contents
 - Lockable to prevent loss of valuable safety lockout padlocks. Recommend using a combination lock for simple access control
 - Innovative hinge holds cover open for easy product selection
- ▶ Available with your choice of Zenex™ Thermoplastic, Aluminum padlocks in 4, 10 or 20 lock formats
- ▶ Safety Hasps and Tags included
- ▶ **LifeGuard™** safety padlock key charting system available at no charge. Visit www.masterlock.com for details

Padlock Stations

These durable, user-friendly stations provide a central location for lockout padlocks, tags and hasps.



1482BP410



1484BP1106FRC
(175 Padlock available separately)

CHOOSE THE PADLOCKS FOR YOUR NEEDS.

Master Lock

Zenex™ Thermoplastic Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



AMERICAN LOCK

Anodized Aluminum Padlocks

Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.



Custom Assortments of Padlocks & Devices Also Available-See Page 35

| Master Lock Model # | | | Description | Size (H x W x D) |
|--|------------------------------|---------------------------|---|---------------------|
| 410RED Zenex™ Thermoplastic Padlock(s) | A1106RED Aluminum Padlock(s) | Base and Cover (Unfilled) | | |
| 1482BP410 | 1482BP1106 | 1482B | 4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497A Tags (12 pk.) | 12-1/4 x 16 x 1-3/4 |
| 1483BP410 | 1483BP1106 | 1483B | 10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497A Tags (12 pk.) | 15-1/2 x 22 x 1-3/4 |
| 1484BP410 | 1484BP1106 | 1484B | 20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497A Tags (12 pk.) | 22 x 22 x 1-3/4 |
| English/Spanish Stations | | | | |
| 1482BP410ES | 1482BP1106ES | 1482BES | 4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497AX Tags (12 pk.) | 12-1/4 x 16 x 1-3/4 |
| 1483BP410ES | 1483BP1106ES | 1483BES | 10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497AX Tags (12 pk.) | 15-1/2 x 22 x 1-3/4 |
| 1484BP410ES | 1484BP1106ES | 1484BES | 20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497AX Tags (12 pk.) | 22 x 22 x 1-3/4 |
| English/French Stations | | | | |
| 1482BP410FRC | 1482BP1106FRC | 1482BFRC | 4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497ABLC Tags (12 pk.) | 12-1/4 x 16 x 1-3/4 |
| 1483BP410FRC | 1483BP1106FRC | 1483BFRC | 10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497ABLC Tags (12 pk.) | 15-1/2 x 22 x 1-3/4 |
| 1484BP410FRC | 1484BP1106FRC | 1484BFRC | 20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497ABLC Tags (12 pk.) | 22 x 22 x 1-3/4 |

*Provided that your Registered System Number is included on all future orders.

Heavy-Duty Padlock Racks

- ▶ Heavy gauge steel with durable powder coat finish to ensure long life
- ▶ Includes labels in English, Spanish/English, and French/English

| Master Lock Model # | Description |
|---------------------|---|
| S1506 | 6.25in wide x 3in tall x 1.5in deep. Holds 6-8 padlocks |
| S1518 | 17.5in wide x 3in tall x 1.5in deep. Holds 18-22 padlocks |



Compact Stations

Our padlock racks and lockout stations are ideal for positioning machine-specific lockout devices, tags and padlocks near the lockout point.

Compact Lockout Stations

Compact Lockout Station Holds Machine Specific Lockout Devices and Padlocks Near Lockout Point

- ▶ Durable construction for years of use in corrosive environments
- ▶ 4 hanger clips for safety padlocks or hasps
- ▶ Includes face labels in English, Spanish/English or French/English
- ▶ Available filled or unfilled
- ▶ Filled centers available with your choice of Zenex™ Thermoplastic, Aluminum or Steel Safety Padlocks
- ▶ Measures 9-3/4in tall x 7-3/4in wide x 3-3/8in deep
- ▶ Bin measures 6-1/2in wide x 2-7/8in tall x 2-7/8in deep



| Master Lock Model # | | | Description |
|--|------------------------------|------------|--|
| 410RED Zenex™ Thermoplastic Padlock(s) | A1106RED Aluminum Padlock(s) | (Unfilled) | |
| S1705P410 | S1705P1106 | S1700 | Contains: 1 – Padlock, 1 – 421 Hasp and 2 – Tags |
| S1720E410 | S1720E1106 | S1700 | Contains: 2 – Padlocks, 4 – Tags, 2 – 491B and 2 – 493B Circuit Breaker Lockouts |
| S1745E410 | S1745E1106 | S1700 | Contains: 1 – Padlock, 1 – 488 Plug Lockout, and 1 – Tag |



Deluxe Lockout Station

Large Capacity Lockout Station Holds Departmental Lockout Needs

- ▶ Durable construction ensures long life in your facility
- ▶ Upper and lower sections lockable to ensure devices are there when needed for lockout. Add a combination lock for simple access control
- ▶ 16 hanger clips hold 2 padlocks or lockout hasps each
- ▶ Covered compartments protect devices and keep dust and grime out
- ▶ Moveable dividers in top and bottom trays help organize devices
- ▶ Holes provided along bottom for optional peg hook hangers. Use to hang large, bulky devices
- ▶ Available filled or unfilled
- ▶ Upper unit ideal for larger lockout devices and padlocks. Lower unit ideal for tags and smaller lockout devices
- ▶ Lower unit has two tip-out drawers. Each measures 10in wide x 6-7/8in high x 3-1/4in deep
 - Dividers included to create 2, 3, 4, 5 or 6 compartments
 - Each compartment holds 25 tags. Total capacity of lower unit is 150 tags
- ▶ Measures 26-1/2in high x 22in wide x 4-1/8in deep
- ▶ **LifeGuard™** safety padlock key charting system available at no charge. See page 5 for details



S1850E410

Lockout Stations

These durable, user-friendly wall stations offer the ultimate storage space for large facilities or multiple departmental use.

| Master Lock Model # | | | Description |
|--|------------------------------|------------|--|
| 410RED Zenex™ Thermoplastic Padlock(s) | A1106RED Aluminum Padlock(s) | (Unfilled) | |
| S1900VE410 | S1900VE1106 | S1900 | Contains: 6 – Padlocks; 2 – 420 Hasps; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B, 6 – 493B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12 pk.). Space for additional padlocks or lockout devices as desired |
| Bilingual Stations | | | |
| S1900VE410ES | S1900VE1106ES | S1900ES | English/Spanish Station: Standard VE Assortment; 2 – 497AX English/Spanish Tags replace 497A's |
| S1900VE410FRC | S1900VE1106FRC | S1900FRC | English/French Station: Standard VE Assortment; 2 – 497ABLC English/French Tags replace 497A's |

CHOOSE THE PADLOCKS FOR YOUR NEEDS.

Master Lock

Zenex™ Thermoplastic Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



AMERICAN LOCK

Anodized Aluminum Padlocks

Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.



Custom Assortments of Padlocks & Devices Also Available-See Page 35



S1900VE410

Lockable Covers



Adjustable Dividers



Additional Storage on Top




Lockout Station

Lockout Station Holds Locks, Hasps and Devices

- ▶ Durable construction for years of use in corrosive environments
- ▶ Top and bottom compartments each have 5 moveable dividers for organizing devices
- ▶ 8 hanger clips hold 2 padlocks or lockout hasps each
- ▶ Holes provided inside and along bottom for optional peghook hanger clips. Allows you to organize further. Large devices can be hung below
- ▶ Cover protects padlocks and devices from dust and grime
- ▶ Lockable. Use combination padlock to limit access to authorized employees
- ▶ Measures 15-1/2in high x 22in wide x 4-1/8in deep
- ▶ Available with Electrical or Valve Lockout Focus. Includes most commonly required lockout devices
- ▶ Available filled or unfilled
- ▶ **LifeGuard™** safety padlock key charting system available at no charge. See page 5 for details

| Master Lock Model # | | | Description |
|--|------------------------------|------------|--|
| 410RED Zenex™ Thermoplastic Padlock(s) | A1106RED Aluminum Padlock(s) | (Unfilled) | |
| S1850E410 | S1850E1106 | S1850 | Electrical Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B, 4 – 493B Circuit Breaker Lockouts; 2 – 496B Wall Switch Covers; 2 – 497A Tags (12 pk.) |
| S1850V410 | S1850V1106 | | Valve Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12 pk.) |
| Bilingual Stations | | | |
| S1850E410ES | S1850E1106ES | S1850ES | English/Spanish Station; S1850 Electrical Assortment – English/Spanish 497AX Tags replace 497A's |
| S1850V410ES | S1850V1106ES | | English/Spanish Station; S1850 Valve Assortment – English/Spanish 497AX Tags replace 497A's |
| S1850E410FRC | S1850E1106FRC | S1850FRC | English/French Station; S1850 Electrical Assortment – English/French 497ABLC Tags replace 497A's |
| S1850V410FRC | S1850V1106FRC | | English/French Station; S1850 Valve Assortment – English/French 497ABLC Tags replace 497A's |



S1850V1106



S1850E410ES

Deluxe Tag Center

Deluxe Tag/Lockout Center Holds Multiple Groups of Tags

- ▶ Durable construction for years of use in corrosive environments
- ▶ Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- ▶ 8 hanger clips along bottom hold safety padlocks or hasps
- ▶ Each compartment holds 25 tags. 150 tag capacity
- ▶ Compartments can be used for lockout devices too
- ▶ Each tip-out drawer measures 10in wide x 6-7/8in tall x 3-1/4in deep inside
- ▶ Upper tray for zip ties and small lockout devices
- ▶ Lockable. Use combination padlock to limit access to authorized employees
- ▶ Also suitable for ear plugs and eyewear



S1800

| Master Lock Model # | Description | Dimensions (H x W x D) |
|---------------------|-----------------------|------------------------|
| S1800 | Tag Center (unfilled) | 11in x 22in x 4-1/8in |

Custom Lockout Kits & Stations

Tailor the Mix of Master Lock Lockout Products for Your Safety Requirements

You can determine the mix of Master Lock lockout products for your unique safety requirements in **2 Easy Steps!** Master Lock then packs each kit or station.

- ▶ **1. Choose an assortment of Master Lock padlocks, lockout devices, and tags to satisfy specific employee needs**



ALL padlock models and lockout devices are available!

- ▶ **2. Choose any portable lockout kit or wall-mount station to store your newly selected assortment**



- ▶ Custom kits and stations are priced at the total of all components - padlocks, devices, tags, and the kit
- ▶ Customers, please contact your preferred Master Lock Distributor to specify the contents of your kits. Distributors, contact Master Lock Safety Specialists at 800-944-1380 to process the order
- ▶ Minimums apply. Laser Engraving and Guardian Extreme™ products excluded



Custom Lockout Kits & Stations

Select your own unique assortment of safety padlocks, lockout devices, tags, and the kit or station that meets your needs.

“DO NOT OPERATE” Safety Tags

Laminated Tags Comply with OSHA Lockout/Tagout Standard

- ▶ Durable polyester laminate resists water, grease and extreme temperatures
- ▶ Heavy duty construction withstands over 50 lbs. of pull force (meets OSHA requirement); prevents accidental removal
- ▶ Write-on name, department, expected completion
- ▶ 7/16in dia. brass grommet accepts all safety padlocks
- ▶ Single language and bilingual tag options
- ▶ Tags available in other languages; call for details



| Master Lock Model # | Description | Dimensions (H x W) |
|---------------------|--|--------------------|
| 497A | English, 1 bag of 12 tags with ties | 5-3/4in x 3-1/8in |
| 497AX | Spanish/English 1 bag of 12 tags with ties | 5-3/4in x 3-1/8in |
| 497ABLC | French/English 1 bag of 12 tags with ties | 5-3/4in x 3-1/8in |

“DO NOT OPERATE” Self Laminating Photo ID Safety Tags

Provides a Visual Representation of the Affected Employee

- ▶ Durable Polypropylene with PVC laminate overlay resists water, grease, extreme temperatures, and common industrial chemicals
- ▶ Heavy duty construction withstands over 50 lbs. of pull force (meets OSHA requirement); prevents accidental removal
- ▶ 3/8in diameter brass grommet accepts all safety padlocks and hasps
- ▶ Customize with name, department, and employee specific photo ID
- ▶ Single language and bilingual tag options



| Master Lock Model # | Description | Dimensions (H x W) |
|---------------------|--|--------------------|
| S4800LEN | English with European Danger Symbol, 1 bag of 12 tags with ties | 5-4/5in x 3-1/5in |
| S4800LES | Spanish with European Danger Symbol, 1 bag of 12 tags with ties | |
| S4801 | English, 1 bag of 12 tags with ties | |
| S4802LEN | English with U.K. Prohibition Symbol, 1 bag of 12 tags with ties | |



Safety Tags

Identification tags are key components to any safety lockout program. Master Lock offers write-on tags in English, Spanish and French to accommodate employee needs.



497A

“DO NOT OPERATE” Roll of Tags

Roll of disposable Safety tags stored in portable box for convenience

- ▶ Roll of tags in portable dispenser box makes organization and transportation easy – Box dimensions: 7-7/8in x 4-1/4in x 4-1/4in (200mm x 108mm x 108mm)
- ▶ 3/8in (9.5mm) diameter reinforced opening to accept all safety padlock shackles
- ▶ 6in x 3in (152mm x 76mm) tag with “DO NOT OPERATE” message
- ▶ Made of durable polypropylene material for chemical resistance
- ▶ Can be marked with pencil, pen, and permanent marker
- ▶ Available in 4 languages – English, Spanish, French, and Portuguese



S4810



S4810LES



S4810LFR



| Master Lock Model # | Description | Dimensions (H x W) |
|---------------------|---|--------------------|
| S4810 | English, 1 roll of 100 tags | 6in x 3in |
| S4810LES | Spanish, 1 roll of 100 tags | |
| S4810LFR | French with European Danger Symbol, 1 roll of 100 tags | |
| S4810LPT | Portuguese, 1 roll of 100 tags | |
| S4810LENUK | English with European Danger Symbol, 1 roll of 100 tags | |



S4810LPT



S4810LENUK

Maintenance Lockout Tags

Disposable Safety tags for temporary lockout

- ▶ Compact size allows for application in virtually any area
- ▶ Durable laminated material withstands extreme environments
- ▶ Attach with your personal padlock - hassle free, no zip tie needed
- ▶ Accepts up to 9/32in (7mm) shackle diameter
- ▶ Can be marked with pencil, pen, and permanent marker
- ▶ Complies with OSHA standards
- ▶ Available in 4 languages – English, Spanish, French, and Portuguese



S297



S297LES



S297LFR

| Master Lock Model # | Description | Dimensions (H x W) |
|---------------------|--|--------------------|
| S297 | English, 1 bag of 100 | 1-1/4in x 5-1/2in |
| S297LES | Spanish, 1 bag of 100 | |
| S297LFR | French with European Danger Symbol, 1 bag of 100 | |
| S297LPT | Portuguese, 1 bag of 100 | |
| S297LENUK | English, with European Danger Symbol, 1 bag of 100 | |



S297LPT



S297LENUK



Guardian Extreme™ Safety Tags

Our process permanently fuses the safety message into rugged, industrial grade polypropylene, creating the longest lasting tags available. These graphics remain vibrant and clear for years – even when exposed to high humidity, UV radiation, harsh chemicals, frequent wash downs, extreme high and low temperatures and more.

Metal detectable versions available for use in food processing and pharmaceutical facilities.



Guardian Extreme™ Safety Tags

Make sure your safety message is clearly visible for years and years with Guardian Extreme™ tags.

Environmentally Friendly is Business Friendly

Guardian Extreme™ lifetime tags and signs withstand tough environments and abuse eliminating the cost of replacement.

Rewrite-Reuse

Modify the message as often as needed

Guardian Extreme™ signs and tags provide the ultimate flexibility. You add the exact safety message for the job with permanent marker, erase it when the work is complete and repurpose it for the next job.



Wipe off current message with Isopropyl Alcohol



Cleaned tag ready for next message - write new message with permanent marker



A brand new message is ready for the next project

Reduce

Durable

- ▶ Guardian Extreme™ tags hang tough to exceed OSHA requirement that tags meet 50 lbs pull strength
- ▶ Guardian Extreme™ tags withstand **over 90 lbs pull force**
- ▶ Other paper or plastic tags, with grommets or without – only reach 10 – 50 lbs pull strength



More tags in less space

- ▶ Guardian Extreme™ tags stack flat in kits and stations, remaining neat and organized when stored



Corrosion free

- ▶ Guardian Extreme™ tags have no grommet to corrode



Guardian Extreme™ Safety Tags 3in x 5-3/4in (Bag of 6)



S4002

S4002MT
(Metal Detectable)



S4046
(Red)

S4050
(Yellow)

S4060
(Yellow)

Lockout Isolation ID Tags 3in x 1-1/2in



Control Panel
CP-1 to CP-5
S4500CP1 to
S4500CP5



Electrical
E-1 to E-5
S4500E1 to
S4500E5




Gas
G-1 to G-5
S4500G1 to
S4500G5



Pneumatic
P-1 to P-5
S4500P1 to
S4500P5



Steam
S-1 to S-5
S4500S1 to
S4500S5



Valve
V-1 to V-5
S4500V1 to
S4500V5



Water
W-1 to W-5
S4500W1 to
S4500W5

Scaffolding Tags

3in x 9in

Superior pull strength, durability, and reusability eliminate the need for expensive tag holders.



S4700
(Red)



S4701
(Yellow)



S4702
(Green)

DANGER



497A

Safety Tag Stations

Convenient, compact dispensers for safety tags and/or storage for padlocks, hasps, devices and hearing protection.

Deluxe Tag Center

Deluxe Tag/Lockout Center Holds Multiple Groups of Tags

- ▶ Durable construction for years of use in corrosive environments
- ▶ Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- ▶ 8 hanger clips along bottom hold safety padlocks or hasps
- ▶ Each compartment holds 25 tags. 150 tag capacity
- ▶ Compartments can be used for lockout devices too
- ▶ Each tip-out drawer measures 10in wide x 6-7/8in tall x 3-1/4in deep inside
- ▶ Upper tray for zip ties and small lockout devices
- ▶ Lockable. Use combination padlock to limit access to authorized employees
- ▶ Also suitable for ear plugs and eyewear



S1800

| Master Lock Model # | Description | Dimensions (H x W x D) |
|---------------------|-----------------------|------------------------|
| S1800 | Tag Center (unfilled) | 11in x 22in x 4-1/8in |

Compact Tag Stations

Durable Tag Station Holds 18 Tags

- ▶ Three hanger clips for safety padlocks or hasps
- ▶ Includes face labels in English, Spanish/English and French/English
- ▶ Patent pending

| Master Lock Model # | Description | Dimensions (H x W x D) |
|---------------------|---|-----------------------------|
| S1601 | Tag Station (unfilled) | 7-3/4in x 5-3/4in x 1-1/2in |
| S1601FRC | Tag Station with 12 French/English Tags | |



S1601

Safety Lockout Planograms

Four planograms are organized to focus on different types of lockout – electrical lockout, plumbing lockout and general lockout



Safety Lockout Planograms

Assortments of safety padlocks, lockout devices, tags and kits suited for a variety of lockout requirements.



| Master Lock Model # | Description | 1337LGENIND | 1337SMGENIND | 1336ELECT | 1336PLMB |
|---------------------|---|-------------|--------------|-----------|----------|
| S1010DELECKIT | Electrical Lockout Kit | X | | X | |
| S1010DGCKIT | General Contractor Lockout Kit | X | X | | |
| 497AD | Lockout Identification Tags | X | X | X | X |
| 410TRIRED | Keyed-Alike Set of 3 Zenex™ Thermoplastic Safety Padlocks | X | | X | X |
| 410DRED | Lightweight Zenex™ Thermoplastic Safety Padlock | X | X | X | X |
| 420D | Steel Lockout Hasp | X | X | X | X |
| S2394D | Miniature Circuit Breaker Lockout | X | | X | |
| 506D | Grip Tight™ Circuit Breaker Lockout Set | X | X | X | X |
| 487D | Electrical Plug Lockout | X | X | X | X |
| 496BD | Universal Wall Switch Cover | X | | X | |
| S806D | Adjustable Cable Lockout Device | X | X | X | X |
| 480D | Gate Valve Lockout | X | X | | X |
| S3081D | Adjustable Ball Valve Lockout | X | X | | X |
| 1334POGKIT | Merchandising Kit, Header, Product Cards and Schematics | X | X | X | X |

Planograms include two of each item, a Master Lock header and a set of re-order tags.

All of the carded safety padlocks, devices and tags listed are available for purchase separately to replenish or expand your planogram and enhance your showroom. Carded commercial security products and commercial security planograms are also available.



Professional Lockout Services

Master Lock Professional Lockout Services can take a holistic approach to build a customized, best-in-class lockout management system or focus on the select elements that will make significant improvements in a facility's safety program

Professional Lockout Services

Expert guidance and industry-leading experience to help facilities meet safety goals.



Assessment

Our safety experts conduct in-depth, on-site assessments to evaluate the current state of a lockout tagout program and identify methods of improvement. The recommendations from the assessment can be used to design a best-in-class lockout/tagout program that achieves heightened safety, practicality and efficiency for personnel. Some of the on-site assessments include:

- Alternative Methods to Lockout — Keep workers safe, when full lockout is not practical
- Confined Space Hazards — Pre-plan for confined space entries
- Machine Guarding — Establish frontline protection to keep employees safe
- Rapid Access to Lockout Equipment — Minimize wasted time by maximizing access to lockout equipment



Written Program

A team of safety consultants will develop a company-wide written lockout program that takes an efficient approach to meet and exceed compliance requirements.



Written Procedures

Our technicians complete an in-depth analysis of equipment and energy sources to create detailed lockout isolation procedures.



Tiered Training

We empower organizations to create a safer work environment. Achieving a compliant lockout management system requires ongoing training. Our safety certified staff will come on-site and lead all or any of the hands-on courses requested. We offer the following training courses:

- Authorized Personnel
- Affected Personnel
- Lockout Procedure Creation
- Lockout Practitioner Certification
- Lockout Leadership
- Alternative Methods to Lockout
- Confined Space Hazards
- Rapid Access to Lockout Equipment



Proper Equipment

Our safety experts can provide recommendations on the necessary safety padlocks, lockout devices, and identification tags for a best-in-class lockout management system.



Access

Experience has shown it should take less than 15 seconds to access lockout equipment. Keeping the necessary equipment close and easily accessible by authorized personnel saves time, eliminates excuses, and helps prevent damages and injuries. We provide the assessment and training to improve access to lockout equipment within a facility.



Audits

Our safety experts offer on-site review of lockout procedures and programs to help ensure compliance requirements are met. We deliver a summary report which includes best-practice recommendations and corrective actions.

Estimates for services will be provided once the scope of work has been identified.

For more information about Master Lock Professional Lockout Services, speak with a Master Lock Sales Representative or visit www.masterlock.com/PLoS.



COMING FALL 2018


Master Lock eLOTO Lockout Procedure Writing Software

Empower employees with the tools needed to make work environments safer

Master Lock eLOTO is an easy-to-use, cloud-based software solution for writing and managing visual lockout procedures. Master Lock eLOTO is comprised of a web interface and two mobile applications:

Lockout Procedure Writing Software

Machine-specific procedures are a requirement of a compliant lockout management system. Master Lock eLOTO provides a best-practice solution to create visual lockout procedures and conduct audits.



The eLOTO procedure database and the Writer and Inspector mobile applications work together to help ensure lockout procedures are accurate and up-to-date. Printed procedures meet the best-practice format demonstrated in ANSI Z244.1-2016.



www.masterlock.com

www.masterlock.com

Master Lock Company LLC, Milwaukee, WI 53154 U.S.A. | 800-308-9244
Master Lock Canada, Mississauga, Ontario L5L 5Z9 Canada | 800-227-9599
© 2018 Master Lock Company | All Rights Reserved.

7000-0193 MO 18M 06/18

**Master
Lock.**

**AMERICAN
LOCK®**