



# Model: WL-LED100TR

LEDme® Wall Light Trimless Horizontal Scoop

# WAC LIGHTING

Responsible Lighting®



Fixture Type:

Catalog Number:

Project:

Location:

## PRODUCT DESCRIPTION

Horizontal rectangle trimless LEDme® Wall Light. Designed for safety and stylized indoor spaces with minimal exposure of the fixture, which can be spackled in and painted over to match the surface finish. Colored lights can create an attractive, romantic impression at night.

## FEATURES

- Can be painted to match the color of the surface
- 120V direct wiring, no driver needed
- No heat radiation
- Up to 200 fixtures can be connected in parallel
- Replaceable LED module
- 40,000 hour rated life
- 5 year WAC warranty

## SPECIFICATIONS

**Construction:** Steel construction for neat installation

**Power:** Direct wiring, no remote driver needed. Input voltage: 120VAC 50/60Hz

**Light Source:** 3000K Samsung HV-AC High Power LED, CRI: 85  
Optional color lenses. Total power consumption of 3.3W

**Mounting:** Fits into 2" x 4" J-Box with minimum inside dimensions of 3"L x 2"W x 2"H  
See next page for spacing recommendations

**Dimming:** Dim to 10% with electronic low voltage (ELV) dimmer  
Approved dimmers: Lutron Skylark SELV-300P-WH and Leviton Vizia VPE04

**Standards:** UL Listed for damp locations

## FIXTURE PERFORMANCE

Model #	Lumens
WL-LED100TR-C-WT	72
WL-LED100TR-AM-WT	35
WL-LED100TR-RD-WT	5
WL-LED100TR-BL-WT	7

## ORDER NUMBER

Model #	Color	Finish
WL-LED100TR	<b>C</b> White 3000K	<b>WT</b> White
	<b>AM</b> Amber 610nm	
	<b>RD</b> Red 640nm	
	<b>BL</b> Blue 450nm	

**WL-LED100TR** -  - **WT**

Example: WL-LED100TR-C-WT


WAC Lighting  
www.waclighting.com  
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center  
44 Harbor Park Drive • Port Washington, NY 11050  
Phone (516) 515.5000 • Fax (516) 515.5050


Western Distribution Center  
1750 Archibald Avenue • Ontario, CA 91760  
Phone (800) 526.2588 • Fax (800) 526.2585

**Spacing Recommendations for Optimal Light Distribution**


**Corridors / Hallways**



**Stairs - Wall Mount**



**Stairs - Step Mount**



Mount in center of stair as close to the upper tread as possible.  
For best results use one light per step for steps narrower than 5'.