

6030 SKIRTED AIR BATH, SOAKER AND WHIRLPOOL TUBS

Dimensions: 60"L x 30"W x 20-3/4"H

Product Codes:

MIRSKA6030LWH (LH white air massage), MIRSKA6030LBS (LH biscuit air massage)
 MIRSKA6030RWH (RH white air massage), MIRSKA6030RBS (RH biscuit air massage)
 MIRSKS6030LWH (LH white soaker tub), MIRSKS6030LBS (LH biscuit soaker tub)
 MIRSKS6030RWH (RH white soaker tub), MIRSKS6030RBS (RH biscuit soaker tub)
 MIRSKW6030LWH (LH white whirlpool), MIRSKW6030LBS* (LH biscuit whirlpool)
 MIRSKW6030RWH (RH white whirlpool), MIRSKW6030RBS* (RH biscuit whirlpool)

- Intuitive electronic controls
- 8 high-flow directional and volume-adjustable whirlpool jets
- 56 Channel fed air jets (air bath)
- Powerful 1.75 hp, 9 amp whirlpool pump with variable flow device
- 9.25 amp, 600 watt heated blower for air bath system
- 42-gallon operating capacity
- 47-gallon capacity to overflow
- Integral tile flange and skirt (no access panel on skirt – must be installed so that access can be obtained through cabinet or wall)
- Available in left and right configuration
- Safety suction
- Pre-leveled base
- Constructed of highest grade acrylic
- 100% factory performance tested with water
- Textured slip-resistant bottom
- Pre-wired for simple plug-in installation
- Requires a single 20-amp GFCI circuit
- End drain position
- 5 year limited warranty
- Meets or exceeds ANSI Z124.1-95 ASME A112, 19.7-M-1995, UL 1795
- UPC/IAPMO listed
- Optional in-line heater available – MIRPRESSHTR (for use with whirlpool) – Requires a separate 20-amp GFCI circuit
- Tile flange kit available – PFTLK
- Recommended accessories
 - MB643CP Cable drain ABS with trim – CP
 - MB643BN Cable drain ABS with trim – BN
 - MB643ORB Cable drain ABS with trim – ORB
 - MB644CP Cable drain PVC with trim – CP
 - MB644BN Cable drain PVC with trim – BN
 - MB644ORB Cable drain PVC with trim – ORB






SITKA COLLECTION

6030 SKIRTED AIR BATH, SOAKER AND WHIRLPOOL TUBS

Product Codes:

MIRSKA6030LWH (LH white air massage), MIRSKA6030LBS (LH biscuit air massage)
MIRSKA6030RWH (RH white air massage), MIRSKA6030RBS (RH biscuit air massage)
MIRSKS6030LWH (LH white soaker tub), MIRSKS6030LBS (LH biscuit soaker tub)
MIRSKS6030RWH (RH white soaker tub), MIRSKS6030RBS (RH biscuit soaker tub)
MIRSKW6030LWH (LH white whirlpool), MIRSKW6030LBS* (LH biscuit whirlpool)
MIRSKW6030RWH (RH white whirlpool), MIRSKW6030RBS* (RH biscuit whirlpool)



*Right hand model shown. Left hand model is exact opposite.

All dimensions and specifications are nominal and may vary + - 1/4". Use actual products for accuracy in critical situations.

CALIFORNIA PROP 65 WARNING: This product may contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Wash Hands After Handling."



SITKA COLLECTION

6032 SKIRTED AIR BATH, SOAKER AND WHIRLPOOL TUBS

Dimensions: 60"L x 32"W x 20-3/4"H

Product Codes:

MIRSKA6032LWH (LH white air massage), MIRSKA6032LBS* (LH biscuit air massage)
MIRSKA6032RWH (RH white air massage), MIRSKA6032RBS* (RH biscuit air massage)
MIRSKS6032LWH (LH white soaker tub), MIRSKS6032LBS (LH biscuit soaker tub)
MIRSKS6032RWH (RH white soaker tub), MIRSKS6032RBS (RH biscuit soaker tub)
MIRSKW6032LWH (LH white whirlpool), MIRSKW6032LBS* (LH biscuit whirlpool)
MIRSKW6032RWH (RH white whirlpool), MIRSKW6032RBS* (RH biscuit whirlpool)

- Intuitive electronic controls
- 8 high-flow directional and volume-adjustable whirlpool jets
- 56 Channel fed air jets (air bath)
- Powerful 1.75 hp, 9 amp whirlpool pump with variable flow device
- 9.25 amp, 600 watt heated blower for air bath system
- 53-gallon operating capacity
- 62-gallon capacity to overflow
- Integral tile flange and skirt (no access panel on skirt – must be installed so that access can be obtained through cabinet or wall)
- Available in left and right configuration
- Safety suction
- Pre-leveled base
- Constructed of highest grade acrylic
- 100% factory performance tested with water
- Textured slip-resistant bottom
- Pre-wired for simple plug-in installation
- Requires a single 20-amp GFCI circuit
- End drain position
- 5 year limited warranty
- Meets or exceeds ANSI Z124.1-95
- ASME A112, 19.7-M-1995, UL 1795
- UPC/IAPMO listed
- Optional in-line heater available – MIRPRESSHTR (for use with whirlpool) – Requires a separate 20-amp GFCI circuit
- Recommended accessories
 - MB643CP Cable drain ABS with trim – CP
 - MB643BN Cable drain ABS with trim – BN
 - MB643ORB Cable drain ABS with trim – ORB
 - MB644CP Cable drain PVC with trim – CP
 - MB644BN Cable drain PVC with trim – BN
 - MB644ORB Cable drain PVC with trim – ORB



See dimensional drawing on next page

©2016 Ferguson Enterprises, Inc. All Rights Reserved 135905 U3/16

*Denotes a special order product only




SITKA COLLECTION

6032 SKIRTED AIR BATH, SOAKER AND WHIRLPOOL TUBS

Product Codes:

MIRSKA6032LWH (LH white air massage), MIRSKA6032LBS* (LH biscuit air massage)
MIRSKA6032RWH (RH white air massage), MIRSKA6032RBS* (RH biscuit air massage)
MIRSKS6032LWH (LH white soaker tub), MIRSKS6032LBS (LH biscuit soaker tub)
MIRSKS6032RWH (RH white soaker tub), MIRSKS6032RBS (RH biscuit soaker tub)
MIRSKW6032LWH (LH white whirlpool), MIRSKW6032LBS* (LH biscuit whirlpool)
MIRSKW6032RWH (RH white whirlpool), MIRSKW6032RBS* (RH biscuit whirlpool)



*Right hand model shown. Left hand model is exact opposite.

All dimensions and specifications are nominal and may vary + - 1/4". Use actual products for accuracy in critical situations.

CALIFORNIA PROP 65 WARNING: This product may contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Wash Hands After Handling."



SITKA COLLECTION

6032

AIR BATH, SOAKER AND WHIRLPOOL TUBS

Dimensions: 60"L x 32"W x 19-1/2"H

Product Codes:

MIRSKA6032WH (white air massage), MIRSKA6032BS* (biscuit air massage)

MIRSKS6032WH (white soaker tub), MIRSKS6032BS (biscuit soaker tub)

MIRSKW6032WH (white whirlpool), MIRSKW6032BS* (biscuit whirlpool)

- Intuitive electronic controls
- 8 high-flow directional and volume-adjustable whirlpool jets
- 56 Channel fed air jets (air bath)
- Powerful 1.75 hp, 9 amp whirlpool pump with variable flow device
- 9.25 amp, 600 watt heated blower for air bath system
- 53-gallon operating capacity
- 62-gallon capacity to overflow
- Safety suction
- Pre-leveled base
- Constructed of highest grade acrylic
- 100% factory performance tested with water
- Textured slip-resistant bottom
- Pre-wired for simple plug-in installation
- Requires a single 20-amp GFCI circuit
- End drain position
- Drop-in or undermount applications
- 5 year limited warranty
- Meets or exceeds ANSI Z124.1-95 ASME A112, 19.7-M-1995, UL 1795
- UPC/IAPMO listed
- Optional in-line heater available – MIRPRESSHTR (for use with whirlpool) – Requires a separate 20-amp GFCI circuit
- Tile flange kit available – PFTLK
- Recommended accessories
 - MB643CP Cable drain ABS with trim – CP
 - MB643BN Cable drain ABS with trim – BN
 - MB643ORB Cable drain ABS with trim – ORB
 - MB644CP Cable drain PVC with trim – CP
 - MB644BN Cable drain PVC with trim – BN
 - MB644ORB Cable drain PVC with trim – ORB





SITKA COLLECTION

6032


AIR BATH, SOAKER AND WHIRLPOOL TUBS

Product Codes:

MIRSKA6032WH (white air massage), MIRSKA6032BS* (biscuit air massage)

MIRSKS6032WH (white soaker tub), MIRSKS6032BS (biscuit soaker tub)

MIRSKW6032WH (white whirlpool), MIRSKW6032BS* (biscuit whirlpool)



All dimensions and specifications are nominal and may vary + - 1/4". Use actual products for accuracy in critical situations.

CALIFORNIA PROP 65 WARNING: This product may contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Wash Hands After Handling."



SITKA COLLECTION

6036

AIR BATH, SOAKER, TOTAL MESSAGE AND WHIRLPOOL TUBS

Dimensions: 60"L x 36"W x 23"H

Product Codes:

MIRSKA6036WH (white air massage), MIRSKA6036BS* (biscuit air massage)

MIRSKS6036WH (white soaker tub), MIRSKS6036BS (biscuit soaker tub)

MIRSKT6036WH (white total massage), MIRSKT6036BS* (biscuit total massage)

MIRSKW6036WH (white whirlpool), MIRSKW6036BS* (biscuit whirlpool)

- Intuitive electronic controls
- 8 high-flow directional and volume-adjustable whirlpool jets
- 56 Channel fed air jets (air bath and total massage)
- Powerful 1.75 hp, 9 amp whirlpool pump with variable flow device
- 9.25 amp, 600 watt heated blower for air bath system
- 57-gallon operating capacity
- 65-gallon capacity to overflow
- Safety suction
- Pre-leveled base
- Constructed of highest grade acrylic
- 100% factory performance tested with water
- Textured slip-resistant bottom
- Pre-wired for simple plug-in installation
- Requires a single 20-amp GFCI circuit
- End drain position
- Drop-in or undermount applications
- 5 year limited warranty
- Meets or exceeds ANSI Z124.1-95 ASME A112, 19.7-M-1995, UL 1795
- UPC/IAPMO listed
- Optional in-line heater available – MIRPRESSHTR (for use with whirlpool) – Requires a separate 20-amp GFCI circuit
- Tile flange kit available – PFTLK
- Recommended accessories
 - MB643CP Cable drain ABS with trim – CP
 - MB643BN Cable drain ABS with trim – BN
 - MB643ORB Cable drain ABS with trim – ORB
 - MB644CP Cable drain PVC with trim – CP
 - MB644BN Cable drain PVC with trim – BN
 - MB644ORB Cable drain PVC with trim – ORB





SITKA COLLECTION

6036

AIR BATH, SOAKER, TOTAL MASSAGE AND WHIRLPOOL TUBS


Product Codes:

MIRSKA6036WH (white air massage), MIRSKA6036BS* (biscuit air massage)

MIRSKS6036WH (white soaker tub), MIRSKS6036BS (biscuit soaker tub)

MIRSKT6036WH (white total massage), MIRSKT6036BS* (biscuit total massage)

MIRSKW6036WH (white whirlpool), MIRSKW6036BS* (biscuit whirlpool)



All dimensions and specifications are nominal and may vary + - 1/4". Use actual products for accuracy in critical situations.

CALIFORNIA PROP 65 WARNING: This product may contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Wash Hands After Handling."



SITKA COLLECTION

6636

AIR BATH, SOAKER, TOTAL MASSAGE AND WHIRLPOOL TUBS

Dimensions: 66"L x 36"W x 23"H

Product Codes:

MIRSKA6636WH (white air massage), MIRSKA6636BS (biscuit air massage)
MIRSKS6636WH (white soaker tub), MIRSKS6636BS (biscuit soaker tub)
MIRSKT6636WH (white total massage), MIRSKT6636BS* (biscuit total massage)
MIRSKW6636WH (white whirlpool), MIRSKW6636BS (biscuit whirlpool)

- Intuitive electronic controls
- 8 high-flow directional and volume-adjustable whirlpool jets
- 56 Channel fed air jets (air bath and total massage)
- Powerful 1.75 hp, 9 amp whirlpool pump with variable flow device
- 9.25 amp, 600 watt heated blower for air bath system
- 68-gallon operating capacity
- 75-gallon capacity to overflow
- Safety suction
- Pre-leveled base
- Constructed of highest grade acrylic
- 100% factory performance tested with water
- Textured slip-resistant bottom
- Pre-wired for simple plug-in installation
- Requires a single 20-amp GFCI circuit
- End drain position
- Drop-in or undermount applications
- 5 year limited warranty
- Meets or exceeds ANSI Z124.1-95 ASME A112, 19.7-M-1995, UL 1795
- UPC/IAPMO listed
- Optional in-line heater available – MIRPRESSHTR (for use with whirlpool) – Requires a separate 20-amp GFCI circuit
- Tile flange kit available – PFTLK
- Recommended accessories
 - MB643CP Cable drain ABS with trim – CP
 - MB643BN Cable drain ABS with trim – BN
 - MB643ORB Cable drain ABS with trim – ORB
 - MB644CP Cable drain PVC with trim – CP
 - MB644BN Cable drain PVC with trim – BN
 - MB644ORB Cable drain PVC with trim – ORB





SITKA COLLECTION

6636

AIR BATH, SOAKER, TOTAL MASSAGE AND WHIRLPOOL TUBS


Product Codes:

MIRSKA6636WH (white air massage), MIRSKA6636BS (biscuit air massage)

MIRSKS6636WH (white soaker tub), MIRSKS6636BS (biscuit soaker tub)

MIRSKT6636WH (white total massage), MIRSKT6636BS* (biscuit total massage)

MIRSKW6636WH (white whirlpool), MIRSKW6636BS (biscuit whirlpool)



All dimensions and specifications are nominal and may vary + - 1/4". Use actual products for accuracy in critical situations.

CALIFORNIA PROP 65 WARNING: This product may contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Wash Hands After Handling."

7236

AIR BATH, SOAKER, TOTAL MASSAGE AND WHIRLPOOL TUBS

Dimensions: 72"L x 36"W x 23"H

Product Codes:

MIRSKA7236WH (white air massage), MIRSKA7236BS* (biscuit air massage)
 MIRSKS7236WH (white soaker tub), MIRSKS7236BS (biscuit soaker tub)
 MIRSKT7236WH (white total massage), MIRSKT7236BS* (biscuit total massage)
 MIRSKW7236WH (white whirlpool), MIRSKW7236BS* (biscuit whirlpool)

- | | |
|--|--|
| <ul style="list-style-type: none"> ■ Intuitive electronic controls ■ 8 high-flow directional and volume-adjustable whirlpool jets ■ 56 Channel fed air jets (air bath and total massage) ■ Powerful 1.75 hp, 9 amp whirlpool pump with variable flow device ■ 9 amp, 600 watt heated blower for air bath system ■ 83-gallon operating capacity ■ 90-gallon capacity to overflow ■ Safety suction ■ Pre-leveled base ■ Constructed of highest grade acrylic ■ 100% factory performance tested with water ■ Textured slip-resistant bottom ■ Pre-wired for simple plug-in installation ■ Requires a single 20-amp GFCI circuit | <ul style="list-style-type: none"> ■ End drain position ■ Drop-in or undermount applications ■ 5 year limited warranty ■ Meets or exceeds ANSI Z124.1-95 ASME A112, 19.7-M-1995, UL 1795 ■ UPC/IAPMO listed ■ Optional in-line heater available – MIRPRESSHTR (for use with whirlpool) – Requires a separate 20-amp GFCI circuit ■ Tile flange kit available – PFTLK ■ Recommended accessories <p> MB643CP Cable drain ABS with trim – CP
 MB643BN Cable drain ABS with trim – BN
 MB643ORB Cable drain ABS with trim – ORB
 MB644CP Cable drain PVC with trim – CP
 MB644BN Cable drain PVC with trim – BN
 MB644ORB Cable drain PVC with trim – ORB </p> |
|--|--|





SITKA COLLECTION

7236

AIR BATH, SOAKER, TOTAL MASSAGE AND WHIRLPOOL TUBS


Product Codes:

MIRSKA7236WH (white air massage), MIRSKA7236BS* (biscuit air massage)

MIRSKS7236WH (white soaker tub), MIRSKS7236BS (biscuit soaker tub)

MIRSKT7236WH (white total massage), MIRSKT7236BS* (biscuit total massage)

MIRSKW7236WH (white whirlpool), MIRSKW7236BS* (biscuit whirlpool)



All dimensions and specifications are nominal and may vary + - 1/4". Use actual products for accuracy in critical situations.

CALIFORNIA PROP 65 WARNING: This product may contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Wash Hands After Handling."