


2019 RAINWARE, TRIM COIL & SOFFIT Lodi Plant

www.acm-metals.com









Tal	hl	6	of	Co	nt	en	ite
ша	-	<u> </u>	VI.	UU	ш	-	

Gutter Coil Conversion Chart2	T-Wedge Hangers	17
Gutter Coil3	Gutter Wedges	
Spin Down Gutter Coil4	Wrap Around	
Gutters 5-6	T-Bar	
End Cap Reference Chart7	Hanger Straps	17
-	Rainware Accessories	18
Downspouts8	Ring Shanks	18
Elbows9	Ferrules	
A & B Elbows 9	Round/Half Round Products	19-21
Variable Degree Elbows	Half Round Gutters	
Offsets10	Round Downspouts	19
Downspout Accessories 11-12	Round Elbows	
Leader Heads11	Round Offsets	20
Outlets11	Half Round End Caps	20
Wire Strainers11	Half Round Leader Heads	20
PVC Adapters11	Round & Half Round Outlets	20
Y Adapters11	Round Leaders Straps	21
Y Diverters11	Half Round Miters	21
Funnels12	Half Round Hidden Hangers	21
Leader Straps12	Copper Products	22
Pipe Bands12	Gutter Protection	
Downspout Hinges12	Drain Guard	
Splash Blocks12	Gutter Protection Screen Systems	
Miters13	Gutter Protection Perforated	
Extreme™ Miters13	& Cover Systems	
Box Miters13	Gutter Protection & Accessories	25
Bay Miters13	Trim Coil	
Strip Miters13	Norandex™	
Joints14	Mastic	
Expansion Joints14	Hardie	
Slip Joints14	Textured, Mar-Resistant Window Trin	
End Caps15	Soffit and F-Channel & J-Channel	
Hangers 16-17	Hidden Vent Soffit	
Hidden16	F-Channel	
Hangers with Screws16	J-Channel	
-	Norandex™ Aluminum Warranty	
PROUDLY FINISHED WITH	Norandex™ Steel Warranty	

PROUDLY FINISHED WITH SHERWIN-WILLIAMS. **Coil Coatings**

T-Wedge Hangers	17
Gutter Wedges	17
Wrap Around	17
T-Bar	
Hanger Straps	17
Rainware Accessories	
Ring Shanks	
Ferrules	
Round/Half Round Products	
Half Round Gutters	
Round Downspouts	
Round Elbows	
Round Offsets	
Half Round End Caps	20
Half Round Leader Heads	
Round & Half Round Outlets	
Round Leaders Straps	
Half Round Miters	
Half Round Hidden Hangers	
Copper Products	22
Gutter Protection	23-25
Drain Guard	23
Gutter Protection Screen Systems	
Gutter Protection Perforated	
& Cover Systems	
Gutter Protection & Accessories	25
Trim Coil	
Norandex™	
Mastic	
Hardie	
Textured, Mar-Resistant Window Trim Co	
Soffit and F-Channel & J-Channel	
Hidden Vent Soffit	
F-Channel	
J-Channel	
Norandex™ Aluminum Warranty	

www.acm-metals.com

To place orders for metal products, please call:

Lodi Plant Customer Service: Ph 877-213-5962 • Fax 608-362-0599

For siding and window inquiries, please call Norandex™ Corporate Customer Service at **800-528-0942**

NORANDEX Gutter Coil Conversion

LODI PLANT

Gutter Coil Conversion Chart

(Determining Feet to Weight)

Coil Width	Thickness Material	Conversion Multiplier Formula
11-3/4" 11-7/8" 14" 15"	.027" Alum. .027" Alum. .027" Alum. .027" Alum.	lin. ft. $X . 377 =$ # lbs. lin. ft. $X . 380 =$ # lbs. lin. ft. $X . 453 =$ # lbs. lin. ft. $X . 476 =$ # lbs.
11-3/4" 11-7/8" 13" 15" 18"	.032" Alum. .032" Alum. .032" Alum. .032" Alum. .032" Alum.	lin. ft. X .446 = # lbs. lin. ft. X .450 = # lbs. lin. ft. X .500 = # lbs. lin. ft. X .571 = # lbs. lin. ft. X .678 = # lbs.
11-7/8" 12" 13" 14" 15" 19"	26 ga. Steel 26 ga. Steel 26 ga. Steel 26 ga. Steel 26 ga. Steel 26 ga. Steel	lin. ft. $X .775 =$ # lbs. lin. ft. $X .839 =$ # lbs. lin. ft. $X .904 =$ # lbs. lin. ft. $X .969 =$ # lbs.
11-3/4" 11-7/8" 15"	16 oz. Copper 16 oz. Copper 16 oz. Copper	

To process an order for a spin down quantity, determine the number of pounds based on the requested footage by the contractor. Enter the number of pounds on the ticket noting the required footage. After spinning down the required coil footage, re-weigh the coil to verify the actual pounds of coil taken out of inventory. Note the actual weight in shipped column of the ticket. Update the tickets to adjust the invoice accordingly. This process ensures proper invoicing and accurate inventory levels.

These coils are cut from master coils which are slightly thicker in the middle to avoid oil canning during the painting process. The gauge can vary slightly depending on where the coil was cut from the master coil. Inventory will vary if the product is sold by footage and not weight. Remember, product is purchased by the pound. Re-weighing is necessary for accuracy.

A NOTE ABOUT COLOR SELECTION

NORANDEX™ provides color chip cards which show a close representation of the color. The purpose of color chip cards is to narrow down the homeowner choice of colors. Depending upon the substrate, the final selection should always be based on either an aluminum or steel color tile fan deck, viewed in full sunlight.

Metallic colors, such as Copper Penny (CP), Bronze (BZ), Rustic Copper (M2), and Weathered Bronze (WB), have mica (refractive) or aluminum (reflective) flakes added to the paint finish. The color of different products may be the same (as measured on a colorimeter), but the visual appearance may look slightly different when viewed from different angles and varying amount of sunlight. This is a normal occurring phenomenon and is due the chance positioning of the mica and aluminum flakes when added to the paint finish.

NORANDEX Gutter Coil

LODI PLANT

Gutter Coil	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Pound
	AGC21178	Alum. 11-7/8" Coil	*CP, *FR, *MS, *WH	0.027	Order by the lb.
	AGC21178M2	Alum. 11-7/8" Coil	M2 (Premium Color)	0.027	Order by the lb.
	AGC278	Alum. 11-7/8" Coil	30/30, 50/80, 80/RB, AL/WI, BB/BZ, BU/NW, CC/CA, DS/VG, EG/WH, HC/LI, HG/CG, MR/SP, PC/ST, PH/WH, RB/HV, RB/MB, RS/DM, RW/BK, S7/WH, TA/CU, TB/BB, WB/HV, WB/MB, WH/HV, WT/CA	0.027	Order by the lb.
	AGC214WH	Alum. 14" Coil	WH	0.027	Order by the lb.
	AGC214	Alum. 14" Coil	50/80, AL/WI, BB/BZ, BU/NW, CC/CA, DS/VG, EG/WH, HC/LI, HG/CG, MR/SP, PC/ST, RB/HV, RB/MB, RW/BK, TA/CU, WB/MB	0.027	Order by the lb.
	AGC215	Alum. 15" Coil	*CP, *FR, *WH	0.027	Order by the lb.
	AGC215M2	Alum. 15" Coil	M2 (Premium Color)	0.027	Order by the lb.
	AGC215	Alum. 15" Coil	50/80, 80/RB, AL/WI, BB/BZ, BU/NW, CC/CA, DS/VG, EG/WH, HC/LI, HG/CG, MR/SP, PC/ST, PH/WH, RB/HV, RB/MB, RS/DM, RW/BK, S7/WH, TA/CU, TB/BB, WB/HV, WB/MB, WH/HV, WT/CA	0.027	Order by the lb.
	AGC31178	Alum. 11-7/8" Coil	AL, BU, BZ, CA, DS, FR, HV, MS, PC, RB, ST, TB, WH, WI	0.032	Order by the lb.
	AGC315	Alum. 15" Coil	AL, BU, BZ, CA, DS, FR, HV, MS, PC, RB, ST, TB, WH, WI	0.032	Order by the lb.
	AGC318	Alum. 18" Coil	BZ/FR, RB/WH	0.032	Order by the lb.
	*NOTE: One GGC612		BB/WH, CC/WH, CG/HG, DS/WH, EG/WH, HV/WH, PC/WH, RB/WH,	26 ga	1,000 Lbs.
	GGC613	Galv. 13" Coil	RW/BK, VG/WH, WI/WH BB/WH, CC/WH, CG/HG, DS/WH, HV/WH, PC/WH, RB/WH, RW/BK, VG/WH	26 ga	1,000 Lbs.
	GGC614RBWH	Galv. 14" Coil	RB/WH	26 ga	400 Lbs.
	GGC154PR	Galv. 15" Coil	Prime	26 ga	400 Lbs.
	GGC154HVWH	Galv. 15" Coil	HV/WH	26 ga	400 Lbs.
	GGC615WH	Galv. 15" Coil	WH	26 ga	1,000 Lbs.
	GGC615	Galv. 15" Coil	BB/WH, CC/WH, CG/HG, DS/WH, EG/WH, HV/WH, PC/WH, RB/WH, RW/BK, TA/CU, VG/WH, WI/WH	26 ga	1,000 Lbs.
	GGC619WH	Galv. 19" Coil	WH	26 ga	1,000 Lbs.
	GGC619	Galv. 19" Coil	BB/WH, CC/WH, CG/HG, DS/WH, EG/WH, HV/WH, PC/WH, RB/WH, RW/BK, TA/CU, VG/WH, WI/WH	26 ga	1,000 Lbs.
	GGC6E5	Galv. 15" Coil "E" Grade	BB/WH, CC/WH, CG/HG, DS/WH, EG/WH, HV/WH, PC/WH, RB/WH, RW/BK, TA/CU, VG/WH, WH/WH, WI/WH	26 ga	1,000 Lbs.
	GGC6E9	Galv. 19" Coil "E" Grade	BB/WH, CC/WH, CG/HG, DS/WH, EG/WH, HV/WH, PC/WH, RB/WH, RW/BK, TA/CU, VG/WH, WH/WH, WI/WH	26 ga	1,000 Lbs.
	-				
	PGC261178	Bond. 11-7/8" Coil	Bond.	26 ga	Order by the lb.
	PGC2615	Bond. 15" Coil	Bond.	26 ga	Order by the lb.

Note: .032 aluminum thickness also available with additional lead-time and potential freight charges. Consult your customer service rep for color and coil width availability.

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	COPPER PENNY	CP	HARVEST BROWN	HV*	REDWOOD	RW*	TAHOE BLUE	TA*
ALMOND	AL	COUNTRY BLUE	CU*	NX JEFFERSON TAN	JT	ROSEWOOD	RS	TERRA BRONZE	TB
BEAVER BROWN	BB*	DESERT MAUVE	DM	NX LINEN	LN	ROYAL BROWN	RB*	VICTORIAN GREY	VG*
BLACK	BK*	DESERT SAND	DS*	LINEN	LI	RUSTIC COPPER	M2**	WEATHERED BRONZE	WB
BRONZE	BZ	NX DUNE	CD	MARINE GREEN	MR	NX SAND STONE	SS	WHEAT	WT
BUCKSKIN	BU	EVERGREEN	EG*	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI*
CAMEO	CA	FROST	FR	NORWEGIAN WOOD	NW	SEA BLUE	S7	30 WHITE	WH*
CHARCOAL GREY	CG*	HARBOR GREY	HG*	PEBBLESTONE CLAY	PC*	NX SIERRA	SI	50 WHITE	50
CLASSIC CREAM	CC*	HERITAGE CREAM	HC	PEACH	PH	SPANISH GREEN	SP	80 WHITE	80



NORANDEX[®] Gutter Coil

LODI PLANT



Spin Down Gutter Coil	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Pound
	ASC21178	Alum. 11-7/8" Coil	*CP, *FR, *WH	0.027	Order by the lb.
	ASC278	Alum. 11-7/8" Coil	30/30, 50/80, 80/RB, AL/WI, BB/BZ, BU/NW, CC/CA, DS/VG, EG/WH, HC/LI, HG/CG, MR/SP, PC/ST, PH/WH, RB/HV, RB/MB, RS/DM, RW/BK, S7/WH, TA/CU, TB/BB, WB/HV, WB/MB, WH/HV, WT/CA	0.027	Order by the lb.
	ASC214WH	Alum. 14" Coil	WH	0.027	Order by the lb.
	ASC214	Alum. 14" Coil	50/80, AL/WI, BB/BZ, BU/NW, CC/CA, DS/VG, EG/WH, HC/LI, HG/CG, MR/SP, PC/ST, RB/HV, RB/MB, RW/BK, TA/CU, WB/MB	0.027	Order by the lb.
	ASC215	Alum. 15" Coil	*CP, *FR, *WH	0.027	Order by the lb.
	ASC215	Alum. 15" Coil	50/80, 80/RB, AL/WI, BB/BZ, BU/NW, CC/CA, DS/VG, EG/WH, HC/LI, HG/CG MR/SP, PC/ST, PH/WH, RB/HV, RB/MB, RS/DM, RW/BK, S7/WH, TA/CU, TB/BB, WB/HV, WB/MB, WH/HV, WT/CA	0.027	Order by the lb.
	ASC31178	Alum. 11-7/8" Coil	AL, BU, BZ, CA, DS, FR, HV, MS, PC, RB, ST, TB, WH, WI	0.032	Order by the lb.
	ASC315	Alum. 15" Coil	AL, BU, BZ, CA, DS, FR, HV, MS, PC, RB, ST, TB, WH, WI	0.032	Order by the lb.

Note: Min. of 25 lbs./Max. of 150 lbs.

As an extra service, we'll spin down small quantities of a slow moving color on a special order basis. Minimum quantity is 25 lbs.

Please note, once order is activated, no returns or changes can be made.

Rainware & Accessories Colors: *Available in Steel

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	COPPER PENNY	CP	HARVEST BROWN	HV*	ROSEWOOD	RS	WEATHERED BRONZE	WB
BEAVER BROWN	BB*	COUNTRY BLUE	CU*	LINEN	LI	ROYAL BROWN	RB*	WHEAT	WT
BLACK	BK*	DESERT MAUVE	DM	MARINE GREEN	MR	SANDTONE	ST	WICKER	WI*
BRONZE	BZ	DESERT SAND	DS*	MUSKET BROWN	MB	SEA BLUE	S7	30 WHITE	WH*
BUCKSKIN	BU	EVERGREEN	EG*	NORWEGIAN WOOD	NW	SPANISH GREEN	SP	50 WHITE	50
CAMEO	CA	FROST	FR	PEBBLESTONE CLAY	PC*	TAHOE BLUE	TA*	80 WHITE	80
CHARCOAL GREY	CG*	HARBOR GREY	HG*	PEACH	PH	TERRA BRONZE	ТВ		
CLASSIC CREAM	CC*	HERITAGE CREAM	HC	REDWOOD	RW*	VICTORIAN GREY	VG*		

^{*}NOTE: One week extended lead-time for these spin down coil colors.



LODI PLANT

Gutter - Plain	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces Length	Pieces/ Box
	PGUPW520	Bond. 5-1/4 Gutter-PW	Bond.	26 ga	20′	Order by the pc.
	PGUPW525	Bond. 5-1/4 Gutter-PW	Bond.	26 ga	25′	Order by the pc.
	PGUPW530	Bond. 5-1/4 Gutter-PW	Bond.	26 ga	30′	Order by the pc.
	PGUPW720	Bond. 7-1/4 Gutter-PW	Bond.	26 ga	20′	Order by the pc.
	PGUPW725	Bond. 7-1/4 Gutter-PW	Bond.	26 ga	25′	Order by the pc.
	PGUPW730	Bond. 7-1/4 Gutter-PW	Bond.	26 ga	30′	Order by the pc.

Note: Also available without wing.

Gutter - Curved	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces Length	Pieces/ Box
	PGUCW525	Bond. 5-1/4 Gutter-CW	Bond.	26 ga	25′	Order by the pc.
	PGUCW720	Bond. 7-1/4 Gutter-CW	Bond.	26 ga	20′	Order by the pc.
	PGUCW725	Bond. 7-1/4 Gutter-CW	Bond.	26 ga	25′	Order by the pc.
	PGUCW730	Bond. 7-1/4 Gutter-CW	Bond.	26 ga	30′	Order by the pc.
	Note: Also a	vailable without wing.				

Gutter - Decco	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces Length	Pieces/ Box
	PGUDW520	Bond. 5-1/4 Gutter-DW	Bond.	26 ga	20′	Order by the pc.
	PGUDW525	Bond. 5-1/4 Gutter-DW	Bond.	26 ga	25′	Order by the pc.
	PGUDW530	Bond. 5-1/4 Gutter-DW	Bond.	26 ga	30′	Order by the pc.
	PGUDW720	Bond. 7-1/4 Gutter-DW	Bond.	26 ga	20′	Order by the pc.
	PGUDW725	Bond. 7-1/4 Gutter-DW	Bond.	26 ga	25′	Order by the pc.
	PGUDW730	Bond. 7-1/4 Gutter-DW	Bond.	26 ga	30′	Order by the pc.
	PGUDW4R720	Bond. 7-1/4 Gutter-DW 4 Rib	Bond.	26 ga	20′	Order by the pc.
	PGUDW4R725	Bond. 7-1/4 Gutter-DW 4 Rib	Bond.	26 ga	25′	Order by the pc.
	PGUDW4R730	Bond. 7-1/4 Gutter-DW 4 Rib	Bond.	26 ga	30′	Order by the pc.

Note: Also available without wing.


Gutter - Tile Plain	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces Length	Pieces/ Box
	PGUTW720	Bond. 7-1/4 Gutter-TW	Bond.	26 ga	20′	Order by the pc.
	PGUTW725	Bond. 7-1/4 Gutter-TW	Bond.	26 ga	25′	Order by the pc.
	PGUTW730	Bond. 7-1/4 Gutter-TW	Bond.	26 ga	30′	Order by the pc.



LODI PLANT

Gutter - Tile Curve	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces Length	Pieces/ Box
	PGUTCW720	Bond. 7-1/4 Gutter-TCW	Bond.	26 ga	20′	Order by the pc.
	PGUTCW725	Bond. 7-1/4 Gutter-TCW	Bond.	26 ga	25′	Order by the pc.
	PGUTCW730	Bond. 7-1/4 Gutter-TCW	Bond.	26 ga	30′	Order by the pc.
	•					

Gutter - Tile Decco	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces Length	Pieces/ Box
	PGUTDW720	Bond. 7-1/4" Gutter-TDW	Bond.	26 ga	20′	Order by the pc.
	PGUTDW725	Bond. 7-1/4" Gutter-TDW	Bond.	26 ga	25′	Order by the pc.
	PGUTDW730	Bond. 7-1/4" Gutter-TDW	Bond.	26 ga	30′	Order by the pc.
	PGUTDW4725	Bond. 7-1/4" Gutter-TDW 4 Rib	Bond.	26 ga	25′	Order by the pc.
	PGUTDW4730	Bond. 7-1/4" Gutter-TDW 4 Rib	Bond.	26 ga	30′	Order by the pc.



End Cap Reference Chart

FASCIA & DECCO STYLE END CAPS



51/4" Fascia End Cap



71/4" Fascia End Cap Notched for roof tile applications.



Fascia Gutter PGUPW - -



Gutter Decco PGUDW - -



Tile Decco Gutter PGUTDW - -

GEC52LML Galv. 5¼" Left End Cap GEC52RML Galv. 5¼" Right End Cap

71/4" end caps are notched in back for roof tile applications.

GEC72LML Galv. 7¼" Left End Cap GEC72RML Galv. 7¼" Right End Cap PEC72L Bond. 7¼" Left End Cap PEC72R Bond. 7¼" Right End Cap

CURVED STYLE END CAPS



51/4" Curved End Cap



71/4" Curved End Cap Notched for roof tile applications.



Curved Gutter PGUCW - -



Tile Curved Gutter PGUTCW - -

GEC52LCML Galv. 5¼" Left End Cap Curved GEC52RCML Galv. 5¼" Right End Cap Curved

 $7\frac{1}{4}$ " end caps are notched in back for roof tile applications.

GEC72LCML Galv. 7¼" Left End Cap Curved GEC72RCML Galv. 7¼" Right End Cap Curved PEC72LC Bond. 7¼" Left End Cap Curved PEC72RC Bond. 7¼" Right End Cap Curved




NORANDEX Downspouts


LODI PLANT


Downspouts	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Boxes/ Pallet
_	ADS238	Alum. D/S 2 x 3 Corrugated 8'	(Listed Below)	0.019	8′	10	28
	ADS238M2	Alum. D/S 2 x 3 Corrugated 8'	M2 (Premium Color	0.019	8′	10	28
	ADS2310	Alum. D/S 2 x 3 Corrugated 10'	(Listed Below)	0.019	10′	10	28
	ADS2310M2	Alum. D/S 2 x 3 Corrugated 10'	M2 (Premium Color) 0.019	10'	10	28
	ADS3410	Alum. D/S 3 x 4 Corrugated 10'	*(Listed Below)	0.019	10′	10	15
	ADS3410M2	Alum. D/S 3 x 4 Corrugated 10'	M2 (Premium Color) 0.019	10'	10	15
	ADS24510	Alum. D/S 4 x 5 Corrugated 10'	BK, RB, WH, 80	0.027	10′	6	
	*Also availab	ole in Montana Suede (MS)					
	GDS61210	Galv. D/S 1-3/4 x 2-3/4 Steel Painted 10'	(Steel Colors Below)	26 ga	10′	10	
	GDS61210ML	Galv. D/S 1-3/4 x 2-3/4 Steel Plain 10'	Mill	26 ga	10′	10	
	GDS61211ML	Galv. D/S 1-3/4 x 2-3/4 Steel Plain 11'	Mill	26 ga	11'	10	
	GDS81220ML	Galv. D/S 1-3/4 x 2-3/4 Steel Plain 20'	Mill	28 ga	20′	10	
	GDS82310	Galv. D/S 2 x 3 Steel Corrugated Painted 10	' (Steel Colors Below)	28 ga	10′	10	
	GDS82310PR	Galv. D/S 2 x 3 Steel 10'	Prime	28 ga	10′	10	
	GDS82310ML	Galv. D/S 2 x 3 Steel Corrugated Plain 10'	Mill	28 ga	10′	10	
	GDS63410	Galv. D/S 3 x 4 Steel Corrugated Painted 10	'*(Steel Colors Below)) 26 ga	10′	5	
	GDS63410ML	Galv. D/S 3 x 4 Steel Corrugated Plain 10'	Mill	26 ga	10′	5	
	GDSS63410M	Galv. D/S 3 x 4 Steel Smooth Plain 10'	Mill	26 ga	10′	5	
	*Note: Exten	ded lead time required for this part in the	ese colors.				
	PDS61210	Bond. D/S 1-3/4 x 2-3/4 Plain 10'	Bond.	26 ga	10′	10	
	PDS61211	Bond. D/S 1-3/4 x 2-3/4 Plain 11'	Bond.	26 ga	11'	10	
	PDS61212	Bond. D/S 1-3/4 x 2-3/4 Plain 12'	Bond.	26 ga	12′	10	
	PDS61220	Bond. D/S 1-3/4 x 2-3/4 Plain 20'	Bond.	26 ga	20′	10	
	PDS61222	Bond. D/S 1-3/4 x 2-3/4 Plain 22'	Bond.	26 ga	22′	10	
	PDS62310	Bond. D/S 2 x 3 Plain 10'	Bond.	26 ga	10′	10	
	PDS63410	Bond. D/S 3 x 4 Plain 10'	Bond.	26 ga	10′	10	
	PDSW61211	Bond. D/S 1-3/4 x 2-3/4 Plain 11'	Bond.	26 ga	11'	10	

SMOOTH PLAIN



CORRUGATED






COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	COPPER PENNY	CP	HARVEST BROWN	HV*	REDWOOD	RW*	TAHOE BLUE	TA*
ALMOND	AL	COUNTRY BLUE	CU*	NX JEFFERSON TAN	JT	ROSEWOOD	RS	TERRA BRONZE	TB
BEAVER BROWN	BB*	DESERT MAUVE	DM	NX LINEN	LN	ROYAL BROWN	RB*	VICTORIAN GREY	VG*
BLACK	BK*	DESERT SAND	DS*	LINEN	LI	RUSTIC COPPER	M2**	WEATHERED BRONZE	WB
BRONZE	BZ	NX DUNE	CD	MARINE GREEN	MR	NX SAND STONE	SS	WHEAT	WT
BUCKSKIN	BU	EVERGREEN	EG*	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI*
CAMEO	CA	FROST	FR	NORWEGIAN WOOD	NW	SEA BLUE	S7	30 WHITE	WH*
CHARCOAL GREY	CG*	HARBOR GREY	HG*	PEBBLESTONE CLAY	PC*	NX SIERRA	SI	50 WHITE	50
CLASSIC CREAM	CC*	HERITAGE CREAM	HC	PEACH	PH	SPANISH GREEN	SP	80 WHITE	80

LODI PLANT


lbows	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
4000	AAE23	Alum. 2 x 3 A Corrugated Elbow	(Listed Below)	0.019	30
MEDIUM	AAE23M2	Alum. 2 x 3 A Corrugated Elbow	M2 (Premium Color)	0.019	30
	ABE23	Alum. 2 x 3 B Corrugated Elbow	(Listed Below)	0.019	30
Marie	ABE23M2	Alum. 2 x 3 B Corrugated Elbow	M2 (Premium Color)	0.019	30
V////	AAE34	Alum. 3 x 4 A Corrugated Elbow	*(Listed Below)	0.019	30
VII = I	AAE34M2	Alum. 3 x 4 A Corrugated Elbow	M2 (Premium Color)	0.019	30
	ABE34	Alum. 3 x 4 B Corrugated Elbow	*(Listed Below)	0.019	30
	ABE34M2	Alum. 3 x 4 B Corrugated Elbow	M2 (Premium Color)	0.019	30
	*Also availa	ble in Montana Suede (MS)			
	GAE812	Galv. 1-3/4 x 2-3/4 A Plain Elbow	(Steel Colors Below)	28 ga	30
	GBE812	Galv. 1-3/4 x 2-3/4 B Plain Elbow	(Steel Colors Below)	28 ga	30
	GAE812ML	Galv. 1-3/4 x 2-3/4 A Plain Elbow	Mill	28 ga	30
	GBE812ML	Galv. 1-3/4 x 2-3/4 B Plain Elbow	Mill	28 ga	30
	GAE823	Galv. 2 x 3 A Corrugated Elbow	(Steel Colors Below)	28 ga	30
	GBE823	Galv. 2 x 3 B Corrugated Elbow	(Steel Colors Below)	28 ga	30
	GAE823ML	Galv. 2 x 3 A Corrugated Elbow	Mill	28 ga	30
	GBE823ML	Galv. 2 x 3 B Corrugated Elbow	Mill	28 ga	30
	GAE823PR	Galv. 2 x 3 A Corrugated Elbow	Prime	28 ga	30
	GBE823PR	Galv. 2 x 3 B Corrugated Elbow	Prime	28 ga	30
	GAE634	Galv. 3 x 4 A Corrugated Elbow	*(Steel Colors Below)	26 ga	30
	GBE634	Galv. 3 x 4 B Corrugated Elbow	*(Steel Colors Below)	26 ga	30
	GAE6734ML	Galv. 3 x 4 A Smooth Elbow	Mill	26 ga	20
	GBE6734ML	Galv. 3 x 4 B Smooth Elbow	Mill	26 ga	20
	PAE12	Bond. 1-3/4 x 2-3/4 Smooth A Elbow	Bond.	26 ga	20

*Note: Extended lead time required for this part in these colors.


AAE23, GAE823 A-Elbow




AAE34, GAE634 A-Elbow



ABE23, GBE823 B-Elbow



ABE34, GBE634 B-Elbow



Variable Deg. Elbows	
Variable degree elbows are used to go around obstructions (ledge jumpers) or transition to the slope of the roof. Number of crimps to create angle can vary with manufacturer.	

	Part #	Description	Colors	Nom. Gauge/ Thickness	Box	
)	AAE423	Alum. 2 x 3 A Var Deg Elbow 45 ⁰	(Listed Below)	0.019	30	
	ABE423	Alum. 2 x 3 B Var Deg Elbow 45 ⁰	(Listed Below)	0.019	30	
	AAE923	Alum. 2 x 3 A Var Deg Elbow 90 ^o	(Listed Below)	0.019	24	
	ABE923	Alum. 2 x 3 B Var Deg Elbow 90 ^o	(Listed Below)	0.019	24	
	GAE8412ML	Galv. 1-3/4 x 2-3/4 Smooth A Var Deg Elbow 45°	^o Mill	28 ga	20	
	GAE8912ML	Galv. $1-3/4 \times 2-3/4$ Smooth A Var Deg Elbow 90°	^o Mill	28 ga	20	
	GAE8423ML	Galv. 2 x 3 Smooth A Var Deg Elbow 45 ^o	Mill	28 ga	20	
	GAE8623ML	Galv. 2 x 3 Smooth A Var Deg Elbow 60 ⁰	Mill	28 ga	20	
	PAE412	Bond. 1-3/4 x 2-3/4 Smooth A Var Deg Elbow 45	^o Bond.	26 ga	20	
	PAE612	Bond. 1-3/4 x 2-3/4 Smooth A Var Deg Elbow 60) ^o Bond.	26 ga	20	
	PAE912	Bond. 1-3/4 x 2-3/4 Smooth A Var Deg Elbow 90) ^o Bond.	26 ga	20	

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	COPPER PENNY	CP	HARVEST BROWN	HV*	REDWOOD	RW*	TAHOE BLUE	TA*
ALMOND	AL	COUNTRY BLUE	CU*	NX JEFFERSON TAN	JT	ROSEWOOD	RS	TERRA BRONZE	TB
BEAVER BROWN	BB*	DESERT MAUVE	DM	NX LINEN	LN	ROYAL BROWN	RB*	VICTORIAN GREY	VG*
BLACK	BK*	DESERT SAND	DS*	LINEN	LI	RUSTIC COPPER	M2**	WEATHERED BRONZI	E WB
BRONZE	BZ	NX DUNE	CD	MARINE GREEN	MR	NX SAND STONE	SS	WHEAT	WT
BUCKSKIN	BU	EVERGREEN	EG*	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI*
CAMEO	CA	FROST	FR	NORWEGIAN WOOD	NW	SEA BLUE	S7	30 WHITE	WH*
CHARCOAL GREY	CG*	HARBOR GREY	HG*	PEBBLESTONE CLAY	PC*	NX SIERRA	SI	50 WHITE	50
CLASSIC CREAM	CC*	HERITAGE CREAM	HC	PEACH	PH	SPANISH GREEN	SP	80 WHITE	80




NORANDEX[®] Offsets

LODI PLANT


Offsets BRICK LEDGE

We have several varieties of offset downspout connections to transition gracefully over a brick ledge. You can eliminate the awkward look of a two-piece configuration with our choice of 1" to 6" away-fromthe-wall options.

ABO1123A A-Offset



ABO1134A A-Offset



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
ABO1123A	Alum. 2 x 3 - 1" Offset A's	*(Listed Below)	0.019	24
*Also available	in Montana Suede (MS). Not available	e in Rustic Copper (M2).		
ABO1223A	Alum. 2 x 3 - 2" Offset A's	(Listed Below)	0.019	24
ABO1223AM2	Alum. 2 x 3 - 2" Offset A's	M2 (Premium Color)	0.019	24
ABO1223B	Alum. 2 x 3 - 2" Offset B's	(Listed Below)	0.019	24
ABO1423A	Alum. 2 x 3 - 4" Offset A's	(Listed Below)	0.019	20
ABO1423AM2	Alum. 2 x 3 - 4" Offset A's	M2 (Premium Color)	0.019	20
ABO1423B	Alum. 2 x 3 - 4" Offset B's	(Listed Below)	0.019	20
ABO1134A	Alum. 3 x 4 - 1" Offset A's	(Listed Below)	0.019	24
ABO1134AM2	Alum. 3 x 4 - 1" Offset A's	M2 (Premium Color)	0.019	24
ABO1134B	Alum. 3 x 4 - 1" Offset B's	(Listed Below)	0.019	24
ABO1234A	Alum. 3 x 4 - 2" Offset A's	(Listed Below)	0.019	24
ABO1234AM2	Alum. 3 x 4 - 2" Offset A's	M2 (Premium Color)	0.019	24
ABO1234B	Alum. 3 x 4 - 2" Offset B's	(Listed Below)	0.019	24
ABO1334A	Alum. 3 x 4 - 3" Offset A's	(Listed Below)	0.019	24
ABO1334AM2	Alum. 3 x 4 - 3" Offset A's	M2 (Premium Color)	0.019	24
ABO1334B	Alum. 3 x 4 - 3" Offset B's	(Listed Below)	0.019	24
ABO1434A	Alum. 3 x 4 - 4" Offset A's	(Listed Below)	0.019	20
ABO1434AM2	Alum. 3 x 4 - 4" Offset A's	M2 (Premium Color)	0.019	20
ABO1434B	Alum. 3 x 4 - 4" Offset B's	(Listed Below)	0.019	20
ABO1323A	Alum. 2 x 3 - 3" Offset A's	*(Listed Below)	0.019	24
ABO1323B	Alum. 2 x 3 - 3" Offset B's	*(Listed Below)	0.019	24
ABO1523A	Alum. 2 x 3 - 5" Offset A's	*(Listed Below)	0.019	20
ABO1523B	Alum. 2 x 3 - 5" Offset B's	*(Listed Below)	0.019	20
ABO1623A	Alum. 2 x 3 - 6" Offset A's	*(Listed Below)	0.019	20
ABO1623B	Alum. 2 x 3 - 6" Offset B's	*(Listed Below)	0.019	20
ABO1534A	Alum. 3 x 4 - 5" Offset A's	*(Listed Below)	0.019	20
ABO1534B	Alum. 3 x 4 - 5" Offset B's	*(Listed Below)	0.019	20
ABO1634A	Alum. 3 x 4 - 6" Offset A's	*(Listed Below)	0.019	20
ABO1634B	Alum. 3 x 4 - 6" Offset B's	*(Listed Below)	0.019	20
AAOE23	Alum. 2 x 3 Offset Elbow	MB, WH, WT	0.019	24
ABOE23	Alum. 2 x 3 Offset Elbow	MB, WH, WT	0.019	24
*Not available	in Rustic Copper (M2).			
GBO1123A	Galv. 2 x 3 - 1" Offset A's	(Steel Colors Below)	26 ga	24
GBO1123B	Galv. 2 x 3 - 1" Offset B's	(Steel Colors Below)	26 ga	24
GBO1334B	Galv. 3 x 4 - 3" Offset B's	HV, WH	26 ga	24
GAOE823	Galv. 2 x 3 - 3" Offset Elbow A's	HV, WH	28 ga	24
GBOE823	Galv. 2 x 3 - 3" Offset Elbow B's	HV, WH	28 ga	24
GAOE34	Galv. 3 x 4 - 3" Offset Elbow A's	HV, WH	26 ga	24
GBOE34	Galv. 3 x 4 - 3" Offset Elbow B's	HV, WH	26 ga	24

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	COPPER PENNY	CP	HARVEST BROWN	HV*	REDWOOD	RW*	TAHOE BLUE	TA*
ALMOND	AL	COUNTRY BLUE	CU*	NX JEFFERSON TAN	JT	ROSEWOOD	RS	TERRA BRONZE	TB
BEAVER BROWN	BB*	DESERT MAUVE	DM	NX LINEN	LN	ROYAL BROWN	RB*	VICTORIAN GREY	VG*
BLACK	BK*	DESERT SAND	DS*	LINEN	LI	RUSTIC COPPER	M2**	WEATHERED BRONZE	WB
BRONZE	BZ	NX DUNE	CD	MARINE GREEN	MR	NX SAND STONE	SS	WHEAT	WT
BUCKSKIN	BU	EVERGREEN	EG*	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI*
CAMEO	CA	FROST	FR	NORWEGIAN WOOD	NW	SEA BLUE	S7	30 WHITE	WH*
CHARCOAL GREY	CG*	HARBOR GREY	HG*	PEBBLESTONE CLAY	PC*	NX SIERRA	SI	50 WHITE	50
CLASSIC CREAM	CC*	HERITAGE CREAM	HC	PEACH	PH	SPANISH GREEN	SP	80 WHITE	80



NORANDEX[®] Downspout Accessories

LODI PLANT



Pieces/ Box
15
6
Order by the pc.

Outlets	Part #	Description	Colors	Pieces/ Box	
Rectangle	AOOV34ML	Alum. 4" Oval Outlet	*	50	
Outlet	AORE23ML	Alum. 2 x 3 Rectangle Outlet	*	30	
Oddict	AORE34ML	Alum. 3 x 4 Rectangle Outlet	*	50	
	AORE45ML	Alum. 4 x 5 Rectangle Outlet	*	50	
	GOOV3ML	Galv. 3" Oval Outlet	Mill	50	
Oval	GORE12ML	Galv. 1-3/4 x 2-3/4 Rectangle Outlet	Mill	50	



^NOTE: Aluminum	outiets made	with mill or	paintea ппisn р	ber manutacturer	's aiscretion.

Wire Strainers	Part #	Description	Colors	Pieces/ Box	
	GWS2	Galv. 2" Wire Strainer	Mill	50	
	GWS3	Galv. 3" Wire Strainer	Mill	50	



APVC344WH



Y Adapters	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box

PVC 3 x 4 x 4 Flush Mount Adapter



Part #	Description	Colors	Thickness	Box
AYA23	Alum. 2 x 3 Y Adapter	RB, WH	0.019	10
AYA34	Alum. 3 x 4 Y Adapter	RB, WH	0.019	10

WH

Y Diverters	AYD23 Alum. 2 x 3 Y Diverter		Colors	Nom. Gauge/ Thickness	Pieces/ Box
	AYD23	Alum. 2 x 3 Y Diverter	RB, WH	0.019	10
	AYD34	Alum. 3 x 4 Y Diverter	RB, WH	0.019	10



Pieces/ Box

24



NORANDEX[®] Downspout Accessories

LODI PLANT

Funnels

Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	
AFN23	Alum. 2 x 3 Funnel	RB, WH	0.018	12	
AFN34	Alum. 3 x 4 Funnel	RB	0.018	12	

Leader Straps	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	
	GDSPB12	Galv. 1-3/4 x 2-3/4 Leader Strap	(Steel Colors Below)	26 ga	100	
	GDSPB12ML	Galv. 1-3/4 x 2-3/4 Leader Strap	Mill	26 ga	100	
	GDSPB23ML	Galv. 2 x 3 Leader Strap	Mill	26 ga	100	
	GDSPB34ML	Galv. 3 x 4 Leader Strap	Mill	26 ga	100	

Pipe Bands	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	
A D C D D 2 2	ADSPB23	Alum. 2 x 3 Pipe Band	(Listed Below)	0.019	100	
ADSPB23,	ADSPB34	Alum. Pipe Band, Fits 2 x 3 & 3 x 4	(Listed Below)	0.019	100	
GDSPB23	ADSPB34M2	Alum. Pipe Band, Fits 2 x 3 & 3 x 4	M2 (Premium Color)	0.019	100	
	ADSCP23	Alum. 2 x 3 Clip	*(Listed Below)	0.032	100	
	ADSCP34	Alum. 3 x 4 Clip	(Listed Below)	0.032	50	
ADSPB34, GDSPB34	*Also available	in Montana Suede (MS).				
	GDSPB23	Galv. 2 x 3 Pipe Band	(Steel Colors Below)	26 ga	100	
	GDSPB34	Galv. Pipe Band, Fits 2 x 3 & 3 x 4	(Steel Colors Below)	26 ga	100	
	GDSPB46ML	Galv. 4 x 6 Pipe Band	Mill	26 ga	100	
	GDSPB7ML	Galv. 7" Pipe Band	Mill	26 ga	100	

Downspout Hinges	Part #	Description	Colors	Pairs/ Bag	Bags/ Box	Pairs/ Box
1411	AZHWH	Aluminum 2 x 3 / 3 x 4 Zip Hinge	WH	12 pairs	20	240 pairs



Splash Blocks	Part #	Description	Colors	Pieces/ Box	
	SBGN	Splash Block - Green	GN	Order by the pc. 10 pcs./box	
	SBBR	Splash Block - Brown	BR	Order by the pc. 10 pcs./box	

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	COPPER PENNY	CP	HARVEST BROWN	HV*	REDWOOD	RW*	TAHOE BLUE	TA*
ALMOND	AL	COUNTRY BLUE	CU*	NX JEFFERSON TAN	JT	ROSEWOOD	RS	TERRA BRONZE	TB
BEAVER BROWN	BB*	DESERT MAUVE	DM	NX LINEN	LN	ROYAL BROWN	RB*	VICTORIAN GREY	VG*
BLACK	BK*	DESERT SAND	DS*	LINEN	LI	RUSTIC COPPER	M2**	WEATHERED BRONZE	: WB
BRONZE	BZ	NX DUNE	CD	MARINE GREEN	MR	NX SAND STONE	SS	WHEAT	WT
BUCKSKIN	BU	EVERGREEN	EG*	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI*
CAMEO	CA	FROST	FR	NORWEGIAN WOOD	NW	SEA BLUE	S7	30 WHITE	WH*
CHARCOAL GREY	CG*	HARBOR GREY	HG*	PEBBLESTONE CLAY	PC*	NX SIERRA	SI	50 WHITE	50
CLASSIC CREAM	CC*	HERITAGE CREAM	HC	PEACH	PH	SPANISH GREEN	SP	80 WHITE	80



LODI PLANT

Extreme™ Miters	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	
	AEM5	Alum. 5" Extreme™ Miter	RB, WH, 80	0.019	10	



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
ABM5I	Alum. 5" Inside K Box Miter	(Listed Below)	0.019	20
ABM5IM2	Alum. 5" Inside K Box Miter	M2 (Premium Color)	0.019	20
ABM50	Alum. 5" Outside K Box Miter	(Listed Below)	0.019	20
ABM5OM2	Alum. 5" Outside K Box Miter	M2 (Premium Color)	0.019	20
ABM6I	Alum. 6" Inside K Box Miter	*(Listed Below)	0.019	20
ABM6IM2	Alum. 6" Inside K Box Miter	M2 (Premium Color)	0.019	20
ABM60	Alum. 6" Outside K Box Miter	*(Listed Below)	0.019	20
ABM6OM2	Alum. 6" Outside K Box Miter	M2 (Premium Color)	0.019	20
	ABM5I <i>ABM5IM2</i> ABM5O <i>ABM5OM2</i> ABM6I <i>ABM6IM2</i> ABM6O	ABM5I Alum. 5" Inside K Box Miter ABM5IM2 Alum. 5" Inside K Box Miter ABM5O Alum. 5" Outside K Box Miter ABM5OM2 Alum. 5" Outside K Box Miter ABM6I - Alum. 6" Inside K Box Miter ABM6IM2 Alum. 6" Inside K Box Miter ABM6O Alum. 6" Outside K Box Miter	ABM5I - Alum. 5" Inside K Box Miter (Listed Below) ABM5IM2 Alum. 5" Inside K Box Miter M2 (Premium Color) ABM5O - Alum. 5" Outside K Box Miter (Listed Below) ABM5OM2 Alum. 5" Outside K Box Miter M2 (Premium Color) ABM6I - Alum. 6" Inside K Box Miter *(Listed Below) ABM6IM2 Alum. 6" Inside K Box Miter M2 (Premium Color) ABM6O - Alum. 6" Outside K Box Miter *(Listed Below)	ABM5I - Alum. 5" Inside K Box Miter (Listed Below) 0.019 ABM5IM2 Alum. 5" Inside K Box Miter M2 (Premium Color) 0.019 ABM5O - Alum. 5" Outside K Box Miter (Listed Below) 0.019 ABM5OM2 Alum. 5" Outside K Box Miter M2 (Premium Color) 0.019 ABM6I - Alum. 6" Inside K Box Miter *(Listed Below) 0.019 ABM6IM2 Alum. 6" Inside K Box Miter M2 (Premium Color) 0.019 ABM6O - Alum. 6" Outside K Box Miter M2 (Premium Color) 0.019

^{*}Also available in Montana Suede (MS)

Bay Miters		Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
		ABY5I	Alum. 5" Inside K Bay Miter	(Listed Below)	0.019	20
Bay Miter 45° Inside		ABY5IM2	Alum. 5" Inside K Bay Miter	M2 (Premium Color)	0.019	20
	ABY50	Alum. 5" Outside K Bay Miter	(Listed Below)	0.019	20	
	•	ABY5OM2	Alum. 5" Outside K Bay Miter	M2 (Premium Color)	0.019	20
Bay Miter		ABY6I	Alum. 6" Inside K Bay Miter	(Listed Below)	0.019	20
45° Outside		ABY6IM2	Alum. 6" Inside K Bay Miter	M2 (Premium Color)	0.019	20
		ABY60	Alum. 6" Outside K Bay Miter	(Listed Below)	0.019	20
		ABY6OM2	Alum. 6" Outside K Bay Miter	M2 (Premium Color)	0.019	20

Strip Mit	ters	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	
Strip Miter 90° Inside	1	ASM5I	Alum. 5" Inside K Strip Miter	(Listed Below)	0.027	20	
	ASM5IM2	Alum. 5" Inside K Strip Miter	M2 (Premium Color)	0.027	20		
	ASM50	Alum. 5" Outside K Strip Miter	(Listed Below)	0.027	20		
		ASM5OM2	Alum. 5" Outside K Strip Miter	M2 (Premium Color)	0.027	20	
Stri	ip Miter	ASM6I	Alum. 6" Inside K Strip Miter	(Listed Below)	0.027	20	
90° Outside	ASM6IM2	Alum. 6" Inside K Strip Miter	M2 (Premium Color)	0.027	20		
	ASM60	Alum. 6" Outside K Strip Miter	(Listed Below)	0.027	20		
		ASM6OM2	Alum. 6" Outside K Strip Miter	M2 (Premium Color)	0.027	20	

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	COPPER PENNY	CP	HARVEST BROWN	HV	REDWOOD	RW	TAHOE BLUE	TA
ALMOND	AL	COUNTRY BLUE	CU	NX JEFFERSON TAN	JT	ROSEWOOD	RS	TERRA BRONZE	TB
BEAVER BROWN	BB	DESERT MAUVE	DM	NX LINEN	LN	ROYAL BROWN	RB	VICTORIAN GREY	VG
BLACK	BK	DESERT SAND	DS	LINEN	LI	RUSTIC COPPER	M2*	WEATHERED BRONZI	E WB
BRONZE	BZ	NX DUNE	CD	MARINE GREEN	MR	NX SAND STONE	SS	WHEAT	WT
BUCKSKIN	BU	EVERGREEN	EG	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI
CAMEO	CA	FROST	FR	NORWEGIAN WOOD	NW	NX SIERRA	SI	30 WHITE	WH
CHARCOAL GREY	CG	HARBOR GREY	HG	PEBBLESTONE CLAY	PC	SEA BLUE	S7	50 WHITE	50
CLASSIC CREAM	CC	HERITAGE CREAM	HC	PEACH	PH	SPANISH GREEN	SP	80 WHITE	80




NORANDEX[®] Joints

LODI PLANT

Nom. Gauge/ Thickness Pieces/ **Expansion Joints** Part # Description Colors Box AEJ5ML Alum. 5" K Expansion Joint Mill 0.030 12 AEJ6ML Alum. 6" K Expansion Joint Mill 0.030 12






A 40' section of gutter can potentially expand almost 2/3 of an inch from winter to summer moving the fasteners back and forth until the gutter falls down. Expansion joints are a preventive measure for excessive movement in the gutter, and should be mounted in place every 40' of exceptionally long gutter runs.

Slip Joints	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	
_	ASJC5	Alum. 5" K Slip Joint	RB, WH	0.019	Order by the pc.	







NORANDEX[®] End Caps

LODI PLANT



Rainware & Accessories Colors:

PEC72RC

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	COPPER PENNY	CP	HARVEST BROWN	HV*	REDWOOD	RW*	TAHOE BLUE	TA*
ALMOND	AL	COUNTRY BLUE	CU*	NX JEFFERSON TAN	JT	ROSEWOOD	RS	TERRA BRONZE	TB
BEAVER BROWN	BB*	DESERT MAUVE	DM	NX LINEN	LN	ROYAL BROWN	RB*	VICTORIAN GREY	VG*
BLACK	BK*	DESERT SAND	DS*	LINEN	LI	RUSTIC COPPER	M2**	WEATHERED BRONZE	WB
BRONZE	BZ	NX DUNE	CD	MARINE GREEN	MR	NX SAND STONE	SS	WHEAT	WT
BUCKSKIN	BU	EVERGREEN	EG*	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI*
CAMEO	CA	FROST	FR	NORWEGIAN WOOD	NW	SEA BLUE	S7	30 WHITE	WH*
CHARCOAL GREY	CG*	HARBOR GREY	HG*	PEBBLESTONE CLAY	PC*	NX SIERRA	SI	50 WHITE	50
CLASSIC CREAM	CC*	HERITAGE CREAM	HC	PEACH	PH	SPANISH GREEN	SP	80 WHITE	80

Bond. 71/4" Right End Cap fits Curved style gutters, notched for roof tile apps

26 ga

71/4

50

Bond.





NORANDEX[®] Hangers

LODI PLANT


Nom. Gauge/ Piece Pieces/ **Hidden Hangers** Part # Description Colors Length **Thickness** Box ABH451ML Alum. 4-1/2" Backless Std. Bar Hanger Mill 0.060 4-1/2' 100 * ALTH45ML Alum. 4-1/2" Locktype Hanger Mill 0.060 4-1/2" 100 ABH5ML Mill 0.060 5″ ABH51ML Alum. 5" Backless Std. Bar Hanger 100 0.060 5" 400 ABH5ML Alum. 5" Backless Std. Bar Hanger Mill 5" 500 AHH5ML Alum. 5" Hook Hanger with Clip Mill 0.060 AHH5ML AHT51ML Alum. 5" Hangtite Hanger Mill 0.060 5" 100 5" AHT5ML Alum. 5" Hangtite Hanger Mill 0.060 1000 AHT5CML Alum. 5" Hangtite Hanger with Clip Mill 0.060 5" 1000 AHT5CML ABH6ML Alum. 6" Backless Std. Bar Hanger Mill 0.060 6-1/8' 750 AHH6ML Mill 0.060 6" 250 Alum. 6" Hook Hanger with Clip AHT61ML Alum. 6" Hangtite Hanger Mill 0.060 6" 100 AHT6CML Alum. 6" Hangtite Hanger with Clip Mill 0.060 6" 1000 GBH4ML 4" Galv. 4" Hidden Hanger Mill 26 ga 100 GBH451ML Galv. 4-1/2" Backless Hanger 4-1/2" 100 Mill 26 ga * GLTH45ML Galv. 4-1/2" Locktype Hanger Mill 26 ga 4-1/2' 100 GBH51ML Galv. 5" Hidden Backless Hanger Mill 26 ga 5" 100 * GLTH5ML 5" Galv. 5" Locktype Hanger Mill 26 ga 100 GBH6ML Galv. 6" Backless Hanger Mill 100 26 ga


^{*}NOTE: Use Locktype hangers with wing-configured gutters.





ABH6ML





7/16"

Hangers w/Screws	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box
	AHFSS5ML	Alum. 5" Supreme Hanger w/Screw	Mill	0.060	5"	400
	AQSHH5ML	Alum. 5" Quick Screw Hidden Hanger w/Screw	Mill	0.060	5"	500
	AQSHH6ML	Alum. 6" Quick Screw Hidden Hanger w/Screw	Mill	0.060	6"	300



LODI PLANT

T-Wedge Hangers



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Bag	
ATW44ML	Alum. 5" T-Wedge 4400	Mill	0.070	50	
ATW45MML	Alum. 5"-6" T-Wedge 4500	Mill	0.070	50	

A T-Wedge can be adjusted to keep the gutter level at various fascia board angles.

Gutter Wedges




Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	
GW5	Alum. 5" Gutter Wedge	RB, WH	0.027	100	
GW6	Alum. 6" Gutter Wedge	RB, WH	0.027	50	

Wrap Around Hangers

Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Box	
AWAH5WH	Alum. 5" Wrap Around Hanger K	WH	0.060	16-3/4"	100	







T-Bar Hangers


Part #	Description	Colors	Thickness	Length	Box	
ATBH5ML	Alum. 5" T-Bar Strap Hanger	Mill	0.060	12-1/2"	100	
ATBH6WH	Alum. 6" T-Bar Painted Strap Hanger	WH	0.060	6-1/8"	100	
•						







Hanger Strap	s
---------------------	---



Part #	Description	Colors	Pieces/ Box	
GHK4ML	Galv. 4" Hanger Strap Plain K	Mill	250	
GHK5ML	Galv. 5" Hanger Strap Plain K	Mill	250	
GHP5ML	Galv. 5-1/4" Hanger Strap Plain	Mill	250	
GHK6ML	Galv. 6" Hanger Strap Plain K	Mill	250	
GHP7ML	Galv. 7-1/4" Hanger Strap Plain	Mill	250	
GHT7ML	Galv. 7-1/4" Hanger Strap Tile	Mill	250	



NORANDEX[®] Rainware Accessories

LODI PLANT

Ring Shanks (Spikes)

Part #	Description	Colors	Piece Length	Pieces/ Box
AS7WH	Alum. 7" Ring Shank	WH	7″	500
AS8WH	Alum. 8" Ring Shank	WH	8"	500
GS7WH	Galv. 7" Ring Shank	WH	7"	50
037 WII	dalv. / King Shank	WWII	/	50

Ferrules	Part #	Description	Colors	Piece Length	Pieces/ Box	
	AF5ML	Alum. 5" Ferrule	Mill	5″	500	
	AF6ML	Alum. 6" Ferrule	Mill	6"	500	
	GF5ML	Galv. 5" Ferrule	Mill	5″	500	
*	GF6ML	Galv. 6" Ferrule	Mill	6"	500	



NORANDEX Round & Half Round Products LODI PLANT



Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box
Alum. 6" H/R Gutter Reverse Bead	BZ, MB, WH	.027	10′	5
Alum. 6" H/R Gutter Reverse Bead	M2 (Premium Color)	.027	10'	5
Bond. 5" Half Round Gutter	Bond.	26 ga	20′	Order by the pc.
Bond. 6" Half Round Gutter	Bond.	26 ga	20′	Order by the pc.
Bond. 6" Half Round Gutter	Bond.	26 ga	25′	Order by the pc.
	Alum. 6" H/R Gutter Reverse Bead Alum. 6" H/R Gutter Reverse Bead Bond. 5" Half Round Gutter Bond. 6" Half Round Gutter	Alum. 6" H/R Gutter Reverse Bead BZ, MB, WH Alum. 6" H/R Gutter Reverse Bead M2 (Premium Color) Bond. 5" Half Round Gutter Bond. Bond. 6" Half Round Gutter Bond.	Alum. 6" H/R Gutter Reverse Bead BZ, MB, WH .027 Alum. 6" H/R Gutter Reverse Bead M2 (Premium Color) .027 Bond. 5" Half Round Gutter Bond. 26 ga Bond. 6" Half Round Gutter Bond. 26 ga	Alum. 6" H/R Gutter Reverse Bead BZ, MB, WH .027 10' Alum. 6" H/R Gutter Reverse Bead M2 (Premium Color) .027 10' Bond. 5" Half Round Gutter Bond. 26 ga 20' Bond. 6" Half Round Gutter Bond. 26 ga 20'

Round Downspouts



Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box
ADSR210	Alum. D/S 2" Round Pipe 10'	BU, MB, WH	0.019	10'	5
ADSR310	Alum. D/S 3" Round Pipe 10'	(Listed Below)	0.019	10'	5
ADSR310M2	Alum. D/S 3" Round Pipe 10'	M2 (Premium Color)	0.019	10'	5
ADSR310ML	Alum. D/S 3" Round Pipe 10'	Mill	0.019	10′	5
ADSR38	Alum. D/S 3" Round Pipe 8'	(Listed Below)	0.019	8′	5
GDSR210	Galv. D/S 2" Round Pipe 10'	MB, WH	26 ga	10′	10
GDSRP262ML	Galv. D/S 2" Plain Round Pipe 10'	Mill	26 ga	10′	10
GDSRP263ML	Galv. D/S 3" Plain Round Pipe 10'	Mill	26 ga	10′	10
GDSRP264ML	Galv. D/S 4" Plain Round Pipe 10'	Mill	26 ga	10′	10
GDSRP265ML	Galv. D/S 5" Plain Round Pipe 10'	Mill	26 ga	10′	10
PDSRP262	Bond. D/S 2" Plain Round Pipe 10'	Bond.	26 ga	10′	10
PDSRP263	Bond. D/S 3" Plain Round Pipe 10'	Bond.	26 ga	10′	10
PDSRP264	Bond. D/S 4" Plain Round Pipe 10'	Bond.	26 ga	10′	10
PDSRP265	Bond. D/S 5" Plain Round Pipe 10'	Bond.	26 ga	10′	10

Round Elbows



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	
AER345	Alum. 3" Round 450	(Listed Below)	0.019	25	
AER3	Alum. 3" Round 750	(Listed Below)	0.019	25	
AER3M2	Alum. 3" Round 75°	M2 (Premium Color)	0.019	25	
AER3WBHV	Alum. 3" Round 750	WB/HV	0.019	25	
AER390	Alum. 3" Round 900	(Listed Below)	0.019	25	
GER245ML	Galv. 2" Round 45 ⁰	Mill	26 ga	20	
GER260ML	Galv. 2" Round 60 ⁰	Mill	26 ga	20	
GER275ML	Galv. 2" Round 75 ⁰	Mill	26 ga	20	
GER290ML	Galv. 2" Round 90 ⁰	Mill	26 ga	20	
GER345ML	Galv. 3" Round 45 ⁰	Mill	26 ga	20	
GER360ML	Galv. 3" Round 60 ⁰	Mill	26 ga	20	
GER375ML	Galv. 3" Round 750	Mill	26 ga	20	
GER390ML	Galv. 3" Round 900	Mill	26 ga	20	
GER445ML	Galv. 4" Round 45 ⁰	Mill	26 ga	20	
GER460ML	Galv. 4" Round 60°	Mill	26 ga	20	
GER475ML	Galv. 4" Round 75 ⁰	Mill	26 ga	20	
GER490ML	Galv. 4" Round 90 ⁰	Mill	26 ga	20	
PER345	Bond. 3" Round 45 ^o	Bond.	26 ga	20	
PER375	Bond. 3" Round 75 ⁰	Bond.	26 ga	20	_
PER390	Bond. 3" Round 90°	Bond.	26 ga	20	

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	COPPER PENNY	CP	HARVEST BROWN	HV	REDWOOD	RW	TAHOE BLUE	TA
ALMOND	AL	COUNTRY BLUE	CU	NX JEFFERSON TAN	JT	ROSEWOOD	RS	TERRA BRONZE	TB
BEAVER BROWN	BB	DESERT MAUVE	DM	NX LINEN	LN	ROYAL BROWN	RB	VICTORIAN GREY	VG
BLACK	BK	DESERT SAND	DS	LINEN	LI	RUSTIC COPPER	M2*	WEATHERED BRONZ	E WB
BRONZE	BZ	NX DUNE	CD	MARINE GREEN	MR	NX SAND STONE	SS	WHEAT	WT
BUCKSKIN	BU	EVERGREEN	EG	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI
CAMEO	CA	FROST	FR	NORWEGIAN WOOD	NW	NX SIERRA	SI	30 WHITE	WH
CHARCOAL GREY	CG	HARBOR GREY	HG	PEBBLESTONE CLAY	PC	SEA BLUE	S7	50 WHITE	50
CLASSIC CREAM	CC	HERITAGE CREAM	HC	PEACH	PH	SPANISH GREEN	SP	80 WHITE	80



NORANDEX[®] Round & Half Round Products

LODI PLANT

Nom. Gauge/ Thickness Pieces/ **Round Offsets** Part # Description Colors Box BB, HC, MB, NW, RB, ABO11R3 - -Alum. (1pc.) 1" Offset 3" Round 0.019 20 TB, WH, WI, WT BB, HC, MB, NW, RB, ABO12R3 - -Alum. (1pc.) 2" Offset 3" Round 0.019 20 TB, WH, WI, WT BB, HC, MB, NW, RB, ABO13R3 - -Alum. (1pc.) 3" Offset 3" Round 0.019 20 TB, WB, WH, WI, WT BB, HC, MB, NW, RB, ABO14R3 - -0.019 20 Alum. (1pc.) 4" Offset 3" Round TB, WB, WH, WI, WT ABO15R3 - -Alum. (1pc.) 5" Offset 3" Round (Listed Below) 0.019 Order by the pc. ABO16R3 - -Alum. (1pc.) 6" Offset 3" Round 0.019 (Listed Below) Order by the pc. ABO12R4M2 0.019 20 Alum. (1pc.) 4" Offset 2" Round M2 (Premium Color) ABO14R4M2 Alum. (1pc.) 4" Offset 4" Round 20 M2 (Premium Color) 0.019



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	
AECH6	Alum. 6" Half Round Universal End Cap	*(Listed Below)	0.019	20	
AECH6M2	Alum. 6" Half Round Universal End Cap	M2 (Premium Color)	0.019	20	
GECH5ML	Galv. 5" Half Round Universal End Cap	Mill	26 ga	50	
GECH6ML	Galv. 6" Half Round Universal End Cap	Mill	26 ga	50	

^{*}Not available in these colors: HC, LI, NW, PH, WB, WT

Round Leader Heads	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
	ALHR3WH	Alum. 3" Round Leader Head - 9 x 7 Opening	WH	0.019	Order by the pc.
	GLHR3ML	Galv. 3" Round Leader Head - 9 x 7 Opening	Mill	26 ga	Order by the pc.

Round & H/R Outlets	Part #	Description	Colors	Pieces/ Box	
Half	AORO2ML	Alum. 2" Round Outlet	*	100	
Round	AORO238ML	Alum. 2-3/8" Round Outlet	*	250	_
Outlet	AORO234ML	Alum. 2-3/4" Round Outlet	*	250	
Odtiet	AOROH63ML	Alum 3" Half Round Drop Outlet	*	50	
	GORO2ML	Galv. 2" Round Drop Outlet	Mill	25	
Round	GORO3ML	Galv. 3" Round Drop Outlet	Mill	50	
Outlet	GOROH3ML	Galv. 3" Half Round Outlet	Mill	50	
	GOROH64	Galv. 4" Round x 6" Half Round Outlet	Mill	50	
	GORO25ML	Galv. 2 x 5 Round Drop Outlet	Mill	25	
	GORO210ML	Galv. 2 x 10 Round Roof Outlet	Mill	25	

^{*}NOTE: Aluminum outlets made with mill or painted finish per manufacturer's discretion.

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	COPPER PENNY	СР	HARVEST BROWN	HV	REDWOOD	RW	TAHOE BLUE	TA
ALMOND	AL	COUNTRY BLUE	CU	NX JEFFERSON TAN	JT	ROSEWOOD	RS	TERRA BRONZE	TB
BEAVER BROWN	BB	DESERT MAUVE	DM	NX LINEN	LN	ROYAL BROWN	RB	VICTORIAN GREY	VG
BLACK	BK	DESERT SAND	DS	LINEN	LI	RUSTIC COPPER	M2*	WEATHERED BRONZE	WB
BRONZE	BZ	NX DUNE	CD	MARINE GREEN	MR	NX SAND STONE	SS	WHEAT	WT
BUCKSKIN	BU	EVERGREEN	EG	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI
CAMEO	CA	FROST	FR	NORWEGIAN WOOD	NW	NX SIERRA	SI	30 WHITE	WH
CHARCOAL GREY	CG	HARBOR GREY	HG	PEBBLESTONE CLAY	PC	SEA BLUE	S7	50 WHITE	50
CLASSIC CREAM	CC	HERITAGE CREAM	HC	PEACH	PH	SPANISH GREEN	SP	80 WHITE	80



NORANDEX Round & Half Round Products LODI PLANT

Leader Straps	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
	GDSPBR2ML	Galv. 2" Round Leader Strap	Mill	26 ga	100
	GDSPBR3ML	Galv. 3" Round Leader Strap	Mill	26 ga	100
	GDSPBR4ML	Galv. 4" Round Leader Strap	Mill	26 ga	100
	GDSPBR5ML	Galv. 5" Round Leader Strap	Mill	26 ga	100

Half Round Miters	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
	ABYH6IM2	Aluminum 6" 45°, Bay, Inside	M2, M3 (Premium Colors)	0.027	10
	ABYH6OM2	Aluminum 6" 45°, Bay, Outside	M2, M3 (Premium Colors)	0.027	10
	ASMH6IM2	Aluminum 6" 90°, Strip, Inside	M2, M3 (Premium Colors)	0.027	10
	ASMH6OM2	Aluminum 6" 90°, Strip, Outside	M2, M3 (Premium Colors)	0.027	10
	GBMH6IML	Galv. 6" Inside Half Round Miter	Mill	26 ga	20
	GBMH6OML	Galv. 6" Outside Half Round Miter	Mill	26 ga	20

H/R Hidden Hangers	Part #	Description	Colors	Pieces/ Box	
	AHHSHR6ML	Alum. 6" Half Round Hanger w/Screw	Mill	300	
GHHR6ML	GHHR5ML	Galv. 5" Half Round Hanger	Mill	Order by the pc.	
·	GHHR6ML	Galv. 6" Half Round Hanger	Mill	Order by the pc.	
	Notes Only for	warrance hand half varied crittans			

Note: Only for reverse bead half round gutters



NORANDEX[®] Copper Products

LODI PLANT



Copper Half Round Gutter



Copper Round Downspout



Copper Round Elbow



Part #	Description	Nom. Gauge	Pieces/ Box
CGUH520	Copper 5" x 20' Half Round Gutter	16 oz	Order by the pc.
CGUH620	Copper 6" x 20' Half Round Gutter	16 oz	Order by the pc.
CDS2310	Copper 2 x 3 Corrugated Downspout 10'	16 oz	Order by the pc.
CDSR310	Copper 3" x 10' Round Downspout	16 oz	Order by the pc.
CDSR410	Copper 4" x 10' Round Downspout	16 oz	Order by the pc.
CAE23	Copper 2 x 3 A Corrugated Elbow	16 oz	Order by the pc.
CBE23	Copper 2 x 3 B Corrugated Elbow	16 oz	Order by the pc.
CAE34	Copper 3 x 4 A Corrugated Elbow	16 oz	Order by the pc.
CBE34	Copper 3 x 4 B Corrugated Elbow	16 oz	Order by the pc.
CER345	Copper 3" Round Elbow 45°	16 oz	Order by the pc.
CER375	Copper 3" Round Elbow 75°	16 oz	Order by the pc.
CER475	Copper 4" Round Elbow 75°	16 oz	Order by the pc.
CERC3	Copper 3" x 10' Corrugated Round Elbow	16 oz	Order by the pc.
CERC4	Copper 4" x 10' Corrugated Round Elbow	16 oz	Order by the pc.
CBO1323A	Copper 2 x 3 - 3" A Offset	10 oz	Order by the pc.
CBO1323B	Copper 2 x 3 - 3" B Offset	10 oz	Order by the pc.
CCH3	Copper 3" Conductor Head	16 oz	Order by the pc.
CCH4	Copper 4" Conductor Head	16 oz	Order by the pc.
COOV2	Copper 2" Oval Outlet	16 oz	Order by the pc.
COOV3	Copper 3" Oval Outlet	16 oz	Order by the pc.
COROH63	Copper 3" Half Round Outlet	16 oz	Order by the pc.
COROH64	Copper 4" Half Round Outlet	16 oz	Order by the pc.
CDSPB34	Copper 3 x 4 Leader Strap	10 oz	Order by the pc.
CDSPBU	Copper Universal Downspout Band	16 oz	Order by the pc.
CBM5I	Copper 5" Inside Box Miter	16 oz	Order by the pc.
CBM50	Copper 5" Outside Box Miter	16 oz	Order by the pc.
CBMH5I	Copper 5" Inside Half Round Box Miter	16 oz	Order by the pc.
СВМН5О	Copper 5" Outside Half Round Box Miter	16 oz	Order by the pc.
CBMH6I	Copper 6" Inside Half Round Box Miter	16 oz	Order by the pc.
СВМН6О	Copper 6" Outside Half Round Box Miter	16 oz	Order by the pc.
CEC5L	Copper 5" Left End Cap	16 oz	Order by the pc.
CEC5R	Copper 5" Right End Cap	16 oz	Order by the pc.
CECH5	Copper 5" Half Round End Cap	10 oz	Order by the pc.
CECH6	Copper 6" Half Round End Cap	10 oz	Order by the pc.
CGCSCNB5	Copper 5" Half Round Gutter Hanger SB	16 oz	Order by the pc.
CGCSCNB6	Copper 6" Half Round Gutter Hanger SB	16 oz	Order by the pc.
CHRSHK30	Copper #30 Shank Half Round Gutter Hanger	16 oz	Order by the pc.
CHHR5CC	Copper 5" #10 Hanger Combo w/Clip	16 oz	Order by the pc.
CHHR6CC	Copper 6"#10 Hanger Combo w/Clip	16 oz	Order by the pc.
CRRNHR5	Copper 5" Half Round Regal SB Bar Hanger	16 oz	Order by the pc.
CRRNHR6	Copper 6" Half Round Regal SB Bar Hanger	16 oz	Order by the pc.
CPR	Copper Pop Rivets		100



NORANDEX Drain Guard & Gutter Protection LODI PLANT

Drain Guard	Part #	Description	Colors	Pieces/ Box	Pieces/ Pallet	
	Drain G Rectangula	uard r style, wall-mount with rem	ovable basket.			
	ALDG23	Alum. 2 x 3 Drain Guard	WH, BR	25	375	
	ALDG34WH	Alum. 3 x 4 Drain Guard	WH	25	375	
Drain Guard ".						

	, , , , ,
1	NX Drop-In

Screen Systems

NX Drop-In

Part #

The front attachment provides a firm hold to the front of the gutter and has a wide mounting flange for a permanent install. The mill finish aluminum screen is micro crimped for enhanced durability.

Colors

Nom. Gauge/

Thickness

Pieces/

Box

ALGP5DIML	Alum. 5" Drop-In	Mill	0.025	4′	50	200′
ALGP6DIML	Alum. 6" Drop-In	Mill	0.025	4′	50	200′

Powder Coated Screens

Our special powder coating is designed to uniformly cover all surfaces and contains UV inhibitors for extra durability. The coating is distinguished by the smooth feel of the finish.

Conventional powder finishes don't coat the entire mesh which leads to corrosion and product failure. You can easily identify these products because they feel rough due to the inconsistency of the coating on the surface of the screen.

Description



NX Lock Small Hole

The small hole screen system installs quickly without disturbing the shingles with its front and back snap lock system.

GGP5LSHBK	Galv. 5" Lock Small Hole	BK	28 ga	4′	25	100′
GGP6LSHBK	Galv. 6" Lock Small Hole	BK	28 ga	4′	25	100′



NX Lock Regular Hole

The regular hole screen system installs quickly without disturbing the shingles with its front and back snap lock system.

GGP5LRHBK	Galvanized 5" Lock Regular Hole	BK	28 ga	4′	25	100′
GGP6LRHBK	Galvanized 6" Lock Regular Hole	BK	28 ga	4′	25	100′



NX Step Down

The small hole screen incorporates a raised snap-in system in the back of the gutter to seal off the void between the shingles and the screen. Step Down installs quickly without the use of screws or disturbing the shingles.

GGP5SDBK	Galv. 5" Step Down	BK	28 ga	4′	25	100′
GGP6SDBK	Galv. 6" Step Down	BK	28 ga	4′	25	100′



NORANDEX Gutter Protection

LODI PLANT

Screen Systems (cont.)

Part #

Description

Colors Nom. Gauge/ Thickness Piece

Pieces/

reet



NX Premium Lock

The tiny holes keeps out small debris, while allowing water to flow through the screen. Two stiffening beads run down the center of the screen for added strength. Installation is quick and easy without disturbing the shingles. The screen locks into place with a raised back and front-tiered mounting system.

ALGP5PLBK	Alum. 5" Premium Lock	BK	0.032	4′	25	100′
ALGP6PLBK	Alum. 6" Premium Lock	BK	0.032	4′	25	100′



NX Deluxe Half Round

Spring tension design holds this gutter screen in place. Snaps in and out of half round gutters for easy cleaning. 28 gauge steel stands tough under a full load of wet leaves without collapsing. Installs with a slope toward the front to help debris slide off.

GLGEZ6DH	Galv. 6.5" Deluxe half Round	BK	28 ga	4′	25	100′

Perforated & Dome	Part #	Description	Colors	Nom. Gauge/	Piece	Pieces/	Feet/
remonated & Dome	rait#	Description	COIOIS	Thickness	Length	Box	Box



NX Smooth Flow

The perforated cover installs easily without disturbing the shingles. Product is factory notched for easy overlapping. Dual center ribbed bends provide extra rigidity against expansion and contraction. Six 50-count bags of #6 hex head 3/8 stainless steel painted screws are included.

ALGP5SF Alum. 5" Smooth Flow	BK, WH, ML	.019	6′	40	240′
ALGP6SF Alum. 6" Smooth Flow	BK, WH, ML	.019	6′	40	240′



NX Master Flow

The snap in perforated panels are installed without disturbing the shingles and without the use of screws. The patented curved back portion keeps the contoured front mounting system in place, provides a gentle transition of rainwater on to the panel, blocks debris from depositing in the back of the gutter, and is not obstructed by screw hangers.

ALGP5MFBK	Alum. 5" Master Flow	BK	.019	4′	25	100′
ALGP6MFBK	Alum. 6" Master Flow	BK	.019	4′	25	100′



NX Snap-In Dome Cover

This unique solid dome cover is designed for maximum debris load and is one of the easiest dome cover systems to install. The dome cover snaps in without the use of brackets or screws and doesn't disturb the shingles. Snap-In Dome is available in several colors to enhance the curb appeal of your home by blending in with the roof line.

ALGP5SD Alu	ım. 5" Snap-In Dome	BK, RB, TB, WH	.028	4′	14	56′
ALGP6SD Alu	ım. 6" Snap-In Dome	BK, RB, TB, WH	.028	4′	14	56′

Gutter Protection Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
BLACK	BK	ROYAL BROWN	RB	TERRA BRONZE	ТВ	WHITE		MILL	ML



Gutter Protection

LODI PLANT

Gutter Protection	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box
	Gutter F	Protection				
	ALGLFH5	Alum. 5"/6" Perforated High-Flow Gutter Cover with Screws 4'	AL, BK, CC, CL, DB, EG, IV, MB, PL, RB, S1, TB, TX, WH		4′	5
	ALGLFS5	Alumi. 5"/6" Standard Solid Gutter Cover with Screws 4'	AL, BK, CC, CL, DB, EG, IV, MB, PL, RB, S1, TB, TX, WH	11 11/4	4′	25
	ALGRX5	Alum. 5" Drop-In Cover 6'	DB, WH	0.019	6′	50
	ALGRX6	Alum. 6" Drop-In Cover 6'	DB, WH	0.019	6′	50







ALGLFH5 High Flow

ALGLFS5 Solid

ALGRX5 Drop-In

Gutter Protection Accessories

ALGLFM5	Alum. Miters (set - 1 Left & 1 Right)	AL, BK, CC, CL, DB, EG, MB, PL, RB, S1, TB, TX, WH	0.024		10
ALGLFE5R	Alum. End Caps (Right)	AL, BK, CC, CL, DB, EG, MB, PL, RB, S1, TB, TX, WH	0.024	5″	25
ALGLFE5L	Alum. End Caps (Left)	AL, BK, CC, CL, DB, EG, MB, PL, RB, S1, TB, TX, WH	0.024	5″	25





ALGLFM5 Miters

ALGLFE5 R/L End Caps

Gutter Protection Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CLAY	CL	IVORY	IV	ROYAL BROWN	RB	TUXEDO GRAY	TX
BLACK	BK	DARK BRONZE	DB	MUSKET BROWN	MB	SAND	S1	30 WHITE	WH
CLASSIC CREAM	CC	EVERGREEN	EG	PEARL GRAY	PL	TERRA BRONZE	TB		

Trim Coil Offering

LODI PLANT

Trim Coil	Coil Description		Pieces/ Box	Boxes/ Pallet	Pieces/ Pallet	Rolls/ Truck
	.019 Aluminum Trim Coil	50′	1	48	48	1248

Unless otherwise stated, all Smooth and Wood Grain trim coil is white (W1) on the opposite side.

NORANDEX™ Smooth

NORANDEX™ No. Pine Embossed

NORANDEX™ PVC

ATCS24 - - Aluminum 24" Smooth

ATCW24 - - Aluminum 24" Embossed

ATCP24 - - Aluminum 24" PVC

Norandex™ Trim Coil Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	D49	NX DOVE GREY	A26	NX IVY GREEN	G13	NX OLIVE	G14	NX SMOKE	A21
NX BEIGE	D52	NX DUNE	D54	NX KHAKI	D59	NX ROYAL BROWN	В6	NX STEEL BLUE	L8
BRONZE	B13	NX EVERGREEN	G15	NX LINEN	W10	NX RUSSETT	B18	NX TAN	D48
NX CACTUS	G16	NX FERN	A24	NX MAVERICK BROWN**	B20	NX SAND	D51	NX TUMBLEWEED TAN	D55
NX CHAMPAGNE	D53	NX FIREBRICK	R6	NX MOCHA	D58	NX SAND STONE	D46	NX WEDGEWOOD BLUE	E L7
CLAY	D43	NX GENEVA BLUE	L9	NX MUSKET BROWN	B1	NX SEAPORT	A22	NX WHEAT	D50
NX COBBLESTONE CLAY	D56	NX GRANITE	A19	NX MYRTLE	G17	NX SIERRA	D47	WHITE	W1
NX CREAM	D22	NX GRAPHITE**	A25	NORWEGIAN WOOD**	D26	NX SILVER	А3	NX YELLOW**	Y4
NX DEEP WATER	L10								

^{**}Not available in PVC: A25, B20, D26, Y4

MASTIC Smooth

MASTIC No. Pine Embossed

MASTIC PVC

ATCS24 - - Aluminum 24" Smooth

ATCW24 - - Aluminum 24" NP Embossed

ATCP24 - - Aluminum 24" PVC

Mastic Trim Coil Comparable Colors / •=Designer Collection Color Thru System™ (smooth only)

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
• ALMOND*	D14	CORN SILK*	D24	LAKESHORE FERN*	G2	REDWOOD*	R3	SILVER GREY	A3
AUTUMN HARVEST*	B11	DEEP GRANITE*	A9	• LINEN	D4	 ROYAL BROWN 	В6	 TERRA BRONZE 	B12
BLACK*	A17	 DESERT SAND 	D34	MISTY SHADOW*	A10	RUGGED CANYON*	В9	 VICTORIAN GREY 	A5
BROOKSTONE	D21	ENGLISH WEDGEWOO	D* A11	MONTANA SUEDE*	D44	RUSSET RED*	R4	VINEYARD GROVE*	G7
CAMEO	W2	EVEREST	A15	 MUSKET BROWN 	B1	SAGE*	D25	 WHITE 	W1
 CHARCOAL GREY* 	A8	 EVERGREEN 	G6	 PEBBLESTONE CLAY 	D5	 SANDTONE 	D6	 WICKER 	D8
CLASSIC CREAM	D22	 HARBOR GREY 	A2	QUIET WILLOW*	G12	SCOTTISH THISTLE	G9		

^{*}Not available in PVC: D14, B11, A17, A8, D24, A9, A11, G2, A10, D44, G12, R3, B9, R4, D25, G7

HARDIE Smooth

HARDIE No. Pine Embossed

ATCS24 - - Aluminum 24" Smooth

ATCW24 - - Aluminum 24" NP Embossed

Hardie Trim Coil Comparable Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE
ARCTIC WHITE/WOODSTOCK BROWN	C2	HEATHERED MOSS/BOOTHBAY BLUE	C9	MOUNTAIN SAGE/LIGHT MIST	C10
CHESTNUT BROWN/EVENING BLUE	C8	IRON GREY/COUNTRYLANE RED	C7	SAND STONE BEIGE (PVC only)	D15

TEXTURED, MAR-RESISTANT WINDOW TRIM COIL

ATCT24 - - Aluminum 24" Textured


Window Trim Coil Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE
CLAY	D39	TAN	D38	WHITE	W4




NORANDEX[®] Soffit, F-Channel, & J-Channel

LODI PLANT



F-Channel	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Boxes/ Pallet	Pieces/ Pallet
	AF12WH	Alum. 1/2" F-Channel	WH	0.019	12′	25	24	600
	1-7/16"	AF12 -1"- 1/2" 1-1/8"						





ALUMINUM RAINWARE, SIDING ACCESSORIES, SOFFIT, FASCIA & TRIM COIL



Buy Norandex™ products with confidence knowing that:

- Norandex[™] aluminum products carry a limited lifetime warranty.
- Material and Labor is covered.
- Transferrable at no charge.
- Doesn't require registration.

Norandex™ manufactures Aluminum Soffit, Aluminum Siding & Soffit Accessories, Aluminum Trim Coil, Aluminum Fascia (the "Products"), Aluminum Gutter Coil, and Rainware Accessories in accordance with high standards and tight quality controls. The Products will not rust, burn or support combustion, or split or crack due to cold weather because they are made of aluminum.

WHAT DOES THIS WARRANTY COVER?

Norandex $^{\text{TM}}$ warrants to you, the owner of the property at the time the Products were installed, that the Products are free from defects in material and workmanship in the course of manufacture, and that the finish on the Products will not chip, peel, flake or blister under conditions of ordinary wear, if installed according to local building codes and industry specifications. This Warranty is limited to the terms and conditions, exclusions and limitations, requirements and legal rights stated in this Warranty.

HOW LONG DOES THE COVERAGE LAST?

If you are an individual, this Limited Lifetime Warranty lasts for the life of the property on which the Products were originally applied ("Property") for as long as you own the Property. If you are not an individual (e.g., you are a corporation, condominium, cooperative housing arrangement, unincorporated association, school, church, government or public entity, etc.), the warranty period will be 50 years from the date of original installation of the Products on the Property, prorated as outlined in the Warranty Coverage Schedule contained within. This Limited Lifetime Warranty may be transferred with the Property, However, upon the transfer, the warranty period will be no more than 50 years from the date of original installation of the Products on the Property, prorated in accordance with the Warranty Coverage Schedule contained within.

WHAT WILL WE DO?

You must notify us in accordance with the notice requirements outlined below, and we must validate the complaint. In the event the manufacturer is denied access for an inspection, this warranty is null and void. Upon the notification and validation, we will undertake the following:

We will repair, replace or refund the purchase and installation price of the defective portion of our product that blisters, checks, crazes, flakes, peels or weathers unevenly due to a defect in our manufacturing process. Our obligations under this warranty will in no event exceed the purchase price of the originally installed Products found to be warrantable and the cost of the labor involved in the original installation of such defective Products. Any additional costs and expenses beyond these amounts are your responsibility. Norandex™ will not pay or be responsible for any costs associated with or related to anything else affixed to the Material or building's roof, including but not limited to solar panels, television antennas, moisture sensors, etc.

In the event of repair, replacement or refinishing under this Warranty, the Warranty applicable to the replacement material or to the repaired or refinished Products will extend only for the time remaining under the original Warranty.

If we elect to repair or replace Product under this warranty, we will also cover the reasonable labor costs for the applicable area, as determined by us.

WHAT DOESN'T THIS WARRANTY COVER?

This Warranty does not cover damage of any kind resulting from:

- Product that is stored in situations where standing water is covering the surface for prolonged period of time;
- Faulty or improper contractor fabrication or installation, including "oil canning" waving, buckling, or other distortions;
 Installation of our Product in direct contact with dissimilar materials as
- Installation of our Product in direct contact with dissimilar materials as discussed in the final section of this warranty;
- Cracking or crazing of the Product's paint surface due to field forming of Products in cold temperatures; or
- Changes in surface color resulting from chalking, fading, soiling or staining. Exposure to the elements may cause these changes over time;

the degree to which weathering occurs will vary depending on air quality, the building's location and other local conditions over which we have no control;

- · accidental damage;
- settlement;
- structural shrinkage or distortion of the property structure;
- fire;
- lightning, hurricane, tornado, windstorm, earthquake, volcanoes, hail, or other acts of God;
- harmful chemicals (including harmful cleaning compounds and pesticides);
- fumes, volcanic smog, or vapors; Warranty does not cover material within 30 miles of volcano.
- surface deterioration due to air pollution or seacoast environment (no coverage if product installation is within 1500 feet of seacoast);
- misuse or abuse;
- · vandalism;
- airborne stains, mold and mildew accumulation;
- your failure (or the failure of subsequent Property owners) to provide reasonable and necessary maintenance of the Products (see "Care and Maintenance Instructions");
- impact of foreign objects;
- warping or distortion due to exposure to excessive heat sources (e.g., barbecue grills) or exposure to unusual or excessive reflective heat sources (e.g., window reflection);
- Products that have been painted or whose surface has been altered in any way will void the paint finish warranty;
- any other causes beyond our reasonable control; or
- Corrosion caused by contact with dissimilar materials, treated lumber, or direct salt spray.

OTHER LIMITATIONS

- 1. This Warranty covers only genuine Norandex™, Aluminum Soffit, Aluminum Siding & Soffit Accessories, select Aluminum Trim Coil, Aluminum Fascia, and Aluminum Gutter Coil & Rainware Accessories. It is your responsibility to verify that the soffit, fascia, and accessories installed are our Products. For Trim Coil, we require written proof it is Norandex™ product. Our products are warranted in the continental United States, Hawaii, and Alaska.
- 2. Products are designed and intended for use as small flashings and water diverters, and should not be used as roofing material.
- 3. Due to normal weathering, replacement Products may differ in gloss and color from Products originally installed on the Property.
- 4. We reserve the right to discontinue or change any design or color of any of our products at any time and without notice or liability. If, for any reason, Products of the type originally installed are no longer available from us at the time you make a warranty claim, we may substitute another product determined by us to be of comparable quality and price. 5. There are no warranties on these Products other than as set forth in this Warranty. We are not liable to you for a breach of any other written or oral express warranties, such as those, if any, given to you by dealers, contractors, applicators, or distributors of the Products.
- 6. WE EXCLUDE AND ARE NOT RESPONSIBLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES ARISING OUT OF ANY BREACH OF THIS EXPRESSED WARRANTY, OR ANY OTHER ORAL, WRITTEN OR IMPLIED WARRANTY THAT MAY APPLY TO YOUR PURCHASE, AS IT RELATES TO OUR PRODUCTS.

THIS IS YOUR EXCLUSIVE WARRANTY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

7. This Warranty gives you specific legal rights. You may also have other rights which vary from state to state. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.



STEEL RAINWARE AND ACCESSORIES



Buy Norandex[™] products with confidence knowing that:

- Norandex[™] steel rainware products carry a limited lifetime warranty.
- Material and Labor is covered.
- Doesn't require registration.

Norandex $^{\text{TM}}$ manufactures Steel Rainware & Accessories including Gutter Coil in accordance with high standards and tight quality controls. The Products will not burn or support combustion, or split or crack due to cold weather because they are made of steel.

WHAT DOES THIS WARRANTY COVER?

Norandex™ warrants to you, the owner of the property at the time the Products were installed, that the Products are free from defects in material and workmanship in the course of manufacture, and that the finish on the Products will not chip, peel, flake or blister under conditions of ordinary wear, if installed according to local building codes and industry specifications. This warranty excludes any areas of the material that are within ¾″ of any edge that has been cut subsequent to the application of the paint to the substrate. This Warranty is limited to the terms and conditions, exclusions and limitations, requirements and legal rights stated in this Warranty.

HOW LONG DOES THE COVERAGE LAST?

If you are an individual, this Limited Lifetime Warranty lasts for the life of the property on which the Products were originally applied ("Property") for as long as you own the Property. If you are not an individual (e.g., you are a corporation, condominium, cooperative housing arrangement, unincorporated association, school, church, government or public entity, etc.), the warranty period will be 50 years from the date of original installation of the Products on the Property, prorated as outlined in the Warranty Coverage Schedule contained within. This Limited Lifetime Warranty is limited to the original owner. Coverage will be 100% for ten years after the installation and prorated after that period. See Warranty Coverage Schedule section for details of prorated coverage.

WHAT WILL WE DO?

You must notify us in accordance with the notice requirements outlined below, and we must validate the complaint. In the event the manufacturer is denied access for an inspection, this warranty is null and void. Upon the notification and validation, we will undertake the following:

We will repair, replace or refund the purchase and installation price of the defective portion of our product that blisters, checks, crazes, flakes, peels or weathers unevenly due to a defect in our manufacturing process. Our obligations under this warranty will in no event exceed the purchase price of the originally installed Products found to be warrantable and the cost of the labor involved in the original installation of such defective Products. Any additional costs and expenses beyond these amounts are your responsibility. Norandex™ will not pay or be responsible for any costs associated with or related to anything else affixed to the Material or building's roof, including but not limited to solar panels, or television antennas, moisture sensors, etc.

In the event of repair, replacement or refinishing under this Warranty, the Warranty applicable to the replacement material or to the repaired or refinished Products will extend only for the time remaining under the original Warranty.

If we elect to repair or replace Product under this warranty, we will also cover the reasonable labor costs for the applicable area, as determined by us.

WHAT DOESN'T THIS WARRANTY COVER?

This Warranty does not cover damage of any kind resulting from:

- Product that is stored in situations where standing water is covering the surface for prolonged period of time;
- Faulty or improper installation, including "oil canning" waving, buckling, or other distortions;
- Installation of our Product in direct contact with dissimilar materials as discussed in the final section of this warranty;
- Cracking or crazing of the Product's paint surface due to field forming of Products in cold temperatures; or material that has bends less than 2T for a sheet thickness of 0.0299" and thinner and bends less then 4T for a sheet thickness of 0.0300" and thicker.

- Changes in surface color resulting from chalking, fading, soiling or staining. Exposure to the elements may cause these changes over time; the degree to which weathering occurs will vary depending on air quality, the building's location and other local conditions over which we have no control:
- · accidental damage;
- settlement;
- structural shrinkage or distortion of the property structure;
- fire;
- lightning, hurricane, tornado, windstorm, earthquake, hail, or other acts of God:
- harmful chemicals (including harmful cleaning compounds and pesticides);
- fumes, volcanic smog, or vapors; Warranty for material is not given within 30 miles of volcano.
- surface deterioration due to air pollution or seacoast environment; (no Warranty if installed product is within 1 mile of seacoast.)
- misuse or abuse;
- · vandalism;
- airborne stains, mold and mildew accumulation;
- your failure (or the failure of subsequent Property owners) to provide reasonable and necessary maintenance of the Products (see "Care and Maintenance Instructions");
- · impact of foreign objects;
- warping or distortion due to exposure to excessive heat sources (e.g., barbecue grills) or exposure to unusual or excessive reflective heat sources (e.g., window reflection);
- Products that have been painted or whose surface has been altered in any way will void the paint finish warranty;
- any other causes beyond our reasonable control; or
- Corrosion caused by contact with dissimilar materials, treated lumber, or direct salt spray.

OTHER LIMITATIONS

1. This Warranty covers only genuine Norandex $^{\text{TM}}$ Steel Rainware and Accessories, including Gutter Coil. It is your responsibility to verify that the rainware and accessories installed are our Products. Our products are warranted in the continental United States, Hawaii, and Alaska.

2. Products are designed and intended for use as small flashings and water diverters, and should not be used as roofing material.

3. Due to normal weathering, replacement Products may differ in gloss and color from Products originally installed on the Property.

4. We reserve the right to discontinue or change any design or color of any of our products at any time and without notice or liability. If, for any reason, Products of the type originally installed are no longer available from us at the time you make a warranty claim, we may substitute another product determined by us to be of comparable quality and price.

5. There are no warranties on these Products other than as set forth in this Warranty. We are not liable to you for a breach of any other written or oral express warranties, such as those, if any, given to you by dealers, contractors, applicators, or distributors of the Products.

6. WE EXCLUDE AND ARE NOT RESPONSIBLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES ARISING OUT OF ANY BREACH OF THIS EXPRESSED WARRANTY, OR ANY OTHER ORAL, WRITTEN OR IMPLIED WARRANTY THAT MAY APPLY TO YOUR PURCHASE, AS IT RELATES TO OUR PRODUCTS.

THIS IS YOUR EXCLUSIVE WARRANTY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

7. This Warranty gives you specific legal rights. You may also have other rights which vary from state to state. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

NORANDEX LODI PLANT **NOTES:**

LODI PLANT

NORANDEX [®]
NOTES:

NOTES:	

NORANDEX LODI PLANT **NOTES:**





Southern California Rainware Colors



Desert Mauve

Peach





Northern California Rainware Colors



Desert Mauve

Peach

available in steel.

Note: Actual colors may vary from finished product.

