



#### **BRANDS YOU CAN TRUST**

- 2 Kleenex® Brand and Cottonelle® Brand
- 3 Scott® Brand
- 4 Sustainability

#### **INNOVATIVE SOLUTIONS**

- **6** GreenHarvest\* Products
- 8 Onvation\* Technology
- **10** Scott® Essential\* Towel Dispenser System

#### PRODUCT SOLUTIONS

- **12** Paper Towel Solutions
- **15** Napkin Solutions
- **16** Bathroom Tissue Solutions
- **18** Facial Tissue Solutions
- 20 Kleenex® Brand Skin Care Solutions
- 22 Scott® Brand Skin Care Solutions
- 22 Scott<sup>®</sup> Air Freshener System

#### **DISPENSER SOLUTIONS**

- **24** Mod\* Hard Roll Towel Dispenser Systems
- 26 Stainless Steel and Metallic Finish Dispensers
- **28** White Dispensers
- **30** Black/Smoke Dispensers
- **33** Dispenser Accessories

## Improve the Restroom. Improve Impressions.

At Kimberly-Clark Professional\*, we believe the restroom should be a key focus of any health and wellness program. That's because this small space can have a big impact on your facility.



#### Did you know?

- When workers take a break, the most popular destination is the restroom
- 80% of infectious illnesses are spread through hands and surfaces<sup>1</sup>
- 78% of people say the condition of their office's restroom affects how they view their employer

These are among the reasons why comfortable, hygienic restrooms are so important to your overall success.

Let us help you transform your restrooms into an asset. Our high-performance products help reduce the spread of germs and enhance efficiencies, sustainability and satisfaction. We also offer two of the world's most recognized and respected brands: Kleenex® Brand and Scott® Brand products.

Turn to our solutions to ensure your restrooms measure up.

of users said having familiar brands provides more comfort and care for me/my family.



 $https://www.saskatoonhealthregion.ca/locations\_services/Services/Germ-Smart/Documents/Quick\%20Guides/GS\_QuickGuide\_Signature (Services/Germ-Smart/Documents/Quick\%20Guides/GS\_QuickGuide\_Signature (Services/Germ-Smart/Documents/Quick\%20Guides/GS\_QuickGuide\_Signature (Services/Germ-Smart/Documents/Quick\%20Guides/GS\_QuickGuide\_Signature (Services/Germ-Smart/Documents/Quick\%20Guides/GS\_QuickGuide\_Signature (Services/Germ-Smart/Documents/Quick\%20Guides/GS\_QuickGuide\_Signature (Services/Germ-Smart/Documents/Quick\%20Guides/GS\_QuickGuide\_Signature (Services/Germ-Smart/Documents/Quick\%20Guides/GS\_QuickGuide$ CCF\_April2013.pdf; Public Health Agency of Canada. (2009). Get the dirt on clean hands. Available at: www.phac-aspc.gc.ca





## Reliability You Can Count On

Scott® Brand keeps things simple. So you can go about your tasks with ease.

Known throughout the world for consistency and reliability, the Scott® Brand delivers by sticking with what works and introducing improvements that matter.

With innovations such as the Scott® Essential\* Towel Dispenser System, the Scott® Brand provides efficient solutions that help you reduce maintenance time and costs.

For products with the highest levels of dependability and performance, put your trust in Scott® Brand towel, tissue and skin care solutions.






















led us to offer high-performing product choices that can reduce your impact on the environment:

- GreenHarvest\* products have resulted in the use of fewer tree fibers or recycled fibers than conventional products
- 100% of the wood fiber in our products is third-party certified
- 97% of Kimberly-Clark Professional\* tissue and towel products in North America are FSC® certified
- The majority of our towel and tissue products are ECOLOGO certified, and meet EPA guidelines for post-consumer waste content
- All Kimberly-Clark Professional\* towels can be composted<sup>2</sup>

### Sustainability

is the driving force behind everything we do. From design and manufacture to disposal and landfill diversion, we are always seeking ways to protect resources, reduce waste, save space and minimize environmental impact.

of our towels are compostable<sup>2</sup>



<sup>2</sup> All Kimberly-Clark Professional\* paper towels can be aerobically composted in municipal or industrial facilities in the United States and Canada by ASTM D6868-11.



### Cultivating for Future Generations

Not all paper fiber comes from trees. That's what is so exciting about our GreenHarvest\* Scott® Brand towel products.

This innovative offering incorporates rapidly renewable fiber into select Scott® Brand towel products. It's a pioneering approach developed to address two key challenges:

- 1. Increasing demand for forest resources
- 2. Diminishing sources of recycled paper in a digital world The benefits? Rapidly renewable fiber, such as wheat straw, regenerates much faster than traditional fiber sources.

#### Plus, wheat straw:

- Puts leftover fiber from harvesting wheat to good use
- Helps reduce agricultural waste that is often burned impacting air quality
- Provides additional income to U.S. farmers by enhancing the value of their crops

Good for farmers.
Good for future generations.





# Onvation\* Technology: A Smart Restroom Management System

Facilities today are smarter than ever. Through sensors, software and network connectivity, you can manage your lighting, security, HVAC systems and more. But what about the restroom? Wouldn't it be nice if your restroom could be as smart as the rest of your building?

Now it can be, thanks to Onvation\* Technology. This patent-protected restroom management system alerts you to potential problems before they become complaints.

#### Simple and easy to use.

It delivers real-time data and alerts on:

- Low product
- Dispenser consumption rates
- Dispenser status
- Restroom traffic
- Trash alerts









The Onvation\* System is a patented Restroom Management System



## Scott® Essential\* Towel Dispenser System

Hygienic. Reliable. Long-Lasting.

You shouldn't have to worry about paper towels. With the Scott® Essential\* Towel Dispenser System, you don't have to.

The first Scott® branded system on the market, it builds on the 12-year success of our Sanitouch dispenser. Only now it's backed by a Lifetime Warranty and enhanced with Scott® Brand benefits that are designed to save you time and money.

- Dependable dispensing from one of the world's most trusted brands
- One of the fastest roll change times on the market
- Up to seven days a year in labor savings<sup>3</sup>
- Quick-load feature and keyless locking option

One of the world's most trusted brands — now with a Lifetime Warranty.



### **Key Facts:**



TRUSTED FOR OVER

**12**YEARS

OVER 1.5 MILLION SOLD



### Quick load feature and keyless locking option



One of the

Fastest

Roll Change Times on the Market



Up to days

a year in labor savings<sup>1</sup>

# Compostable

ECOLOGO and FSC® certified towel meet EPA minimums for post-consumer recycled content.











**Absorbency Pockets\* Technology** 

Fewer towels used, less waste

- All Kimberly-Clark Professional\* paper towels can be aerobically composted in municipal or industrial facilities in the United States and Canada by ASTM D6868-1
- As compared to leading competitive folded towel systems
- Lifetime Warranty applies to proprietary dispensers while they are installed and the end-user account is exclusively using Kimberly-Clark Professional\* products for those dispensers.



#### Hygienic Dispensers. Trusted Brands.

From manual and electronic hard roll towel dispensing to image-conscious folded towels, our dispenser systems offer a full range of hygienic options that deliver trusted Kleenex® Brand and Scott® Brand towels.

And if you're concerned about your environmental footprint, our solutions address that too:

- 97% of our towels are FSC® certified and the majority are ECOLOGO certified
- The majority of our towel and tissue products in North America meet U.S. EPA guidelines for minimum post-consumer waste content
- Our GreenHarvest\* towels are made with rapidly renewable fiber
- All of our towels are compostable<sup>2</sup>
- Our unique Absorbency Pockets\* result in the use of fewer towels reducing waste and in many cases, costs for your business

<sup>&</sup>lt;sup>2</sup> All Kimberly-Clark Professional\* paper towels can be aerobically composted in municipal or industrial facilities in the United States and Canada by ASTM D6868-11.







#### **Hard Roll Towels**

Code	Description	EPA F	SC E	COLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case	Fits Dispensers
01000	Scott® High Capacity Hard Roll Towels (1.5" / 3.8cm core)	V 1	<b>Ø</b>	V	White	1	8.0" x 1,000' 20.3cm x 304.8m	1,000′ 304.8m	12 rolls	12,000' 3,657.6m	09073, 09746, 09765, 09990, 09991
01005	Scott® High Capacity Hard Roll Towels (1.5" / 3.8cm core)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 1,000' 20.3cm x 304.8m	1,000′ 304.8m	6 rolls	6,000' 1,828.8m	09073, 09746, 09765, 09990, 09991
01040	Scott® Hard Roll Towels (1.5" / 3.8cm core)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 800' 20.3cm x 243.8m	800′ 243.8m	12 rolls	9,600' 2,926.1m	09073, 09746, 09765, 09990, 09991
01052	Scott® 100% Recycled Fiber Hard Roll Towels (1.5" / 3.8cm core)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 800' 20.3cm x 243.8m	800′ 243.8m	12 rolls	9,600' 2,926.1m	09073, 09746, 09765
01080	Kleenex® Hard Roll Towels (1.5" / 3.8cm core)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 425' 20.3cm x 129.5m	425′ 129.5m	12 rolls	5,100' 1,554m	09073, 09746, 09765, 09990, 09991
02000	Scott® High Capacity Hard Roll Towels (1.75" / 4.4cm core)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 950' 20.3cm x 289.5m	950′ 289.5m	6 rolls	5,700′ 1,737m	09765, 09992, 09993, 09995, 09996
02001	Scott® Essential* Hard Roll Towels (1.75" / 4.4cm core)	~	<b>Ø</b>	V	White	1	8.0" x 950' 20.3cm x 289.5m	950′ 289.5m	6 rolls	5,700′ 1,737m	46253, 46254
02021	Scott® Hard Roll Towels (1.5" / 3.8cm core)	~	<b>Ø</b>	<b>V</b>	Natural	1	8.0" x 400' 20.3cm x 121.9m	400′ 121.9m	12 rolls	4,800' 1,462.8m	09073, 09746, 09765
02068	Scott® Hard Roll Towels (1.5" / 3.8cm core)	V 1	<b>Ø</b>	V	White	1	8.0" x 400' 20.3cm x 121.9m	400′ 121.9m	12 rolls	4,800' 1,462.8m	09073, 09746, 09765
04142	Scott® Hard Roll Towels (1.5" / 3.8cm core)	~	<b>Ø</b>	<b>V</b>	Natural	1	8.0" x 800' 20.3cm x 243.8m	800′ 243.8m	12 rolls	9,600' 2,926.1m	09073, 09746, 09765
11090	Kleenex® Hard Roll Towels (1.5" / 3.8cm core)	~	<b>Ø</b>	V	White	1	8.0" x 600' 20.3cm x 182.9m	600' 182.9m	6 rolls	3,600' 1,097m	09073, 09746, 09765, 09990, 09991
12388	Scott® Slimroll* Hard Roll Towels (1.75" / 4.4cm core)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 580' 20.3cm x 176.8m	580′ 176.8m	6 rolls	3,480′ 1,060.7m	10441, 10442, 36016, 36034, 36035
28640	Scott® Hard Roll Towels (1.5" / 3.8cm core)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 800' 20.3cm x 243.8m	800′ 243.8m	6 rolls	4,800′ 1,462.8m	09990, 09746, 09765
32848	Scott® Hard Roll Towels (2.0" / 5.1cm core)	~	<b>Ø</b>	<b>V</b>	Natural	1	8.0" x 800' 20.3cm x 243.8m	800′ 243.8m	6 rolls	4,800' 1,462.8m	09746, 09765
43753	Kleenex® Ultra Slimroll* Hard Roll Towels (1.75" / 4.4cm core)		<b>Ø</b>		White	2	8.0" x 262' 20.3cm x 79.8m	262′ 79.8m	6 rolls	1,572' 478.8m	10441, 10442, 36016, 36034, 36035
47032	Scott® Slimroll* Hard Roll Towels (pink plug)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 580' 20.3cm x 176.8m	580′ 176.8m	6 rolls	3,480' 1,060.7m	47071, 47089
47035	Scott® Slimroll* Hard Roll Towels (orange plug)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 580' 20.3cm x 176.8m	580′ 176.8m	6 rolls	3,480' 1,060.7m	47091, 47092
50500 CAN	Kleenex® Hard Roll Towels (1.75" / 4.4cm core)	~	<b>Ø</b>	V	White	1	8.0" x 425' 20.3cm x 129.5m	425′ 129.5m	12 rolls	5,100′ 1,554m	09765, 09992, 09993, 09995, 09996
50606	Kleenex® Hard Roll Towels (1.75" / 4.4cm core)	V	<b>Ø</b>	<b>v</b>	White	1	8.0" x 600' 20.3cm x 182.9m	600' 182.9m	6 rolls	3,600′ 1,097m	09765, 09992, 09993, 09995, 09996

#### Hard Roll Towels, Mod\* System

Green Codes	Blue Codes	Grey Codes	Description	EPA	FSC	ECOLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case
25630	25637	25639	Kleenex® Hard Roll Towels, Mod* System (1.75" / 4.4cm core)	~	<b>Ø</b>	V	White	1	7.5" x 700' 19.0cm x 213.4m	700′ 213.4m	6 rolls	4,200' 1,280.4m
25700	25702	25703	Scott® Hard Roll Towels, Mod* System (1.75" / 4.4cm core)	~	Ø	<b>v</b>	White	1	7.5" x 1,150' 19.0cm x 350.5m	1,150′ 350.5m	6 rolls	6,900' 2,103m
43961	43959	43960	Scott® Hard Roll Towels, Mod* System (1.75" / 4.4cm core)	V	Ø	<b>V</b>	Mocha	1	7.5" x 800' 19.0cm x 243.8m	800′ 243.8m	6 rolls	4,800' 1,462.8m



### † Lifetime Warranty applies to proprietary dispensers while they are installed and the end-user account is exclusively using Kimberly-Clark Professional\* products for those dispensers. For more information, visit www.KCProfessional.com/lifetimewarranty

#### • Mod\* Hard Roll Towel Dispenser System

Customize your restroom:

Two dispensing modules. Three finish choices.

- Quieter than enMotion® and Tork® Intuition systems
- Backed by a Lifetime Warranty<sup>†</sup>
- Features a sleek, contemporary design

#### • Scott® Essential\* Towel Dispenser System

- Dependable dispensing from one of the world's most trusted brands
- Designed to save you time and money, while reducing disruptions and complaints
- Backed by a Lifetime Warranty<sup>†</sup>
- Proven reliability, backed by 12 years of proven performance

#### **Folded Towels**

Code	Description	EPA	FSC E	COLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case	Fits Dispensers
01500	Kleenex® C-Fold Towels	V	0	<b>V</b>	White	1	10.125" x 13.15" 25.7cm x 34.3cm	150 sts.	16 pks.	2,400 sts.	09905, 09906, 39710, 39719
01510	Scott® C-Fold Towels	V	<b>Ø</b>	<b>v</b>	White	1	10.125" x 13.15" 25.7cm x 34.3cm	200 sts.	12 pks.	2,400 sts.	09905, 09906, 39710, 39719
01700	Scott® Single-Fold Towels	V	0	•	White	1	9.3" x 10.5" 23.6cm x 26.7cm	250 sts.	16 pks.	4,000 sts.	
01701	Kleenex® Hand Towels in a Pop-Up* Box	•	<b>Ø</b>	<b>~</b>	White	1	9.0" x 10.5" 22.8cm x 26.7cm	120 sts.	18 bxs.	2,160 sts.	09924
01801	Scott® 100% Recycled Fiber Multi-Fold Towels	~	<b>Ø</b>	V	Natural	1	9.2" x 9.4" 23.4cm x 23.9cm	250 sts.	16 pks.	4,000 sts.	09905, 09906, 39710, 39719
01804	Scott® Multi-Fold Towels	~	0	•	White	1	9.2" x 9.4" 23.4cm x 23.9cm	250 sts.	16 pks.	4,000 sts.	09905, 09906, 39710, 39719
01807	Scott® 100% Recycled Fiber Multi-Fold Towels	~	<b>Ø</b>	<b>v</b>	White	1	9.2" x 9.4" 23.4cm x 23.9cm	250 sts.	16 pks.	4,000 sts.	09905, 09906, 39710, 39719
01840	Scott® Multi-Fold Towels	~	0	<b>V</b>	White	1	9.2" x 9.4" 23.4cm x 23.9cm	250 sts.	16 pks.	4,000 sts.	09905, 09906, 39710, 39719
01860	Scott® Multi-Fold Towels, Low Wet Strength	~	0	V	White	1	9.4" x 9.25" 23.9cm x 23.5cm	250 sts.	16 pks.	4,000 sts.	09905, 09906, 39710, 39719
01880	Scott® Multi-Fold Towels Low Wet Strength	•	0	•	White	1	9.4" x 7.0" 23.9cm x 17.8cm	255 sts.	16 pks.	4,080 sts.	09905, 09906, 39710, 39719
01890	Kleenex® Multi-Fold Towels	~	<b>Ø</b>	V	White	1	9.2" x 9.4" 23.4cm x 23.9cm	150 sts.	16 pks.	2,400 sts.	09905, 09906, 39710, 39719
01960	Scott® Scottfold* Towels	•	0	•	White	1	7.8" x 12.4" 19.8cm x 31.5cm	175 sts.	25 pks.	4,375 sts.	09214, 09215, 09216, 39640, 39711
01980	Scott® Scottfold* Towels	V	Ø	<b>v</b>	White	1	9.4" x 12.4" 23.9cm x 31.5cm	175 sts.	25 pks.	4,375 sts.	09217, 09905, 09906, 39710, 39719
02046	Kleenex® Multi-Fold Towels (Convenience Case)	~	<b>Ø</b>	<b>V</b>	White	1	9.2" x 9.4" 23.4cm x 23.9cm	150 sts.	8 pks.	1,200 sts.	09905, 09906, 39710, 39719
02920	Scott® 100% Recycled Fiber C-Fold Towels	~	<b>Ø</b>	<b>v</b>	White	1	10.1" x 13.2" 25.6cm x 33.5cm	200 sts.	12 pks.	2,400 sts.	09905, 09906, 39710, 39719
03623	Scott® C-Fold Towels (Convenience Case)	~	<b>Ø</b>	<b>V</b>	White	1	10.125" x 13.15" 25.7cm x 34.3cm	200 sts.	9 pks.	1,800 sts.	09905, 09906
03650	Scott® Multi-Fold Towels (Convenience Case)	~	<b>Ø</b>	<b>V</b>	White	1	9.25" x 9.4" 23.5cm x 23.9cm	250 sts.	12 pks.	3,000 sts.	09905, 09906
04442	Kleenex® Slimfold* Towels	~	0	•	White	1	7.5" x 11.6" 19.0cm x 29.5cm	90 sts.	24 pks.	2,160 sts.	06904, 34830
06041	Scott® Transportation C-Fold Towels, Low Wet Strength				White	1	10.1" x 13.15" 25.65cm x 33.4cm	200 sts.	12 pks.	2,400 sts.	09905, 09906, 39710, 39719
11268	Kleenex® Ultra Soft Hand Towels in a Pop-Up* Box				White	1	9.0" x 10.5" 22.8cm x 26.7cm	70 sts.	18 bxs.	1,260 sts.	09924
11829	Scott® Multi-Fold Towels	V	0	•	Soft Wheat	1	9.2" x 9.4" 23.4cm x 23.9cm	250 sts.	16 pks.	4,000 sts.	09905, 09906, 39710, 39719
13253	Kleenex® Scottfold* Towels	~	<b>Ø</b>	<b>v</b>	White	1	7.8" x 12.4" 19.8cm x 31.5cm	120 sts.	25 pks.	3,000 sts.	09214, 09215, 09216, 39640, 39711
13254	Kleenex® Scottfold* Towels	~	<b>Ø</b>	<b>v</b>	White	1	9.4" x 12.4" 23.9cm x 31.5cm	120 sts.	25 pks.	3,000 sts.	09217, 09905, 09906, 39710, 39719
28791	Kleenex® Ultra Towels		<b>Ø</b>		White	2	8.5" x 16.3" 21.5cm x 41.5cm	94 sts.	30 pks.	2,820 sts.	
37490	Scott® Multi-Fold Towels	~	<b>Ø</b>	<b>v</b>	White	1	8.0" x 9.4" 20.3cm x 23.9cm	250 sts.	16 pks.	4,000 sts.	09905, 09906
43751	Scott® Multi-Fold Towels, Absorbency Pockets*	~	<b>Ø</b>	<b>v</b>	Soft Wheat	1	9.2" x 9.4" 23.4cm x 23.9cm	250 sts.	16 pks.	4,000 sts.	09905, 09906, 39710, 39719
43752	Kleenex® Ultra Multi-Fold Towels	~	0	<b>V</b>	White	2	9.2" x 9.4" 23.4cm x 23.9cm	150 sts.	16 pks.	2,400 sts.	09905, 09906, 39710, 39719
45957	Scott® Scottfold* Multi-Fold Towels, Low Wet Strength		<b>Ø</b>		White	1	9.4" x 12.4" 23.9cm x 31.5cm	175 sts.	25 pks.	4,375 sts.	09905, 09906, 39710, 39719





### **Kitchen Roll Towels**

Code	Description	EPA	FSC E	COLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case
13608	Scott® Kitchen Roll Towels (Convenience Case)	~	0	<b>V</b>	White	1	11.0" x 8.78" 27.9cm x 22.3cm	96 sts.	15 rolls	1,440 sts.
13964	Kleenex® Premiere* Kitchen Roll Towels				White	1	10.4" x 11.0" 26.4cm x 27.9cm	70 sts.	24 rolls	1,680 sts.
41482	Scott® Kitchen Roll Towels	~	<b>Ø</b>	<b>V</b>	White	1	11.0" x 8.78" 27.9cm x 22.3cm	128 sts.	20 rolls	2,560 sts.

#### **Center-Pull Towels**

Code	Description	EPA	FSC	ECOLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case	Fits Dispensers
01010	Scott® Center-Pull Towels	~	Ø	<b>V</b>	White	2	8.0" x 15.0" 20.3cm x 38.1cm	500 sts.	4 rolls	2,000 sts.	09335
01032	Scott® Roll Control Center-Pull Towels	<b>V</b>	<b>Ø</b>	<b>V</b>	White	1	8.0" x 12.0" 20.3cm x 30.4cm	700 sts.	6 rolls	4,200 sts.	09335, 09989
01051	Scott® Center-Pull Towels	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 15.0" 20.3cm x 38.1cm	500 sts.	4 rolls	2,000 sts.	09335
01061	Scott® Center-Pull Towels	~	Ø	•	White	1	8.0" x 15.0" 20.3cm x 38.1cm	250 sts.	6 rolls	1,500 sts.	
01320	Kleenex® Premiere* Center-Pull Towels				White	1	8.0" x 15.0" 20.3cm x 38.1cm	250 sts.	4 rolls	1,000 sts.	09335

## Napkin Solutions

Soft and absorbent, we have a variety of napkin choices, sizes and dispensing options to meet your needs.



#### **Napkins**

Code	Description	Delivery System	EPA FSC ECOLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case
98171	Scott® 1/4 Fold Dinner Napkins	1/4 Fold	V	White	1	16.75" x 17.0" 42.55cm x 43.18cm	500 sts.	8 pks.	4,000 sts.
98210	Scott® Beverage Napkins	1/4 Fold	<b>V</b>	White	2	10.0" x 10.0" 25.4cm x 25.4cm	250 sts.	12 pks.	3,000 sts.
98710	Scott® Tall Fold Dispenser Napkins	Tall Fold	<b>v</b>	White	1	7.0" x 13.5" 17.8cm x 34.3cm	417 sts.	24 pks.	10,008 sts.
98720	Scott® Low Fold Dispenser Napkins	Low Fold	<b>V</b>	White	1	7.0" x 12.0" 17.8cm x 30.5cm	200 sts.	40 pks.	8,000 sts.
98730	Scott® Full Fold Dispenser Napkins	Full Fold	<b>v</b>	White	1	8.5" x 13.0" 21.6cm x 33.0cm	400 sts.	15 pks.	6,000 sts.
98740	Scott® Full Fold Dispenser Napkins	Full Fold	<b>V</b>	White	1	12.0" x 13.0" 30.5cm x 33.0cm	500 sts.	12 pks.	6,000 sts.
98908	Scott® MEGA Cartridge In-Counter Napkins	In-Counter	<b>v</b>	White	1	6.5" x 8.4" 16.5cm x 21.3cm	875 sts.	6 pks.	5,250 sts.



### Bathroom Tissue Solutions

#### **Best Brands. Best Impressions.**

Make an impact in your restrooms with trusted Cottonelle® Brand and Scott® Brand bathroom tissue products. These quality, hygienic options are available in standard and coreless rolls, and hygienic interfolded sheets that deliver one-at-a-time dispensing to reduce waste and costs.





#### • Cottonelle® Standard Roll Bathroom Tissue (17713)

- -The perfect combination of gentle softness and dependable strength
- -Delivers the quality and performance you expect from the Cottonelle® Brand

#### • Scott® Coreless Standard Roll Bathroom Tissue (04007)

- -High-capacity, easy maintenance system
- -Less packaging waste than standard roll tissues

#### • Scott® Coreless JRT Jr. Bathroom Tissue (07006)

- -Ultra-high capacity
- -Provides 15% more tissue per roll than standard cored JRT systems

#### **Standard Roll Bathroom Tissue**

Code	Description	EPA	FSC I	ECOLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case	Fits Dispensers
04007	Scott® Coreless Standard Roll Bathroom Tissue	~	<b>Ø</b>	V	White	2	4.0" x 3.94" 10.2cm x 10.0cm	1,000 sts.	36 rolls	36,000 sts.	09021, 09604, 09605, 09606, 44517, 44518, 44519
04460	Scott® Standard Roll Bathroom Tissue	~	Ø	<b>V</b>	White	2	4.1" x 4.0" 10.4cm x 10.2cm	550 sts.	80 rolls	44,000 sts.	09021
05102	Scott® Standard Roll Bathroom Tissue	~	Ø	<b>V</b>	White	1	4.1" x 4.0" 10.4cm x 10.2cm	1,210 sts.	80 rolls	96,800 sts.	09021
07001	Cottonelle® Coreless Standard Roll Bathroom Tissue	~	<b>Ø</b>		White	2	4.0" x 3.94" 10.2cm x 10.0cm	800 sts.	36 rolls	28,800 sts.	09021, 09604, 09605, 09606, 44517, 44518, 44519
12456	Cottonelle® Clean Care Standard Roll Bathroom Tissue		Ø		White	1	4.2" x 4.0" 10.7cm x 10.2cm	12 rolls	4 pks.	48 rolls	09021
13135	Cottonelle® Standard Roll Bathroom Tissue (Convenience Case)	~	Ø		White	2	4.09" x 4.0" 10.3cm x 10.2cm	451 sts.	20 rolls	9,020 sts.	09021
13217	Scott® 100% Recycled Fiber Standard Roll Bathroom Tissue	~	Ø	<b>V</b>	White	2	4.1" x 4.0" 10.4cm x 10.2cm	506 sts.	80 rolls	40,480 sts.	09021
13607	Scott® Standard Roll Bathroom Tissue (Convenience Case)	~	Ø	<b>V</b>	White	2	4.1" x 4.0" 10.4cm x 10.2cm	550 sts.	20 rolls	11,000 sts.	09021
17713	Cottonelle® Standard Roll Bathroom Tissue	~	Ø		White	2	4.09" x 4.0" 10.3cm x 10.2cm	451 sts.	60 rolls	27,060 sts.	09021
42108	Scott® Standard Roll Bathroom Tissue	~	Ø	<b>V</b>	White	2	4.1" x 4.0" 10.4cm x 10.2cm	550 sts.	80 rolls	44,000 sts.	09021
48040 CAN	Scott® Standard Roll Bathroom Tissue	~	<b>Ø</b>	<b>V</b>	White	2	4.1" x 4.0" 10.4cm x 10.2cm	550 sts.	40 rolls	22,000 sts.	09021

#### Jumbo Roll (JRT) Bathroom Tissue

Code	Description	EPA	FSC	ECOLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case	Fits Dispensers
02129	Scott® JRT Jr. Bathroom Tissue	<b>V</b>	0	V	White	2	3.55" x 1,000' 9.0cm x 304.8m	1,000' 304.8m	12 rolls	12,000' 3,657.6m	09507, 09508, 09551
03148	Scott® JRT Jr. Bathroom Tissue (Convenience Case)	~	Ø	<b>V</b>	White	2	3.55" x 1,000' 9.0cm x 304.8m	1,000′ 304.8m	4 rolls	4,000' 1,219.2m	09507, 09508, 09551
070054	Scott® Coreless JRT Jr. Bathroom Tissue	~	<b>Ø</b>	<b>V</b>	White	1	3.70" x 2,300' 9.4cm x 701m	2,300′ 701m	12 rolls	27,600' 8,412m	09601, 09602, 09603, 09608, 09609, 34831, 34832, 39709, 39730, 39731, 39732
070064	Scott® Coreless JRT Jr. Bathroom Tissue	~	<b>Ø</b>	<b>V</b>	White	2	3.78" x 1,150' 9.6cm x 350.5m	1,150′ 350.5m	12 rolls	13,800' 4,206m	09601, 09602, 09603, 09608, 09609, 34831, 34832, 39709, 39730, 39731, 39732
07202	Scott® JRT Bathroom Tissue	~	0	V	White	1	3.55" x 4,000' 9.0cm x 1,219.2m	4,000' 1,219.2m	6 rolls	24,000' 7,315.2m	09551
07223 US	Scott® JRT Jr. Bathroom Tissue	~	Ø	V	White	1	3.55" x 2,000' 9.0cm x 609.6m	2,000' 609.6m	12 rolls	24,000' 7,315.2m	09507, 09508, 09551
07304	Cottonelle® JRT Jr. Bathroom Tissue	~	<b>Ø</b>		White	2	3.55" x 750' 9.0cm x 228.6m	750′ 228.6m	12 rolls	9,000' 2,743.2m	09507, 09508, 09551
07805	Scott® JRT Jr. Bathroom Tissue	~	Ø	~	White	2	3.55" x 1,000' 9.0cm x 304.8m	1,000' 304.8m	12 rolls	12,000' 3,657.6m	09507, 09508, 09551
07827	Scott® JRT Bathroom Tissue	~	0	V	White	2	3.55" x 2,000' 9.0cm x 609.6m	2,000' 609.6m	6 rolls	12,000' 3,657.6m	09551
67805	Scott® 100% Recycled Fiber JRT Jr. Bathroom Tissue	•	Ø	<b>~</b>	White	2	3.55" x 1,000' 9.0cm x 304.8m	1,000′ 304.8m	12 rolls	12,000' 3,657.6m	09507, 09508, 09551

#### **Hygienic Bathroom Tissue**

Code	Description	EPA	FSC	ECOLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case	Fits Dispensers
48180	Scott® Hygienic Bathroom Tissue	~	Ø	V	White	1	4.5" x 8.3" 11.4cm x 21.0cm	500 sts.	36 pks.	18,000 sts.	39728, 39729, 40407
48280	Kleenex® Hygienic Bathroom Tissue	<b>V</b>	0	<b>✓</b>	White	2	4.5" x 8.3" 11.4cm x 21.0cm	250 sts.	36 pks.	9,000 sts.	39728, 39729, 40407

#### **Scott® Personal Seat Covers**


	Code	Description	EPA FSC ECOLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case	Fits Dispensers
]	07410	Scott® Personal Seats	<b>✓</b>	White	1	15.0" x 18.0" 38.1cm x 45.1cm	125 sts.	24 pks.	3,000 sts.	09505, 09506, 09512
	39000	Scott® Personal Seats		White	1	14.5" x 17.0" 36.8cm x 43.1cm	250 sts.	20 pks.	5,000 sts.	

<sup>4</sup> Works with manual dispensers only









#### Go With America's No. 1 Choice

Why buy Kleenex® Brand facial tissue?

It's soft. It's top-quality. It's America's No. 1 facial tissue. And it comes in a variety of formats. Whichever product you choose in whichever size, you'll be glad you chose Kleenex® Brand facial tissue.





#### • Kleenex® Boutique\* Facial Tissue (21270)

- -America's No. 1 brand
- -Exceptional softness, dependable strength

#### • Kleenex® Facial Tissue (21400)

- -Quality facial tissue in a flat box, for placement on a variety of surfaces
- -A trusted brand, known the world over

#### • Kleenex® Naturals Facial Tissue (21272 & 21601)

- -Made with Softblend\* Fiber, the perfect blend of soft, virgin fiber and 20% post-consumer recycled fiber
- -The natural choice for environmental performance and comfort

#### • Kleenex® Facial Tissue Junior (21195)

- -The same premium quality in a smaller flat box
- -For hygiene and convenience, available wherever you need it



#### Kleenex® Facial Tissue

	Code	Description	EPA FSC ECOLOGO	Color	Ply	Size (WxL)	Qty/Unit	Units/Case	Qty/Case
J	21270	Kleenex® Boutique* Facial Tissue	Ø	White	2	8.4" x 8.0" 21.3cm x 20.3cm	95 sts.	36 bxs.	3,420 sts.
J	21271	Kleenex® Boutique* Facial Tissue (Convenience Case)	<b>Ø</b>	White	2	8.4" x 8.0" 21.3cm x 20.8cm	95 sts.	36 bxs.	3,420 sts.
$\Im$	21200	Kleenex® Boutique* Facial Tissue (3-pack Bundle)	<b>Ø</b>	White	2	8.4" x 8.0" 21.3cm x 20.3cm	95 sts.	12 bxs. 4 bundles	1,140 sts.
$\Im$	25837 CAN	Kleenex® Boutique* Anti-Viral <sup>††</sup> Facial Tissue	<b>Ø</b>	White	3	8.2" x 8.2" 20.8cm x 20.8cm	68 sts.	27 bxs.	1,836 sts.
$\Im$	<b>25836</b> US	Kleenex® Boutique* Anti-Viral <sup>††</sup> Facial Tissue	<b>Ø</b>	White	3	8.2" x 8.2" 20.8cm x 20.8cm	68 sts.	27 bxs.	1,836 sts.
$\Im$	21286	Kleenex® Boutique* Anti-Viral <sup>††</sup> Facial Tissue (3-pack Bundle)	<b>Ø</b>	White	3	8.2" x 8.2" 20.8cm x 20.8cm	68 sts.	12 bxs. 4 bundles	816 sts.
Y	25829	Kleenex® Boutique* Lotion Facial Tissue	<b>Ø</b>	White	3	8.4" x 8.2" 21.3cm x 20.8cm	75 sts.	27 bxs.	2,025 sts.
<b>S</b>	29388	Kleenex® Cool Touch® Facial Tissue	<b>Ø</b>	White	3	8.4" x 8.2" 21.3cm x 20.8cm	50 sts.	27 bxs.	1,350 sts.
<b>S</b>	21272	Kleenex® Naturals Boutique* Facial Tissue	V 0	White	2	8.4" x 8.0" 21.3cm x 20.3cm	95 sts.	36 bxs.	3,420 sts.
<b>3</b>	21400	Kleenex® Facial Tissue	•	White	2	8.4" x 8.0" 21.3cm x 20.3cm	100 sts.	36 bxs.	3,600 sts.
Ø	13216	Kleenex® Facial Tissue (Convenience Case)	<b>Ø</b>	White	2	8.4" x 8.0" 21.3cm x 20.3cm	100 sts.	60 bxs.	6,000 sts.
Ø	21005	Kleenex® Facial Tissue (5-pack Bundle)	<b>Ø</b>	White	2	8.4" x 8.0" 21.3cm x 20.3cm	100 sts.	30 bxs. 6 bundles	3,000 sts.
S	21606	Kleenex® Facial Tissue	<b>Ø</b>	White	2	8.4" x 8.0" 21.3cm x 20.3cm	125 sts.	48 bxs.	6,000 sts.
<b>3</b>	03076	Kleenex® Facial Tissue (Convenience Case)	<b>Ø</b>	White	2	8.4" x 8.0" 21.3cm x 20.3cm	125 sts.	12 bxs.	1,500 sts.
Ø	21601	Kleenex® Naturals Facial Tissue	v <b>0</b>	White	2	8.4" x 8.0" 21.3cm x 20.3cm	125 sts.	48 bxs.	6,000 sts.
<b>3</b>	21195	Kleenex® Facial Tissue Junior		White	2	8.4" x 5.5" 21.3cm x 13.9cm	40 sts.	80 bxs.	3,200 sts.
Ø	46651	Kleenex® Facial Tissue Pocket Packs	<b>Ø</b>	White	3	8.6" x 8.3" 21.8cm x 21.1cm	10 sts.	96 bxs.	960 sts.

<sup>&</sup>lt;sup>11</sup>In the tissue within 15 minutes. Virucidal against: Rhinoviruses Type 1A and 2 (rhinoviruses are the leading cause of the common cold), Influenza A and Influenza B (causes of the flu), Respiratory Syncytial Virus (RSV, the leading cause of lower respiratory infection in children).



#### **Surpass\* Facial Tissue**

Code	Description	EPA	FSC E	COLOGO	Color	Ply	Size (WxL)	Qty/Unit	Units/Case	Qty/Case
21320	Surpass* Boutique* Facial Tissue	~	Ø	~	White	2	8.0" x 8.3" 20.3cm x 21.1cm	110 sts.	36 bxs.	3,960 sts.
21340	Surpass* Facial Tissue	•	0	•	White	2	8.0" x 8.3" 20.3cm x 21.1cm	100 sts.	30 bxs.	3,000 sts.
21390	Surpass* Facial Tissue	V	<b>Ø</b>	•	White	2	8.0" x 8.3" 20.3cm x 21.1cm	125 sts.	60 bxs.	7,500 sts.









#### Incomparable Quality. Impressive Selection.

From quality essentials to specialty products, Kleenex® Brand delivers the highest quality with a comprehensive line of skin care solutions. Find your perfect solution in a variety of sizes, from bottles to high-capacity dispenser systems – all from the brand you know and trust.



#### **Dispenser Stands**

Do you have a need for a portable hand sanitizer station? Or facial tissue dispenser? Our dispenser floor stands are sturdy and adjustable, providing easy access to products that make people feel protected and cared for. And if your needs change, just pick them up and move them someplace else.



#### Kleenex® Skin Cleansers

Description	Certification	Manual	Electronic	Counter Mount		Color	Fragrance
Size x Case Count			1.2L x 2	800mL x 4	1.5L x 2		
Antimicrobial Foam Skin Cleanser (0.1% Benzalkonium Chloride)		91554	91594		11279	Clear	Unscented
Antiseptic Foam Skin Cleanser (1.75% PCMX)		91555	91595			Clear	Unscented
Green Certified Foam Skin Cleanser	ECOLOGO NSF E-1	91565	91591	35042	11285	Clear	Unscented
Gentle Lotion Skin Cleanser		91556				Pink	Floral
Foam Skin Cleanser with Moisturizers		91552	91592		11280	Pink	Floral

#### **Kleenex® Hand Sanitizers**

Description	Certification	Manual	Electronic		Bot	tles	Color	Fragrance	
Size x Case Count		1.0L x 6	1.2L x 2	1oz. x 144 30mL x 144	1.5oz. x 24 45mL x 24	8oz. x 12 236mL x 12	18oz. x 4 532mL x 4		
Ultra Moisturizing Foam Hand Sanitizer	ECOLOGO NSF E-3	34700	34643				45826	Clear	Unscented
Ultra Moisturizing Foam Hand Sanitizer	NSF E-3				34604 <sup>US</sup> 34605 <sup>CAN</sup>			Clear	Unscented
Moisturizing Foam Hand Sanitizer		91560	91590					Clear	Fresh
Moisturizing Instant Hand Sanitizer		91562	91600	36873 <sup>US</sup> 35804 <sup>CAN</sup>				White	Fruit
Alcohol Free± Foam Hand Sanitizer		12977	12979		34136		45827	Clear	Unscented
Instant Hand Sanitizer	NSF E-3					93060 <sup>US</sup> 34086 <sup>CAN</sup>		Clear	Citrus

#### Kleenex® Lotion

Description	Manual	Bottles	Color	Fragrance
Size x Case Count	1.0L x 6	8oz. x 12 236mL x 12		
Moisturizing Hand & Body Lotion	35362	35363	White	Fresh

#### Kleenex® Hair & Body Wash

Description	Manual	Color	Fragrance
Size x Case Count	1.0L x 6		
Hair & Body Wash	91557	Clear	Citrus
Foam Hair & Body Wash	91553	Light Blue	Fresh

Fit Dispensers	Electronic Cassette	Manual Cassette	Counter Mount		
	11329, 92147, 92148, 32499, 32504, 32508	92144, 92145	34829, 40836 (1.5L only), 47604		

<sup>±</sup> Not formulated with alcohol.

Kleenex® Brand Kleenex® Ultra

Kleenex® Antimicrobial

Kleenex® Moisturizing

Kleenex® Green Certified

Kleenex® Alcohol Free±

#### Hand Sanitizer Stands (Dispenser and product sold separately)

Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
11430⁵	Electronic Cassette Dispenser Floor Stand (does not include electronic dispenser)	Black	17.7" x 57.4" x 17.7" 45.0cm x 145.8cm x 45.0cm	1	12979, 34643, 91590, 91600
374695	Kleenex® Brand Refresh Stand (includes dispenser)	Wood Grain with Stainless Steel Inserts	18.0" x 61.0" x 10.5" 45.7cm x 154.9cm x 26.7cm	1	12979, 34643, 91590, 91600

 $<sup>^{\</sup>rm 5}\,{\rm Dispenser}$  and product must be ordered separately.









Count on Scott® Brand for practical and affordable skin care products that help to keep skin clean and healthy. The lineup includes a variety of high-capacity solutions that provide the ideal blend of great performance and value. From everyday cleansers to industrial solutions, you can achieve good hygiene on a budget.



#### **Scott® Continuous Air Freshener System**

Keep your restroom smelling clean and fresh with the Scott® Continuous Air Freshener System. Four great scent options plus a fragrance-free Natural odor neutralizer that's specially formulated to neutralize and remove odors from the air.



#### **Scott® Skin Cleansers**

Description	Counter Mount	Bag-In-Box		Bulk	Color	Fragrance
Size x Case Cou	<sup>int</sup> 1.0L x 3	3.5L x 2	8.0L x 2	1 Gallon x 4		
Pink Lotion Skin Cleanser				91300	Pink	Peach
Gentle Lotion Skin Cleanser			91721		Pink	Floral
Golden Lotion Skin Cleanser	91437				Yellow	Citrus
Pearlized Lotion Skin Cleanser	91439				Blue	Floral
Naturally Tuff Orange Skin Cleanser with Grit		91047 <sup>6</sup> 41860 <sup>7</sup>	91045 <sup>6</sup> 41861 <sup>7</sup>	910576	White	Orange
Super Duty Skin Cleanser with Grit		91757 <sup>6</sup> 41863 <sup>7</sup>	91748 <sup>6</sup> 41864 <sup>7</sup>	91388 <sup>6</sup>	White	Citrus

Not for sale in California
 Prop 65 Compliant.

#### **Scott® Lotion**

Description	Manual	Color	Fragrance
Size x Case Count	1.0L x 6		
Skin Relief Lotion	35365	White	Fresh

#### Scott® Hair & Body Wash

Description	В	ulk	Color	Fragrance	
Size x Case Count	8.0L x 2	1 Gallon x 4			
Hair & Body Wash	91726	91325	Yellow	Citrus	

Fit Dispensers	Suretouch*Counter Mount Dispenser	Manual Cassette Dispenser	Sani-Tuff Push Dispenser
	91936	92144, 92145	92013



#### **Scott® Continuous Air Fresheners** Code Color Dimensions (W x H x D) **Case Count** Fits Dispensers Description Fragrance Scott® Continuous Air Freshener 2.3" x 4.4" x 2.3" 92620, 92621 12369 Natural 6 Clear (odor neutralizer) 5.8cm x 11.1cm x 5.8cm 12370 Scott® Continuous Air Freshener Summer Fresh 2.3" x 4.4" x 2.3" 6 92620, 92621 Clear 5.8cm x 11.1cm x 5.8cm Scott® Continuous Air Freshener 2.3" x 4.4" x 2.3" 6 92620, 92621 12373 Mango Clear 5.8cm x 11.1cm x 5.8cm 2.3" x 4.4" x 2.3" 92620, 92621 91067 Scott® Continuous Air Freshener Citrus Clear 6 5.8cm x 11.1cm x 5.8cm 2.3" x 4.4" x 2.3" 91072 Scott® Continuous Air Freshener Ocean Clear 6 92620, 92621 5.8cm x 11.1cm x 5.8cm



#### Mod\* Hard Roll Towel Dispenser System: Changing Needs? Changeable Dispensers.

What if you could customize your towel dispensers to meet the needs of all of your restrooms now and in the future?

The Mod\* Hard Roll Towel Dispenser System lets you do just that. Innovative internal modules can be swapped out and interchanged to give you the flexibility to build dispensers that are customized to meet your requirements. As your needs change, your dispensers can change too – from manual to electronic hard roll towels.

- Quieter than enMotion® and Tork® Intuition systems
- Delivers one of the highest-capacity towels around
- Complementary dispensers available for folded towels, bathroom tissue and skin care









### Mod\* Hard Roll Towel Dispenser Systems







#### **Mod\* Hard Roll Towel Dispensers**

	Stainless Steel Recessed Units										
	Code		Descr	iption	Finish	Dimensions (W x H x D)	Case Count	Fits Product			
TIME 1005	35370 <sup>8</sup>	Mod* Stainless Steel Recessed Wall Unit With Trash Receptacle <sup>‡</sup>			Stainless Steel	With 31498: 11" x 54.5" x 4.0" 27.9cm x 138.4cm x 10.2cm With 31501: 11.5" x 54.5" x 4.0" 29.2cm x 138.4cm x 10.2cm	1	Unit to be ordered with 31498 or 31501 and module			
TIME FARTY	314988		ss Steel Recess ing Without Trir		Stainless Steel	10.75" x 15.37" x 4.0" 27.3cm x 39.0cm x 10.2cm	1	Modules must be ordered separately			
TIME MANUAL MANUA MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL MANUA MA MANUA MANUA MANUA MANUA MANUA MANUA MANUA MANUA MANUA MANUA MA	31501 <sup>8</sup>		ss Steel Recess out Trim Panel‡	sed Dispenser	Stainless Steel	11.13" x 15.37" x 4.0" 28.3cm x 39.0cm x 10.2cm	1	Modules must be ordered separately			
TIME Seed	438238	Mod* Stainle Housing With	ss Steel Recess Trim Panel‡	sed Dispenser	Stainless Steel	17.62" x 22.0" x 5.38" 44.8cm x 55.9cm x 13.7cm	1	Modules must be ordered separately			
	E-Series D	ispensers &	Module								
TIME	29739°	35609°	35614 <sup>9</sup>	Mod* Electronic HRT Dispenser†	Faux Stainless	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	See towel codes below			
W.WE	29738 <sup>9</sup>	34349°	34369 <sup>9</sup>	Mod* Electronic HRT Dispenser <sup>†</sup>	White	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	See towel codes below			
TIME ME	29737°	34348 <sup>9</sup>	34368 <sup>9</sup>	Mod* Electronic HRT Dispenser <sup>†</sup>	Black	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	See towel codes below			
TIME FART	314998	343618	343798	Mod* E-Series Module <sup>‡</sup>			1				
	M-Series [	Dispensers 8	<del>)</del> Module								
TEME SEED	29736°	35612	35610 <sup>9</sup>	Mod* Manual HRT Dispenser†	Faux Stainless	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	See towel codes below			
VI.ME	29735°	34347 <sup>9</sup>	34367 <sup>9</sup>	Mod* Manual HRT Dispenser <sup>†</sup>	White	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	See towel codes below			
TLAFE SSSS	29734°	34346°	34364 <sup>9</sup>	Mod* Manual HRT Dispenser⁺	Black	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	See towel codes below			
II.ME	314808	34359 <sup>8</sup>	343758	Mod* M-Series Module <sup>‡</sup>			1				

#### Hard Roll Towels, Mod\* System

Green Codes	Blue Codes	Grey Codes	Description	EPA FSC ECOLOGO	Color	Ply	Size (W x L)	Qty/ Unit	Units/ Case	Qty/ Case
25630	25637	25639	Kleenex® Hard Roll Towels, Mod* System (1.75" / 4.4cm core)	V 🤨 V	White	1	7.5" x 700' 19.0cm x 213.4m	700′ 213.4m	6 rolls	4,200' 1,280.4m
25700	25702	25703	Scott® Hard Roll Towels, Mod* System (1.75" / 4.4cm core)	V 🕖 V	White	1	7.5" x 1,150' 19.0cm x 350.5m	1,150′ 350.5m	6 rolls	6,900' 2,103m
43961	43959	43960	Scott® Hard Roll Towels, Mod* System (1.75" / 4.4cm core)	v <b>0</b> v	Mocha	1	7.5" x 800' 19.0cm x 243.8m	800′ 243.8m	6 rolls	4,800' 1,462.8m

<sup>8</sup> When module and housing unit are installed properly, this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36, local rules may vary.

<sup>9</sup> When installed properly this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36, local rules may vary.

<sup>&</sup>lt;sup>†</sup> Lifetime Warranty applies to proprietary dispensers while they are installed and the end-user account is exclusively using Kimberly-Clark Professional\* products for those dispensers. For more information, visit www.KCProfessional.com/lifetimewarranty

<sup>&</sup>lt;sup>†</sup> Modules and recessed housing units are included in the Lifetime Warranty when installed properly in qualifying dispensers and the end-user account is exclusively using Kimberly-Clark Professional\* products for those dispensers. For more information, visit www.KCProfessional.com/lifetimewarranty

### Stainless Steel & Metallic Finish Dispensers



#### Stainless Steel & Metallic Finish Dispensers

	Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
F	Roll Towel D	vispensers				
	See Page 25	Mod* Hard Roll Towel Recessed Units®	Stainless Steel		1	See page 25
	See Page 25	Mod* Hard Roll Towel Dispenser <sup>st</sup>	Faux Stainless	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	See page 25
	36034	Mod* Slimroll* Hard Roll Towel Dispenser <sup>†</sup>	Faux Stainless	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.2cm	1	12388, 43753
	09999 <sup>8</sup>	Electronic Touchless Roll Towel Replacement Module		11.5" x 11.75" x 8.0" 29.2cm x 29.8cm x 20.3cm	1	09992, 09993, 09995, 09996
	Folded To	wel Dispensers				
	09216 <sup>9</sup>	Scottfold* Compact Towel Dispenser (fits 7.8" / 19.8cm towel)	Stainless Steel	10.63" x 9.0" x 4.75" 27.0cm x 22.9cm x 11.2cm	1	01960, 13253
	39710°	Mod* Universal Folded Towel Dispenser (fits 9.4" / 23.9cm towel)	Faux Stainless	12.69" x 18.80" x 5.52" 32.2cm x 47.8cm x 14.0cm	1	01500, 01510, 01801, 01804, 01807, 01840, 01860, 01880, 01890, 01980, 02046, 02920, 06041, 11829, 13254, 43751, 43752, 45957
	09924	Box Towel Cover	Stainless Steel	10.4" x 6.1" x 5.4" 26.4cm x 15.5cm x 13.7cm	2	01701, 11268



#### Stainless Steel & Metallic Finish Dispensers

_	Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
	Bathroom '	Tissue & Seat Cover Dispensers				
DEET DATE OF THE PARTY OF THE P	39729°	Mod* Hygienic Bathroom Tissue Dispenser <sup>†</sup>	Faux Stainless	7.0" x 13.33" x 5.725" 17.8cm x 33.9cm x 14.5cm	1	48180, 48280
LIFETIME WATER	44519°	Kimberly-Clark Professional* Mod* High Capacity SRB Dispenser <sup>†</sup>	Faux Stainless	11.25" x 12.75" x 6.19" 28.6cm x 32.4cm x 15.7cm	1	04007, 07001
DESTINE VALUE	39709°	Mod* Coreless JRT Jr. Bathroom Tissue Dispenser <sup>†</sup>	Faux Stainless	14.13" x 10.39" x 5.87" 35.9cm x 26.4cm x 14.9cm	1	07005, 07006
	09601 <sup>9</sup>	Coreless JRT Bathroom Tissue Dispenser	Stainless Steel	14.25" x 9.75" x 6.0" 36.2cm x 24.8cm x 15.2cm	1	07005, 07006
	09606°	Coreless Double Roll Bathroom Tissue Dispenser	Stainless Steel	10.13" x 7.13" x 6.38" 25.7cm x 18.1cm x 16.3cm	1	04007, 07001
DET IME	39732°	Mod* Coreless JRT Twin Bathroom Tissue Dispenser <sup>†</sup>	Faux Stainless	20.25" x 11.60" x 6.25" 51.4cm x 29.5cm x 15.9cm	1	07005, 07006
	09512°	Toilet Seat Cover Dispenser	Stainless Steel	16.63" x 12.25" x 2.5" 42.2cm x 31.1cm x 6.4cm	1	07410
	Skin Car	e Dispensers				
LIFET IME	32508 <sup>9</sup>	Mod* Electronic Touchless Cassette Skin Care Dispenser¹	Faux Stainless	7.29" x 11.69" x 4.0" 18.5cm x 29.7cm x 10.2cm	1	12979, 34643, 91590, 91591, 91592, 91594, 91595, 91600 <i>11430 stand available</i>
	47604 <sup>9</sup>	Touchless Counter Mount Skin Care Dispenser	Polished Chrome	2.12" x 4.25" x 5.56" 5.4cm x 10.8cm x 14.1cm	1	11279, 11280, 11285, 35042
	34829 <sup>9</sup>	Touchless Counter Mount Skin Care Dispenser, Heavy-duty	Polished Chrome	2.12" x 4.25" x 5.56" 5.4cm x 10.8cm x 14.1cm	1	11279, 11280, 11285, 35042
	40836°	Touchless Counter Mount Skin Care Dispenser, Slimline	Polished Chrome	2.12" x 4.25" x 5.56" 5.4cm x 10.8cm x 14.1cm	1	11279, 11280, 11285
	91936	Suretouch* Counter Mount Skin Care Dispenser	Polished Chrome	2.5" x 3.13" x 5.62" 6.4cm x 8.0cm x 14.3cm	1	91437, 91439
	Miscella	neous Dispensers & Stands				
	37469⁵	Kleenex® Brand Refresh Stand	Wood Grain with Stainless Steel Inserts	18.0" x 61.0" x 10.5" 45.7cm x 154.9cm x 26.7cm	1	12979, 34643, 91590, 91600

<sup>&</sup>lt;sup>8</sup> When module and housing unit are installed properly, this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36, local rules may vary.

<sup>&</sup>lt;sup>1</sup> Modules and recessed housing units are included in the Lifetime Warranty when installed properly in qualifying dispensers and the end-user account is exclusively using Kimberly-Clark Professional\* products for those dispensers. For more information, visit www.KCProfessional.com/lifetimewarranty



#### Bathroom Tissue & Seat Cover Dispensers 39729 39709 09601 09606 39732 09512 44519

## **Skin Care Dispensers** 47604 • 34829 40836 32508 91936



<sup>&</sup>lt;sup>9</sup> When installed properly this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36, local rules may vary.

Lifetime Warranty applies to proprietary dispensers while they are installed and the end-user account is exclusively using Kimberly-Clark Professional\* products for those dispensers. For more information, visit www.KCProfessional.com/lifetimewarranty

## White Dispensers





#### **White Dispensers**

	Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
	Roll Towel I	Dispensers				
LESTINE LESSES	See page 25	Mod* Hard Roll Towel Dispenser <sup>9†</sup>	White	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	See page 25
LIFETIME MARKET AND ADDRESS OF THE PARTY AND A	46254 <sup>9</sup>	Scott® Essential* System Touchless, Roll Towel Dispenser <sup>†</sup>	White	12.63" x 16.13" x 10.2" 32.1cm x 41.0cm x 25.9cm	1	02001
LIJETIME MARKANY VIIIONA	36035 <sup>9</sup>	Mod* Slimroll* Hard Roll Towel Dispenser <sup>†</sup>	White	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.24cm	1	12388, 43753
UFFTIME MANAGEMENT OF THE PROPERTY OF THE PROP	47091°	Scott® Mod* Slimroll* Towel Dispenser (orange plug)†	White	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.24cm	1	47035
LIFETIME MATERIAL MERCEN	47071 <sup>9</sup>	Scott® Mod* Slimroll* Towel Dispenser (pink plug) <sup>†</sup>	White	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.24cm	1	47032
	10442 <sup>9</sup>	Slimroll* Hard Roll Towel Dispenser	White	12.0" x 12.5" x 7.0" 30.5cm x 31.8cm x 17.8cm	1	12388, 43753
	09993 <sup>9</sup>	Electronic Touchless Roll Towel Dispenser Includes Module (1.75" / 4.4cm hub)	White	12.63" x 16.13" x 10.2" 32.1cm x 40.9cm x 25.9cm	1	02000, 50500, 50606
	09995 <sup>9</sup>	Sanitouch Roll Towel Dispenser (1.75" / 4.4cm hub)	White	12.63" x 16.13" x 10.2" 32.1cm x 40.9cm x 25.9cm	1	02000, 50500, 50606
	09991°	Sanitouch Roll Towel Dispenser (1.5" / 3.8cm hub)	White	12.63" x 16.13" x 10.2" 32.1cm x 40.9cm x 25.9cm	1	01000, 01005, 01040 01080, 11090
	099998	Electronic Touchless Roll Towel Replacement Module		11.5" x 11.75" x 8.0" 29.2cm x 29.8cm x 20.3cm	1	09992, 09993, 09995, 09996
	Folded To	owel Dispensers				
LESTIME LESTIME	34830 <sup>9</sup>	Mod* Slimfold* Folded Towel Dispenser <sup>†</sup>	White	9.83" x 13.67" x 2.88" 24.9cm x 34.7cm x 7.3cm	1	04442
	06904 <sup>9</sup>	Slimfold* Folded Towel Dispenser	White	9.0" x 14.38" x 2.75" 22.9cm x 36.5cm x 6.9cm	1	04442
LIFETIME LIFETIME	39640 <sup>9</sup>	Mod* Scottfold* Folded Towel Dispenser (fits 7.8" / 19.8cm towel)†	White	10.6" x 18.79" x 5.48" 26.9cm x 47.7cm x 13.9cm	1	01960, 13253
	09906°	Universal Folded Towel Dispenser (fits minimum 7.8" / 19.8cm towel)	White	13.31" x 18.85" x 5.85" 33.8cm x 47.9cm x 14.9cm	1	01500, 01510, 01801, 01804, 01807, 01840, 01860, 01880, 01890, 01980, 02046, 02920, 03623, 03650, 06041, 11829, 13254, 37490, 43751, 43752, 45957
	09214 <sup>9</sup>	Scottfold* Compact Towel Dispenser (fits 7.8" / 19.8cm towel)	White	10.75" x 9.0" x 4.75" 27.3cm x 22.9cm x 12.1cm	1	01960, 13253
	09217 <sup>9</sup>	Scottfold* Compact Towel Dispenser (fits 9.4" / 23.9cm towel)	White	10.75" x 9.0" x 4.75" 27.3cm x 22.9cm x 12.1cm	1	01980, 13254

#### **Roll Towel Dispensers**

#### 29738 • 34349 34369 • 29735 34347 • 34367 46254 36035 47091 47071 10442 09993 09995 • 09991

#### **Folded Towel Dispensers**



#### **White Dispensers**

	Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
	Bathroom	Tissue & Seat Cover Dispensers				
IME ANT S	40407°	Mod* Hygienic Bathroom Tissue Dispenser <sup>†</sup>	White	7.0" x 13.33" x 5.725" 17.8cm x 33.9cm x 14.5cm	1	48180, 48280
IME ME	44517°	Kimberly-Clark Professional* Mod* High Capacity SRB Dispenser <sup>†</sup>	White	11.25" x 12.75" x 6.19" 28.6cm x 32.4cm x 15.7cm	1	04007, 07001
IME ME	34832°	Mod* Coreless JRT Jr. Bathroom Tissue Dispenser <sup>†</sup>	White	14.13" x 10.39" x 5.87" 35.9cm x 26.4cm x 14.9cm	1	07005, 07006
	09603 <sup>9</sup>	Coreless JRT Bathroom Tissue Dispenser	White	14.25" x 9.75" x 6.0" 36.2cm x 24.8cm x 15.2cm	1	07005, 07006
	09609°	Coreless JRT Twin Bathroom Tissue Dispenser	White	20.1" x 10.9" x 5.9" 51.0cm x 27.6cm x 14.9cm	1	07005, 07006
	09605°	Coreless Double Roll Bathroom Tissue Dispenser	White	11.0" x 7.63" x 6.0" 27.9cm x 19.4cm x 15.2cm	1	04007, 07001
	39730°	Mod* Coreless JRT Twin Bathroom Tissue Dispenser <sup>†</sup>	White	20.25" x 11.60" x 6.25" 51.4cm x 29.5cm x 15.9cm	1	07005, 07006
	09508°	JRT Jr. Escort* Jumbo Roll Bathroom Tissue Dispenser w/Stub Roll	White	14.0" x 16.0" x 5.8" 35.6cm x 40.7cm x 14.7cm	1	02129, 03148, 07223, 07304, 07805, 67805
	09505°	Toilet Seat Cover Dispenser	White	17.5" x 13.25" x 2.25" 44.5cm x 33.7cm x 5.7cm	1	07410
	Skin Care	Dispensers				
I ME	32499 <sup>9</sup>	Mod* Electronic Touchless Cassette Skin Care Dispenser <sup>†</sup>	White	7.29" x 11.69" x 4.0" 18.5cm x 29.7cm x 10.2cm	1	12979, 34643, 91590, 91591, 91592, 91594, 91595, 91600 <i>11430 stand available</i>
	92147 <sup>9</sup>	Electronic Cassette Skin Care Dispenser	White	7.25" x 11.5" x 4.0" 18.4cm x 29.2cm x 10.2cm	1	12979, 34643, 91590, 91591, 91592, 91594, 91595, 91600 11430 stand available
	92144	Cassette Skin Care Dispenser	White	4.85" x 8.36" x 5.43" 12.3cm x 21.2cm x 13.8cm	1	12977, 34700, 35362, 35365, 91552, 91553, 91554, 91555, 91556, 91557, 91560, 91562, 91565
	Miscella	ineous Dispensers				

White

- <sup>8</sup> When module and housing unit are installed properly, this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36, local rules may vary.
- <sup>9</sup> When installed properly this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36, local rules may vary. † Lifetime Warranty applies to proprietary dispensers while they are installed and the end-user account is exclusively using

Scott® Continuous Air Freshener Dispenser

- Kimberly-Clark Professional\* products for those dispensers. For more information, visit www.KCProfessional.com/lifetimewarranty
- Dodules and recessed housing units are included in the Lifetime Warranty when installed properly in qualifying dispensers and the end-user account is exclusively using Kimberly-Clark Professional\* products for those dispensers. For more information, visit www.KCProfessional.com/lifetimewarranty



92620

#### **Skin Care Dispensers**



2.8" x 5.0" x 2.4"

7.1cm x 12.7cm x 6.0cm





#### Miscellaneous

12369, 12370, 12373,

91067, 91072



#### Bathroom Tissue & Seat Cover Dispensers















39730





### Black/Smoke Dispensers






**Fits Product** 

See page 25

02001

28640, 32848, 50500, 50606

#### **Black/Smoke Dispensers**



.02		Roll Towel Dispenser <sup>†</sup>	<b>C</b> e.c	32.1cm x 41.0cm x 25.9cm	·	<b>0200</b> 1
360	)16 <sup>9</sup>	Mod* Slimroll* Hard Roll Towel Dispenser <sup>†</sup>	Black	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.24cm	1	12388, 43753
470	192 <sup>9</sup>	Scott® Mod* Slimroll* Towel Dispenser (orange plug)†	Black	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.24cm	1	47035
470	189 <sup>9</sup>	Scott® Mod* Slimroll* Towel Dispenser (pink plug) <sup>†</sup>	Black	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.24cm	1	47032
104	141 <sup>9</sup>	Slimroll* Hard Roll Towel Dispenser	Smoke/Grey	12.0" x 12.5" x 7.0" 30.48cm x 31.75cm x 17.78cm	1	12388, 43753
099	192 <sup>9</sup>	Electronic Touchless Roll Towel Dispenser (1.75" / 4.4cm hub)	Smoke/Grey	12.63" x 16.13" x 10.2" 32.1cm x 41.0cm x 25.9cm	1	02000, 50500, 50606
099	196 <sup>9</sup>	Sanitouch Hard Roll Towel Dispenser (1.75" / 4.4cm hub)	Smoke/Grey	12.63" x 16.13" x 10.2" 32.1cm x 41.0cm x 25.9cm	1	02000, 50500, 50606
099	90°	Sanitouch Hard Roll Towel Dispenser (1.5" / 3.8cm hub)	Smoke/Grey	12.63" x 16.13" x 10.2" 32.1cm x 41.0cm x 25.9cm	1	01000, 01005, 01040, 01080, 11090, 28640
099	1998	Electronic Touchless Roll Towel Replacement Module	Smoke/Grey	11.5" x 11.75" x 8.0" 29.2cm x 29.8cm x 20.3cm	1	09992, 09993, 09995, 09996
099	189	Roll Control Center-Pull Towel Dispenser	Smoke/Grey	10.3" x 11.9" x 9.3" 26.2cm x 30.2cm x 23.6cm	1	01032
097	′46 <sup>9</sup>	Omni Roll Towel Dispenser	Smoke/Grey	10.5" x 10.0" x 10.0" 26.7cm x 25.4cm x 25.4cm	1	01000, 01005, 01040, 01052, 01080, 02021, 02068, 04142, 11090, 28640, 32848
093	35°	Sr. Center-Pull Towel Dispenser	Smoke/Grey	10.0" x 12.5" x 10.65" 25.4cm x 31.8cm x 27.1cm	1	01010, 01032, 01051, 01320
090	173 <sup>9</sup>	D-2 Hard Roll Towel Dispenser	Smoke/Putty	17.5" x 16.0" x 10.0" 44.5cm x 40.6cm x 25.4cm	1	01000, 01005, 01040, 01052, 01080, 02021, 02068, 04142, 11090
097	'65 <sup>9</sup>	Lev-R-Matic Roll Towel Dispenser (1.5" / 3.8cm hub)	Smoke/Grey	13.3" x 13.5" x 9.8" 33.8cm x 34.3cm x 24.9cm	1	01000, 01005, 01040, 01052, 01080, 02000, 02021, 02068, 04142, 11090,

#### **Roll Towel Dispensers**



#### **Black/Smoke Dispensers**

	Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product	
Folded Towel Dispensers							
## %	39711 <sup>9</sup>	Mod* Scottfold* Folded Towel Dispenser (fits 7.8" / 19.8cm towel) <sup>†</sup>	Black	10.6" x 18.79" x 5.48" 26.9cm x 47.7cm x 13.9cm	1	01960, 13253	
	39719 <sup>9</sup>	Mod* Universal Folded Towel Dispenser (fits 9.4" / 23.9cm towel)	Black	12.69" x 18.80" x 5.52" 32.2cm x 47.8cm x 14.0cm	1	01500, 01510, 01801, 01804, 01807, 01840, 01860, 01880, 01890, 01980, 02046, 02920, 06041, 11829, 13254, 43751, 43752, 45957	
	09905 <sup>9</sup>	Universal Folded Towel Dispenser (fits minimum 9.4" / 23.9cm towel)	Smoke/Grey	13.31" x 18.85" x 5.85" 33.8cm x 47.9cm x 14.9cm	1	01500, 01510, 01801, 01804, 01807, 01840, 01860, 01880, 01890, 01980, 02046, 02920, 03623, 03650, 06041, 11829, 13254, 37490, 43751, 43752, 45957	
	09215 <sup>9</sup>	Scottfold* Compact Towel Dispenser (fits 7.8" / 19.8cm towel)	Smoke/Grey	10.75" x 9.0" x 4.75" 27.3cm x 22.9cm x 12.1cm	1	01960, 13253	
	Bathroor	n Tissue & Seat Cover Dispensers					
M.	39728°	Mod* Hygienic Bathroom Tissue Dispenser <sup>†</sup>	Black	7.0" x 13.33" x 5.725" 17.8cm x 33.9cm x 14.5cm	1	48180, 48280	
M.	44518 <sup>9</sup>	Kimberly-Clark Professional* Mod* High Capacity SRB Dispenser <sup>†</sup>	Black	11.25" x 12.75" x 6.19" 28.6cm x 32.4cm x 15.7cm	1	04007, 07001	
	09021 <sup>9</sup>	Double Roll Bathroom Tissue Dispenser	Smoke/Grey	6.0" x 13.6" x 6.6" 15.2cm x 34.5cm x 16.8cm	1	04007, 04460, 05102, 07001, 12456, 13135, 13217, 17713, 42108, 48040	
ME ME	34831 <sup>9</sup>	Mod* Coreless JRT Jr. Bathroom Tissue Dispenser <sup>†</sup>	Black	14.13" x 10.39" x 5.87" 35.9cm x 26.4cm x 14.9cm	1	07005, 07006	
	09602°	Coreless JRT Bathroom Tissue Dispenser	Smoke/Grey	14.25" x 9.75" x 6.0" 36.2cm x 24.8cm x 15.2cm	1	07005, 07006	
	09608 <sup>9</sup>	Coreless JRT Twin Bathroom Tissue Dispenser	Smoke/Grey	20.1" x 10.9" x 5.9" 51.0cm x 27.6cm x 14.9cm	1	07005, 07006	
	09604 <sup>9</sup>	Coreless Double Roll Bathroom Tissue Dispenser	Smoke/Grey	11.0" x 7.63" x 6.0" 27.9cm x 19.4cm x 15.2cm	1	04007, 07001	
ME ME	39731 <sup>9</sup>	Mod* Coreless JRT Twin Bathroom Tissue Dispenser <sup>†</sup>	Black	20.25" x 11.60" x 6.25" 51.4cm x 29.5cm x 15.9cm	1	07005, 07006	
	09551 <sup>9</sup>	Cored JRT Combo Unit Bathroom Tissue Dispenser	Smoke/Grey	20.43" x 13.12" x 5.8" 51.9cm x 33.3cm x 14.7cm	1	03148, 07202, 07223, 07304, 07805, 07827, 67805	
	09507 <sup>9</sup>	JRT Jr. Escort* Jumbo Roll Bathroom Tissue Dispenser w/Stub Roll	Smoke/Grey	16.0" x 13.88" x 5.75" 40.6cm x 35.3cm x 14.6cm	1	02129, 03148, 07223, 07304, 07805, 67805	
	09506 <sup>9</sup>	Toilet Seat Cover Dispenser	Smoke/Grey	17.5" x 13.25" x 2.25" 44.5cm x 33.7cm x 5.7cm	1	07410	

<sup>&</sup>lt;sup>8</sup> When module and housing unit are installed properly, this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36, local rules may vary.

<sup>&</sup>lt;sup>†</sup> Lifetime Warranty applies to proprietary dispensers while they are installed and the end-user account is exclusively using Kimberly-Clark Professional\* products for those dispensers. For more information, visit www.KCProfessional.com/lifetimewarranty



# **Folded Towel Dispensers** Bathroom Tissue & Seat Cover Dispensers 44518

<sup>&</sup>lt;sup>9</sup> When installed properly this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36, local rules may vary.

#### **Black/Smoke Dispensers**

Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
Skin C	are Dispensers				
32504 <sup>9</sup>	Mod* Electronic Touchless Cassette Skin Care Dispenser†	Black	7.29" x 11.69" x 4.0" 18.5cm x 29.7cm x 10.2cm	1	12979, 34643, 91590, 91591, 91592, 91594, 91595, 91600 <i>11430 stand available</i>
92148 <sup>9</sup>	Electronic Cassette Skin Care Dispenser	Black	7.25" x 11.5" x 4.0" 18.4cm x 29.2cm x 10.2cm	1	12979, 34643, 91590, 91591, 91592, 91594, 91595, 91600 <i>11430 stand available</i>
92145	Cassette Skin Care Dispenser	Black	4.85" x 8.36" x 5.43" 12.3cm x 21.2cm x 13.8cm	1	12977, 34700, 35362, 35365, 91552, 91553, 91554, 91555, 91556, 91557, 91560, 91562, 91565
92013	Sani-Tuff Push Dispenser	Smoke/Grey	10.8" x 7.0" x 17.8" 27.4cm x 17.8cm x 45.2cm	1	41860, 41861, 41863, 41864, 91045, 91047, 91721, 91726, 91748, 91757
Miscel	laneous Dispensers & Stands				
92621	Scott® Continuous Air Freshener Dispenser	Black	2.8" x 5.0" x 2.4" 7.1cm x 12.7cm x 6.0cm	1	12369, 12370, 12373, 91067, 91072
11430 <sup>5</sup>	Electronic Cassette Dispenser Floor Stand	Black	17.7" x 57.4" x 17.7" 45.0cm x 145.8cm x 45.0cm	1	Dispensers: 11329, 32499, 32504, 32508, 92147, 92148 Sanitizer: 12979, 34643, 91590, 91600

<sup>&</sup>lt;sup>5</sup> Dispenser and product must be ordered separately.

<sup>&</sup>lt;sup>†</sup> Lifetime Warranty applies to proprietary dispensers while they are installed and the end-user account is exclusively using Kimberly-Clark Professional\* products for those dispensers. For more information, visit www.KCProfessional.com/lifetimewarranty





#### Bathroom Tissue & Seat Cover Dispensers **Skin Care Dispensers** 39731 09551 09507 09604 09506 32504 92148 92145 92013

<sup>&</sup>lt;sup>9</sup> When installed properly this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36, local rules may vary.

## Dispenser Accessories



#### **Dispenser Accessories**


Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
45545	Universal Mounting Bracket	White	3.9" x 3.3" x 0.6" 9.9cm x 8.4cm x 1.5cm	10	09989, 11329, 32499, 32504, 32508, 92144, 92145, 92147, 92148
776021	Foam Hand Sanitizer Wall Bracket, 8oz.	White	2.44" x 4.44" x 2.75" 6.2cm x 11.3cm x 7.0cm	1	33947, 34089, 34135, 34610
776022	Foam Hand Sanitizer Wall Bracket, 16oz.	White	2.44" x 5.19" x 2.75" 6.2cm x 13.2cm x 7.0cm	1	33949, 34111, 34618, 34640, 34767
09997	HACCP Conversion Kit	Smoke	13" x 16.4" x 1.5" 33.1cm x 41.6cm x 3.9cm	2	46253, 46254

#### **Towel Dispenser Adapters**

Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
770913	Scottfold* 8.1" Adapter (fits 8.1" / 20.5cm towel)	White		1	01960, 13253
770962	Scottfold* 9.4" Adapter (fits 9.4" / 23.9cm towel)	White		1	01980, 13254
770946	Kleenex® Ultra Towels Adapter	White		1	28791
90000	AC Adapter for Electronic Roll Towel Dispensers	Black	1.7" x 3.2" x 1.7" 4.32cm x 8.13cm x 4.32cm	1	09992, 09993, 09999, 29737, 29738, 29739, 34348, 34349, 34368, 34369, 35609, 35614
29568	eHRT Recessed Install Kit A	Steel	12.25" x 9.0" x 7.88" 31.1cm x 22.9cm x 20.0cm	1	09999
29569	eHRT Recessed Install Kit B	Steel	17.25" x 5.5" x 9.75" 43.8cm x 14.0cm x 24.8cm	1	09999

#### **Bathroom Tissue Dispenser Adapters**

Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
09611	Coreless Recessed Standard Roll Adapter - "E" Kit	Stainless Steel	6.75" x 6.25" x 4.5" 17.1cm x 15.8cm x 11.4cm	2	04007, 07001
772571	Shelf Standard Roll Dispenser to Coreless Adapter - "C" Kit	White		2 packs (4 each)	04007, 07001
772572	Standard Roll Dispenser to Coreless Adapter - "B" Kit (1/2" curved track use)	White		2 packs	04007, 07001
772656	Modified "B" Coreless Adapter Kit (1/4" track use)	White		2 packs	04007, 07001
772745	Standard Roll Dispenser to Coreless Adapter - "A" Kit	White		2 packs (4 each)	04007, 07001
776020	Standard Roll Dispenser to Coreless Adapter - "B" Kit (1/2" straight track use)	Grey		1	04007, 07001





#### **Our Guarantee**

Your total satisfaction means everything to us. If, for any reason, our products do not meet your expectations, Kimberly-Clark will reimburse you<sup>†</sup> for your initial purchase, via FREE product, for up to \$1,000. For more information on Kimberly-Clark Professional\*, visit us online at *www.KCProfessional.com*.

‡ Guarantee extended to consuming end-user accounts only.

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WARRANTY IS ILBU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLIDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.





The mark of responsible forestry



2016-17 Edition

# Industrial Safety & Supply Solutions



## PERSONAL PROTECTIVE EQUIPMENT

- 4 Disposable Apparel
- **32** Gloves
- **40** Eyewear & Goggles
- **60** Face Shields
- 66 Hard Hats & Accessories
- **76** Seasonal Apparel
- **79** Earplugs & Earmuffs
- **82** Respirators

## **WELDING SAFETY**

- **86** Welding Helmets & ADFs
- **106** PAPR
- **108** Accessories/Headgear/Filters
- **112** Electric Line/Contour
- **116** Welding Curtains & Accessories

## **WIPING SOLUTIONS**

- 124 WypAll\* Wipers
- 136 Kimtech\* Wipers

## **WASHROOM SOLUTIONS**

- 142 Tissue & Towel
- 147 Skin Care
- **150** Dispensers









## Creating Exceptional Workplaces\*

At Kimberly-Clark Professional\*, we understand the value of people. That's why everything we do is designed to put people first and make sure they're taken care of. Because it's only when your people are well cared for that your company is able to thrive.

With brands you can trust, you'll find we have the solutions and programs designed to get your employees actively involved in making their workplace healthier, safer, and more productive.

## Do You Have an Efficient Workplace?

The Efficient Workplace from Kimberly-Clark Professional\* focuses on quick, easy changes in industrial and washroom supply management that can have a big impact on safety and productivity.

## Why Kimberly-Clark?

Kimberly-Clark Professional\* is highly skilled in problem solving with industrial and washroom supply management through our achievements in hazard reduction and efficiencies in our own manufacturing facilites. That means we look at the entire lifecycle of the supplies you use, including product choice, storage, dispensing, use and disposal. Then we find simple ways to eliminate wastes and hazards.

## Take a Walk With Us

Discover hidden opportunities for continued improvement. And remember, little changes can have a big impact so contact us today to start your continuous improvement journey.



## Turn previously hard-torecycle products into useful, eco-friendly items.

RightCycle by Kimberly-Clark
Professional\* is a program that
enables you to collect previously
hard-to-recycle items such as
Kimberly-Clark Professional\* nitrile
gloves and single-use apparel, and
have them turned into ecofriendly
patio furniture, trash cans, planters
& more.

## Why The RightCycle Program?


## Our Program enables you to:

- Reach your organization's sustainability goals
- Divert from your waste stream towards zero landfill
- Aid in the creation of colorful, eco-friendly products

Take the next step in your waste reduction journey and choose RightCycle by Kimberly-Clark Professional\*.



Look for this symbol to see which products are eligible for recycling.




## KleenGuard\* Brand Apparel

Protection, Comfort & Style designed around you.

KleenGuard\* Brand Protective Apparel solutions are designed to increase worker compliance and productivity by delivering quality protection with optimal comfort.



## KleenGuard\* Brand levels of protection



## **Product by Hazards**

	Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical F	Protection
	General Dirt & Grime	Light Splash	Liquid Under Pressure	lsocyanate¹ & Chromate²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
Premium	A20	A30	A40	A45	A60	A65	A70	A80
Economy	A10		A35					

<sup>&</sup>lt;sup>1</sup> Tested against polyurethane containing polymeric isocyanate (40% concentration)

<sup>&</sup>lt;sup>2</sup> Tested against potassium chromate (20% concentration)

## **Choosing a Garment**

Before choosing a protective garment, a detailed hazard and risk assessment must be performed. Factors to be considered include the consequence and likelihood of exposure; specific work environment; route of exposure and the orientation of exposure to the hazard.

Upon recording the hazards and assessing all risks, engineering controls are the first step to mitigating any hazard. When exposure to hazards cannot be engineered completely out of normal operations or maintenance work, and when safe work practices and other forms of administrative controls cannot provide sufficient additional protection, a supplementary method of control is the use of protective clothing.





Zipper front, no elastic

A30 Coverall includes elastic back



Zipper front, elastic wrists & ankles

Reflex\* Design includes elastic back



Zipper front, elastic wrists & ankles, hooded

Reflex\* Design includes elastic back



Zipper front, elastic wrists & ankles, hood, boots

Reflex\* Design includes elastic back

## Seams



A **SERGED SEAM** is a

basic stitched seam that's appropriate for exposure to non-hazardous substances. Overlap stitching provides strength and durability.



## A **BOUND SEAM** is a serged seam that's reinforced with

binding for strength and tear resistance.



## A TAPED SEAM is serged, then reinforced with a film tape that's resistant to water and many liquid

chemicals.

If your application requires a chemical-resistant taped seam, you should ensure that the tape offers appropriate resistance to the chemical involved.





**Vending:** Vending Machine Ready



MTO: Made-to-Order denoted by ■




**RightCycle** by Kimberly-Clark Professional\*



Look for this symbol to see which products are eligible for recycling.

## Reflex\* Coverall Design:

- Provides a fuller cut and a generous fit for added range of motion
- •7-1/2 times less likely to rip out vs. minimum ANSI
- •6% longer body length
- •12% more chest room
- •Seamless front provides more protection in the primary exposure area




Solid *Black* line indicates KleenGuard\*
Brand Reflex\* Design

 Dotted *Red* line indicates ANSI/ISEA 101-1996 Design Minimums

**Blue** areas demonstrate the superior Reflex\* Design over ANSI design

The following KleenGuard\* Brand Coveralls have the Reflex\* Design: A20, A30, A45, A60, A70 and A80.

## Sizing Chart for Reflex\* Design Garments



## **TAA Compliant**

Complying with the Federal Acquisition Regulations (FAR) is something that is top of mind for all Federal Government employees. One of the key elements and most easily missed elements of the FAR is the reference to the Trade Agreements Act (TAA), meaning products be manufactured or "substantially transformed" in a "designated country." Kimberly-Clark has developed a full line of TAA compliant protective apparel that provides you with the peace of mind and reassurance that you are purchasing product that complies with the Trade Agreements Act.

These items are identified throughout the catalog with this icon:

## **Light Duty Apparel**

Protective wear designed for entry level hazardous dust protection



**IDEAL FOR USE** when workers are in temporary contact with dirt and grime such as:

- · Food processing
- · General maintenance and manufacturing

### **FEATURES**

- · Lightweight, breathable coverall providing a cool, comfortable work environment
- Meets ANSI/ISEA 101-1996 sizing standards
- Serged seams



## KleenGuard\* A10 Light Duty Coveralls - SMMMS





Zipper Front, Elastic Wrists	Code	Size	Case Count
	10468	L	25
$/\Lambda$ $\Lambda$	10636	XL	25
J / \	10616	2XL	25
$\bigcup \bigcup$	10625	3XL	25
	10621	4XL	25
Zipper Front, Elastic Wrists, Attached Hood	Code	Size	Case Count
	12231	L	25
	12225	XL	25
$\mathcal{O}$ ) $\uparrow$ $\backslash \mathcal{O}$	12226	2XL	25
	12227	3XL	25
	12230	4XL	25
Zipper Front, Elastic Wrists, Attached Hood & Boots	Code	Size	Case Count
	10606	L	25
	10608	XL	25
$\cup$	10631	2XL	25
	10610	3XL	25


10615

KleenGuard*	A10	Accessories



Apron	Code	Vending	Size	Case Count
Polyethylene 1.75     mil thick     One piece fabric	43745	-	28" x 46"	5 Dispenser Cartons/ 100 ea
One piece fabric     One size fits all				

Lab Coat	Code	Vending	Size	Case Count
	40103	_	L	50
• Serged seams • 4-snap closure	40104	_	XL	50
• Elastic wrists • Knee length	40105	_	2XL	50
- Mice tength	40106	_	3XL	50
	40100		JAL	30
Beard Cover	Code	Vending	Size	Case Count
Beard Cover		Vending		



## KleenGuard\* A10 Accessories

	Sleeve Protector	Code	Vending	Size	Case Count
	<ul><li>Serged seams</li><li>Elastic top and wrist</li><li>One size fits all</li></ul>	23610	-	18"	200 ea/cs
	Bouffant Cap	Code	Vending	Size	Case Count
	Spunbond     Not made with	36900	-	M (21")	600 ea/cs Dispenser pack
•	natural rubber • White	36850	-	M (21")	1000 ea/cs 10 packs/100
		36920	-	L (24")	450 ea/cs Dispenser pack
		36860	-	L (24")	1000 ea/cs 10 packs/100

	Shoe Cover	Code	Vending	Size	Case Count
	<ul><li>Spunbond fabric</li><li>Serged seams</li><li>Fully elasticized for</li></ul>	36811	41236	Universal	300 ea/cs 2 packs/150 pairs
	formed fit  • 6.5" height  • Skid-resistant bottom  • Light blue  • Double-bagged for cleanroom	27222	-	XL	300 ea/cs 2 packs/150 pairs
Clean	room Packaging (	double	e-bagg	ed)	

Bouffant Cap	Code	Size	Case Count
Rayon, ideal for cleanroom     Not made with natural rubber     White	66829	24″	5 bags of 100

Dry Particle Protection		Liquid I	Liquid Particulate Protection			Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate <sup>1</sup> & Chromate <sup>2</sup>	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

## A20 Breathable Particle Protection Apparel

Designed to move with you while protecting against non-hazardous and hazardous dust




**IDEAL FOR USE** when workers are in nonstop contact with dirt and grime such as:

- Laboratories
- Remediation
- · Heavy dust environments
- · Pesticide application
- Modesty garment

The KleenGuard\* A20 SMMMS offers superior particle holdout coupled with unmatched comfort attributes offering workers protection without sacrificing comfort. The A20 fabric is five layers of stacked barrier protection (SMMMS) against hazardous particles.

## **FEATURES**

- Lightweight and breathable
- Reflex\* Coverall Design offers excellent fit and freedom of movement
- Seamless front to provide more protection in the primary exposure area
- Passes NFPA 99 for antistatic materials
- Serged seams







KleenGuard\* A20 Coveralls meet the EPA Agricultural Worker Protection Standard (WPS) requirements for "coveralls"

## KleenGuard\* A20 Coveralls

Available in White and Denim Blue














Zipper Front	White Code	White Vending	Blue Denim Code	Size	Case Count	мто
- A	35671	_	_	S	24	
	49002	_	58532	М	24	
MI MAILA	49003	37711	58533	L	24	
/ / \	49004	37712	58534	XL	24	
	49005	37713	58535	2XL	24	
	49006	37714	58536	3XL	20	
	49007	37715	58537	4XL	20	
	35670	_	_	5XL 6XI	20	














Zipper Front, Elastic Back, Wrists & Ankles	White Code	White Vending	Blue Denim Code	Size	Case Count	мто
	35810	-	-	S	24	•
$/\Lambda$ $\Lambda$ $\Lambda$ $\Lambda$	49102	-	58502	М	24	
	49103	37716	58503	L	24	
	49104	37717	58504	XL	24	
	49105	37718	58505	2XL	24	
	49106	37719	58506	3XL	20	
	49107	37720	58507	4XL	20	
	30920	-	23998	5XL	20	
	27179	-	-	6XL	21	
	35669	_	_	5XL 6XL	20	•



Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection		
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate <sup>1</sup> & Chromate <sup>2</sup>	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas	
•								

## KleenGuard\* A20 Accessories





**Case Count** 

100 ea

Count

Case Count

300 ea

Case Count

75 pr/bag 3 bags/cs 225 pr/cs



	Apron	Code	Size	Case Count
A	<ul><li>Bound neck &amp; ties</li><li>White</li><li>One size fits all</li></ul>	<b>36550</b> 28" x 40		100 (10 packs of 10)
`	Denim with pockets	36260	28" x 40"	100 (10 packs of 10)

Lab Coat	Code	Size	Case Count	мто
Serged seams	35618	S	30	-
• 4 hook-and-loop closure	35619	Μ	30	
Elastic wrists	35620	L	30	
<ul><li>Knee length</li><li>White</li></ul>	35621	XL	30	
	35622	2XL	30	
	35623	3XL	30	
	35624	4XL	30	
	35625	5XL	30	
	37427	6XL	30	
Lab Coat	Code	Size	Case Count	мто
Serged seams	42201	XS	25	
• 4-snap closure • Open wrists	30913	S	25	•
$U_{\square}$ $\square$ • Knee length	10019	М	25	
Left chest pocket     Right hip pocket	10029	L	25	
• White	10039	XL	25	
	40049	2XL	25	
	30930	3XL	25	
	30914	4XL	25	•
Frock	Code	Size	Case Count	мто
Serged seams	30926	S	30	•
• 5-snap closure • Elastic wrists	36262	М	30	
Below knee length	36263	L	30	
Mandarin collar	76264	VI	70	

	<ul> <li>Serged seams</li> <li>5-snap closure</li> <li>Elastic wrists</li> <li>Below knee length</li> <li>Mandarin collar</li> <li>White</li> </ul>	30926	S	30	•
		36262	М	30	
		36263	L	30	
		36264	XL	30	
		36265	2XL	30	
		30937	3XL	30	
		30933	4XL	30	
		34815	5XL	30	

Shirt	Code	Size	Case Count
<ul> <li>Serged seams</li> <li>5-snap closure</li> <li>Open wrists</li> <li>Hip length</li> <li>Mandarin collar</li> <li>White</li> </ul>	36212	М	50
	36213	L	50
	36214	XL	50
	36215	2XL	50

Shirt	Code	Size	Case Count
Serged seams     5-snap closure     Open wrists     Hip length     Mandarin collar     White	36212	М	50
	36213	L	50
	36214	XL	50
	36215	2XL	50



- Smock Code Size **Case Count** 36150 • Sonic seams Universal 60 • Tie closure
- Elastic wrists Knee lengthOpen neck
- White

ΙΛ\
UU

raires	Couc	3120	Case Count
<ul><li>Serged seams</li><li>Elastic waist</li><li>Open ankles</li><li>White</li></ul>	36222	М	50
	36223	L	50
	36224	XL	50
	36225	2XL	50

	11000	Couc
	<ul><li>Serged seams</li><li>Elastic face seal</li></ul>	36890
Y	<ul> <li>White</li> </ul>	



Sleeve Protector	Code	Size	Case Count
Serged seams	36870	21"	200 ea

Size Universal

- Elastic top & wrists
- 21" length ergonomically designed for improved fit
- White

	Boot Cover	Code	Size	Case Coun
<i>-</i>	Serged seams     Elastic opening	36880	Universal	300 ea
'	Liastic Opering			

- 13" height
- Seamless sole White
- One size fits all

	Shoe Cover	Code	Size
	<ul><li>Serged seams</li><li>Fully elasticized for</li></ul>	36885	Universal
3	formed fit		


- 6.5" height
- White
- One size fits all

	Shoe Cover	Code	Size	Case Count
ETEN.	Double-bagged for cleanroom use	66857	Universal	75 pr/bag 3 bags/cs
	<ul><li>Light blue color</li><li>Fully elasticized</li><li>NPFA 99 Compliant Antistatic Material</li></ul>			

Shoe Cove
• Double
 cloanro

Double-bagged for cleanroom use 66875	XL/2XL

• NPFA 99 Compliant Antistatic Material



- All A20 Accessories shown here are TAA Compliant
- MTO
- = Made to Order (MTO)



## Breathable Splash & **Particle Protection Apparel**

Designed to move with you while protecting against hazardous dry particles, aerosols and non-hazardous light liquid splash



**IDEAL FOR USE** when workers are in nonstop contact with dirt and grime where light splashes exist, such as:

- · Pressure washing
- · Powder painting
- · Pharmaceutical research
- Fine-particle contamination
- Aerospace
- Maintenance/general manufacturing
- · Aerosolized spray painting

KleenGuard\* Apparel Microforce\* Barrier SMS Fabric Outer Layers - Cloth-like, yet tough and abrasionresistant spunbond polypropylene

Middle Layers – Intricate web of micro-fibers that filter out many water-based liquids and dry particulates.

## **FEATURES**

- Strong and abrasion-resistant
- · Filters out many water-based liquids and dry particles
- Reflex\* Coverall Design offers excellent fit and freedom of movement
- Seamless front provides more protection in the primary exposure area
- Breathable, patented Microforce\* Barrier SMMMS fabric blocks particles from penetrating garment
- · Passes NFPA 99 for antistatic materials
- Serged seams



Product	Reflex* Design	12% more chest room	6% longer body length	Antistat	iFlex* Stretch Panels	30% more forward reach	Breathable
KleenGuard* A30 w/iFlex* Stretch Panels	•	•	•	•	•	•†	•
KleenGuard* A30	•	•	•	•			•
DuPont™ Tyvek® Comfort Fit							

<sup>&</sup>lt;sup>†</sup> Only compared to DuPont<sup>™</sup> Tyvek<sup>®</sup> Comfort Fit



- Preferred 91% for overall fit,
- Preferred 87% for better ease of movement over DuPont™ Tyvek®



## KleenGuard\* A30 Coveralls



Zipper Front with 1" Flap	Code	C:	Case	ито
& Elastic Back	Code	Size	Count	мто
	35738	S	25	
$\bigcup \bigcup \bigcup$	46002	М	25	
$/ \wedge \setminus$	46003	L	25	
UU	46004	XL	25	
	46005	2XL	25	
	46006	3XL	21	
	46007	4XL	21	
	35688	5XL/6XL	21	-
Zipper Front with 1" Flap, Elastic Back, Wrists & Ankles	Code	Size	Case Count	мто
	30931	S	25	-
$\bigwedge \bigwedge$	46102	М	25	
	46103	L	25	
	46104	XL	25	
	46105	2XL	25	
	46106	3XL	21	
	46107	4XL	21	
	30917	5XL	21	
	30918	6XL	21	-
	35737	5XL/6XL	21	-
Zipper Front with 1" Flap, Elastic Back, Wrists, Ankles & Hood	Code	Size	Case Count	мто
	30909	S	25	-
	46112	М	25	
$\mathcal{U} \Vdash \mathcal{V}$	46113	L	25	
$/ \wedge \setminus$	46114	XL	25	
<b>U U</b>	46115	2XL	25	
	46116	3XL	21	
	46117	4XL	21	
	30936	5XL	21	-
	30932	6XL	21	-
Zipper Front with 1" Flap, Elastic Back, Wrists, Ankles, Hood & Boots	Code	Size	Case Count	мто
	30908	S	25	-
	46122	М	25	
/ /\    /\ \	46123	L	25	
υ/ μ (ω				
	46124	XL	25	
	46124 46125	XL 2XL	25 25	
	46125	2XL	25	
	46125 46126	2XL 3XL	25 21	
	46125 46126 46127	2XL 3XL 4XL	25 21 21	:

## KleenGuard\* A30 Coveralls — with iFlex\* Stretch Panels

Zipper Front with 1" Flap, Elastic Back & Front, Wrists & Ankles	Code	Size	Case Count
	46132	М	25
	46133	L	25
	46134	XL	25
	46135	2XL	25
	46136	3XL	21
	46137	4XL	21
Zipper Front with 1" Flap, Elastic Back & Front, Wrists, Ankles & Hood	Code	Size	Case Count
Elastic Back & Front, Wrists,	Code 46142	Size M	Case Count
Elastic Back & Front, Wrists,			
Elastic Back & Front, Wrists,	46142	М	25
Elastic Back & Front, Wrists,	46142 46143	M L	25 25
Elastic Back & Front, Wrists,	46142 46143 46144	M L XL	25 25 25
Elastic Back & Front, Wrists,	46142 46143 46144 46145	M L XL 2XL	25 25 25 25 25

Ankles, Hood & Boots	Code	3.20	Case Count
	46172	М	25
	46173	L	25
	46174	XL	25
	46175	2XL	25
	46176	3XL	21
	46177	4XL	21

Hood	Code	Size	Case Count
Respirator Cut Out	35439	Universal	125 ea



Dry Particle Protection		Liquid Particulate Protection		Flame Resistant	Chemical I	Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate <sup>1</sup> & Chromate <sup>2</sup>	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

## Liquid & Particle Protection Apparel

Designed for economical liquid and particulate barrier protection



**IDEAL FOR USE** when workers are in contact with hazardous particles or liquids such as:

- · Liquid handling
- · Pressure washing
- Maintenance
- · General manufacturing

## **FEATURES**

- Microporous film laminate
- Meets ANSI/ISEA 101-1996 sizing standard







## KleenGuard\* A35 Coveralls

Zipper Front	Code	Size	Case Count
<b>*</b>	38916	S	25
//   V/	38917	М	25
7/\	38918	L	25
	38919	XL	25
	38920	2XL	25
	38921	3XL	25
	38922	4XL	25
	38923	5XL	25

Zipper Front, Elastic Wrists & Ankles	Code	Size	Case Count
	38925	S	25
/ <u>/</u>	38926	М	25
	38927	L	25
	38929	XL	25
	38930	2XL	25
	38932	3XL	25
	38934	4XL	25
	38935	5XL	25

<b>38936</b> S	25
	25
38937 M	25
<i>U</i>	25
/	25
<b>38941</b> 2XL	25
<b>38942</b> 3XL	25
<b>38943</b> 4XL	25
<b>38944</b> 5XL	25



Dry Particle Protection		Liquid Particulate Protection		Flame Resistant	Chemical F	Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate <sup>1</sup> & Chromate <sup>2</sup>	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
		•					

Also available

with Blue Breathable Back

## A40 Liquid & Particle Protection Apparel

Designed for protection against hazardous particles and liquids



**IDEAL FOR USE** when workers are in nonstop contact with hazardous particles or liquids such as:

- · Fiberglass manufacturing
- Tank cleaning
- Utilities
- · Liquid handling
- Pressure washing
- Maintenance/ general manufacturing
- Mold remediation
- Agriculture
- · Lead abatement
- Sewage work

## **FEATURES**

- Liquid barrier, particulate barrier, low in lint
- Passes NFPA 99 for antistatic materials
- Passes ASTM F1670 testing for penetration of blood and bodily fluids
- Meets ANSI/ISEA 101-1996 sizing standards
- Serged seams

## KleenGuard\* A40 Fabric Liquid Chemical Resistance Test

Reference the Technical Data Guide for current liquid chemical resistance information at www. KCProfessional.com

Chemicals	Test Method	Results
Potassium Chromate (20%)	F903 Method D	Pass
Isocyanate Paint (40%)	F903 Method D	Pass
Blood Penetration	ASTM F1670	Pass



Dry Particle	Protection	Liquid	Particulate Prote	ection	Flame Resistant	Chemical F	Protection
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate <sup>1</sup> & Chromate <sup>2</sup>	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
		•					

Now available

with **Thumb Holes** 

## KleenGuard\* A40 Coveralls







Zipper Front	Code	Vending	Size	Case Count	мто
<b>~</b>	27151	42568	S	25	•
$\langle \Lambda \mid \Lambda \rangle$	44302	42569	М	25	
	44303	37685	L	25	
	44304	37686	XL	25	
	44305	37687	2XL	25	
	44306	37692	3XL	25	
	44307	37694	4XL	25	
	30922	42570	5XL	25	
	30927	42571	6XL	25	


Zipper Front, Elastic Wrists, Ankles, Hood & Boots	Code	Size	Case Count	мто
	30940	S	25	
	44332	М	25	
	44333	L	25	
	44334	XL	25	
	44335	2XL	25	
	44336	3XL	25	
	44337	4XL	25	
	30907	5XL	25	
	30934	6XL	25	


KleenGuard\* A40 Coveralls with Blue Breathable Back

Code

42119

42531





	• •		
37591	L	25	
37163	XL	25	
37164	2XL	25	
37165	3XL	25	
38508	4XL	25	
37584	5XL/6XL	25	
NOW AVAILA	BLE WITH THUMB I	IOLES	
NOW AVAILA	DLE WITH THUMB	IOLLS	
42523	S	25	
42523	S	25	
42523 42525	S M	25 25	
42523 42525 42526	S M L	25 25 25	
42523 42525 42526 42527	S M L XL	25 25 25 25	

5XL


Size

Μ


Case Count


25

25



## KleenGuard\* A40 Accessories





Shirt	Code	Size	Case Count	
• Serged seams • 5-snap closure • Hip length • No pocket	44402	М	50	
	44403	L	50	
	44404	XL	50	
• White	44405	2XL	50	

Apron	Code	Size	Case Count	
	44481	28" x 40"	100	



- Bound neck & ties White
- One size fits all

Pants	Code	Size	Case Count
Serged seams     Elastic waist     Open ankles     White	44412	М	50
	44413	L	50
	44414	XL	50
	44415	2XL	50





- Serged seams
- Elastic top & wrists
- 18" length
- White

Boot Cover	Code	Size	Case Count
Serged seams	44491	Universal	400
<ul> <li>Elastic opening</li> </ul>			



- 17" height
- Seamless sole
- White
- One size fits all

- **Boot Cover Case Count** Code Size 36779 M/L400 • Serged seams • Elastic top 44495 XL/2XL 400
- Elastic at ankle • Highly durable PVC sole
- 18" height
- White

	Shoe Cover	Code	Size	Case Count
_	Serged seams	27000	Universal	300



- Elastic opening7" height
- Seamless sole
- White
- One size fits all

Shoe Cover	Code	Size	Case Count
Serged seams	44490	Universal	400
<ul> <li>Fully elasticized for</li> </ul>			



- formed fit
- 7" height
- White
- One size fits all

Shoe Cover	Code	Size	Case Count
Serged seams	44492	M/L	400
<ul><li>Elastic top</li><li>Highly durable PVC sole</li></ul>	44494	XL/2XL	400



- 5.25" height
- White

## **A45**

## Liquid & Particle Protection Surface Prep & Paint Apparel

Designed to move with you while protecting in work environments where hazardous or non-hazardous contaminants may be present



**IDEAL FOR USE** in surface prep and paint application areas where isocyanate<sup>1</sup> and chromate dust protection is mandated.

Made with lighter-weight fabric than KleenGuard\* A40 Liquid and Particle Protection suit allowing for improved comfort without sacrificing protection.

Designed specifically for the Surface Prep and Paint area in mind, KleenGuard\* A45 allows more freedom of movement and less restriction allowing the worker to complete their job without modifying the garment.

### **FEATURES**

- Protects against isocyanates<sup>1</sup>
- · Protects against chromate dust
- Silicone-free<sup>2</sup>
- Reflex\* Coverall Design offers excellent fit and freedom of movement
- Passes NFPA 99 for antistatic materials
- Not processed with natural rubber latex
- · Respirator fit hood design
- Water-resistant zipper
- · Serged seams

## KleenGuard\* A45 Fabric Liquid Chemical Resistance Test

Chemicals	Test Method	Results
Isocyanate paint 40%	F903 Method D	Pass
Chromated epoxy corrosion primer 10%	F903 Method D	Pass

Reference the Technical Data Guide for current liquid chemical resistance information at www.KCProfessional.com



Reflex\* Coverall Design offers excellent fit and freedom of movement

Dry Particle Protection		Liquid I	Particulate Prote	culate Protection Flame		Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate <sup>1</sup> & Chromate <sup>2</sup>	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

¹ Tested against polyurethane containing polymeric isocyanate (40% concentration)

<sup>&</sup>lt;sup>2</sup> Per BMS 15-5G Method 2611 and AMS 3819C, 1% detection limit

## KleenGuard\* A45 Coveralls



Zipper Front	Code	Size	Case Count
	41483	S	25
	41484	М	25
	41485	L	25
UU	41486	XL	25
	41487	2XL	25
	41488	3XL	25
	41489	4XL	25
	41490	5XL/6XL	25

Zipper Front, Elastic Wrists, Ankles & Hood	Code	Size	Case Count
	41503	S	25
	41504	М	25
$O \mid O$	41505	L	25
$\left( \bigwedge \right)$	41506	XL	25
2 2	41507	2XL	25
	41508	3XL	25
	41509	4XL	25
	41510	5XL/6XL	25

Zipper Front, Elastic Wrists & Ankles	Code	Size	Case Count
	41491	S	25
$\langle N \mid V \rangle$	41492	М	25
	41493	L	25
	41494	XL	25
	41495	2XL	25
	41496	3XL	25
	41497	4XL	25
	41498	5XL/6XL	25

Zipper Front, Elastic Wrists, Ankles, Hood & Boots	Code	Size	Case Count
	41513	S	25
	41514	М	25
	41515	L	25
	41516	XL	25
	41517	2XL	25
	41518	3XL	25
	41519	4XL	25
	41520	5XL/6XL	25



Snap Front	Code	Size	Case Count
	37166	L	25
	37167	XL	25
	37168	2XL	25
	37169	3XL	25
	37170	4XL	25

## **A60**

## Bloodborne Pathogen & Chemical Protection Apparel

Designed to move with you, offering protection in work environments where contact with blood, bodily fluids and bloodborne pathogen hazards are present



**IDEAL FOR USE** when workers may come into contact with bloodborne pathogens in:

- Crime lab
- Emergency medical response
- Crime scene cleanup
- Embalming/forensics and animal research

This protective coverall is made from a patented seven-layer fabric. The tough outer layers protect the film barrier from tearing and abrasion.

### **FEATURES**

- Passes ASTM F1670/F1671 testing for penetration of blood, bodily fluids and bloodborne pathogens
- Reflex\* Coverall Design offers excellent fit and freedom of movement
- Seamless front to provide more protection in the primary exposure area
- Three-layer fabric construction features:
  - A middle layer of microporous film that allows heat and sweat vapor to escape keeping the worker cool
  - Outer-layer film barrier against tearing and abrasion
- Taped storm flap
- Passes NFPA 99 for antistatic materials
- · Serged seams

Recommended by: American Biorecovery Association

> Reference the Technical Data Guide for current liquid chemical resistance information at www.KCProfessional.com




## KleenGuard\* A60 Fabric Liquid Chemical Resistance Test

Chemicals	Liquid Penetration Method D
	ASTM F903 Test Duration: 60 mins. Saturation Exposure
Acetone	Pass 🛕
Acetonitrile	Pass
Dichloromethane	Pass
Dimethylformamide	Pass
Ethyl Acetate	Pass 🔥
n-Hexane	Pass
MEK (99.5)	Pass
Methanol	Pass
Sodium Hydroxide (50%)	Pass
Sulfuric Acid (97%)	Pass
Tetrahydrofuran	Pass
Sodium Hypochlorite (household bleach)	Pass
Isocyanate Hardener (65%)	Pass

WARNING: Fabric passes penetration testing; however, the chemical is considered a known or suspected carcinogen or skin-absorbed toxin.

## KleenGuard\* A60 Coveralls





Zipper Front, Storm Flap, astic Back, Wrists & Ankles	Code	Vending	Size	Case Count	мто
	35407	_	S	24	
	45002	_	М	24	
	45003	37704	L	24	
	45004	37705	XL	24	
	45005	37706	2XL	24	
	45006	37707	3XL	20	
	45007	37709	4XL	20	

Zipper Front, Storm Flap, Elastic Back, Wrists, Ankles & Hood	Code	Size	Case Count	мто
	45022	М	24	
	45023	L	24	
	45024	XL	24	
	45025	2XL	24	
	45026	3XL	20	
	45027	4XL	20	
	30955	5XL	20	
	12939	6XL	20	

Zipper Front, Storm Flap, Elastic Back, Wrists, Ankles, Hood & Boots	Code	Size	Case Count	мто
	45092	М	24	
	45093	L	24	
	45094	XL	24	
	45095	2XL	24	
	45096	3XL	20	
	45097	4XL	20	
	30943	5XL	20	-
	12940	6XL	20	

## KleenGuard\* A60 Accessories





Lab Coat	Code	Size	Case Count	МТО	
Serged seams	30945	S	25		
4-snap closure     Open wrists     Knee length     Left chest     pocket     Right hip pocket     Blue	45512	М	25		
	45513	L	25		
	45514	XL	25		
	45518	2XL	25		
	27326	3XL	25		
	27327	4XL	25		
	27328	5XL	25		


Siceverrotector	Couc	3120	Cusc Count
• Serged seams	36871	21"	200
• Elastic top & wrists			

- 21" lengthErgonomically designed to fit to arm • Blue

Hood	Code	Size	Case Count
• Serged seams	45343	Universal	100



- Elastic face seal Blue



Dry Particle	Protection	Liquid Particulate Protection		Flame Resistant	Chemical I	Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate¹ & Chromate²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
				•			

## Flame Resistant Apparel

Designed for protection against non-hazardous and hazardous dust in areas where exposure to sparks is possible



**IDEAL FOR USE** when workers may be exposed to sparks; in environments, such as:

- Oil refining
- Utilities
- Welding processes
- · Grinding processes

KleenGuard\* A65 is breathable with a high moisture vapor transmission rate to be worn comfortably over Flame-Resistant garments.

- Flame-resistant and compliant with NFPA 701 FLAME PROPAGATION TEST (1999 edition)
- Complies with flame resistance requirements cited by paragraph 6.1 of CAN/CGSB-155.2-2000
- Passes NFPA 99 for antistatic materials
- Design meets ANSI/ISEA 101-1996 sizing standard
- Serged seams




## KleenGuard\* A65 Blue Coveralls





Zipper Front	Code	Size	Case Count	мто
	45312	М	25	
	45313	L	25	
$M \mid N$	45314	XL	25	
	45315	2XL	25	
	45316	3XL	21	
	45317	4XL	21	
	32420	5XL	21	
	32417	6XL	21	

Zipper Front, Elastic Wrists, Ankles & Hood	Code	Size	Case Count	
	45322	М	25	
	45323	L	25	
/_   _ \	45324	XL	25	
$\omega$ ) I ( $\lambda$ )	45325	2XL	25	
	45326	3XL	21	
	45327	4XL	21	
	23558	5XL	21	
	23559	6XL	21	



Size	Case Count	мто
М	25	
L	25	
XL	25	
2XL	25	
3XL	21	
4XL	21	
5XL	21	
6XL	21	
	M L XL 2XL 3XL 4XL 5XL	M 25 L 25 XL 25 2XL 25 3XL 21 4XL 21 5XL 21

Dry Particle Protection Liquid Particulate Protection		Dry Particle Protection Liquid Particulate Protection		Flame Resistant	Chemical F	Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate <sup>1</sup> & Chromate <sup>2</sup>	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas



## **Chemical Spray Protection Apparel**

Designed to move with you, offering protection in environments where contact with hazardous chemicals are present

**IDEAL FOR USE** when workers may come into contact with hazardous chemicals, as in:

- Hazardous waste remediation
- · Environmental cleanup
- Petrochemical/oil refining
- · Acid/caustic handling
- Biohazard cleanup
- Tank cleaning
- · Pharmaceutical manufacturing

KleenGuard\* A70 is 1.5 mil polyethylene-coated fabric resistant to many water-based liquids, greases and oils, and liquid chemical splashes. Protection with exceptional comfort is why 75% of industrial workers preferred KleenGuard\* A70 over the leading brand for fit and productivity.

- · Wick-away lining for enhanced comfort
- Liquid-resistant, extra-long zipper
- Taped, sealable zipper flap
- Reflex\* Coverall Design offers excellent fit and freedom of movement
- Seamless front for more protection in the primary exposure area
- Bound seams
- Passes NFPA 99 for antistatic materials

## KleenGuard\* A70 Apparel Fabric Liquid Chemical Resistance Test

Liquid Penetration ASTM F903	Vapor Per ASTM	
Test Duration: 60 mins. Saturation Exposure	Normalized Breakthrough (min.)	Rate (µg/cm²/min)
Pass	Immediate	7.9
Pass 🛕	Immediate	8.97
Pass 🛕	Immediate	76.3
Pass 🔥	Immediate	85.1
Pass 🛕	Immediate	High
Pass	Immediate	2.54
Pass	Immediate	40.3
Pass 🛕	Immediate	High
Pass 🛕	Immediate	1.71
Pass	Immediate	97.4
Pass	>480	Not detected
Pass	>480	Not detected
Pass 🗘	Immediate	High
Pass	Immediate	32.8
Pass 🛕	Immediate	High
	ASTM F903  Test Duration: 60 mins. Saturation Exposure  Pass Pass Pass Pass Pass Pass Pass Pa	ASTM F903  Test Duration: 60 mins. Saturation Exposure  Pass Immediate  Pass Immediate

Reference the Technical Data Guide for current liquid chemical resistance information at www.KCProfessional.com

Dry Particle Protection		Liquid Particulate Protection		Flame Resistant	Chemical I	Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate¹ & Chromate²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
						•	

▲ WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.

## KleenGuard\* A70 - Bound Seams • Yellow



Zipper Front, Storm Flap, Elastic Wrists, Hood & Boots	Code	Size	Case Count
	00682	М	12
	00683	L	12
	00684	XL	12
	00685	2XL	12
	00686	3XL	12
	00687	4XL	12
	00688	5XL	12



## KleenGuard\* A70 Accessories





Sleeve Protector	Code	Vending	Size	Case Count
Bound seams     Elastic top & wrist	97780	41233	21" Length	200
Liastic top o wrist				

• 21" length • Ergonomically

designed to fit to arm

Yellow

	Apron	Code	Vending	Size	Case Count
Q	<ul><li>Bound seams</li><li>Bound neck and ties</li></ul>	97790	42134	29" x 44"	100
$\sim$	<ul> <li>Bound neck and ties</li> </ul>				





## Chemical Permeation & Jet Liquid Protection Apparel

Designed to move with you, offering protection in environments where contact with hazardous chemical vapors may be present

**IDEAL FOR USE** when workers may come into contact with hazardous chemical vapors such as:

- Chemical handling/mixing/cleanup
- Hazardous material handling
- Hazardous waste cleanup
- · Industrial Hazmat teams
- Petrochemicals
- Utilities

KleenGuard\* A80 is made of Saranex® 23-P Film laminated to a durable fabric which provides a soft cloth-like feel against the skin.

- Saranex® 23-P Film laminated
- Taped, sealable zipper flap
- · Liquid-resistant, extra-long zipper
- Reflex\* Coverall Design offers excellent fit and freedom of movement
- Seamless front provides more protection in the primary exposure area
- Respirator-fit hood design for compatibility with complementary PPE
- · Taped seams

## KleenGuard\* A80 Apparel Fabric Liquid & Gas Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903	Vapor Permeation ASTM F739				
	Test Duration: 60 mins. Saturation Exposure	Normalized Breakthrough (min.)	Rate (µg/cm²/min)			
Acetone	Pass	23	0.92			
Acetonitrile	Pass 🛕	72.5	0.32			
Ammonia	NA (gas)	>480	Not detected			
1,3 Butadiene	Pass	>480	Not detected			
Carbon Disulfide	Pass 🔥	Immediate	70.6			
Chlorine	NA (gas)	>480	Not detected			
Dichloromethane	Pass 🛕	Immediate	High			
Diethylamine	Pass 🛕	17	92.6			
n,n-Dimethylformamide	Pass	127.5	1.33			
Ethyl Acetate	Pass	10	5.6			
Ethylene Oxide	Pass	14.5	18.5			
n-Hexane	Pass 🔥	>480	Not detected			
Hydrochloric Acid (99%)	Pass	>480	Not detected			
Methanol	Pass 🛕	>480	Not detected			
Methyl Chloride	Pass	>480	Not detected			
Nitrobenzene	Pass	89	6.96			
Sodium Hydroxide (50%)	Pass	>480	Not detected			
Sulfuric Acid (98%)	Pass	>480	Not detected			
Tetrachloroethylene	Pass 🔨	10.5	17.4			
Tetrahydrofuran	Pass	Immediate	289			
Toluene	Pass 🛕	2.5	369.5			



WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.

Reference the Technical Data Guide for current liquid chemical resistance information at www.KCProfessional.com

## KleenGuard\* A80 Taped Seams

	•
Chemicals ASTM F1001	Liquid Penetration ASTM F903
	Test Duration: 60 mins. Saturation Exposure
Acetone	Pass
Acetonitrile	Pass 🛕
Carbon Disulfide	Pass 🛕
Dichloromethane	Pass 🛕
Diethylamine	Pass 🛕
n,n-Dimethylformamide	Pass
Ethyl Acetate	Pass
n-Hexane	Pass 🛕
Methanol	Pass 🛕
Nitrobenzene	Pass
Sodium Hydroxide (50%)	Pass
Sulfuric Acid (98%)	Pass
Tetrachloroethylene	Pass 🛕
Tetrahydrofuran	Pass
Toluene	Pass 🛕
WARNING: Fabric passes per	netration testing:

MARNING: Fabric passes penetration testing; however, the chemical is considered a known or suspected carcinogen or skin-absorbed toxin.

As we are continually collecting new data, reference the Technical Data Guide for A80 for the most up-to-date data at www.kcprofessional.com.

More than
25% stronger
than
Tychem® SL

Seams taped with Saranex® 23-P Film



## $KleenGuard \hbox{$^*$}A80-Level\ B/C\ Coveralls$

Taped Seams • White



Zipper Front, Storm Flap, Elastic Wrists, Ankles & Respirator-Fit Hood	Code	Size	Case Count	мто
	45643	L	12	
	45644	XL	12	
$O \mid V$	45645	2XL	12	
/ / \	45646	3XL	10	
	45647	4XL	10	
	30946	5XL	10	
	30947	6XL	10	

Zipper Front, Storm Flap, Elastic Wrists, Ankles, Respirator-Fit Hood & Boots	Code	Size	Case Count	мто
	45663	L	12	
	45664	XL	12	
$O \setminus O$	45665	2XL	12	
	45666	3XL	10	
	45667	4XL	10	
	30948	5XL	10	
	30949	6XL	10	

## KleenGuard\* A80 Accessories



KleenGuard* A80 A			
Sleeve Protector	Code	Size	Case Count
• Taped seams • Elastic top • wrist • 21" length • Ergonomically designed to fit to arm • White	45749	21*	100
Apron	Code	Size	Case Count
• White • One size fits all	45748	29" x 44"	50


Dry Particle	Protection	Liquid l	Particulate Prot	ection	Flame Resistant	Chemical Protection		
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate <sup>1</sup> & Chromate <sup>2</sup>	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas	
							•	

## KleenGuard\* and Jackson Safety\* **Hand Protection**

KleenGuard\* Thin Mil Gloves and Jackson Safet range of quali designed with

To see our Clear go to KCProfessi

· * D · 1 C 1 · (( ) · 1					
ty* Brand Gloves offer a broad	G60	Cut-Resistant Gloves			
lity hand protection specially	G40	General-Purpose Gloves			
h built-in comfort features.	G35	Inspection Gloves			
inroom and Laboratory products, sional.com.	G29	Solvent Gloves			
SIONAL COM.	G10	Thin Mil Gloves			
	Кеу				





Vending Machine Ready: Available in individual packs for coil vending machines

G80 Chemical-Resistant Gloves



**RightCycle** by Kimberly-Clark Professional\* — Eligible for recycling



Meets Canadian requirements and U.S. FDA regulations for food handling applications

	Product Features							Pro	duct	Арр	licati	ons						
KleenGuard* and Jackson Safety* Brand Gloves	Tactile Sensitivity	Excellent Grip/ Dexterity	Not made with natural rubber latex	Powder-Free	Light-Duty Protection	Food Handling	Touchscreen Compatible	CPPT in grams (ANSI)	Cut Resistance (EN388)	Abrasion Resistance (EN388)	For Vending	Small Parts Handling	Warehousing/ Shipping/Receiving	Janitorial/General Maintenance	Equipment Handling	Metal/Glass Handling	Automotive/ Aerospace	Chemical Plants/ Processing
G10 Flex Blue Nitrile	•		•	•	•	•	•					•						
G10 Arctic Blue Nitrile	•		•	•	•	•	•				•	•						
G10 Grey Nitrile	•		•	•	•	•	•				•	•						
G10 Blue Nitrile	•		•	•	•	•	•				•	•					•	
G29 Solvent	•	•	•	•		•	•			2		•		•			•	•
G35 Inspection	•		•	•	•						•						•	
G40 Foam Nitrile Coated		•	•	•					1	4	•	•	•	•	•		•	
G40 Latex <sup>†</sup> Coated		•		•					2	2	•		•	•		•		
G40 Polyurethane Coated	•	•	•	•					1	3	•	•	•	•			•	
G40 Smooth Nitrile <sup>†</sup>		•		•					1	3		•	•	•			•	
G60 Level 2 Nitrile Coated Cut Resistant <sup>†</sup>		•		•				629	2	3	•	•			•	•		
G60 Level 2 Polyurethane Coated Cut Resistant <sup>†</sup>		•		•				672	2	2	•	•	•		•	•	•	
G60 Level 3 Economy Cut <sup>†</sup>		•		•				686	3	4	•				•	•		
G60 Level 3 Purple Nitrile* Cut Resistant		•	•	•				1150	3	4	•	•			•	•		
G60 Level 3 Polyurethane Coated Cut Resistant		•	•	•				1010	3	4	•				•	•	•	
G60 Level 3 Knuckle Coated, High-Visibility Cut Resistant <sup>†</sup>		•		•				512	3	4	•				•	•		
G60 Level 5 Polyurethane Coated Cut Resistant		•	•	•			•	2085	5	4	•				•	•	•	
G60 Level 2 Cut Resistant Sleeves <sup>†</sup>		•		•				920- 934	2	N/A	•				•	•	•	
G60 Level 5 Cut Resistant Sleeve <sup>†</sup>		•		•				1244	5	4	•				•	•	•	
G80 Nitrile Chemical Resistant		•		•		•					•			•			•	•
G80 Neoprene/Latex Chemical Resistant <sup>†</sup>		•		•			•				•			•			•	•

<sup>†</sup> CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

## **G10 Thin Mil Gloves**

### **G10 Flex Blue Nitrile Gloves**





Code	Color	Size	Case Count
38518	Light Blue	6 (XS)	100 gloves/box • 10 boxes/case
38519	Light Blue	7 (S)	100 gloves/box • 10 boxes/case
38520	Light Blue	8 (M)	100 gloves/box • 10 boxes/case
38521	Light Blue	9 (L)	100 gloves/box • 10 boxes/case
38522	Light Blue	10 (XL)	100 gloves/box • 10 boxes/case

### **Product Features**

- 2 mil; 9.5" length
- Light duty general-purpose applications
- Touchscreen compatible
- Meets U.S. FDA regulations for food handling applications
- Textured fingertips; Powder-free
- Not made with natural rubber latex

### **G10 Arctic Blue Nitrile Gloves**









Code	Vending	Color	Size	Case Count
90095	43333	Arctic Blue	6 (XS)	200 gloves/box • 10 boxes/case
90096	43336	Arctic Blue	7 (S)	200 gloves/box • 10 boxes/case
90097	43337	Arctic Blue	8 (M)	200 gloves/box • 10 boxes/case
90098	43343	Arctic Blue	9 (L)	200 gloves/box • 10 boxes/case
90099	43344	Arctic Blue	10 (XL)	180 gloves/box • 10 boxes/case

### **Product Features**

- 2 mil; 9.5" length
- Advanced formulation with enhanced tactile sensitivity
- Touchscreen compatible
- Meets Canadian requirements and U.S. FDA regulations for food handling applications
- Textured fingertips; powder-free
- Not made with natural rubber latex
- 100% more gloves per case

## **G10 Grey Nitrile Gloves**









Code	Vending	Color	Size	Case Count
97820	42600	Grey	6 (XS)	150 gloves/box • 10 boxes/case
97821	42601	Grey	7 (S)	150 gloves/box • 10 boxes/case
97822	42602	Grey	8 (M)	150 gloves/box • 10 boxes/case
97823	42604	Grey	9 (L)	150 gloves/box • 10 boxes/case
97824	42605	Grey	10 (XL)	140 gloves/box • 10 boxes/case

## Product Features

- 3.5 mil; 9.5" length
- Best wet grip when handling small parts or glass
- Touchscreen compatible
- Meets Canadian requirements and U.S. FDA regulations for food handling applications
- Textured fingertips; powder-free
- Not made with natural rubber latex
- 50% more gloves per case

## **G10 Blue Nitrile Gloves**









Code	Vending	Color	Size	Case Count
57370	42609	Blue	6 (XS)	100 gloves/box • 10 boxes/case
57371	42610	Blue	7 (S)	100 gloves/box • 10 boxes/case
57372	41071	Blue	8 (M)	100 gloves/box • 10 boxes/case
57373	41078	Blue	9 (L)	100 gloves/box • 10 boxes/case
57374	41059	Blue	10 (XL)	90 gloves/box • 10 boxes/case

## **Product Features**

- 6 mil; 9.5" length
- Superior durability and strength
- Light chemical splash protection
- Touchscreen compatible
- Meets Canadian requirements and U.S. FDA regulations for food handling applications
- Textured fingertips; powder-free
- Not made with natural rubber latex



## **G29 Solvent Gloves**

## **G29 Solvent Gloves**



Code	Color	Size	Case Count
49822	Blue	6 (XS)	50 gloves/box • 10 boxes/case
49823	Blue	7 (S)	50 gloves/box • 10 boxes/case
49824	Blue	8 (M)	50 gloves/box • 10 boxes/case
49825	Blue	9 (L)	50 gloves/box • 10 boxes/case
49826	Blue	10 (XL)	50 gloves/box • 10 boxes/case
49827	Blue	11 (2XL)	50 gloves/box • 10 boxes/case

### **Product Features**

- 12 mil (finger); 9 mil (palm)
- 12" length; Ambidextrous
- Neoprene blend; silicone-free
- Highest level of dexterity
- Touchscreen compatible
- Meets U.S. FDA regulations for food handling applications
- Textured fingertips; powder-free
- Not made with natural rubber latex

## **G35 Inspection Gloves**

## **G35 Inspection Gloves**





Code	Vending	Color	Size	Case Count
38716	43813	White Nylon	6 (XS)	12 pairs/bag • 10 bags/case
38717	43814	White Nylon	7 (S)	12 pairs/bag • 10 bags/case
38718	43815	White Nylon	8 (M)	12 pairs/bag • 10 bags/case
38719	43816	White Nylon	9 (L)	12 pairs/bag • 10 bags/case
38720	43817	White Nylon	10 (XL)	12 pairs/bag • 10 bags/case

### **Product Features**

- 100% white nylon
- Low-linting
- Seamless knit shell
- Ambidextrous
- Not made with silicone
- Colored yarn on cuff

## **G40 General-Purpose Gloves**

## **G40 Foam Nitrile Coated Gloves**





Code	Vending	Color	Size	Case Count
40225	41527	Blue & Black	7 (S)	12 pairs/bag • 5 bags/case
40226	40511	Blue & Black	8 (M)	12 pairs/bag • 5 bags/case
40227	37729	Blue & Black	9 (L)	12 pairs/bag • 5 bags/case
40228	37730	Blue & Black	10 (XL)	12 pairs/bag • 5 bags/case
40229	40421	Blue & Black	11 (2XL)	12 pairs/bag • 5 bags/case

### **Product Features**

- 25% better productivity than leather
  - Excellent grip and dexterity
  - Seamless knit nylon back for comfort
  - Highest EN388 abrasion rating

## **G40 Latex<sup>†</sup> Coated Gloves**





Code	Vending	Color	Size	Case Count
97270	42632	Grey & Black	7 (S)	12 pairs/bag • 5 bags/case
97271	40508	Grey & Black	8 (M)	12 pairs/bag • 5 bags/case
97272	40509	Grey & Black	9 (L)	12 pairs/bag • 5 bags/case
97273	40510	Grey & Black	10 (XL)	12 pairs/bag • 5 bags/case
97274	42633	Grey & Black	11 (2XL)	12 pairs/bag • 5 bags/case

 $^\dagger$  CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

### **Product Features**

- Breathable cotton back for comfort
- Crinkled latex coating for excellent grip
- High EN388 tear resistance rating
- Excellent durability

## **G40 Polyurethane Coated Gloves**





Code	Vending	Color	Size	Case Count
13837	42606	Black	7 (S)	12 pairs/bag • 5 bags/case
13838	42607	Black	8 (M)	12 pairs/bag • 5 bags/case
13839	37725	Black	9 (L)	12 pairs/bag • 5 bags/case
13840	37726	Black	10 (XL)	12 pairs/bag • 5 bags/case
13841	42608	Black	11 (2XL)	12 pairs/bag • 5 bags/case
38726	N/A	Grey	7 (S)	12 pairs/bag • 5 bags/case
38727	N/A	Grey	8 (M)	12 pairs/bag • 5 bags/case
38728	N/A	Grey	9 (L)	12 pairs/bag • 5 bags/case
38729	N/A	Grey	10 (XL)	12 pairs/bag • 5 bags/case
38730	N/A	Grey	11 (2XL)	12 pairs/bag • 5 bags/case

## **Product Features**

- Thin mil feel for tactile sensitivity
  - Excellent grip and dexterity
  - Seamless knit construction for comfort
  - Tear-resistant
  - Abrasion-resistant

## G40 Smooth Nitrile+ Coated Gloves<sup>†</sup>



Code	Color	Size	Case Count
38428	Black	7 (S)	12 pairs/bag • 5 bags/case
38429	Black	8 (M)	12 pairs/bag • 5 bags/case
38430	Black	9 (L)	12 pairs/bag • 5 bags/case
38431	Black	10 (XL)	12 pairs/bag • 5 bags/case
38432	Black	11 (2XL)	12 pairs/bag • 5 bags/case

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

## Product Features

- Seamless knit nylon back for comfort
- Nitrile coating offers good grip and protection against liquid permeation
- High Abrasion rating per EN388
- Dark black coating hides dirt for longer wear

### **G60 Cut-Resistant Gloves**

#### G60 Level 2 Nitrile Coated Cut Resistant Gloves<sup>†</sup>





Code	Vending	Color	Size	Case Count
98230	43339	Blue & Yellow	7 (S)	12 pairs/bag • 5 bags/case
98231	37737	Blue & Yellow	8 (M)	12 pairs/bag • 5 bags/case
98232	37738	Blue & Yellow	9 (L)	12 pairs/bag • 5 bags/case
98233	37739	Blue & Yellow	10 (XL)	12 pairs/bag • 5 bags/case
98234	43340	Blue & Yellow	11 (2XL)	12 pairs/bag • 5 bags/case

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

#### **Product Features**

- ANSI Level 2/EN388 Level 2 cut resistance; CPPT = 629 grams
- Great dexterity and grip
- · Abrasion-resistant nitrile coating
- Suitable for intermittent heat contact up to 212°F†

#### G60 Level 2 Polyurethane Coated Cut Resistant Gloves<sup>†</sup>





Code	Vending	Color	Size	Case Count	
3863	5 40424	Grey & Yellow	7 (S)	12 pairs/bag • 1 bag/case	
3863	6 40428	Grey & Yellow	8 (M)	12 pairs/bag • 1 bag/case	
3863	7 37727	Grey & Yellow	9 (L)	12 pairs/bag • 1 bag/case	
3863	8 37728	Grey & Yellow	10 (XL)	12 pairs/bag • 1 bag/case	
3863	9 40429	Grey & Yellow	11 (2XL)	12 pairs/bag • 1 bag/case	
3864	2 40451	Grey & Yellow Knuckle-Coated	7 (S)	12 pairs/bag • 1 bag/case	
3864	3 40452	Grey & Yellow Knuckle-Coated	8 (M)	12 pairs/bag • 1 bag/case	
3864	4 40453	Grey & Yellow Knuckle-Coated	9 (L)	12 pairs/bag • 1 bag/case	
3864	5 40503	Grey & Yellow Knuckle-Coated	10 (XL)	12 pairs/bag • 1 bag/case	
3864	6 40507	Grey & Yellow Knuckle-Coated	11 (2XL)	12 pairs/bag • 1 bag/case	

<sup>†</sup> CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

#### **Product Features**

- ANSI Level 2/EN388 Level 2 cut resistance; CPPT = 672 grams
- Excellent dexterity for improved productivity
- Polyurethane coating provides a barrier against oil penetration
- Suitable for intermittent heat contact up to 212°F¹

#### G60 Level 3 Economy Cut Gloves<sup>†</sup>





Code	Vending	Color	Size	Case Count
38689	42614	Black & White	7 (S)	12 pairs/bag • 1 bag/case
42542	-	Black & White	7 (S)	12 pairs/bag • 5 bags/case
38690	42615	Black & White	8 (M)	12 pairs/bag • 1 bag/case
42543	-	Black & White	8 (M)	12 pairs/bag • 5 bags/case
38691	42616	Black & White	9 (L)	12 pairs/bag • 1 bag/case
42545	-	Black & White	9 (L)	12 pairs/bag • 5 bags/case
38692	42617	Black & White	10 (XL)	12 pairs/bag • 1 bag/case
42547	-	Black & White	10 (XL)	12 pairs/bag • 5 bags/case
38693	42619	Black & White	11 (2XL)	12 pairs/bag • 1 bag/case
42549	-	Black & White	11 (2XL)	12 pairs/bag • 5 bags/case
+ CALITICAL	TI . D .			

 $<sup>^\</sup>dagger$  CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

#### **Product Features**

- ANSI Level 2/EN388 Level 3 cut resistance
- CPPT = 686 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon and Lycra® fiber provides cut resistance and a comfortable fit
- Black polyurethane coating enhances grip
- Dark coating hides dirt for longer

#### **G60 Level 3 Purple Nitrile\* Cut Resistant Gloves**





Code	Vending	Color	Size	Case Count
13844	_	Grey & Black w/Purple Tips	6 (XS)	12 pairs/bag • 1 bag/case
97430	43330	Grey & Black w/Purple Tips	7 (S)	12 pairs/bag • 1 bag/case
97431	43331	Grey & Black w/Purple Tips	8 (M)	12 pairs/bag • 1 bag/case
97432	37734	Grey & Black w/Purple Tips	9 (L)	12 pairs/bag • 1 bag/case
97433	37736	Grey & Black w/Purple Tips	10 (XL)	12 pairs/bag • 1 bag/case
97434	43332	Grey & Black w/Purple Tips	11 (2XL)	12 pairs/bag • 1 bag/case

- ANSI Level 3/EN388 Level 3 cut resistance; CPPT = 1,150 grams
- Ambidextrous
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber enhances breathability and comfort
- Dots on palm enhance grip

#### **G60 Level 3 Polyurethane Coated Cut Resistant Gloves**





Code	Vending	Color	Size	Case Count	
13823	43347	Grey & Salt & Pepper	7 (S)	12 pairs/bag • 1 bag/case	
13824	43348	Grey & Salt & Pepper	8 (M)	12 pairs/bag • 1 bag/case	
13825	37722	Grey & Salt & Pepper	9 (L)	12 pairs/bag • 1 bag/case	
13826	37723	Grey & Salt & Pepper	10 (XL)	12 pairs/bag • 1 bag/case	
13827	37724	Grey & Salt & Pepper	11 (2XL)	12 pairs/bag • 1 bag/case	
38731	43769	Grey & Salt & Pepper Knuckle-Coated	7 (S)	12 pairs/bag • 1 bag/case	
38732	43770	Grey & Salt & Pepper Knuckle-Coated	8 (M)	12 pairs/bag • 1 bag/case	
38733	43772	Grey & Salt & Pepper Knuckle-Coated	9 (L)	12 pairs/bag • 1 bag/case	
38734	43773	Grey & Salt & Pepper Knuckle-Coated	10 (XL)	12 pairs/bag • 1 bag/case	
38735	43781	Grey & Salt & Pepper Knuckle-Coated	11 (2XL)	12 pairs/bag • 1 bag/case	

#### **Product Features**

- ANSI Level 3/EN388 Level 3 cut resistance
- CPPT = 1010 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon, Lycra® fiber and glass liner
- Excellent dexterity for improved productivity
- Polyurethane coating enhances oil and dry grip

#### G60 Level 3 Knuckle-Coated, High-Visibility Cut Resistant Gloves<sup>†</sup>





Code	Vending	Color	Size	Case Count
38647	38829	Black & Orange Knuckle-Coated	7 (S)	12 pairs/bag • 1 bag/case
38648	38831	Black & Orange Knuckle-Coated	8 (M)	12 pairs/bag • 1 bag/case
38649	38832	Black & Orange Knuckle-Coated	9 (L)	12 pairs/bag • 1 bag/case
38650	38833	Black & Orange Knuckle-Coated	10 (XL)	12 pairs/bag • 1 bag/case
38651	38834	Black & Orange Knuckle-Coated	11 (2XL)	12 pairs/bag • 1 bag/case

<sup>†</sup> CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

#### **Product Features**

- ANSI Level 2/EN388 Level 3 cut resistance
- CPPT = 512 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with high-visibility nylon thread and Lycra® fiber provides cut resistance and comfortable fit
- Great dexterity
- Polyurethane coating enhances dry & oil grip
- Dark coating hides dirt for longer wear

#### **G60 Level 5 Polyurethane Coated Cut Resistant Gloves**





le Vendi	g Color	Size	Case Count
235 432	Black & Salt & Pepp	per 7 (S)	12 pairs/bag • 1 bag/case
236 432	Black & Salt & Pepp	per 8 (M)	12 pairs/bag • 1 bag/case
237 432	Black & Salt & Pepp	per 9 (L)	12 pairs/bag • 1 bag/case
238 432	Black & Salt & Pepp	per 10 (XL)	12 pairs/bag • 1 bag/case
239 432	Black & Salt & Pepp	per 11 (2XL)	12 pairs/bag • 1 bag/case
<b>721</b> N/	Grey & Salt & Pepp	per 7 (S)	12 pairs/bag • 1 bag/case
<b>722</b> N/	Grey & Salt & Pepp	per 8 (M)	12 pairs/bag • 1 bag/case
<b>723</b> N/	Grey & Salt & Pepp	per 9 (L)	12 pairs/bag • 1 bag/case
<b>724</b> N/	Grey & Salt & Pepp	per 10 (XL)	12 pairs/bag • 1 bag/case
<b>725</b> N/	Grey & Salt & Pepp	per 11 (2XL)	12 pairs/bag • 1 bag/case
236 432 237 432 238 432 239 432 721 N/ 722 N/ 723 N/ 724 N/	Black & Salt & Pepp Grey & Salt & Pepp	per 8 (M) per 9 (L) per 10 (XL) per 11 (2XL) per 7 (S) per 8 (M) per 9 (L) per 10 (XL)	12 pairs/bag • 1 bag/case

- ANSI Level 4/EN388 Level 5 cut resistance
- CPPT = 2085 grams
- Superior cut resistance based on tests performed against the competition
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber spun with glass, stainless steel and spandex
- Polyurethane coating enhances grip
- Touchscreen compatible

#### G60 Level 2 Cut Resistant Sleeves<sup>†</sup>





Code	vending	Color	Size	Case Count
90070	37731	Yellow	One size fits all	6 pairs/bag • 5 bags/case
90071	37732	Yellow	One size fits all	6 pairs/bag • 5 bags/case

<sup>1</sup> CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions. Sleeve must not come into contact with a naked flame.

#### **Product Features**

- ANSI Level 2/EN388 Level 2 cut resistance
- CPPT = 934 grams with thumbhole/ 920 grams without thumbhole
- 18" length
- Cut-resistant outer layer with cotton inner layer for comfortable fit
- Good breathability

#### G60 Level 5 Cut Resistant Sleeve<sup>†</sup>





<sup>†</sup> CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

Size

One size fits all

Color

Salt & Pepper

#### **Product Features**

- ANSI Level 3/EN388 Level 5 cut resistance
- CPPT = 1244 grams
- 18" length

Case Count

6 pairs/bag • 2 bags/case

- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber with nylon, Lycra® fiber and glass liner
- Proprietary adjustable closure on arm and wrist

### **G80 Chemical-Resistant Gloves**

#### **G80 Nitrile Chemical Resistant Gloves**







Code	Vending	Color	Size	Case Count
94445	42622	Green	7 (S)	12 pairs/bag • 5 bags/case
94446	42623	Green	8 (M)	12 pairs/bag • 5 bags/case
94447	42624	Green	9 (L)	12 pairs/bag • 5 bags/case
94448	42625	Green	10 (XL)	12 pairs/bag • 5 bags/case
94449	42627	Green	11 (2XL)	12 pairs/bag • 5 bags/case

#### Product Features

- Cotton flock lined for added comfort
- 15 mil thickness; 13" length
- Textured fingertips enhance grip
- Meets EN374-3: 2003 standard
- Meets Canadian requirement and U.S. FDA regulations for food handling applications

#### G80 Neoprene/Latex Chemical Resistant Gloves<sup>†</sup>





Code	Vending	Color	Size	Case Count
38741	43341	Blue & Yellow	7 (S)	12 pairs/bag • 5 bags/case
38742	43342	Blue & Yellow	8 (M)	12 pairs/bag • 5 bags/case
38743	43345	Blue & Yellow	9 (L)	12 pairs/bag • 5 bags/case
38744	43346	Blue & Yellow	10 (XL)	12 pairs/bag • 5 bags/case

<sup>†</sup> CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

- 28 mil thickness; 12" length
- Palm strengthened for extra protection
- Cotton flock lining
- Anti-slip pattern on fingers for good wet or dry grip
- Meets EN 374-AKL standard
- Touchscreen compatible

### **Eye Protection** V90 **Shield Protection Safety Goggles** Provide full eye and face protection from splash without the hassle of primary eye protection underneath a face V80 Splash Protection Safety Goggles Safety goggles that protect from splash hazards V70 Particle Protection Safety Goggles Safety goggles that protect from dust and/or fine dust Smith & Wesson® Safety Glasses Stylish and comfortable protection with a range of options for workers to exhibit their individuality in the V60 Corrective Safety Glasses Stylish and comfortable protection with integrated vision assistance solutions for workers requiring correction lenses V50 **Shielded Safety Glasses** Select styles offer flexible protection that enhances dust/particle protection; designed for extended use V40 **Premium Safety Glasses** Protection that takes style and comfort to the next level - a range with a range of options for the workforce that requires the next level of style comfort V30 Nemesis\* Safety Glasses Stylish and comfortable protection with a range of options for managers to outfit their workforce with protective eyewear **Economy Safety Glasses** V20 Economy protection designed to provide comfort during extended use V10 Visitor Safety Glasses Visitor protection designed to accommodate a wide range of people

V100

**IRUV Protection Safety Goggles** 

like medium cutting or brazing

Safety goggles that protect from IRUV light during tasks

Kimberly-Clark Professional\* offers safety eyewear for different work environments and a variety of different tasks. Designed with the wearer's needs and style in mind, Jackson Safety\* branded eyewear offers a comprehensive portfolio of eye protection options. Kimberly-Clark Professional\* offers a wide variety of performance safety eyewear under the Smith & Wesson® brand.

Jackson Safety\*

and Smith & Wesson®





#### **Standards**

- ANSI Z87.1: The American National Standards Institute (ANSI) is a
  private non-for-profit organization that aims to enhance the global
  competitiveness of U.S. business and the American quality of life
  by promoting and facilitating voluntary consensus standards and
  conformity. With ANSI Z87.1, ANSI establishes the requirements
  for the design, construction, testing, and use of eye protection,
  including standards for impact and penetration resistance. ANSI
  Z87.1 also provides quidelines around safety markings, including:
  - "Z87+" indicates impact rated as determined by a minimum threshold set forth in the ANSI tests and performance requirements for coverage area, penetration, and high-mass/high-velocity impact tests ("Z87" alone indicates non-impact rated)
  - "D3" indicates that the eyewear is capable of keeping liquid splashes or droplets from reaching the wearer's eyes when worn properly, as determined by an ANSI-established test method and performance requirement
  - "D4" indicates that the eyewear is capable of keeping large dust particles from reaching the wearer's eyes when worn properly, as determined by an ANSI-established test method and performance requirement
  - "D5" indicates that the eyewear is capable of keeping fine dust particles from reaching the wearer's eyes when worn properly, as determined by an ANSI-established test method and performance requirement
  - $\bullet$  "W" + a shade number (1.3 to 14) indicates the extent to which a welding lens will filter harmful radiation, attenuate visible light, and prevent injurious rays from reaching the wearer's eyes , as determined by an ANSI-established transmittance test
  - "S" indicates that lenses are tinted but do not provide any protective filtering properties. These lenses are often worn for comfort or style and usually (although not always) have less than 85% visible light transmission, as determined by an ANSIestablished transmittance test and performance requirement
- CSA Z94.3: The Canadian Standards Association (CSA) is a not-for-profit, membership-based association in Canada that develops standards that address needs such as enhancing the public safety and health. The CSA Z94.3 standard relates to eye and face protectors for industrial and educational processes, outlining the performance requirements against hazards such as: flying particles/objects, heat/sparks, chemical splashes, molten metal, UV, visible and infrared radiation.

• CE Standards: CE is a mandatory European product marketing and certification system that indicates whether or not the product complies with all applicable European product safety, health and environmental requirements. The EN166 standard establishes basic technical requirements for eye and face protection. Within the EN166 standard, there are numerous levels of compliance, depending on the end use of the piece of equipment in question. There are additional standards applied, based on the product type and use. Other CE standards address optical and non-optical test methods for the EN166 performance requirements.

#### **Other Governing Bodies**

- OSHA: Occupational Safety and Health Administration (OSHA) is an agency of the United States Department of Labor. Their mission is to prevent work-related injuries, illnesses, and deaths by issuing and enforcing standards for workplace safety and health.
- ISEA: The International Safety Equipment Association is the trade association in the United States for companies that manufacture safety and personal protective equipment and an ANSI-accredited standards-developing organization. ISEA works closely with safety equipment manufacturers, test labs, subject matter experts, endusers, and government agencies with the objective of protecting workers worldwide.

#### Symbols Key



**Z87.1+:** Meet the ANSI requirements for high-impact protection



**CSA:** Certified to meet the requirements of CSA Z94.3



**UV:** Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection



**TAA:** Product complies with the Trade Agreements Act



Base Curve: Number denotes the base curve of the eyewear; a higher base curve provides more wraparound protection and peripheral vision, and can reduce the need for side shields



**D3:** Meet the ANSI D3 requirements for protecting from liquid splashes or droplets



**D4:** Meet the ANSI D4 requirements for dust protection



**D5:** Meet the ANSI D5 requirements for fine dust protection

## **Selecting the Right Eyewear**

#### **Lens Color Selection**

	Color <sup>1</sup>	Visible Light Transmittance <sup>2</sup>	Description	Environment
$\bigcirc$	Clear	100-85%	Allows maximum visible light transmission	Indoor
	Amber/Yellow	91-74%	Light-gathering properties for low-contrast areas	Low Light
	Light Blue	70-55%	Provides enhanced contrast	Indoor
	Gradient Smoke	68-62%	Lenses are darkest at the top and progressively become lighter to protect eyes from the sun while allowing greater visibility at the bottom of the lens.	Outdoor
	Indoor/Outdoor	66-45%	Move from indoor or shaded conditions to outdoor	Indoor/Outdoor
	Orange	56-52%	Light-gathering properties for low-contrast areas	Low Light
	1/2 Shade	50-45%	1/2 way between clear and smoke tint	Indoor/Outdoor
	Copper Blue Shield	40-34%	Filters out blue light for enhanced contrast	Outdoor
	Teal	37-33%	Provides enhanced contrast	Indoor
	Bronze	26-20%	Provides visual definiton with increased contrast	Indoor/Outdoor
	Smoke	25-8%	Worn on bright, sunny days to provide glare reduction	Outdoor
	Metallic Rainbow	20-16%	Amplifies color contrast with outdoor metallic finish coating	Outdoor
	Brown Polarized	18-22%	Brown-tinted lenses with embedded polarized technology effective for filtering scattered blue light to improve depth perception and contrast	Outdoor
	Smoke Polarized	18-22%	Smoke-tinted lenses with embedded polarized technology for optical clarity and to help reduce the glare of reflected light, eye stress, and eye fatigue	Outdoor
	IRUV Shade 3.0	18-8.5%	Protects against infrared (IR) and ultraviolet radiation (UVA/UVB)	Light Cutting/ Brazing
	Red Mirror	17-33%	Smoke-tinted sunglasses with outer red-mirror finish coating	Outdoor
	Silver Mirror	16-7%	Silver-tinted sunglasses with outer silver-mirror finish coating	Outdoor
	Smoke Mirror	16-7%	Smoke-tinted sunglasses with outer mirror finish coating	Outdoor
	Blue Mirror	16-3.5%	Smoke-tinted sunglasses with outer blue-mirror finish coating	Outdoor
	Metallic Blue	15-11%	Amplifies color contrast with outdoor metallic-finish coating	Outdoor
	Mirror	13-9%	Outer silver-mirror finish coating	Outdoor
	Green Mirror	13-9%	Smoke-tinted sunglasses with outer green-mirror finish coating	Outdoor
	Gold Metallic	13-9%	Smoke-tinted sunglasses with outer mirror finish coating	Outdoor
	Brown	12-8%	Worn on bright, sunny days to provide glare reduction	Outdoor
	IRUV Shade 5.0	3.16-1.18%	Protects against infrared (IR) and ultraviolet radiation (UVA/UVB)	Medium Cutting/ Brazing

Lens Type Selection		
Uncoated	For economical budgets and fewer uses	
Hardcoated	For scratch resistance and longer life	
Anti-Fog	For humid environments and temperature variances	

<sup>&</sup>lt;sup>1</sup> Actual lens colors may vary according to each style

These devices are tinted for comfort and style only, and the transmittance is reported for information on "darkness" of the lens only. Unless the product is marked as such, these are not tested to the ANSI Z87 requirements for visible light protectors.

<sup>&</sup>lt;sup>2</sup> A range is provided, as % visible light transmittance (% VLT) may vary by style



## **V10 Visitor Safety Glasses**

# Expo\* Safety Eyewear • Pairs/Box: 12









Code	Old Code
22514	3020277
22515	3020278



#### **Product Features**

• Low-cost wraparound protection with three-point extendable temples to provide a customized fit

#### Element\* Safety Eyewear • Pairs/Box: 12











Code	Old Code	Lens	Coating	Frame	
25627	3004880	Clear	Uncoated	Clear	
29094	3004883	Amber	Uncoated	Black	
33072	_	Light Blue	Uncoated	Light Blue	
25638	3011379	Indoor/Outdoor	Uncoated	Black	
25631	3004882	Smoke	Uncoated	Black	
29110	3011380	Blue Mirror	Mirror	Black	

#### **Product Features**

- Lightweight, popular styling with an economical price
- Metal-free design with screwless hinges

Unispec* II Safety Eyewear •	Pairs/Box:	50
------------------------------	------------	----













Code	Old Code	Lens	Coating	Frame
25646	3000285	Clear	Uncoated	Clear
16727	3005206	Clear	Hardcoated	Clear

- Low-cost wraparound protection that fits over most prescription eyewear
- Metal-free design with screwless hinges





## **V20 Economy Safety Glasses**













	Code	Old Code	Lens		Coating	Frame	<b>Gravity Feed</b>
	25650	3004880		Clear		Clear	•
,	25654	3004883	$\bigcirc$	Clear	Anti-Fog	Clear	
	25649	_		Amber		Amber	•
	25656	3011379		Indoor/Outdoor		Clear	
	25652	3004882		Smoke		Smoke	•

#### **Product Features**

- Economical yet stylish eye protection
- Comfortable, padded temples for enhanced comfort
- Hardcoated lenses for scratch resistance and longer life

### Envision\* Safety Eyewear • Pairs/Box: 12











Code	Old Code	Lens	Coating	Frame	
14477	3000337	Clear		Black	
14478	3000338	Clear	Anti-Fog	Black	
14479	3000339	Smoke		Black	
14480	3000341	Indoor/Outdoo	r	Black	

#### **Product Features**

- Economical protection with four-point ratchet temples to provide a customized fit for enhanced comfort
- Brow guard provides enhanced coverage and protection
- Hardcoated lenses for scratch resistance and longer life

#### Visio\* Safety Eyewear • Pairs/Box: 12













Code	Old Code	Lens		Coating	Frame	
14470	3000303		Clear		Silver	
14471	3000304	$\bigcirc$	Clear	Anti-Fog	Silver	
14474	3000307		Amber		Black	
14476	3000309		Indoor/Outdoor		Black	
14472	3000305		Smoke		Silver	
14473	3000306		Smoke	Anti-Fog	Silver/Black	
14475	3000308		Blue Mirror	Mirror	Black	

- Economical protection with three-point extendable temples to provide a customized fit for enhanced comfort
- Unique dual-tone frame for added style
- Hardcoated lenses for scratch resistance and longer life



## V30 Nemesis\* Safety Glasses

#### (TAA) Z87.1° UV Nemesis\* Safety Eyewear • Pairs/Box: 12 Old Code Coating **Gravity Feed Product Features** Frame • Sporty, flexible, and lightweight 3000354 Clear 25676 Black design for comfort and 25679 3000355 Anti-Fog compliance Clear Black • Enhanced nosepiece design with 25659 3000359 Amber Black integrated ridges to divert sweat • Hardcoated lenses for scratch 22476 3020122 Amber Anti-Fog Black resistance and longer life 25685 3000357 Indoor/Outdoor Black Copper Blue Shield 19642 3011374 Black 25688 3000356 Smoke Mirror Mirror Black Gravity feed 22475 3020121 Smoke Anti-Fog Black display box 3004762 IRUV Shade 3.0 25692 Black Blue Mirror 14481 3000358 Black Mirror 25671 3004761 IRUV Shade 5.0 Black 19639 3011373 Light Blue Blue 22608 3020706 Anti-Fog Clear Camo 22610 Amber Anti-Fog Camo 19644 3011375 Bronze Camo Every pair includes a 22609 3020707 Smoke Anti-Fog Camo neck cord for reduced risk of damage when not 3020709 22611 Smoke Red being worn

#### Nemesis\* Polarized Safety Eyewear Pairs/Box: 12 Code Coating Frame **Gravity Feed Product Features** 28637 • Sporty, flexible, and lightweight Polarized Brown Brown design with superior polarizedlens technology to reduce eye 28635 Polarized Smoke Gunmetal stress and fatigue caused by excessive glare • Superior anti-scratch lens coating increases lens longevity and passes the EN 166 "K" mark testing Every pair includes a neck cord for reduced for resistance to surface damage risk of damage when by fine particles not being worn

While other eyewear snaps under a little bit of stress, the Jackson Safety\* Nemesis\* Eyewear can handle the pressure.†



† Applies to Nemesis\*, Nemesis\* Polarized, Nemesis\* VL, Nemesis\* CSA, and Nemesis\* RX Readers Safety Glasses.



#### Nemesis\* Small Safety Eyewear • Pairs/Box: 12











Every pair includes a neck cord for reduced risk of damage when not being worn

Code	Lens	Coating	Frame
38474	Clear		Black w/Black Tips
38478	Clear	Anti-Fog	Black w/Pink Tips
38480	Indoor/Outdoor		Black w/Green Tips
38476	Smoke		Black w/Black Tips

#### **Product Features**

- Sporty eyewear that fits a smaller, slimmer head without adjustments
- Features a stronger nosepiece and wider bridge for enhanced comfort
- Select styles have colorful temple tips
- Hardcoated lenses for scratch resistance and longer life

#### Nemesis\* VL Safety Eyewear • Pairs/Box: 12













Every pair includes a
neck cord for reduced
risk of damage when
not being worn

Code	Old Code	Lens	Coating	Frame	<b>Gravity Feed</b>
20470	3013536	Clear		Gunmetal	
29111	3013537	Clear	Anti-Fog	Gunmetal	•
29112	3013539	Indoor/Outdoor	r	Gunmetal	•
25704	3013538	Smoke		Gunmetal	•
20471	3013540	Blue Mirror	Mirror	Gunmetal	
20473	3013544	IRUV Shade 5.0		Gunmetal	
20472	3013542	Bronze		Camo	

#### **Product Features**

- Sporty and flexible like the original Nemesis\* safety eyewear, the Nemesis\* VL safety eyewear is frameless, making it even more lightweight
- No-brow design increases upwards peripheral vision and limits interference with hard hat suspension systems
- Hardcoated lenses for scratch resistance and longer life

### Nemesis\* CSA Safety Eyewear • Pairs/Box: 12











Every pair includes a neck cord for reduced risk of damage when not being worn

Code	Old Code	Lens		Coating	Frame	<b>Gravity Feed</b>
20378	3013296		Clear		Black	•
20379	3013297	$\bigcirc$	Clear	Anti-Fog	Black	•
25673	_		Amber		Black	
20381	3013299		Indoor/Outdoor		Black	•
20384	3013302		Copper Blue Shield		Black	
20382	3013300		Blue Mirror		Black	•
20380	3013298		Smoke Mirror		Black	•
20640	3014556		IRUV Shade 5.0		Black	
20383	3013301		Light Blue		Blue	•
20385	3013303		Smoke		Gunmetal	
20386	3013304		Bronze		Camo	

- Sporty, flexible, lightweight design that is certified to meet the requirements of CSA Z94.3
- Enhanced nosepiece design with integrated ridges to channel away sweat
- Hardcoated lenses for scratch resistance and longer life



## **V40 Premium Safety Glasses**

### **Hellraiser\* Safety Eyewear** Pairs/Box: 12
















#### **Product Features**

- Sunglasses style eyewear with a compact, lightweight design for comfort as stand-alone PPE and when used with other PPE like face shields and welding hoods
- Flex-point temples for comfort and stability
- Hardcoated lenses for scratch resistance and longer life



<b>Ace* Safety Eyewear</b>
----------------------------

#### Pairs/Box: 12

38492



Black

Smoke



### **Product Features**

• Our lightest-weight universal-sized safety eyewear designed for all-day comfort

ับง

- Rubber nose pads can be rotated to prevent slippage and provide a customized fit
- Hardcoated lenses for scratch resistance and longer life

### Maxfire\* Safety Eyewear • Pairs/Box: 12



3013853











Code	Lens	Coating	Frame	Gravity Fee
38499	Clear	Anti-Fog	Black	•
38494	Amber	Anti-Fog	Black	
38490	Indoor/Outdoor	Anti-Fog	Brown	•
38485	Smoke	Anti-Fog	Brown	

- Flexible click-to-fit temples and adjustable nose pad allows for fit and lens angle to be customized for user comfort
- Premium anti-fog coating for worker efficiency and safety, passing the EN 166 "N" mark test for resistance to fogging
- Metal-free design with screwless hinges
- Superior anti-scratch coating prevents scratches that could impair vision and increases lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles



#### Maxfire\* S Safety Eyewear • Pairs/Box: 12









Code	Lens	Coating	Frame	<b>Gravity Feed</b>
38498	Clear	Anti-Fog	Black & Red	•
38493	Amber	Anti-Fog	Black & Red	•
38489	Indoor/Outdoor	Anti-Fog	Brown	•
38484	Smoke	Anti-Fog	Brown	

#### **Product Features**

- Same contemporary styling as the Maxfire\* safety glasses, but smaller to fit smaller, slimmer heads
- Flexible click-to-fit temples and adjustable nose pad allows for fit and lens angle to be customized for user comfort
- Premium anti-fog coating for worker efficiency and safety, passing the EN 166 "N" mark test for resistance to fogging
- Metal-free design with screwless hinges to minimize electrical transference risk
- Superior anti-scratch coating prevents scratches that could impair vision and increases lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles

### **V50 Shielded Safety Glasses**

#### Calico\* Safety Eyewear • Pairs/Box: 12











Code	Old Code	Lens	Coating	Frame	<b>Gravity Feed</b>
25672	08661	Clear	Anti-Fog	Black	•
25674	08660	Amber	Anti-Fog	Black	•
36692	-	1/2 Shade	Anti-Fog	Black	•
25675	08662	Smoke	Anti-Fog	Black	



Every pair comes with a carrying pouch that can double as a lens cleaning solution



Interchangeable headstrap allows tighter fit

#### **Product Features**

- Temple bars can be interchanged with (included) head strap when a closer, more secure fit is required
- Removable foam lining provides long-term comfort and helps to seal out dust and debris
- Superior anti-scratch coating prevents scratches that could impair vision and increases lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles
- Anti-fog coating and ventilation from cushioned brow bar provide premium anti-fog performance for worker efficiency and safety, passing the EN 166 "N" mark test

### Epic\* Safety Eyewear • Pairs/Box: 12











Code	Lens	Coating	Frame
33345	Clear	Anti-Fog	Black & Red
33347	Indoor/Outdoor	Anti-Fog	Black & Red
35327	Smoke	Anti-Fog	Black & Red



Temple bars can be interchanged with (included) head strap when a closer, more secure fit is required

- Flexible foam gasket provides longterm comfort and helps to seal out dust and debris
- · Premium anti-fog coating and direct ventilation at top and bottom of eyewear provide superior anti-fog performance for worker efficiency and safety - the eyewear remains fog-free for more than twice the amount of time needed to pass the EN 166 "N" mark test for fog resistance
- Superior anti-scratch coating prevents scratches that could impair vision and increases lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles



#### OTG\* Safety Eyewear • Pairs/Box: 12









Code	Old Code	Lens	Coating	Frame
20746	3015022	Clear	Anti-Fog	Black
20748	3015024	Indoor/Outdoor		Black
20747	3015023	Smoke	Anti-Fog	Brown
21917	3018175	IRUV Shade 5.0		Black

#### **Product Features**

- Over-the-glass safety eyewear option for prescription glasses wearers with a nylon frame for flexibility and strength to provide comfort and durability
- See-through integrated side shields provide side impact protection without hindering peripheral vision
- Hardcoated lenses for scratch resistance and longer life

#### Cudas\* Safety Eyewear • Pairs/Box: 12











Code	Old Code	Lens	Coating	Frame
14464	3000287	Clear		Black
14466	3000288	Clear	Anti-Fog	Black
14469	3000293	Amber		Black
14467	3000289	Smoke		Black
14468	3000290	Smoke	Anti-Fog	Black

#### **Product Features**

- Safety eyewear with a nylon frame designed for smaller, slimmer heads
- Temples extendable to 4 different lengths for a customized fit
- Hardcoated lenses for scratch resistance and longer life

## **V60 Corrective Safety Glasses**

### Nemesis\* RX Readers Safety Eyewear • Pairs/Box: 6













Every pair includes a neck cord for reduced risk of damage when not being worn

Code	Old Code	Lens	Strength	Coating	Frame	Gravity Feed
28618	3013305	Clear	+1.0		Black	•
28621	3013306	Clear	+1.5		Black	•
28624	3013307	Clear	+2.0		Black	•
28627	3013308	Clear	+2.5		Black	•
28630	3013309	Clear	+3.0		Black	•
22516	3020285	Smoke	+1.5		Black	
22518	3020286	Smoke	+2.0		Black	
22519	3020287	Smoke	+2.5		Black	

#### **Product Features**

- Sporty, flexible, lightweight eyewear with integrated diopters for vision
- Enhanced nosepiece design with integrated ridges to channel away sweat
- Hardcoated lenses for scratch resistance and longer life

**Note:** Styles marked with ■ are not CSA Certified

While other eyewear snaps under a little bit of stress, the Jackson Safety\* Nemesis\* Eyewear can handle the pressure.†



† Applies to Nemesis\*, Nemesis\* Polarized, Nemesis\* VL, Nemesis\* CSA, and Nemesis\* RX Readers Safety Glasses.



## **JACKSON**

#### 30-06\* RX Readers Safety Eyewear • Pairs/Box: 6















	Code	Old Code	Lens		Strength	Coating	Frame
	19876	3011716	$\bigcirc$	Clear	+1.0		Black
	19878	3011717	$\bigcirc$	Clear	+1.5		Black
	19879	3011718		Clear	+2.0		Black
	19891	3011719	$\bigcirc$	Clear	+2.5		Black
	19892	3011720	$\bigcirc$	Clear	+3.0		Black
	19893	3011724		Amber	+1.5		Black
	19894	3011725		Amber	+2.0		Black
	19913	3011726		Amber	+2.5		Black
•	19872	3011712		Brown	+1.5		Tortoise
	19874	3011713		Brown	+2.0		Tortoise
	19875	3011714		Brown	+2.5		Tortoise
	20553	3013933		IRUV Shade 5.0	+1.5		Black
	20558	3013968		IRUV Shade 5.0	+2.0		Black
	20559	3013969		IRUV Shade 5.0	+2.5		Black

#### **Product Features**

- Stylish, nylon framed eyewear with integrated diopters for vision
- Soft, self-adjusting rubber nose pad for comfort
- Hardcoated lenses for scratch resistance and longer life

#### 30-06\* Dual Readers Safety Eyewear • Pairs/Box: 6









Code	Old Code	Lens	Strength	Coating	Frame
20387	3013327	Clear	+1.0		Black
20388	3013328	Clear	+2.0		Black
20389	3013329	Clear	+2.5		Black

#### **Product Features**

- Stylish, nylon framed eyewear with integrated diopters on both the top and bottom for vision assistance when looking both up and down
- Soft, self-adjusting rubber nose pad for comfort
- Hardcoated lenses for scratch resistance and longer life

#### Nemesis\* with RX Inserts Safety Eyewear Pairs/Box: 12















Every pair includes a neck cord for reduced risk of damage when not being worn



- Sporty eyewear that comes with a close-fit prescription lens insert behind the polycarbonate eye shield
- Solution tends to be more lightweight and comfortable than options like side shields and overthe-glasses safety glasses.
- Adjustable ratchet-action temples with five positions provide a customized fit
- Hardcoated lenses for scratch resistance and longer life



## Smith & Wesson® Safety Glasses

#### • Pairs/Box: 12 Elite\* Safety Evewear













- · Lightweight and "retro-style" sunglasses design provides the latest fashion statement in safety eyewear
- Wide temples provide structural integrity and stability
- Hardcoated lenses for scratch resistance and longer life



Every pair comes with a carrying pouch that can double as a lens cleaning solution

### Magnum® 3G Safety Eyewear • Pairs/Box: 12















Code	Old Code	Lens	Coating	Frame
19799	3011672	Clear		Black
19794	3011670	Clear	Anti-Fog	Black
19826	3011676	Amber		Black
19796	3011671	Copper Blue	e Shield	Black
19823	3011674	Smoke		Black
19955	3011840	Smoke	Anti-Fog	Black
19792	3011668	IRUV 3.0		Black
19940	3011824	Green Mirro	r Mirror	Black
19793	3011669	IRUV 5.0		Black
19961	3011841	Clear		Platinum
19829	3011678	Orange		Platinum
19830	3011679	Teal		Platinum
19831	3011681	Indoor/Outo	door	Metallic Gray

#### **Product Features**

- Safety eyewear with a frameless sunglasses design
- Extendable temples offer three different temple lengths for a customized fit
- Self-adjusting nose pad with rubber fingers designed to prevent glasses from slipping down the nose
- Hinge stops prevent temple tips from scratching lenses for increased longevity
- Hardcoated lenses for scratch resistance and longer life

#### Magnum® 3G Mini Safety Eyewear • Pairs/Box: 12











Code	Old Code	Lens	Coating	Frame
19822	3011673	Clear		Black
19828	3011677	Amber		Black
20338	3013026	Copper Blue Shield		Black
19824	3011675	Smoke		Black
20337	3013025	Gold Mirror	Mirror	Black
20339	3013027	Indoor/Outdoor		Gray

- The same frameless sunglasses design of Magnum® 3G, but in a smaller frame size for smaller, slimmer heads
- Extendable temples offer three different temple lengths for a customized fit
- Self-adjusting nose pad with rubber fingers designed to prevent glasses from slipping down the nose
- Hinge stops prevent temple tips from scratching lenses for increased longevity
- Hardcoated lenses for scratch resistance and longer life

## Smith & Wesson®

#### Equalizer\* Safety Eyewear • Pairs/Box: 12



• Popular sunglasses design with a variety of frame color options for

• Soft and flexible rubber nose pads and sport grip temples to reduce slippage and provide superior

**Product Features** 

worker individuality









Code	Old Code	Lens	Coating	Frame
21294	3016306	Clear		Gunmetal
21296	3016307	Clear	Anti-Fog	Gunmetal
21298	3016309	Indoor/Outdoor		Gunmetal
21297	3016308	Smoke	Anti-Fog	Gunmetal
21299	3016310	Amber		Red
21301	3016311	Blue Mirror	Mirror	Blue

comfort and fit • Hardcoated lenses for scratch resistance and longer life



Every pair comes with a carrying pouch that can double as a lens cleaning solution

Every pair comes with a

carrying pouch that can double as a lens cleaning solution

#### Sigma\* Safety Eyewear Pairs/Box: 12











Code	Old Code	Lens	Coating	Frame
20350	3013122	Clear		Gunmetal
20351	3013123	Amber		Gunmetal
20353	3013125	Indoor/Outdoor		Gunmetal
20352	3013124	Smoke		Gunmetal

#### **Product Features**

- Sleek metal frame and padded temple tips provide a lightweight option for all-day comfort
- Soft foam pad along the brow provides a snug and comfortable fit and helps to keep sweat out of the eyes
- Hinge stops prevent temple tips from scratching lenses for increased
- Hardcoated lenses for scratch resistance and longer life

#### 44 Magnum® Safety Eyewear • Pairs/Box: 12











Code	Old Code	Lens	Coating	Frame
23452	3023378	Clear	Anti-Fog	Black
23456	3023381	Amber	Anti-Fog	Black
23454	3023380	Indoor/Outdoor	Anti-Fog	Black
23453	3023379	Smoke	Anti-Fog	Black
23457	3023382	Brown	Anti-Fog	Brown

#### **Product Features**

- Frameless sunglasses styling with vented temples maximize air flow to minimize fogging
- Thin, flexible nosepiece is shaped to easily conform to various nose shapes and sizes for comfort
- Soft touch temples naturally contour to the head for a secure and comfortable fit
- Hinge stops prevent temple tips from scratching lenses for increased longevity
- Hardcoated lenses for scratch resistance and longer life

### 38 Special\* Safety Eyewear • Pairs/Box: 12









Code	Old Code	Lens	Coating	Frame	
19856	3011699	Clear		Black	
19859	3011703	Smoke		Black	
19858	3011702	Red Mirror	Mirror	Black	
19857	3011701	Gradient Smoke		Metallic Gray	
19855	3011698	Blue Mirror	Mirror	Chrome	

- Safety eyewear with a compact sunglasses design and a variety of lens options
- Multiple lens options available to address specific work environment needs and personal style
- Ergonomically designed temples with rubber insert temple tips for a soft, snug, and secure fit
- Hardcoated lenses for scratch resistance and longer life



#### Viewmaster\* Polarized Safety Eyewear •

solution

#### Pairs/Box: 12



**Product Features** 











Smoke Polarized

Lens

Metallic Gray

Frame

Coating

• Safety eyewear with a compact sunglasses design


• Polarized lenses to reduce eye stress and fatigue caused by excessive glare

• Ergonomically designed temples with rubber insert temple tips for a soft, snug, and secure fit

• Hardcoated lenses for scratch resistance and longer life

### Caliber\* Safety Eyewear • Pairs/Box: 12





Anti-Fog

Coating

Mirror

Brown

Frame

Black

Black

Black

Black

Platinum

Black

Brown





#### **Product Features**

- Frameless sunglasses design with contoured flexible rubber temples offer long-term comfort, designed not to pinch or put pressure on the user's head
- Thin, flexible nosepiece has built-in airflow holes for flexibility and comfort
- Hinge stops prevent temple tips from scratching lenses for increased longevity
- Hardcoated lenses for scratch resistance and longer life


#### Code 4\* Safety Eyewear • Pairs/Box: 12



3023028



23010











#### **Product Features**

- · Safety eyewear with a sporty sunglasses design
- Contoured temples for a precise and secure fit
- Ribbed nose pad to prevent slippage
- Hardcoated lenses for scratch resistance and longer life

#### Phantom\* Safety Eyewear

#### Pairs/Box: 12

Code	Old Code	Lens
19839	3011694	
19838	3011693	$\bigcirc$ (
19853	3011696	



## Z87.1<sup>+</sup>









ode	Old Code	Lens	Coating	Frame
9839	3011694	Clear		Pewter
9838	3011693	Clear	Anti-Fog	Pewter

Smoke

- Safety eyewear with a futuristic frameless design
- Straight-back bayonet design eliminates temple pressure
- Flexible ribbed nosepiece for comfort and to prevent slippage
- Hardcoated lenses for scratch resistance and longer life

## **JACKSON**\*

## **V70 Particle Protection Safety Goggles**

#### Monogoggle\* 202 Goggle Protection









Code	Old Code	Lens	Coating	Frame	Pairs/Box
16666	3005052	Clear		Green	36
16667	3005055	Clear	Anti-Fog	Green	36

#### **Product Features**

- Two-piece goggle frame with a separate soft, cushioning nosepiece for enhanced fit and comfort
- Unventilated design provides protection from fine dust particles
- Headband buckles are located towards the rear of the goggle frame to limit interference with peripheral vision
- Fits over most prescription eyeglasses

## **V80 Splash Protection Safety Goggles**

### **SG34 Goggle Protection**









Code	Old Code	Lens	Frame	Pairs/Box
16362	3003415	Clear	Green	50
16674	3005066	Clear	Green	200

#### **Product Features**

- Economical splash protection with a soft, pliable frame for enhanced fit and comfort
- Button vents offer indirect ventilation while providing protection from splashes
- Headband buckles are located towards the rear of the goggle frame to limit interference with peripheral vision
- Fits over most prescription eyeglasses

#### **MRXV\* Goggle Protection**









Code	Old Code	Lens	Coating	Frame	Pairs/Box
16676	3005068	Clear		Blue	36
16677	3005069	Clear	Anti-Fog	Blue	36
16678	3005070	Clear		Smoke	36
16679	3005071	Clear	Anti-Fog	Smoke	36

#### **Product Features**

- Splash protection in a sleek and simple design with a curved lens for enhanced field of vision
- Unventilated design provides protection from splashes
- Fits over most prescription eyeglasses

#### Monogoggle\* 211 Goggle Protection









Code	Old Code	Lens	Coating	Frame	Pairs/Box
14384	3000005	Clear		Green	36
14387	3000013	Clear	Anti-Fog	Green	36
16668	3000056	Clear (with Foam)	Anti-Fog	Green	36
16669	3000057	Clear (Respiratory)	Anti-Fog	Green	36
16670	3000058	Clear	Anti-Fog	Smoke	36

- Economical splash protection with a soft, pliable frame for enhanced fit and comfort
- Button vents offer indirect ventilation while providing protection from fine dust particles
- Headband buckles are located towards the rear of the goggle frame to limit interference with peripheral vision
- Fits over most prescription eyeglasses



#### Monogoggle\* VPC Goggle Protection









Code	Old Code	Lens	Coating	Frame	Pairs/Box
16361	3003414	Clear	Anti-Fog	Bronze	36

#### **Product Features**

- Splash protection goggles in the same two-piece goggle frame as the Monogoggle\* 202 and 211 but with a larger lens for enhanced fit and comfort with larger prescription eyeglasses
- Indirect ventilation like the Monogoggle\* 211 style, but with two additional baffled ports for increased airflow and minimizes condensation and fogging, while protecting from splashes
- Headband buckles are located towards the rear of the goggle frame to limit interference with peripheral vision
- Wider nosepiece to fit over most half mask respirators
- Fits over most prescription eyeglasses

#### **Revolution\* OTG Goggle Protection**











Code	Old Code	Lens	Coating	Frame	Pairs/Box
14399	3000048	Clear	Anti-Fog	Blue	30
14402	3000050	Amber	Anti-Fog	Blue	30
14401	3000049	Smoke	Anti-Fog	Blue	30
18483	3009654	Clear	Anti-Fog	Black	30

#### **Product Features**

- Splash protection in a sleek, sporty design with a curved lens for enhanced field of vision
- Patented cross vent technology keeps air flowing in and moisture out to prevent fogging and enhance comfort
- Soft, pliable frame gasket for enhanced fit and comfort
- Fits over most prescription eyewear

#### Monogoggle\* XTR\* OTG Goggle Protection









Code	Old Code	Lens	Coating	Frame	Pairs/Box
18624	3010334	Clear	Anti-Fog	Blue	6
18625	3010335	Smoke	Anti-Fog	Blue	6
18626	3010338	IRUV Shade 5.0	Anti-Fog	Black	6
30707	3010339	Clear Replacement Lens	Anti-Fog		12
30708	3010340	Smoke Replacement Lens	Anti-Fog		12

- Splash protection in sporty design with curved lens for enhanced field of vision
- Flexible frame conforms to the face for enhanced fit and comfort
- Indirect ventilation provides increased airflow and minimizes condensation and fogging, while protecting from splashes
- Fits over most prescription eyewear

#### Wildcat\* Goggle Protection











Code	Old Code	Lens	Coating	Frame	Pairs/Box
20525	3013710	Clear	Anti-Fog	Black	12
20527	3013712	Amber	Anti-Fog	Black	12
20526	3013711	Smoke	Anti-Fog	Black	12
20528	3013713	IRUV Shade 3.0	Anti-Fog	Black	12
20529	3013714	IRUV Shade 5.0	Anti-Fog	Black	12

#### **Product Features**

- Splash and dust protection with a pliable and compact frame and a foam gasket these goggles are designed to conform to the contours of the face for all-day comfort
- Extreme heat resistance, this eyewear will not melt, drip, or ignite at 350°F for five
- Sliding side vents are adjustable to optimize
- Pivoting headband allows for optimal headband placement
- Metal-free design

## **JACKSON**

## **V90 Shield Protection Safety Goggles**

### **Monoshield\* Goggle Protection**









Code	Old Code	Lens	Coating	Frame	Pairs/Box
16671	3005059	Clear	Hardcoated	Green	12

#### **Product Features**

- Monogoggle\* 211 goggles integrated into a face shield to provide full eye and face protection from liquids and particulates without the hassle of primary eye protection underneath a face shield
- Clear, see-through material allows for easy worker identification
- Can be worn with most caps and disposable respirators
- Fits over most prescription eyeglasses

#### **Shield Goggle Protection**









Code	Old Code	Lens	Coating	Frame	Pairs/Box
18629	3010343	Clear	Anti-Fog	Blue	6
18631	3010345	IRUV Shade 3.0	Anti-Fog	Black	6
18633	3010346	IRUV Shade 5.0	Anti-Fog	Black	6
30707	3010339	Clear Replacement Lens	Anti-Fog		12
30708	3010340	Smoke Replacemer Lens	nt Anti-Fog		12

- Monogoggle\* XTR goggles integrated into a face shield to provide full eye and face protection from liquids and particulates without the hassle of primary eye protection underneath a face shield
- Curved face shield conforms to the shape of the face for added protection
- Shield detaches from the goggles for a 2-in-1 solution
- Fits over most prescription eyeglasses



## V100 IRUV Protection Safety Goggles

#### **WS Series IRUV Cutting Goggle Protection**







Code	Old Code	Lens		Description	Frame	Pairs/Box
15991	3002695		IRUV Shade 5.0	Fixed Front	Red	12
15992	3002696		IRUV Shade 5.0	Lift Front	Red	12

#### **Product Features**

- 2" X 4.25" IRUV Shade 5 filter plate in a heat-resistant nylon retainer for welding
- Flexible frame, indirect ventilation, and an adjustable elastic strap for a customized fit
- Available in a lift front design (15992) to avoid having to completely remove goggles to see through a clear lens

**Note:** Goggles must be fitted with all required lenses and gaskets in the correct order to maintain Z87.1+ status

### **WR Series IRUV Cutting Goggle Protection**







Code	Old Code	Lens	Description	Frame	Pairs/Box
15986	3002687	IRUV Shade 5.0		Red	24
15987	3002688	IRUV Shade 5.0	OTG	Tan/Brown	24

#### **Product Features**

- 2" X 4.25" IRUV Shade 5 filter plate in a heat-resistant nylon retainer for welding
- Rigid frame and an adjustable elastic strap for durability
- Available with a deep frame (15987) to fit over most prescription eyeglasses

**Note:** Goggles must be fitted with all required lenses and gaskets in the correct order to maintain Z87.1+ status

#### **WA Series IRUV Cutting Goggle Protection**







Code	Old Code	Lens	Description	Frame	Pairs/Box
15988	3002689	IRUV Shade 5.0	Includes Headgear	Red	12
15990	3002690	IRUV Shade 5.0	Includes Headgear OTG	Tan/Brown	12

#### **Product Features**

- 2" X 4.25" IRUV Shade 5 filter plate in a heat-resistant nylon retainer for welding
- Ratchet headgear for a customized and comfortable fit
- Available with a deep frame (15990) to fit over most prescription eyeglasses

**Note:** Goggles must be fitted with all required lenses and gaskets in the correct order to maintain Z87.1+ status

## **Accessories**

#### Smith & Wesson® Glasses Carrying Pouch



Code	Description	Dimensions	Qty/Box
19941	Carrying Pouch with Belt Clip	7.25" L x 4.25" W	12

- Water-resistant carrying pouch with heavy-duty belt clip keeps safety glasses handy yet out of harm's way when not in use
- Velcro<sup>®</sup> closure helps to secure safety glasses

### **Lens Cleaning Solutions**

#### **Jackson Safety\* Lens Cleaning Towelettes**



Code	Description	Qty/Box
14551	Pre-moistened Lens	100 towelettes/box • 10 boxes/case

Cleaning Towelettes

#### • Lens cleaning wipers pre-saturated with an anti-fog, anti-static formula

**Product Features** 

• Comes in a wall-mountable corrugate box designed for easy wiper dispensing

Note: IPA-based Lens Cleaning Towelettes can degrade anti-fog coated eyewear over time

### **Kimtech Science\* Lens Cleaning Station**



Code		Material	Qty/Box	Box Size
34623		White 1-ply tissue	560 wipers & 8 oz cleaning solution /box; 4 boxes/case	4.9" X 8.1" X 7.8"
34644	<u>-a</u>	White 1-ply tissue	1120 wipers & 16 oz	4.9" X 8.6" X 11.8

cleaning solution /box; 4 boxes/case

4.9" X 8.6" X 11.8"

Note: IPA-based Lens Cleaning Solution can degrade anti-fog coated eyewear over time

#### **Eyewear Customization Program**

Frame Style	Frame Side – Dimensions	Lens Dimensions
V10 Element*	Right: 1/2"W x 1/4"H	3/4"W x 3/8"H
V10 Expo*	3/4"W x 1/8"H	3/4"W x 3/8"H
V20 Envision*	Right: 1/2"W x 1/4"H	N/A
V20 Purity*	3/4"W x 1/8"H	3/4"W x 3/8"H
V20 Visio*	Right & Left: 3/4"W x 1/8"H	1/2"W x 1/2"H
V30 Nemesis*	Left: 3/4"W x 1/8"H	3/4"W x 1/8"H
V30 Nemesis* CSA	3/4"W x 1/8"H	3/4"W x 3/8"H
V30 Nemesis* Small	3/4"W x 1/8"H	3/4"W x 3/8"H
V30 Nemesis* VL	Left: 3/4"W x 3/16"H	3/4"W x 1/8"H
V40 Hellraiser*	Right: 1/2"W x 3/16"H	N/A
V50 Calico*	1/2"W x 3/8"H	N/A
V50 Epic*	7/16"W x 1/4"H	3/4"W x 3/8"H
V50 OTG*	Left: 7/8"W x 1/4"H	N/A
V50 Cudas*	Right: 5/8"W x 1/8"H	1/2"W x 1/2"H
V60 Nemesis* RX Readers	Left: 3/4"W x 1/8"H	3/4"W x 1/8"H
S&W® 44 Magnum®	Right: 7/8"W x 1/8"H	3/4"W x 1/4"H
S&W® Caliber*	3/4"W x 1/8"H	1/2"W x 1/2"H
S&W® Code 4*	7/8"W x 1/8"H	3/4"W x 3/8"H
S&W® Equalizer*	Right: 3/4"W x 1/8"H	1/2"W x 1/2"H
S&W® 38 Special*	Right: 7/8"W x 1/8"H	N/A
S&W® Elite*	Right: 1"W x 1/4"H	N/A
S&W® Magnum® 3G	7/8"W x 1/8"H	3/4"W x 3/8"H
S&W® Phantom*	N/A	3/4"W x 3/8"H
S&W® Viewmaster*	Right: 3/4"W x 3/8"H	N/A

- Orders must meet or exceed a minimum purchase amount (\$).
- Orders must be in full-case increments.
- Vector artwork is required in an EPS, Hi-Res PDF, or Ai format (otherwise, order may be subject to additional charges and extended lead time).
- Eyewear may be printed on the lens or temple, (right or left), unless otherwise specified in the chart to the left.
- All items related to design and equipment setup become the property of Kimberly-Clark Professional\*.
- For more information and pricing please contact your customer service representative at 800-428-8185.



# Jackson Safety\* **Face Shields**

Used in conjunction with protective eyewear, Jackson Safety\* Brand Face Shields provide a high degree of on-the-job protection for heat applications, as well as for grinding, flying debris and splash protection, among others.

All Jackson Safety\* Brand Face Shields meet ANSI Z87.1 2010 Standards when used with any Jackson Safety\* Brand Headgear.

(except for 28765)

F60	Wire Face Shields	
F50	Polycarbonate Special Face Shields	
F40	Propionate Face Shields	
F30	Acetate Face Shields	
F20	Polycarbonate Face Shields	
F10	PETG Face Shields	

MATERIAL TYPES		LENS TINTS	
PETG	A low-cost, recyclable option	<b>Clear</b> Allows for maximum visible-light transmission.	
Polycarbonate	<ul><li>Impact performance</li><li>Good performance against heat</li><li>Excellent cold flexibility</li></ul>	IRUV Worn for applications and in environments where others are	
Acetate	Robust combination of weight and strength     Excellent cold flexibility	performing welding tasks such as torch brazing, torch soldering, gas welding, and oxygen cutting. Available in Shades 3.0 and 5.0.	
Propionate	Lightweight	SPECIAL TINTS	
Wire Mesh	Wear with face shield to dissipate heat     Ideal for flying-debris applications     Air flow for comfort	Enhances vision and reduces glare by blocking light transmission.  Available in light, medium, and dark green tints.  WARNING: APPLICATIONS & SAFETY	
	• Air flow for conflict	Face shields do not provide unlimited eye and face protection — primary eye protection (safety eyewear or goggles) must be worn.	

Recommended Applications	F10 PETG	F30 Acetate & F40 Propionate	F20 Polycarbonate & F50 Polycarbonate Special	F60 Wire Mesh
	GOOD	BETTER	BEST	
Light industrial manufacturing	•	•	•	
Cutting or grinding metal			● (IRUV only)	
Cutting wood			•	•
Splash (general)	•	•	•	
Impact			•	
High-heat applications			•	•
Landscaping	•	•	•	•
Food processing	•	•	•	



## **F10 PETG Face Shields**

PETG Face Shields  Meets ANSI Z87.1 2010 Standards								INTERCHANGE
Code	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange System
29104	3005399	Clear	8" x 15.5" x .040"	100	E	Unbound	8154LB	•
29101	3005382	Medium Green	8" x 15.5" x .040"	36	E	Unbound	8154LB	•
28962	3029190	Clear	9" x 15.5" x .040"	50	D	Bound	34-40 AP	•
28963	3029191	Clear	9" x 15.5" x .040"	50	D	Unbound	34-40 AP	•
287651	3005392	Clear	6" x 15.5" x .040"	36	N	Unbound	-	

D.





For more information about the Hard Hat Interchange System, refer to page 71.

<sup>&</sup>lt;sup>1</sup>Face Shield 28765 only works with C10 Bump Caps that have the face shield attachment (see page 70) Code 28765 does not meet ANSI Z87.1 2010 Standards

## **F20 Polycarbonate Face Shields**

Code	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange System
29087 <sup>‡</sup>	3002832	Clear	8" x 15.5" x .060"	12	D	Unbound	34-60	•
29109 ‡	3009492	Clear	8" x 15.5" x .060"	12	E	Unbound	34-60	•
29098 <sup>‡</sup>	3005377	Clear	10" x 20" x .040"	36	К	Unbound	4200	•
29099 ‡	3005378	Clear	8" x 15.5" x .040"	36	F	Unbound	8140	
29096 ‡	3005371	Clear	8" x 15.5" x .040"	25	Е	Bound	8154	•
30706 ‡	3005372	Clear	8" x 15.5" x .040"	36	E	Unbound	8154	•
14132 ‡	3005375	Clear	8" x 15.5" x .060"	36	Е	Unbound	8156	•
29103 ‡	3005385	Clear	9" x 19.25" x .060"	36	L	Unbound	9196	•
29100 ‡	3005379	Dark Green	8" x 15.5" x .040"	36	Е	Unbound	8154	•
29097 ‡	3005373	Medium Green	8" x 15.5" x .040"	36	E	Unbound	8154	•
▲ 29062 ‡	3000449	Clear	8" x 15.5" x .040"	12	Т	Unbound	Chin Cup 8154	•
D.		E	F.	K. K.		L.	7.	

## **F30** Acetate Face Shields

Acetate Fa	ce Shields					Meets ANSI Z87.1 2	010 Standards	V. T.
Code	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange Syster
29078 <sup>††</sup>	3002806	Clear	8" x 12" x .040"	24	С	Bound	8040	•
29079	3002808	Clear	9" x 15.5" x .040"	24	D	Bound	34-40	•
29091	3002848	Clear	9" x 15.5" x .040"	50	D	Bound	34-40	•
29082	3002817	Light Green	9" x 15.5" x .040"	12	D	Bound	34-41	•
29090	3002845	Dark Green	9" x 15.5" x .040"	50	D	Bound	34-42	•
29083	3002826	Clear	9" x 19.5" x .040"	12	1	Unbound	1940-U	•
29052	3000122	Clear	8" x 15.5" x .040"	24	E	Bound	8154	•
29054	3000125	Clear	8" x 15.5" x .060"	24	E	Bound	8156	•
29056	3000136	Clear	9" x 19.5" x .040"	24	0	Unbound	-	•
14445	3000146	Clear	9" x 20" x .040"	12	Q	Unbound	Chin Cup 9204	•
29060	3000411	Clear	9" x 15" x .040"	24	Р	Unbound	Chin Cup 9154	•
29053	3000123	Medium Green	8" x 15.5" x .040"	24	D	Bound	8154M	
000	000	D. (0.00)	E	/ <del>o                                    </del>	0 0000	0.	P	Q.

<sup>&</sup>lt;sup>‡</sup> CSA Z94.3 Compliant

<sup>▲</sup> Chin Cup

 $<sup>^{\</sup>dagger\dagger}$  Face Shield 29078 does not meet ANSI Z87.1 splash protection requirements when used with headgear 29076

## **F40 Propionate Face Shields**

Propionate	Propionate Face Shields						2010 Standards	INTERCHANGE
Code	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange System
29084	3002830	Clear	9" x 15.5" x .060"	12	G	Unbound	915-60	•
29089	3002843	Clear	9" x 15.5" x .060"	50	G	Unbound	915-60	•
29086	3002831	Dark Green	9" x 15.5" x .060"	12	G	Unbound	915-63	•
28766	3000175	Clear	10" x 20" x .060"	1	Н	Unbound	10206 P	•





## **F50 Polycarbonate Special Face Shields**

olycarbon	ate Special F	ace Shields	5		٨	1eets ANSI Z87.1+ 2	010 Standards	INTERCHANCE
Code	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange System
26262 <sup>‡</sup>	3002813	IRUV 3.0	8" x 15.5" x .060"	12	D	Unbound	34-63	•
29080 ‡	3002810	IRUV 5.0	8" x 15.5" x .060"	12	D	Unbound	34-65	•
28633 ‡	3002838	IRUV 5.0	8" x 15.5" x .060"	50	D	Unbound	34-65	•
28634 <sup>‡</sup>	3000162	Gold	10" x 20" x .060"	1	Н	Unbound	10206 GD	•





### **F60 Wire Face Shields**

Wire Face Sh	nields				Meets ANSI Z8	7.1 2010 Standards	
Code	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other
29081 <sup>‡</sup>	3002812	Mesh	9" x 15.5" x .016"	12	Е	Bound	40 Mesh Steel
29055 ‡	3000127	Mesh	8" x 15.5" x .020"	12	С	Bound	815 Mesh Steel
29102 👃	3005383	Mesh	6.5" x 15.5" x .020"	30	N	Bound	6513 Mesh Steel







→ Fits only with Headgear codes 14381 & 29051.

Wire mesh face shields are not splash protectors.

Not intended for high-impact protection.

Apply over a face shield to dissipate heat.

<sup>‡</sup> CSA Z94.3 Compliant

## Headgear

### GOOD



Code	Old Code	Description	Vertical Lock-in	Case Count	Suspension
14386 ‡	3000012	Model K10	No	12	Pinlock

Sweatband included with all Jackson Safety\* Headgear

#### **BETTER**



Code	Old Code	Description	Vertical Lock-in	Case Count	Suspension
29076**	3002437	131-B	Yes	12	Pinlock
14381 ‡	3000001	Model K Headgear	No	12	Ratchet
29051 ‡	3000006	Model K Bulk	No	60	Ratchet
14382	3000002	Model K Headgear with Clear Face Shield (code 29078)	No	12	Ratchet
16941	3005845	AF 4000 Headgear with Clear Face Shield (code 30706)	Yes	12	Ratchet

Sweatband included with all Jackson Safety\* Headgear





- 13	2 E	C.	г.
	, _		



Code	Old Code	Description	Vertical Lock-in	Case Count	Suspension
14940 <sup>‡</sup>	3002436	170-SB	Yes	12	Ratchet
29077 ‡	3002447	170-SB Bulk	Yes	40	Ratchet

Sweatband included with all Jackson Safety\* Headgear

### **Accessories**

#### **Sweatbands**



Code	Old Code	Description	Case Count
14958	3002459	CAP Assembly 391 Cloth	12

### **Turn Toggles**

Code	Old Code	Description	Case Count	Suspension
30589	3002456	337-3 Turn Toggles (Set of 12)	12 Sets of 12	N/A

#### <sup>‡</sup> CSA Z94.3 Compliant

 $<sup>^{\</sup>rm tt}$  Face Shield 29078 does not meet ANSI Z87.1 splash protection requirements when used with headgear 29076



# Jackson Safety\* **Head Protection**

With a variety of styles and suspension options available, Jackson Safety\* Brand Hard Hats and Attachment Accessories are your first line of defense against potential head hazards.

#### **TYPES & CLASS STANDARDS**

Protective hard hats are classified according to the specific impact and electrical performance requirements they are designed to meet. All protective hard hats in accordance with this standard shall meet either Type I or Type II impact requirements. In addition, all hard hats are further classified as meeting Class C, Class G, or Class E electrical requirements.

#### **IMPACT TYPES**

*Type I:* Hard hats intended to reduce the force of impact resulting from a blow only to the top of the head.

**Type II:** Hard hats intended to reduce the force of impact resulting from a blow which may receive limited protection off center, lateral or to the top of the head.

#### **ELECTRICAL CLASSES**

**Class C (Conductive):** Class C hard hats are not intended to provide protection against contact with electrical conductors.

Class G (General): Class G hard hats are intended to reduce the danger of contact exposure to low-voltage conductors. Test samples are proof-tested at 2,200 volts (phase to ground). However, this voltage is not

intended as an indication of the voltage at which the hard hat protects the wearer.

Class E (Electrical): Class E hard hats are intended to reduce the danger of exposure to higher-voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). However, this voltage is not intended as an indication of the voltage at which the hard hat protects the wearer.

#### **OPTIONAL STANDARDS**

Reverse Donning: Reverse wearing option hard hats must pass force transmission requirements whether they are worn facing frontward or backwards in accordance with the manufacturer's wearing instructions.

**LT-Low Temperature:** Hard hats marked with LT for low temperature shall pass impact testing after samples are placed in an environmental chamber maintained at  $-30^{\circ}\text{C} \pm 2^{\circ}\text{C}$  for at least four hours with the base of the helmet facing upward.

**HV-High Visibility:** Hard hats marked with HV for high visibility shall demonstrate chromaticity and luminance developed for high-visibility applications.

#### **Color Selection Chart**

	Colors	SC-6	Sentry III*	Charger*	Blockhead*	SC-16	Western Outlaw*	Bump Cap
	Blue (PMS 2935C)	•	•	•	•	•		•
	Brown (PMS 1535C)	•						
	Tan						•	
	Black						•	
	Gray (PMS 430C)	•	•	•			•	•
Ŏ	Green (PMS 3425C)	•	•	•	•			•
	Hi-Viz Lime (PMS 381C)	•	•	•				
	Hi-Viz Orange (PMS 811C)	•	•	•	•			
	Orange (PMS 1665C)	•	•	•	•			•
	Red (PMS 1797C)	•	•	•	•			•
	White	•	•	•	•	•	•	•
	Yellow (PMS 012C)	•	•	•	•	•		•
	Neon Pink			•				



#### **SC-6 Hard Hat** Case Count: 12 Ratchet Code Old Code Color **Product Features** Yellow 14833 3001987 • Meets ANSI Z89.1, Class C, G & E • Smooth dome design 14834 3001988 White • Lightweight, molded from dielectric 14836 3001989 Brown High-Density Polyethylene (HDPE) 14837 3001990 Green • 4 pt. ratchet suspension • Accessory slots for attaching additional personal protective equipment 14838 3001991 Blue 14839 3001992 Orange • Head sizes 6½ to 8 14841 3001993 Red Gray 14842 3001994 14843 3001996 Hi-Viz Orange 14845 3001998 Hi-Viz Lime Case Count REPLACEMENT PARTS Description SC-6 Hard Hat works with the Hard Hat 14936 3002428 4 Pt. Suspension 6 Interchange System 12/Bag 14937 3002430 2 Pt. Chinstrap 14958 3002459 Sweatband 12

#### Sentry III\* Hard Hat • Case Count: 12





Ratchet Code	Old Code	Color
14407	3000061	Yellow
14409	3000064	White
14411	3000067	Gray
14414	3000070	Green
14416	3000072	Blue
14418	3000075	Red
14420	3000078	Orange
14423	3000085	Hi-Viz Orange
14462	3000204	Hi-Viz Lime
DEDI ACCIACIT DADEC		

REPLACEMENT	Description	
14426	3000095	6 Pt. Suspension
14429	3000105	Sweatband
14434	3000114	2 Pt. Chinstrap
18446	3009653	4 Pt. Chinstrap

#### **Product Features**

- Meets ANSI Z89.1, Class C, G & E
- Low-profile, silhouette-styled cap
- Low-riding nape strap
- Flat customizable front area
- Accessory slots for attaching additional personal protective equipment
- 6 pt. ratchet suspension
- Head sizes 6½ to 8

#### Charger\* Hard Hat • Case Count: 12





Ratchet Suspension



Pinlock Suspension

Ratchet Code	Old Code	Plastic Pinlock Code	Old Code	Color	
20392	3013362	20425	3013409		White
20393	3013363	20428	3013412		Blue
20394	3013364	20429	3013413		Red
20395	3013365	20433	3013416		Hi-Viz Orange
20396	3013366	20426	3013410		Hi-Viz Lime
20397	3013367	20434	3013417		Gray
20398	3013368	20431	3013414		Orange
20399	3013369	20432	3013415		Green
20401	3013370	20427	3013411		Yellow
20403	3013372	20436	3013420		Neon Pink

REPLACEMENT PARTS				Description	Count
20422	3013403	20424	3013405	4 Pt. Suspension	6
14429	3000105	14429	3000105	Sweatband	12/Bag
14434	3000114	14434	3000114	2 Pt. Chinstrap	12/Bag
18446	3009653	18446	3009653	4 Pt. Chinstrap	12/Bag

- Meets ANSI Z89.1, Class C, G & E
- Lightweight, molded from High-Density Polyethylene (HDPE)
- Contoured dome with shorter bill for improved upward vision
- Built-in rain trough
- Accessory slots for attaching additional personal protective equipment
- Choice of 4 pt. ratchet or plastic pinlock suspension
- Head sizes 6½ to 8

### Blockhead\* Full Brim Hard Hat • Case Count: 10



Ratchet Code	Old Code	Color
20697	3014874	White
20698	3014875	Yellow
20699	3014876	Blue
20701	3014877	Orange
20702	3014878	Red
20718	3014902	Green
20738	3014982	Hi-Viz Orange

Product	Features
---------	----------

- Meets ANSI Z89.1 Class C, G & E
- Full 360° brim protects wearer from nature's elements
- Lightweight, molded from High-Density Polyethylene (HDPE)
- Smooth dome leaves no crevices for buildup
- Soft, absorbent brow pad
- 8 pt. ratchet suspension
- Head sizes 6½ to 8




REPLACEM	ENT PARTS	Description	Case Count
20703	3014879	8 Pt. Suspension	6
14429	3000105	Sweatband	12/Bag
14937	3002430	2 Pt. Chinstrap	12/Bag
18446	3009653	4 Pt. Chinstrap	12/Bag

### SC-16 Fiberglass Hard Hat • Case Count: 12



Code	Old Code	Color
14831	3001981	White
14832	3001983	Blue
14829	3001980	Yellow



#### **Product Features**

Case Count

6

12/Bag

12

- Meets ANSI Z89.1, Class C & G
- 4 pt. ratchet suspension
- Head sizes 6½ to 8
- Made from fiberglass to protect from higher-heat applications
- Accessory slots for attaching additional personal protective equipment



### Western Outlaw\* Hard Hat • Case Count: 4



Code	Old Code	Color
17330	3007313	Black
19502	3010944	Tan
19500	3010943	White
19525	3010945	Gray

#### **Product Features**

- Meets ANSI Z89.1, Class C, G & E
- Wide 360° brim
- 4 pt. ratchet suspension
- Head sizes 6½ to 8



Shield 28765

REPLACEME	ENT PARTS	Description	Case Count
14459	3000187	4 Pt. Suspension	6
14429	3000105	Sweatband	12/Bag

C10 Bump Cap	• Case C	ount: 12	Compatib Face Shield				
	Code	Old Code	With Face Shield Attachment	Old Code	Colo	r	Product Features
	14811	3001937	20186	3012332		White	Use only to protect from minor bumps
	14809	3001936	20187	3012333		Yellow	and scalp lacerations
	14812	3001938	20189	3012335		Green	<ul> <li>4 pt. pinlock suspension features an absorbent brow pad</li> </ul>
11	14813	3001939	20188	3012334		Blue	• Pinlock sizing from head sizes 6½ to 8¼
	14814	3001940	20192	3012337		Orange	Available with face shield attachment
	14815	3001941	20191	3012336		Red	to become compatible with face shield 28765 on Page 61. (NOTE: face shield
	14816	3001942				Gray	sold separately)
9							_
4	REPLACE	MENT PARTS	Description			Case Count	
	20194		4 Pt. Suspension	on		12	
Bump Cap 20186 with Face	18428		Sweatband			12/Bag	

CAUTION: Bump caps are not designed for protection against impact from falling or glancing objects. Does not meet ANSI 789.1 requirements

#### HARD HAT CUSTOMIZATION PROGRAM

- Orders must meet or exceed a minimum purchase amount (\$).
- Orders must be in full-case increments.
- Vector artwork is required in .EPS, .PDF or .Al format. One measurement of at least 5" with a resolution of at least 600dpi (3000 x 3000 pixels) is acceptable.
- Hard hats may be printed on the front, back, left or right side.
- All items related to equipment setup become the property of Kimberly-Clark Professional\*.
- For more information and pricing please contact your customer service representative at 800-428-8185 or visit www.kc-safety.com.

Imprint Dimensions Per Location Per Style						
Model	Front		Back		Side	
	Height	Width	Height	Width	Height	Width
SC-6	2″	3"	2″	2″	2"	3"
Sentry III*	2″	2"	2″	2″	1-1/4"	3-1/4"
Charger*	2"	3"	2″	1-7/8"	2"	3″
Blockhead*	2″	3″	2″	2″	2″	3"
SC-16	2"	3″	2"	2"	2"	3"



### **Hard Hat Interchange System**



Code	Description	Case Coun
39477	Hard Hat Interchange System	6
38426	Interchange Welding Helmet System	6
38425	Hard Hat Interchange Face Shield System	6
39476	Hard Hat Interchange System SC-6 Replacement Blades	6

#### nt Product Features

- One-button action for quick release, even with gloves on
- Vertical lock-in eliminates helmet/face shield creep
- Audible click know your PPE is assembled correctly without visual inspection
- Keep your hard hat ANSI Z98.1 class E rated with dielectric Hard Hat Interchange System
- Accommodates all Jackson Safety\* Face Shields; HSL Series Hoods; HaloX Hoods and Nitro\* Hoods



Keep Your Hat On — And Your Productivity Up.

See how easy it is to stay protected at all times in this "How to" video.

## **Face Shield Cap Adapters**

Hard Hat and Cap Adapter Compatibility					
	SC-6	Sentry III*	Charger*	Blockhead* Full Brim	SC-16
Blade Mounted: 437 Capshield	•	•			
Blade Mounted: 382 B Cap Adapter	•	•	•		
Cord Mounted: 337 Capshield	•	•	•		
Spring Mounted: 137 Capshield	•	•	•		
Spring Mounted: Model C Cap Adapter	•	•	•		
Spring Mounted: 37 Hatshield				•	
A5500X	•	•	•		•
Model H Hat Adapter				•	
Model P Cap Adapter	•	•	•		•

### **Blade Mounted**

#### 437 Capshield



Code	Old Code	Description
14947	3002444	437 Capshield

#### **Product Features**

Case Count

- Totally dielectric<sup>1</sup>, for slotted caps
- Curved plastic channel fits over the bill of the cap and includes pivoting blades that snap easily into cap slots
- Face shields are secured with integral plastic lugs
- Attaches to SC-6 and Sentry III\* Hard Hats

#### A-5500X



Code	Old Code	Description	Case Count
4506	3000448	A-5500X	15

#### Product Features

- Used with slotted caps
- Pivots up and secures in different positions
- Face shields are secured with integral plastic lugs
- Attaches to SC-6, Sentry III\* and Charger\* Hard Hats

#### 382 B Cap Adapter



Code	Old Code	Description	Case Count
14944	3002441	382 B Cap Adapter	12
14951	3002449	Bulk Pack	40

- Totally dielectric¹ for slotted caps
  - Polyethylene spark deflector with pivoting blades
  - Face shields are secured with integral plastic lugs
  - Attaches to SC-6, Sentry III\* and Charger\* Hard Hats

 $<sup>^{\</sup>scriptscriptstyle 1}$  Dielectric means all exposed parts are plastic or rubber

## 82 B Capmount Adapter



Code	Old Code	Description	Case Count
14941	3002438	82 B Capmount Adapter (Plastic detach brackets)	12
14949	3002446	82 BM Capmount Adapter (Metal detach brackets)	12

#### **Product Features**

- Used with slotted caps
- Polyethylene spark deflector with quick detach brackets
- Face shields are secured with integral plastic lugs
- Attaches to any cap equipped with 87 mounting blades

# **Cord Mounted**

## 337 Capshield



Code	Old Code	Description	Case Count	Product Features
14946	3002443	337 Capshield	12	• Totally dielectric¹ for non-slotted caps
				Curved plastic channel fits over the bill and secures with adjustable rubber headband that stretches around the exterior cap crown
				• Face shields are secured with integral plastic lugs
				Attaches to SC-6, Sentry III* and Charger* Hard Hats

## 282 B Capmount Adapter



	Code	Old Code	Description	Case Count	Product Features
1	14943	3002440	282 B Capmount Adapter	12	Used with non-slotted caps
,	14952	3002450	282 B Capmount Adapter (Bulk)	40	Uses clips pressed over the cap rim for firm fit     Polyethylene spark deflector

#### A-5500SN



	Code	Old Code	Description	Case Count	Product Features
ľ	14505	3000447	A-5500SN	12	• Totally dielectric¹
					<ul><li>Heavy-duty rubber cord holds bracket in place</li><li>Attaches to SC-6 and Charger* Hard Hats</li></ul>

# **Model K-4 Cap Adapter**



Code	Old Code	Description	Case Count	Product Features
14398	3000046	Model K-4 Cap Adapter	6	Holds face shield firmly on caps with heavy-duty
14397	3000045	Model K-4 Cap Adapter (Bulk)	60	clips and springs  Includes spark guard with slots that can hold face shield in down position

# **Cap Coil Spring Attachments**

## **Model P Cap Adapter**



Code	Old Code	Description	Case Count	Product Features
14391	3000034	Model P Cap Adapter	24	Locking device holds face shield securely in the
Used with	bill forward-faci	ng hats		up or down position  • Face shield sold separately  • Attaches to SC-6, Sentry III* and Charger* Hard Hats

 $<sup>^{1}</sup>$  Dielectric means all exposed parts are plastic or rubber

## 137 Capshield



Code	Old Code	Description	Case Count
14948	3002445	137 Capshield	12

#### **Product Features**

- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment
- Attaches to SC-6, Sentry III\* and Charger\* Hard Hats

#### **182 B Capmount Adapter**



Code	Old Code	Description	Case Count
14942	3002439	182 B Capmount Adapter	12

#### **Product Features**

- Used with non-slotted caps
- Polyethylene spark deflector
- Face shields are secured with integral plastic lugs

## Model C Cap Adapter



Code	Old Code	Description	Case Count
14390	3000032	Model C Cap Adapter	24

Used with bill backward-facing hats

#### **Product Features**

- Model C cap adapter easily attaches face shield
- Face shield sold separately
- Attaches to SC-6, Sentry III\* and Charger\* Hard Hats

## **Model H Hat Adapter**



ъ.			
,			
٩.			
- 7	ř		
.3			
ø			

Code	Old Code	Description	Case Count
14393	3000038	Model H Hat Adapter	24

#### **Product Features**

- Locking device holds face shield securely in the up or down position
- Attaches to full-brim hard hats

#### 37 Hatshield



Code	Old Code	Description	Case Count
14945	3002442	37 Hatshield	12

- Curved aluminum channel and coil spring attachment allows attachment of most Jackson Safety\*
  Face Shields
- Attaches to full-brim hard hats

# **Hard Hat Accessories**

#### Safe 2 Protection System



Code	Old Code	Description	Case Count
16797	3005410	Face Shield Bracket	1/Box
25973	3005401	Face Shield: Clear Polycarbonate	1/Box
16800	3005415	Face Shield: Nylon Mesh	1/Box
16799	3005413	Face Shield: Steel Mesh	1/Box
20776	3015091	Capmount Earmuffs: Orange NRR 22	1/Box
20777	3015092	Capmount Earmuffs: Red NRR 25	1/Box
20778	3015093	Capmount Earmuffs: Black NRR 27	1/Box

#### **Product Features**

- System is designed for slotted caps
- Face shield bracket features an encapsulated stainless steel spring which ensures that the face shield stays in the selected position
- Face shields are shaped to follow the contours of the face
- Hard hat, bracket, face shield and ear muffs all sold separately

## **AA-7 Windgard\* Head Protection**



Code	Old Code	Description	Case Count
16756	3005341	AA-7, Red	12/Pack
14494	3000434	AA-7, Navy Blue	12/Pack
14495	3000435	AA-7, Orange	12/Pack

#### **Product Features**

- Warmth for temps 32° to 0°F (0° to -20°C)
- Fits over most safety caps and full-brim styles

#### **AA-8 Windgard\* Head Protection**



Code	Old Code	Description	Case Count	Product
14496	3000436	AA-8, Red	12/Pack	• Warm
				_

#### Product Features

- Warmth for temps 32° to 0°F (0° to -20°C)
- Snug-fitting cap style fits over most hard hats

#### **AA-9 Windgard\* Head Protection**



Code	Old Code	Description	Case Count
16757	3005342	AA-9, Red	12/Pack
14497	3000434	AA-9, Navy Blue	12/Pack

- Warmth for temps 0° to -20°F (-20° to -28°C)
- Full face and neck model protects mouth and cheeks
- Fits over most safety caps

# Jackson Safety\* **Seasonal Apparel**

Choose from a number of seasonal products including lightweight cooling headbands, winterliners and wind guards that make protection and comfort easy in both hot and cold weather.

# **Winterliners**

Kimberly-Clark Professional\* offers a comprehensive line of thermal winterwear designed to protect workers from the elements.

Tempera	ture Range Coding				
I	45° to 32°F or 8° to 0°C		32° to 0°F or 0° to -20°C		0° to -20°F or -20° to -28°C
The above suggested ranges are to assist in choosing an appropriate liner for various climates					

#### 225 Plus Winterliner



Code	Old Code	Description	Case Count	Product Features
14502	3000442	225 Plus Winterliner	12/Pack	Can be worn under caps and hats
				• Hook-and-loop fastener for a comfortable, close fit
				Outer shell: quilted nylon with extra-thick foam fill
				Lining: polyester fleece

#### 250M Winterliner



Code	Old Code	Description	Case Count	Product Features
16762	3005348	250M Winterliner	12/Pack	Can be worn under caps and hats
				Hook-and-loop fastener for a comfortable, close fit
				Outer shell: cotton twill
				Lining: polyester fleece
				<ul> <li>Meets 16 CFR 1610, Class 1</li> </ul>

• Meets 16 CFR 1610, Class 1

#### **305 TSL Winterliner**



Code	Old Code	Description	Case Count	Product Features
14503	3000443	305 TSL Winterliner	3/Pack	Ideal for cold-weather environments
				<ul> <li>Full head and neck coverage with extra-wide wrapped collar</li> </ul>
				• Shoulder-length liner can be tucked into jacket
				<ul> <li>Hook-and-loop fastener straps</li> </ul>
				<ul> <li>Outer shell: 100% cotton twill</li> </ul>
				<ul> <li>Inner shell: heavyweight fleece</li> </ul>

• Meets 16 CFR 1610, Class 1

• Meets 16 CFR 1610, Class 1

## 325 Ultra Winterliner



Code	Old Code	Description	Case Count	Product Features
14499	3000439	325 Ultra Winterliner	3/Pack	Ideal for cold-weather environments
				<ul> <li>Can be worn over hearing products</li> </ul>
				Top section is flame-retardant
				• Bottom section is flame-resistant
				<ul> <li>Detachable bottom section is double-layered, heavy-spun polyester</li> </ul>
				• Nape piece closes with two buttons
				Top shell: cotton twill
				• Lining: brushed 100% polyester fleece (top only)
				Bottom shell: double nylon knit

#### **400 Winterliner**



Code	Old Code	Description	Case Count	Product Features
14501	3000441	400 Winterliner	3/Pack	Ideal for extreme cold-weather environments
				<ul> <li>Full head and neck coverage with extra-long nape and wraparound collar</li> </ul>
				<ul> <li>Shoulder length that can be tucked into jacket</li> </ul>
				<ul> <li>Outer shell: cotton twill</li> </ul>
				<ul> <li>Lining: polyester sherpa</li> </ul>
				<ul> <li>Meets 16 CFR 1610, Class 1</li> </ul>

## **Wind Jammer IV**



Code	Old Code	Description	Case Count
16760	3005346	Wind Jammer IV	3/Pack
,			

- Ideal for extreme cold-weather environments
  - Long nape and wraparound design provides extra warmth and a snug fit
  - Silver with black fastener straps and elastic border stitching
  - Meets 16 CFR 1610, Class 1

# Flash-Tex\* Liners

Flash-Tex\* Liners are designed to assist in complying with OSHA 1910.269.

#### Flash-Tex\* Liners - 650 NPR and 695 NPR

Flame-	Resistant	Laur	ndering Data	Char L	ength †	<b>Note</b> : Data obtained from material manufacturers' testing.
Outer Shell	Inner Shell	Outer Shell	Inner Shell	Outer	Inner	For additional technical information, contact Customer Service.
Nomex® inherently flame-resistant	Proban® durable flame-resistant	FR properties last lifetime	Retains FR properties up to 25 industrial washes or 50 domestic washes	2.4	3.5	'The length of brittle residue when material is exposed to thermal energy.

#### 695 NPR Winterliner



Code	Old Code	Description	Case Count
16767	3005355	695 NPR Winterliner	3/Pack

#### **Product Features**

- Ideal for very cold-weather environments
- Full head and neck liner with wide wraparound collar
- · Universal to fit all head sizes
- Leather/Nomex® tabs attach to hard hats
- Provides protection from electrical arc energy exposure
- $\bullet$  Outer shell: Retains FR protection throughout life of the product 100% Nomex  $^{\! \circ}$  IIIA
- Inner shell: Flame resistance through 25 industrial washes or 50 domestic washes – 100% Proban® cotton

#### Nomex® Hood Winterliner



Code	Old Code	Description	Case Count
14504	3000444	Nomex® Hood	12/Pack

#### **Product Features**

- $\bullet$  100% Nomex  $\!^{\!0}$  double-layered, knitted hood provides extra protection around the face
- Full head and neck coverage with extra-wide collar
- Shoulder-length collar can be tucked into jacket
- Can be worn under a hard hat or welding helmet as protection against flame and electrical arcs
- Retains FR protection throughout life of the product

#### **Drybrow Sweatband**



Code	Old Code	Description	Case Count
16750	3005334	Drybrow Sweatband Finished dimensions = 8.7" long x 1.6" wide x 5MM thick	25/Bag

#### **Product Features**

- Keeps you cool and prevents perspiration from running into your eyes in hot and humid conditions
- Ideal for all applications where workers need to be kept cool and comfortable
- Individually sleeved for increased shelf life and vending machine incorporation

#### **IMPORTANT**

- All models are flame-retardant treated unless otherwise noted.
- Flame resistance is the fabric's ability to self extinguish when source of flame or thermal ignition is removed.
- Flame resistance is meaningful only when applied to specific tests used to measure the characteristic.
- 16 CFR 1610, Class I: "Textiles meeting these requirements are generally accepted by the trade as having no unusual burning characteristics." Wind Jammer IV meets 16 CFR 1610, Class I.

# Jackson Safety\* **Hearing Protection**

Jackson Safety\* Brand Hearing Protection provides quality, comfort and ease-of-use in reusable and disposable styles for excellent attenuation in a wide variety of noise-level environments. For hearing protection solutions, choose from a wide variety of earplugs, clips and passive earmuffs designed to make your workday safer and more productive.

H70	Passive Earmuffs
H20	Reusable Triple Flange Earplugs
H10	Disposable Earplugs




# **Getting to Know Hearing**

Hearing protection should be taken very seriously and protectors, either muffs or plugs, should be comfortable to wear and offer sufficient attenuation to prevent hearing loss based on individual protection needed.

#### What Level of Protection Do You Need?

All hearing protectors sold by Kimberly-Clark Professional\* are tested to the American National Standards Institute (ANSI) S3.19-1974 Standard to receive a Noise Reduction Rating (NRR), which is labeled on all such products as required by the US Environmental Protection Agency (EPA).

This number gives the consumer a method to judge performance among different models of hearing protectors — a higher NRR indicating more effective protection against sound. Some models of hearing protectors have multiple NRR numbers. This reflects the fact that these hearing protectors may be worn with their headbands in different positions.



## **Jackson Safety\* Hearing Protection**

Description		NRR	Multiple- Use	Comfort	Fit	Innovative	Туре	Fits with Other PPE	Replacement Part
	H20 Reusable Earplugs	26	YES	• •	•	N/A	Flanged	YES	N/A
2	H10 Disposable Earplugs	31	NO	• •	Requires Rolling Down	N/A	Bullet	YES	N/A



# **H10** Disposable Earplugs

#### **H10** Disposable Earplugs



Code	Description	NRR	Class	Case Count
67210	Uncorded	31	A(L)	200 Pairs/Box; 8 Boxes/Case
67212	Corded	31	A(L)	100 Pairs/Box; 8 Boxes/Case

#### **Product Features**

- Soft roll-down foam
- Smooth "bullet" shape for easy insertion
- High visibility for easy compliance monitoring
- Gravity feed display box

# H10 Disposable Earplugs Dispenser and Bulk Pack (500 Pair)



Code	Description	NRR	Class	Case Count
25708	Uncorded	31	A(L)	500 Pairs/Bag; 4 Bags/Case
25709	Dispenser	N/A	N/A	1 Dispenser/Case

## **Product Features**

#### **EARPLUGS:**

- Featuring H10 uncorded disposable foam earplugs
- 500 pairs (or 1000 earplugs) packed in a polybag

#### DISPENSER:

- Wall-mountable and desktop-ready
- Easy, flip open for quick refill
- Clear globe helps to indicate when to refill
- Mounting template and hardware included

## **H10 Metal Detectable Disposable Earplugs**



Code	Description	NRR	Class	Case Count
13821	Corded	31	A(L)	100 Pairs/Box; 8 Boxes/Case

- Designed to deliver on performance and comfort and help you improve compliance all through the day
- Distinctive color for easy compliance monitoring
- Individual packaging for hygienic storage, universal size
- Metal embedded in the earplug for easy detection

# **H20** Reusable Triple Flange Earplugs

#### **H20** Reusable Earplugs



Code	Description	NKK	Class	Case Count
67220	Uncorded	26	A(L)	100 Pairs/Box; 4 Boxes/Case
67221	Corded	26	A(L)	100 Pairs/Box; 4 Boxes/Case

#### **Product Features**

- One size fits all
- Ridged for a better grip with insertion and removal
- Soft TPE flanges for comfortable fit and seal

#### **H20 Metal Detectable Reusable Earplugs**



Code	Description	NRR	Class	Case Count
13822	Corded	26	A(L)	100 Pairs/Box; 4 Boxes/Case

#### **Product Features**

- Designed to deliver on performance and comfort and help you improve compliance all through the day
- Distinctive color for easy compliance monitoring
- Individual packaging for hygienic storage
- Universal size
- Metal embedded in the earplug for easy detection

# **H70 Passive Earmuffs**

#### H70 Onyx\* Earmuffs



Code	Old Code	Description	NRR	Case Count
20771	3015085	Headband Style	23	1/Pack
20772	3015086	Headband Style	26	1/Pack

#### Product Features

- Lightweight, durable and economical protection for low- or medium-level noise environments
  - Ultra-soft ear cushions for comfort and extended wear
  - Ball-and-socket pivoting cup attachment provides optimum pressure distribution
  - Header bag packaging
  - Earmuff is dielectric<sup>1</sup> with no exposed metal parts

#### H70 Vibe\* Earmuffs



Code	Old Code	Description	NRR	Case Count
20773	3015087	Headband, Orange	23	1/Pack
20774	3015089	Headband, Red	26	1/Pack
20775	3015090	Headband, Black	29	1/Pack
20776	3015091	Capmount, Orange	22	1/Pack
20777	3015092	Capmount, Red	25	1/Pack
20778	3015093	Capmount, Black	27	1/Pack

#### **Product Features**

- Innovative design with soft padded headband which adjusts to fit most head shapes and sizes
  - Dielectric<sup>1</sup>, durable thermoplastic material retains shape and pressure for consistent noise reduction
  - Various noise levels available in headband and capmount styles
  - Clamshell packaging





Also see Safe 2 Protection System on page 75.

<sup>&</sup>lt;sup>1</sup> Dielectric means all exposed parts are plastic or rubber

# Jackson Safety\* **Respirators**



Jackson Safety\* Brand Particulate Respirators deliver the protection you expect and the comfort you need for all-day wear.

R30	N99 Particulate Respirator
R20	P95 Particulate Respirator
R10	N95 Particulate Respirator
R05	Disposable Dust Mask

# **Color-Coded Particulate Disposable Respiratory Protection**

Jackson Safety* Brand Respiratory Protection Products								
Product	Code	I	Protection Level			Color Code		Valve
		N95	P95	N99	Blue	Yellow	Red	
R05	12978							None
R10	64250	•			•			None
R10	64260	•			•			Dual
R10	64230	•			•			None
R10	64240	•			•			Single
R20	64420		•			•		Single
R20	32704		● (AG)			•		Dual
R20	64560		• (OV)			•		Dual
R30	64520			•			•	Single

Particulate Respirator Filter Definitions — NIOSH 42CFR84:			
N95	95% filter efficiency level effective against particulate aerosols free of oil		
N99	99% filter efficiency level effective against particulate aerosols free of oil		
P95	95% filter efficiency level effective against all particulate aerosols		

Note: The service life of all filters is limited by considerations of hygiene, damage, and breathing resistance.

All filters should be replaced whenever they are damaged, soiled or causing noticeably increased breathing resistance.

# **R05** Disposable Dust Mask

#### **R05 Disposable Dust Mask**



Code	Description	Case Count
12978	Disposable Dust Mask	50/box 20 boxes/case

#### **Product Features**

- Adjustable nosepiece
- Ultrasonically bonded straps
- Disposable mask for use in environments where respirator usage is voluntary and presents no health hazard
- Not a NIOSH approved product

# **R10** Respirator

#### R10 N95 Particulate Respirator with Comfort Straps & Dual Valves



Code	Description	Protection	Case Count	Color
64260	N95 Particulate Respirator with Comfort Straps and Dual Valves	N95	10/box 8 boxes/case	Blue

#### **Product Features**

- Wide, comfortable, user-preferred head straps
- Dual exhalation valves designed and positioned to help reduce eyewear fogging
- Adjustable head straps
- Soft, comfortable, foam nose pad with a cloth layer
- Not made with natural rubber latex
- Meets heat and flame resistance per ANSI/ISEA 110-2009
- Recommended for welding applications

#### **R10 N95 Particulate Respirator with Comfort Straps**



Code	Description	Protection	Case Count	Strap Color
64250	N95 Particulate Respirator with Comfort Straps	N95	20/box 8 boxes/case	Blue

#### **Product Features**

- Wide, comfortable, user-preferred head straps
- Adjustable head straps
- Soft, comfortable, foam nose pad with a cloth layer
- Not made with natural rubber latex

#### **R10 N95 Particulate Respirators**



Code	Description	Protection	Case Count	Strap Color
64230	N95 Particulate Respirator (No Valve)	N95	20/box 8 boxes/case	Blue
64240	N95 Particulate Respirator (Single Valve)	N95	10/box 8 boxes/case	Blue

#### **Product Features**

- Comfortable, soft foam nose pad
- Highly visible, color-coded straps
- Knitted elastic straps ultrasonically attached
- Not made with natural rubber latex
- Code 64240 meets heat and flame resistance per ANSI/ISEA 110-2009

# **R20 Respirator**

#### **R20 P95 Particulate Respirator**



Code	Description	Protection	Case Count	Strap Color
64420	P95 Particulate Respirator (Single Valve)	P95	10/box 8 boxes/case	Yellow

- Effective against all oil based and non-oil based particulate aerosols and dust that do not emit harmful vapors
- Soft foam nose pad with bendable nose clip
- Highly visible, color-coded straps
- Knitted elastic straps ultrasonically attached
- Not made with natural rubber latex

#### R20 P95 AG Particulate Respirator with Comfort Straps and Dual Valves



Code	Description	Protection	Case Count	Color
32704	P95 Particulate Respirator with Dual Valves and Nuisance Level Acid Gas Relief	P95	10/box 8 boxes/case	Yellow

#### Product Features

- Effective against all oil based and non-oil based particulate aerosols and dust that do not emit harmful vapors
- Carbon layer reduces exposure to nuisance levels of acid gases
- Wide, comfortable, user-preferred head straps
- Adjustable head straps
- Not made with natural rubber latex
- Meets heat and flame resistance per ANSI/ISEA 110-2009
- Recommended for welding applications

#### R20 P95 OV Particulate Respirator with Comfort Straps and Dual Valves



Code	Description	Protection	Case Count	Valve Color	Prod
64560	P95 Particulate Respirator with Dual Valves and Nuisance Level Organic Vapor Relief	P95	10/box 8 boxes/case	Yellow	• Eff ba en • Ca
					lev

#### **Product Features**

- Effective against all oil based and non-oil based particulate aerosols and dust that do not emit harmful vapors
- Carbon layer reduces exposure to nuisance levels of organic vapors
- Wide, comfortable, user-preferred head straps
- Adjustable head straps
- Not made with natural rubber latex
- Meets heat and flame resistance per ANSI/ISEA 110-2009
- Recommended for welding applications

# **R30** Respirator

#### **R30 N99 Particulate Respirator**



Code	Description	Protection	Case Count	Strap Color
64520	N99 Particulate Respirator (Single Valve)	N99	10/box 8 boxes/case	Red

#### **Product Features**

- Full perimeter foam inside mask
- Adjustable head straps
- Soft foam nose pad with bendable nose clip
- Highly visible, color-coded straps
- Knitted elastic straps ultrasonically attached
- Not made with natural rubber latex

# **Fit Test Kit for Particulate Respirators**

#### Qualitative Fit Test with Bitrex & Saccharin Solutions



Code	Description	Case Count
11266	Qualitative Fit Test Kit	1 kit
REPLACE	EMENT PARTS	
99009	Bitrex Solutions (Threshold & Fit Test)	2 bottles/box
99003	Saccharin Solutions (Threshold & Fit Test)	2 bottles/box
99015	Hood	2 hoods/box
99018	Nebulizers with Extra Valves	2 nebulizers/box

Visit <u>www.kcprofessional.com/fittest</u> for online fit testing instructional video.

## Product Features

Qualitative Fit Test includes:

- $\bullet$  Bitrex Threshold & Fit Testing solutions
- Saccharin Threshold & Fit Testing solutions
- Nebulizers for threshold and fit testing
- Extra nebulizer valves
- Hood
- DVD, poster and printed materials for helpful tips and instructions on why and how to conduct a Qualitative Fit Test



# Jackson Safety\* Welding Helmets

# Passive vs. Auto-Darkening Filter Helmets

Passive helmets offer great protection. Auto-Darkening Filters offer protection and productivity.

Both passive and Auto-Darkening Filter (ADF) welding helmets provide excellent eye protection. Research shows that ADF helmets also offer impressive productivity gains, as well as greater user comfort.



# According to a study<sup>1</sup> comparing the productivity of a passive and an ADF unit:

- 3% of a welder's day is spent lifting and nodding his/her helmet
- An ADF eliminates the need to "lift and nod" the helmet
- Use of an ADF will put \$500 per year, per welder, back in the company's pocket
- Use of an ADF can recapture 12 minutes per day in productivity per welder

<sup>1</sup> Productivity Claim for Welders Using an Auto-Darkening Filter (ADF) Helmet Vs a Passive Helmet (Research Summary). Date: 7/29/2010. Authors: Cerita D. Bethea, Rick Zepp, Sandy Erreger, Martha Tate, Audra Wright

Our **Auto-Darkening Filter Productivity & Profitability Calculator** can show you just how much money you can save – and how much productivity you can gain – using our ADF welding helmets.

To find out, visit our calculator at: www.kcprofessional.com/weldingcalculator

#### Hard Hat Interchange System



Look for this symbol for helmets compatible with the Hard Hat Interchange System

For more information, see page 71.

## Added Benefits of an ADF

- Increased accuracy because the welder can always see what he's doing, and start in exactly the right spot
- Increased comfort by eliminating the repetitive "lifting and nodding" that can cause neck strain
- Increased protection from injuries caused by welding, chipping or grinding in the proximate area
- Increased peace of mind because even if the ADF should not become active during an arc, it still protects eyes from serious damage
- Increased productivity by eliminating the time it takes to lift and nod the helmet before and after each weld



- Registration needed to be eligible for
- 5-year warranty only for ADFs with Balder\* Technology

#### Jackson Safety\* Auto-Darkening Filter (ADF) Warning

- Provides limited eye protection. Additional protective devices are required for full eye coverage and protection.
- Should not be worn to protect from other hazards including, but not limited to, airborne dusts or mists, liquid splashes, impact hazards and sports activities.

The selection and use of welding personal protective equipment must be based on a hazard assessment of the wearer's work environment conducted by the wearer, or for an industrial environment, an appropriately trained individual for your employer or organization in accordance with OSHA regulations 29 CFR 1910.133 and ANSI Standard No. Z87.1. Make sure the ADF is installed properly into the helmet shell and is clean. If the ADF is scratched or damaged, do not use it and replace it with a new one. Do not use the ADF without the Jackson Safety' Brand Internal and External Safety Plates. To clean, wipe only with a soft cloth. Do not immerse ADF in liquids.

# Jackson Safety\* Welding Helmet Selection Guide

Welders at all experience levels know the value and essential protection requirements of the right helmet and filter for the right job. That's why we provide a range of welding helmets and filters with features that are just right for you.

Follow the easy-to-use selection guide below to find the helmet and filter with features that best suit your needs, experience and budget.



# See the difference with Balder\* Technology

**Balder\* Technology** has achieved the highest rating for optical quality and the best classification for "angular dependence." 1/1/1/1 rating for Optical Quality, Light Scattering, Homogeneity, Angular Dependence. That means it gives the welder the flexibility to see clearly at many different angles. With Jackson Safety\* ADF Welding Helmets with Balder\* Technology you get: A clear view from various angles which can reduce eye fatigue and the need to move, adjust and refocus, and superior optical quality that allows you to do your best work.





Select the right ADF for your application										
Process	TrueSight*	Balder* BH3*	NexGen*	SmarTIGer*	Insight*	Nitro* Variable	Journeyman	Element* Variable	Solera	Element*
Shielded Metal Arc (SMAW) "Stick"	•	•	•	•	•	•	•	•	•	•
Gas Metal Arc (MIG)	•	•	•	•	•	•	•	•	•	•
MIG < 5 amps	•	•	•	•	•		•			
Pulse MIG	•	•	•	•	•		•			
Gas Tungsten Arc (TIG)	•	•	•	•	•	•	•	•	•	•
TIG < 5 amps	•	•	•	•	•					
Pulse TIG	•	•	•	•	•		•			
Plasma Arc (PAW)	•	•	•	•	•	•	•	•	•	•
Submerged Arc (SAW)	•	•	•	•	•	•	•	•	•	•
Carbon Arc Gouging	•	•	•	•	•	•	•	•		
Stud Arc	•	•	•	•	•	•	•	•	•	•
Electrogas (EGW)	•	•	•	•	•	•	•	•	•	•
Electroslag (ESW)	•	•	•	•	•	•	•	•	•	•
Flux Cored Arc (FCAW)	•	•	•	•	•	•	•	•	•	•
Torch & Grind Functionality	•		•							

# Welding Helmet Styles

Jackson Safety\* Welding Helmets come in a variety of styles and types of helmets to suit your welding needs. The three different types of shells highlight the varying levels of performance within the Jackson Safety\* Welding Helmet product line.

# **HSL 100**



- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection from sparks, slag and other physical hazards

# Halo X (HLX)



- Ultra lightweight shell only weighs 6 ounces
- Lightweight shell helps reduce neck tension
- Hydraflex\* Shell provides the ultimate in flexibility and durability

# **BH3\***



- Curved front cover plate offers reduced heat build-up, reflections and fogging than the HSL-100
- Aerodynamic shell designed for better fume deflection than the HSL-100
- Smooth, rounded perimeter for increased comfort
- Quick and easy replacement of safety plates



Welding helmet designs and colors are an extension of your personality. Jackson Safety\* Welding Helmets come in solid colors as well as several graphic hoods. Select the helmet design that's right for you.

Graphic Welding Helmet Designs							
	Heavy Metal	l²	Arc Angel	Ace of Spades	Carbon Fiber	Renegade	
TrueSight* II			•	•			
NexGen*	•	•	•	•	•	•	
Insight*		•	•				
Halo X Passive	•	•	•	•	•	•	

	Tattoo	Serpent	Gold Wings	Stars & Scars	Flaming Butterfly	Metal
	4					
TrueSight* II	•	•	•	•	•	•
NexGen*						
Insight*			•	•	•	•
Halo X Passive						

With over 75 years of service, Jackson Safety\*
Welding Safety Products, known and trusted worldwide, offer a range of the finest safety products available.



# Variable Auto-Darkening Filter with Balder\* Technology

	TrueSight* II	Balder* BH3*
Part No.	29371	37191
Light Shade	4	4
Viewing Area	3.25" x 4"	2.7" x 3.8"
Shades	5-8/9-13	9-13
Grind Mode	Yes	No
Torch Mode	Yes	No
Typical Switching Speed	1/8700	1/6667
Solar	Yes	Yes
Replaceable Batteries	Yes	No
Sensors	4	2
Sensitivity & Delay Controls	Yes	Yes
TIG Rating	< 5 Amps	< 5 Amps
Controls	Digital	Dial
Warranty	5 Years	5 Years
Optical Classification	1/1/1/1	1/1/1/1

The BH3\* Helmet with Balder\*
Technology has achieved the highest rating for optical quality and the best classification for "angular dependence." That means it gives the welder the flexibility to see clearly at many different angles. With new Jackson Safety\* ADF Welding Helmets with Balder\* Technology you get: A clear view from various angles which can reduce eye fatigue and the need to move, adjust and refocus, and superior optical quality that allows you to do your best work.

## TrueSight\* II Digital Variable ADF Welding Helmet with Balder\* Technology



HLX (Serpent) with TrueSight\* II ADF



	Code	Description	Units/Case
	46159	HLX Welding Helmet with TrueSight* II Digital ADF – Black	1
	46160	HLX Welding Helmet with TrueSight* II Digital ADF – Tattoo	1
	46162	HLX Welding Helmet with TrueSight* II Digital ADF – Serpent	1
	46163	HLX Welding Helmet with TrueSight* II Digital ADF – Arc Angel	1
	46164	HLX Welding Helmet with TrueSight* II Digital ADF – Ace of Spades	1
	46111	HLX Welding Helmet with TrueSight* II Digital ADF – Gold Wings	1
	46118	HLX Welding Helmet with TrueSight* II Digital ADF – Stars & Scars	1
	46119	HLX Welding Helmet with TrueSight* II Digital ADF – Flaming Butterfly	1
	46120	HLX Welding Helmet with TrueSight* II Digital ADF – Metal	1
	46158	TrueSight* II ADF Cartridge, 4.5 x 5.25	1
	30320	TrueSight* II External Safety Lens	10
	30321	TrueSight* II Internal Safety Lens	10
	20696	370 Replacement Headgear	6

#### **Product Features**

- Intuitive, digital control panel
- Optical class 1/1/1/1
- Features variable shade 5-13, sensitivity and delay adjustments
- Large, separate buttons with LED indicator for Weld, Torch and Grind modes
- Four independent sensors positioned to reduce possibility of blockage during weld
- Two, easy-to-replace AAA batteries included: low-battery indicator
- Green band pass for enhanced clarity of weld puddle
- No retainer for easy helmet installation and removal
- Built-in magnification lens holder
- Meets ANSI Z87.1-2010 and CSA Z94.3 Compliant
- DIN Plus Certified





Black



Tattoo



Arc Angel



Ace of Spades



Gold Wings







Flaming Butterfly Metal

BH3\* Variable ADF Welding Helmet with Balder\* Technology




Code	Old Code	Description	Units/Case
46157	_	BH3* Welding Helmet DS with Balder* Technology ADF – Black	1
37248	-	BH3* DS Internal Safety Plate	100
37247	_	BH3* DS External Safety Plate	100
37245	-	BH3* DS Magnification Lens Holder	1
20696	3014866	370 Replacement Headgear	1



- Superior angle of view
- Enhanced visibility and color recognition
- Variable shade (9-13), adjustable sensitivity and opening time delays
- Curved front cover plate offers reduced heat build-up, reflections and fogging than the HSL-100
- Aerodynamic shell designed for better fume deflection than the HSL-100
- Smooth, rounded perimeter for increased comfort
- Quick and easy replacement of safety plates
- Lightweight
- Auto On ADF is always ready to weld
- Meets ANSI Z87.1 High Impact 2010 standard
- CE Certified
- DIN Plus Certified
- Best-in-Class optical clarity with true 1/1/1/1 rating



View with Jackson Safety\* ADF Helmet with BALDER\* Balder\* Technology



View with competitive ADF

# **Digital 3-N-1 Auto-Darkening Filters (ADF)**

	NexGen*	NexGen*
Part No.	14989 (HSL 100)	20497 (HLX 100)
Shade	Variable Shade 9-13	Variable Shade 9-13
Light State	4	4
Cartridge Size (in.)	4.53 x 5.30	4.53 x 5.30
Viewing Field (in.)	3.80 x 2.35	3.80 x 2.35
Typical Switching Speed (s)	1/15,000	1/15,000
Lens Power Control	Manual On/Off; Auto Off	Manual On/Off; Auto Off
Grind Mode	Yes	Yes
Torch Mode	Yes	Yes
Sensitivity	Yes	Yes
Delay	Yes	Yes
Arc Sensors	4	4
TIG Rating	< 5 Amps	< 5 Amps
Power Supply	Solar Replaceable Lithium Batteries (2)	Solar Replaceable Lithium Batteries (2)
Estimated Battery Life Max. (hrs.)	823	823
Estimated Battery Life Min. (hrs.)	485	485
Weight Of Helmet (lbs.)	1.55	1.25
Lens Kit	22606	22606
Headgear	20696	20696
Warranty	2 year	2 year

# NexGen\* Digital Variable ADF Welding Helmet



HSL 100 (Black) with NexGen\* ADF

		-		
Code	Old Code	Description	Units/Case	-
46148	3002515	$HSL\ 100\ Welding\ Helmet\ with\ NexGen^*\ ADF-Black$	1	
15820	3002585	HSL 100 Welding Helmet with NexGen* ADF – Black, Bulk	10	
46149	3013592	HLX 100 Welding Helmet with NexGen* ADF $-\ I^2$	1	
46151	3013595	HLX 100 Welding Helmet with NexGen* ADF – Heavy Metal	1	
46152	3023579	HLX 100 Welding Helmet with NexGen* ADF – Arc Angel	1	
24044	3023580	HLX 100 Welding Helmet with NexGen* ADF – Renegade	2	
46154	3023581	HLX 100 Welding Helmet with NexGen* ADF – Ace of Spades	1	
46156	3023582	HLX 100 Welding Helmet with NexGen* ADF – Carbon Fiber	1	
16622	3004384	NexGen* ADF Cartridge	1	
15977	3002670	Replacement Retainer	10	
15984	3002672	Replacement Batteries (Pair) (2450)	10	
15978	3002671	Replacement Battery Door	10	
22606	3020694	NexGen* Lens Kit – 5 Front and 2 Rear Safety Plates	1	
20696	3014866	370 Replacement Headgear	1	



- Digital controls feature variable shade 9-13, sensitivity and delay adjustments
- Four independent sensors positioned to reduce possibility of blockage during weld
- Replaceable lithium batteries (included) with low-battery indicator
- Versatile 3-N-1 built-in function: Weld, Torch, Grind
- Amber view lens allows for enhanced clarity of weld puddle
- Technology allows unit to detect welds less than 5 amps
- Built-in mag lens holder
- Meets ANSI Z87.1 2010 standards and CSA Compliant

















Renegade Ace of Spades



# **Variable Auto-Darkening Filters (ADF)**

	Insight* Variable	Nitro* Variable	Element* Variable	Journeyman Variable	SmarTIGer* Variable
Part No.	40710	21931	23282	16626	37188
Shade	Variable Shade 9-13	Variable Shade 9-13	Variable Shade 9-13	Variable Shade 9-12	Variable Shade 9-13
Light State	4	4	4	4	4
Cartridge Size (in.)	5.25 x 4.5	4.33 x 3.54	3.50 x 4.00	2 x 4	4.33 x 4.33
Viewing Field (in.)	3.94 x 2.36	3.80 x 1.60	3.78 x 1.65	3.75 x 1.16	3.78 x 1.81
Typical Switching Speed (s)	1/10,000	1/2,750	1/2,100	1/25,000	1/6,650
Lens Power Control	Auto On/ Auto Off	Auto On/ Auto Off	Auto On/ Auto Off	Push On/ Auto Off	Auto On/ Auto Off
Grind Mode	Yes	No	No	No	No
Torch Mode	No	No	No	No	No
Sensitivity	Yes	Yes	Yes	No	Yes
Delay	Yes	Yes	Yes	No	No
Arc Sensors	4	3	2	1	2
TIG Rating	< 5 Amps	N/A	N/A	N/A	< 5 Amps
Power Supply	Replaceable Lithium Batteries	Solar Cell – Non-Replaceable Battery	Solar Cell – Non-Replaceable Battery	Replaceable AAA Alkaline Batteries (2)	Solar Cell – Non-Replaceable Battery
Weight Of Helmet (lbs.)	24 oz.	1.15	1.1	N/A	1.2
Lens Kit	41589	22603	29127	24083	37249 (Internal) 37247 (External)
Headgear	20696	20696	23442	N/A	20696
Warranty	2 year	2 year	2 year	2 year	5 year

# These illustrations demonstrate the distinct difference in ADFs from shade 9 through 13













# **Insight\* Digital Variable ADF Welding Helmet**



Code	Description	Units/Case	F
46129	$\operatorname{HSL}$ 100 Welding Helmet with Insight* Variable ADF $-$ Black	1	
46138	HLX 100 Welding Helmet with Insight* Variable ADF $-\ I^2$	1	•
46131	HLX 100 Welding Helmet with Insight* Variable ADF $-$ Black	1	٠
46130	HLX 100 Welding Helmet with Insight* Variable ADF $-$ Arc Angel	1	•
46100	HLX 100 Welding Helmet with Insight* Variable ADF $-$ Gold Wings	1	٠
46101	HLX 100 Welding Helmet with Insight* Variable ADF — Stars & Scars	1	•
46109	HLX 100 Welding Helmet with Insight* Variable ADF $-$ Flaming Butterfly	1	
46108	HLX 100 Welding Helmet with Insight* Variable ADF $-$ Metal	1	
46128	Insight* Variable ADF Cartridge	1	
41594	Insight* Clear Internal Safety Plate	10	
41589	Insight* Clear Safety Plate Kit	10	

#### **Product Features**

- Features variable shade 9-13
- Sensitivity and delay adjustments
- Compatible with HLX 100 and HSL 100 shell
- Meets ANSI Z87.1 2010 standards and CSA Compliant
- 4 independent sensors
- Digital controls

## Nitro\* Variable ADF Welding Helmet



		_		
	Code	Old Code	Description	Units/Case
	36633	_	Black Nitro* Helmet with Nitro* ADF	2
	21931	3018230	Blue Nitro* Helmet with Nitro* ADF	2
	21947	3018384	Nitro* ADF Cartridge – 90 x 110mm	1
	22603	3020692	Nitro* 3-Sensor Lens Kit – 5 Front and 2 Rear Safety Plates	10
	24549	3024208	Nitro* Replacement Parts – Retainer, Lens Spacer, Screws & Safety Plate	1
	20696	3014866	370 Replacement Headgear	1



#### se Product Features

- Offers welders outstanding features at an economical price point
- Features variable shade 9-13, sensitivity and delay adjustments
- Lightweight only weighs 1 pound fully assembled
- Three independent sensors
- Solar-powered
- Meets ANSI Z87.1 2010 standards and CSA Compliant

## **Element\* Variable ADF Welding Helmet**



	Code	Old Code	Description	Units/Case
	23282	3023293	Element* Welding Helmet Variable ADF – 90 x 110mm	4
	29127	3023295	Element* Lens Kit – 5 Front and 2 Rear Safety Plates	10
	23442	3023376	Element* Replacement Headgear	6



- Features an economical lens for the consumer welder
- Solar-powered
- Features variable shade 9-13, sensitivity and delay adjustments
- Two independent sensors
- Meets ANSI Z87.1 2010 standards and CSA Compliant



# Journeyman Variable ADF Welding Helmet



Code	Old Code	Description	Units/Case	Product Features
16626	3004394	Journeyman Variable 9-12 Cartridge Only	1	• Variable shade 9-12
24083	3023641	Journeyman Lens Kit – 5 Front and 2 Rear Safety Plates	1	• Single sensor with Auto Off feature
				<ul> <li>Requires 2 AAA batteries (included)</li> </ul>
				• Meets ANSI Z87.1 – 2010 standards

# SmarTIGer\* Variable ADF Welding Helmet with Balder\* Technology



Black

Code	Old Code	Description	Units/Case
46140	-	SmarTIGer* Welding Helmet with Balder* Technology – Black	1
46139	_	SmarTIGer* Welding Helmet with Balder* Technology — Torch Dancer	1
37245	-	SmarTIGer* Magnification Lens Holder	1
37249	_	SmarTIGer* Internal Safety Plate	100
37247	_	SmarTIGer* External Safety Plate	100
20696	3014866	370 Replacement Headgear	1





Torch Dancer

- Internal adjustable shade 9-13
- Internal adjustable sensitivity
- Aerodynamic shell designed for better fume deflection than the HSL-100
- Lightweight
- Auto On ADF is always ready to weld
- Meets ANSI Z87.1 High Impact 2010 standard and CE certified

# **Fixed Shade Auto-Darkening Filters (ADF)**

	Solera	Element*
Part No.	16376	23286
Shade	Fixed 11 Shade	Fixed 10 Shade
Light State	3	3
Cartridge Size (in.)	4.25 x 2.00	3.50 x 4.33
Viewing Field (in.)	3.60 x 1.40	1.65 x 3.78
Typical Switching Speed (s)	1/1,600	1/1,100
Lens Power Control	Auto On/Auto Off	Auto On/Auto Off
Grind Mode	No	No
Torch Mode	No	No
Sensitivity	No	No
Delay	No	No
Arc Sensors	1	2
Tig Rating	N/A	N/A
Power Supply	Solar Cell – Non-Replaceable Battery	Solar Cell – Non-Replaceable Battery
Estimated Battery Life Max. (hrs.)	N/A	N/A
Estimated Battery Life Min. (hrs.)	N/A	N/A
Weight Of Helmet (lbs.)	1.05	1.1
Lens Kit	24083	23440
Headgear	20696	23442
Warranty	2 year	2 year

#### Solera Fixed Shade 11 ADF Welding Helmet





Code	Old Code	Description	Units/Case
16376	3004006	Solera ADF Cartridge Fixed Shade 11 – 2 x 4	1
24083	3023641	Solera Lens Kit – 5 Front and 2 Rear Safety Plates	1

• Features an economical lens for the consumer welder

• Solar-powered

**Product Features** 

• Fixed shade 11 lens with one centered sensor

• Meets ANSI Z87.1 – 2010 standards

## **Element\* Fixed Shade 10 ADF Welding Helmet**




Code	Old Code	Description	Units/Cas
23286	3023294	Element* Welding Helmet – Fixed Shade 10 ADF – 3.50 x 4.33	4
23440	3023375	Element* Lens Kit – 5 Front and 2 Rear Safety Plates	10
23442	3023376	Element* Replacement Headgear	6



Solar-powered

• Fixed shade 10 lens with two independent sensors

 Meets ANSI Z87.1 – 2010 standards, CSA Compliant and CE Certified






# **Specialty Welding Helmets**

## 860P Leather Welding Helmet



Code	Old Code	Description	Units/Case
14531	3000506	860P Leather Welding Helmet – 2 x 4.25 Lift Front, Black	4
26035	3000507	860P-2 Leather Welding Helmet – 2 x 4.25 Lift Front	1
16073	3002759	Replacement Safety Plate – 2 x 4.25	25
14556	3000621	117A Replacement Headgear	6
24557	3024222	860P Parts Kit	1

- **Product Features**
- Features a tough yet pliable leather covering
- Ideal for use in overhead welding applications or when working in tight spaces
- 14531 meets ANSI Z87.1 2010 standards and CSA Compliant




## **H500 Fiberglass Handshield**



Code	Old Code	Description	Units/Case	Product Features
14967	3002469	H500 Fiberglass Welding Handshield – 5.25 x 4.25	4	• For quick inspe
16078	3002760	Replacement Safety Plate - 5.25 x 4.25	25	guidance and r
24526	3024136	H500 Parts Kit	1	• Designed for h
				- Fosturas fibora




- For quick inspections, providing guidance and monitoring robotic welds
- Designed for high-heat applications
- Features fiberglass helmet with injection-molded plastic handle
- Must purchase a filter prior to use (See page 110)
- Meets ANSI Z87.1 2010 standards



# H100-A Fiberglass Welding Helmet



Code	Old Code	Description	Units/Case
14962	3002463	H100-A Fiberglass Welding Helmet – 4.5 x 5.25	4
16078	3002760	Replacement Safety Plate – 4.5 x 5.25	25
14956	3002454	170 Replacement Headgear	12
24526	3024136	H100-A Parts Kit	1




- Features compact design for use in welding in close quarters
- Designed for high-heat applications
- Hard hat adaptable using 86-M (3002435)
- Must purchase a filter prior to use (See page 110)
- Meets ANSI Z87.1 2010 standards

#### 430P Fiber Shell Welding Helmet



Code	Old Code	Description	Units/Case
14528	3000499	430P Fiber Shell Welding Helmet – 2 x 4.25 Lift Front	4
16073	3002759	Replacement Safety Plate – 2 x 4.25	25
14556	3000621	117A Replacement Headgear	6
24528	3024139	430P Parts Kit	1




#### se Product Features

- Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding
- Made of 10% recycled fiber content
- Not suited for damp environments or overhead welding
- Lift front provides flexibility so user does not have to raise hood
- Meets ANSI Z87.1 2010 standards

#### 490P Fiber Shell Welding Helmet



Code	Old Code	Description	Units/Case
14532	3000509	490P Fiber Shell Welding Helmet – 2 x 4.25 Quick Slide	4
16073	3002759	Replacement Safety Plate – 2 x 4.25	25
14556	3000621	117A Replacement Headgear	6
24551	3024210	490P Parts Kit	1




#### Product Features

- Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding
- Made of 10% recycled fiber content
- Not suited for damp environments or overhead welding
- Quick-slide filter plate holder is ideal for tight work environments
- Meets ANSI Z87.1 2010 standards

## **411P Fiber Shell Welding Helmet**



	Code	Old Code	Description	Units/Case
	14527	3000496	411P Fiber Shell Welding Helmet – 2 x 4.25	4
	16073	3002759	Replacement Safety Plate – 2 x 4.25	25
_	14556	3000621	117A Replacement Headgear	6
	24530	3024141	411P Parts Kit	1
•	24530	3024141	411P Parts Kit	1




#### se Product Features

- Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding
- $\bullet$  Made of 10% recycled fiber content
- Not suited for damp environments or overhead welding
- Fixed front with aluminum frame filter plate holder
- Meets ANSI Z87.1 2010 standards

#### **451P Fiber Shell Welding Helmet**



Code	Old Code	Description	Units/Case
14529	3000500	451P Fiber Shell Welding Helmet – 4.5 x 5.25	4
16078	3002760	Replacement Safety Plate - 4.5 x 5.25	25
14556	3000621	117A Replacement Headgear	6
24565	3024236	451P Parts Kit	1




- Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding
- Made of 10% recycled fiber content
- Not suited for damp environments or overhead welding
- Meets ANSI Z87.1 2010 standards

# **Passive Welding Helmets**

## **HSL 1 Passive Welding Helmet**



Code	Old Code	Description	Units/Case
14979	3002503	HSL 1 Passive Welding Helmet Black – 2 x 4.25	4
15121	3002579	HSL 1 Passive Welding Helmet Black – 2 x 4.25 (Bulk)	10
16073	3002759	Replacement Safety Plate – 2 x 4.25	25
20696	3014866	370 Replacement Headgear	1
15971	3002641	HSL I Parts Kit	12



HSL 1 Parts Kit

#### e Product Features

- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection from sparks and slag and other physical hazards
- Hard hat adaptable using 187-S (15968)
- Meets ANSI Z87.1 2010 standards and CSA Compliant

# HSL 2 Passive Welding Helmet — Lift Front



Code	Old Code	Description	Units/Case
14982	3002507	HSL 2 Passive Welding Helmet Black – 2 x 4.25 Lift Front	4
15132	3002580	HSL 2 Passive Welding Helmet Black – 2 x 4.25 Lift Front (Bulk)	10
1498	3002508	HSL 2 Passive Welding Helmet Blue – 2 x 4.25 Lift Front	4
14984	<b>4</b> 3002509	HSL 2 Passive Welding Helmet Red – 2 x 4.25 Lift Front	4
14986	3002512	12 HSL 2 Passive Welding Helmet Black with 187 Blades – 2 x 4.25 Lift Front	4
14972	3002490	HSL 2 Passive Welding Helmet Black with 386 Cap Adapter $-$ 2 x 4.25 Lift Front	4
16073	3002759	Replacement Safety Plate – 2 x 4.25	25
2069	<b>6</b> 3014866	370 Replacement Headgear	1
2452	3024132	HSL 2 Parts Kit	1



- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection from sparks, slag and other physical hazards
- Hard hat adaptable using 187-S (15968)
- Meets ANSI Z87.1 2010 standards and CSA Compliant







#### **HSL 100 Passive Welding Helmet**





Code	Old Code	Description	Units/Cas
14975	3002498	HSL 100 Passive Welding Helmet Black – 4.5 x 5.25	4
15134	3002581	HSL 100 Passive Welding Helmet Black – 4.5 x 5.25 (Bulk)	10
14976	3002499	HSL 100 Passive Welding Helmet Blue – 4.5 x 5.25	4
14977	3002500	HSL 100 Passive Welding Helmet Red – 4.5 x 5.25	4
14978	3002502	HSL 100 Passive Welding Helmet Black with 187 Blades – 4.5 x 5.25	4
14973	3002491	HSL 100 Passive Welding Helmet Black with 386 Cap Adapter $-4.5 \times 5.25$	4
16642	3004736	Replacement Light Leak Gasket	2
16078	3002760	Replacement Safety Plate – 4.5 x 5.25	25
20696	3014866	370 Replacement Headgear	1
24550	3024209	HSL 100 Parts Kit	1
15974	3002647	Magnifier (Cheater Lens) Adapter	12

#### se Product Features

- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection from sparks, slag and other physical hazards
- Hard hat adaptable using 187-S (15968)
- ADF adaptable
  - NexGen\*
- Professional Variable
- Insight\*
- Meets ANSI Z87.1 2010 standards, CSA Compliant



## HLX 100 Passive Welding Helmet — Ultra Lightweight





Halo X Parts Kit

Code Old Code Description 20499 3013594 HLX 100 Passive Welding Helmet  $- I^2 - 4.5 \times 5.25$ 2 3013597 HLX 100 Passive Welding Helmet – Heavy Metal – 4.5 x 5.25 2 20508 24736 3024542 HLX 100 Passive Welding Helmet – Renegade – 4.5 x 5.25 2 3024543 HLX 100 Passive Welding Helmet – Carbon Fiber – 4.5 x 5.25 24737 24738 3024544 HLX 100 Passive Welding Helmet – Arc Angel – 4.5 x 5.25 2 24739 3024545 HLX 100 Passive Welding Helmet – Ace of Spades – 4.5 x 5.25 34068 HLX 100 Passive Welding Helmet – Black – 4.5 x 5.25 2 16078 3002760 Replacement Safety Plate - 4.5 x 5.25 25 20696 3014866 370 Replacement Headgear 1 24550 3024209 Halo X Parts Kit 15974 3002647 Magnifier (Cheater Lens) Adapter 12

#### Units/Case Product Features

- Ultra lightweight shell only weighs 6 ounces
- Lightweight shell helps reduce neck tension
- Hydraflex\* Shell provides the ultimate in flexibility and durability
- Hard hat adaptable using 187-S (15968)
- ADF adaptable
- NexGen\*
- TrueSight\* II
- Professional Variable
- Insight\*
- Meets ANSI Z87.1 2010 standards and CSA Compliant







Renegade Carbon Fiber Arc Angel


Ace of Spades

# 951P Passive Welding Helmet



14535       3000512       951P Passive Welding Helmet - 4.5 x 5.25       4       • Lightweight, or thermoplastic         16078       3002760       Replacement Safety Plate - 4.5 x 5.25       25       thermoplastic         14556       3000621       117A Replacement Headgear       6       • ADF adaptable (A) (4105) VII. or the plane (A) (4105) VII
14556 3000621 117A Replacement Headgear 6 • ADF adaptabl
<b>15974</b> 3002647 Magnifier (Cheater Lens) Adapter 12 (AV1105VXL o
<b>24548</b> 3024206 951P Parts Kit 1 • Meets ANSI Z

- Lightweight, durable, washable thermoplastic shell
- ADF adaptable (AV1105VXL only)
- Meets ANSI Z87.1 2010 standards and CSA Compliant




#### 990P Passive Welding Helmet



Code	Old Code	Description	Units/Case
14536	3000514	990P Passive Welding Helmet – 2 x 4.25 Quick Slide	4
16073	3002759	Replacement Safety Plate – 2 x 4.25	25
14556	3000621	117A Replacement Headgear	6
24551	3024210	990P Parts Kit	1



- Lightweight, durable washable thermoplastic shell
- Quick slide adjustment conveniently switches from clear to shade #10
- Meets ANSI Z87.1 2010 standards




## 930P Passive Welding Helmet



Code	Old Code	Description	Units/Case
14534	3000511	930P Passive Welding Helmet – 2 x 4.25 Lift Front	4
16073	3002759	Replacement Safety Plate – 2 x 4.25	25
14556	3000621	117A Replacement Headgear	6
24528	3024139	930P Parts Kit	1



- Lightweight, durable washable thermoplastic shell
- Lift front filter eliminates need to raise welding helmet
- Meets ANSI Z87.1 2010 standards




# **Powered Air Purifying Respirator (PAPR)**

# Airmax Elite\* Powered Air Purifying Respirator (PAPR)

Code N	o. Description	Product Features			
4083	Airmax Elite* PAPR with BH3* Air Headtop	BH3* Air Welding Helmet features variable auto-			
REPLAC	EMENT PARTS	darkening filter with Balder* Technology. The Balder* Technology provides superior optical viewing clarity			
40840	Airmax Elite* BH3* Air Headtop complete with storage bag	from any angle along with one of the largest ADF viewing areas of 3.78" x 2.70"			
4088	Airmax Elite* Blower Unit Kit (blower unit, belt, breathing hose, airflow indicator, battery and charger)	Variable ADF with grind mode. Adjustable shades 6-8 (grind) and 9-13 via external knob			
40885 40884	BH3* Air Grand GDS ADF	Flame-retardant face seal around welding helmet			
	BH3* Air Helmet Shell (includes cover plates and flexi face seal)	protects against sparks  • Lightweight blower with advanced control system to			
4088	BH3* Air Flexi Face Seal (2 pack)	maintain constant airflow rate throughout the charge of the battery			
4088	BH3* Air 375 Headgear	Audible and vibrating alarms signal welder when need			
4088	BH3* Air Sweatband (2 pack)	for new filter or battery change. Blower unit display also provides visual status of the battery charge and level of			
40879	Airmax Elite* Blower Unit (no battery)	filter clogging			
40878	Airmax Elite* HE Filter (6 pack)	from particulate contaminants. The pre-filter extends			
4087	Airmax Elite* Filter Cover and Spark Arrester Mesh (2 pack)	particles. The spark arrester helps protect the main filter			
4087	Airmax Elite* Pre-filter (10 pack)				
4086	Airmax Elite* Lithium Ion Battery	Three-layer filter provides NIOSH-approved HE filtration from particulate contaminants. The pre-filter extends the operating life of the main filter by capturing coarse particles. The spark arrester helps protect the main filter from damage by sparks and welding spatter  Breathing Hose with flame-retardant cover is protected against sparks and flexes with the welder during use  Rechargeable lithium ion battery is the newest battery technology that provides 8 hours of power			
4086	6 Airmax Elite* Battery Charger				
4084	Airmax Elite* Breathing Hose with Flame-retardant Cover	"Smart" Battery Charger indicates when charging and			
4084	. Airmax Elite* Waist Belt	when complete without overcharging the battery			
4134	Airmax Elite* Airflow Indicator	Adjustable belt accommodates personal sizing from 25" to 62"			

Product Code	Lens	Filter	Initial Flow Rate	Actual Flow Rate	Battery Life	Charging Time	Charges	Alarms	Certification	Blower Dimensions	Weight
40839	Variable ADF with grind mode: • Shades 9-13 cut/weld • Shades 6-8 grind	HE	Meets the NIOSH minimum flow rate of >170 LPM / 6+ CFM	200/240	Lithium Ion 8 Hours	< 4 hours	Maintains 300 charges of power	Audible and Vibration	NIOSH 42 CFR Part 84	L: 9.0" W: 5.0" H: 2.5"	3.2 lb (blower, filter, breathing hose, battery) 1.8 lb (helmet)





# Airmax\* Powered Air Purifying Respirator (PAPR) Code

12993

Description





REPLACEMENT PARTS						
Blower Unit Complete (blower unit, belt, airflow indicator, breathing hose)						
13039	Airmax* Welding Headpiece (with plenum)					
<b>13053</b> HE Filters (6 pk)						
13046	Battery Charger					
13043 ADF Protective Plates (5 fronts, 2 backs)						
13965	Face Seals (3 pk)					
13051	Lithium Ion Battery — 8-hr					
13332	Blower Unit Only					
13044	Breathing Hose					
13057 Waist Belt						
33631	Headgear					
33632	ADF Replacement Lens					

Airmax\* PAPR with Variable ADF, 8-hr Lithium Ion Battery

- For welding applications
- Jackson Safety\* W40 series variable auto-darkening filter
- Flame-retardant face seal
- Battery "smart" charger
- Lightweight blower unit
- Audible alarm
- Breathing hose with flame-retardant cover
- Single filter
- Lightweight lithium ion battery
- NIOSH-Approved
- CSA Z94.3-2007 Compliant

# **Welding Accessories**

#### **Helmet Bag**



Code	Old Code	Description	Units/Case	Product Features
18935	3010811	Welding Helmet Bag	10	Made of heavy-duty denier fabric with drawstring closure
				Features velcro close front lens pocket and two side mesh tool pockets     Fits all Jackson Safety* Helmets

## **Black Quilted Shop Cap**



Code	Old Code	Description	Size	Units/Case	Product Features
14575	3000699	365 Shop Cap	6-3/4"	12	• Available in sizes 6-3/4" to 7-3/8"
14576	3000700	365 Shop Cap	6-7/8"	12	Not fire-retardant
14577	3000701	365 Shop Cap	7"	12	Made of high-grade quilted cotton
14578	3000702	365 Shop Cap	7-1/8"	12	with sateen sweatband
14579	3000703	365 Shop Cap	7-1/4"	12	
14580	3000704	365 Shop Cap	7-3/8"	12	

Units/Case

12

#### **187-S Mounting Blades**

Code

15968

Old Code

Nitro\*



187-S Can Be Used With	SC-6	Sentry III*	Charger*	SC-16
HLX Series	•	•	•	•
HSL Series Shadow	•	•	•	•

Description

3002634 187-S Mounting Kit

#### **Product Features**

- Securely attaches a welding helmet to safety cap
- Positive locking device keeps the helmet in any position

## **87 Mounting Blades**



Code	Old Code	Description	Units/Case
14939	3002435	87 Mounting Blades, Pair	12
14961	3002462	86-M Quick Detach Metal Pins, Pair	50

87 Blades Can Be Used With	SC-6	Sentry III*	Charger*	SC-16
H Series				•

#### **Product Features**

- Attaches almost any H-Series welding helmet safely and securely to a hard hat
- Must use with metal 86-M Quick Detach Pins (sold separately)

#### **386 Capmount Adapter**



Code	Old Code	Description	Units	s/Case	Product Features
15973	3002645	386 Capmount Adapter	1	12	• Lets you attach any H-Series fiberglass or
					HSL welding helmet safely and securely to a hard hat

386 Adapter Can Be Used With	SC-6	Sentry III*	Charger*	SC-16
HSL Series	•			
HSL Series Shadow	•			
Nitro*	•			

# Replacement Headgear

### 370 Headgear



Code	Old Code	Description	
20696	3014866	370 Headgear	1
32187		Replacement Sweatband	2 packs of 24

370 Replacement Headgear for:											
HSL-1	Nitro*	NexGen*	BH3*								
HSL-2			TrueSight*								
HSL-100	SmarTlGer*										

### **Product Features**

- Three-position slider adjusts distance of the lens from your eyes for precise vision
  - Removable Comfort Cradle is a pivoting headpad that conforms to any head for the highest degree of comfort
  - Oversized ratchet with soft rubber grip allows for easy adjustment when wearing gloves
  - Crown Strap Adjustment allows the headgear to be raised or lowered for maximum comfort and performance
  - Sweatband helps absorb perspiration and prevents sweat from interfering with vision
  - Vertical lock-in eliminates helmet creeping
  - Lock-nut feature keeps the components together even when bracket is loosened

### 117A Headgear



Code	Old Code	Description	
14556	3000621	117A Headgear	6
32187		Replacement Sweatband	2 packs of 24

### Product Features

- Teeth are automatically disengaged during adjustment
  - Air-cushioned cloth sweatband is washable and durable

117A Replace	ment Headgear for:
951P	860P
990P	430P
930P	490P
	411P
·	451P

### 170 Headgear



Code	Old Code	Description		Product Features
14956	3002454	170 Headgear	12	• 170 features 45 head size adjustments and
14958	3002459	Replacement Sweatband	12	5 crown adjustments  • Lower ratchet strap for added comfort
				and strength
170 Rep		leadgear for:		<ul> <li>Ratchet eliminates "backing off" with push and turn design</li> </ul>
	H100-	<u>-A</u>		For use with H-Series fiberglass helmets

### Element\* Replacement Headgear

23442



Element* Replaceme	ent Headgear for:
Element*	Element*
Shade 10	Variable

Description

Headgear

Element\* Replacement

Old Code

3023376

### **Product Features**

• Teeth are automatically disengaged during adjustment

### **Filters**

Kimberly-Clark Professional\* has a large selection of top-quality polycarbonate lenses for welding helmets and cutting goggles. To prevent surface damage to welding filter plates and auto-darkening lenses, clear safety plates should always be inserted in front for protection. Be sure to use the correct filter shade for the job. Refer to the suggested shade guide below.



14571       3000691       427 Filter Lens Sh. 5       2" x 4.25"       Polycarbonate       25         14559       3000644       427 Filter Lens Sh. 9       2" x 4.25"       Polycarbonate       25         14560       3000645       427 Filter Lens Sh. 10       2" x 4.25"       Polycarbonate       25         14570       3000690       427 Filter Lens Sh. 11       2" x 4.25"       Polycarbonate       25         14561       3000646       427 Filter Lens Sh. 12       2" x 4.25"       Polycarbonate       25         14562       3000649       1127 Filter Lens Sh. 9       4.5" x 5.25"       Polycarbonate       25         14563       3000650       1127 Filter Lens Sh. 10       4.5" x 5.25"       Polycarbonate       25						
14559       3000644       427 Filter Lens Sh. 9       2" x 4.25"       Polycarbonate       25         14560       3000645       427 Filter Lens Sh. 10       2" x 4.25"       Polycarbonate       25         14570       3000690       427 Filter Lens Sh. 11       2" x 4.25"       Polycarbonate       25         14561       3000646       427 Filter Lens Sh. 12       2" x 4.25"       Polycarbonate       25         14562       3000649       1127 Filter Lens Sh. 9       4.5" x 5.25"       Polycarbonate       25         14563       3000650       1127 Filter Lens Sh. 10       4.5" x 5.25"       Polycarbonate       25	Code	Old Code	Description	Size	Material	Units/Case
14560       3000645       427 Filter Lens Sh. 10       2" x 4.25"       Polycarbonate       25         14570       3000690       427 Filter Lens Sh. 11       2" x 4.25"       Polycarbonate       25         14561       3000646       427 Filter Lens Sh. 12       2" x 4.25"       Polycarbonate       25         14562       3000649       1127 Filter Lens Sh. 9       4.5" x 5.25"       Polycarbonate       25         14563       3000650       1127 Filter Lens Sh. 10       4.5" x 5.25"       Polycarbonate       25	14571	3000691	427 Filter Lens Sh. 5	2" x 4.25"	Polycarbonate	25
14570       3000690       427 Filter Lens Sh. 11       2" x 4.25"       Polycarbonate       25         14561       3000646       427 Filter Lens Sh. 12       2" x 4.25"       Polycarbonate       25         14562       3000649       1127 Filter Lens Sh. 9       4.5" x 5.25"       Polycarbonate       25         14563       3000650       1127 Filter Lens Sh. 10       4.5" x 5.25"       Polycarbonate       25	14559	3000644	427 Filter Lens Sh. 9	2" x 4.25"	Polycarbonate	25
14561       3000646       427 Filter Lens Sh. 12       2" x 4.25"       Polycarbonate       25         14562       3000649       1127 Filter Lens Sh. 9       4.5" x 5.25"       Polycarbonate       25         14563       3000650       1127 Filter Lens Sh. 10       4.5" x 5.25"       Polycarbonate       25	14560	3000645	427 Filter Lens Sh. 10	2" x 4.25"	Polycarbonate	25
14562       3000649       1127 Filter Lens Sh. 9       4.5" x 5.25"       Polycarbonate       25         14563       3000650       1127 Filter Lens Sh. 10       4.5" x 5.25"       Polycarbonate       25	14570	3000690	427 Filter Lens Sh. 11	2" x 4.25"	Polycarbonate	25
<b>14563</b> 3000650 1127 Filter Lens Sh. 10 4.5" x 5.25" Polycarbonate 25	14561	3000646	427 Filter Lens Sh. 12	2" x 4.25"	Polycarbonate	25
· · · · · · · · · · · · · · · · · · ·	14562	3000649	1127 Filter Lens Sh. 9	4.5" x 5.25"	Polycarbonate	25
<b>14564</b> 3000651 1127 Filter Lens Sh. 11 4.5" x 5.25" Polycarbonate 25	14563	3000650	1127 Filter Lens Sh. 10	4.5" x 5.25"	Polycarbonate	25
	14564	3000651	1127 Filter Lens Sh. 11	4.5" x 5.25"	Polycarbonate	25

4.5" x 5.25"

Polycarbonate

25

Safety P	lates & Comp	ponents			
Code	Old Code	Description	Size	Material	Units/Case
16073	3002759	54 PC	2" x 4.25"	Polycarbonate	25 per Pack
16078	3002760	97 PC	4.5" x 5.25"	Polycarbonate	25 per Pack
16642	3004736	Light Seal Gasket	4.5" x 5.25"	Polycarbonate	25 per Pack
24734	3024540	Light Seal Gasket Inserted on Safety Plate	4.5" x 5.25"	Polycarbonate	10 per Pack

14566

**Series Passive Filter Lens** 

3000652

1127 Filter Lens Sh. 12



Kimberly-Clark Professional\* offers a wide selection of Mag plates to fit the needs of most welders.

While providing close vision without glasses, the 2x4 mag plates are also adaptable to all Auto-Darkening Filters. Select focal power by comparing prescription lenses.

Mag Plates
------------

Code Focal Pov	wer Units/Case
2741 1.00	6
2742 1.25	6
2743 1.50	6
2744 1.75	6
2745 2.00	6
2746 2.25	6
2747 2.50	6
	2741 1.00 2742 1.25 2743 1.50 2744 1.75 2745 2.00 2746 2.25

### **Adapter Kits**

Code	Old Code	Description
15975	3002656	Executive ADF Mag Lens Holder
15974	3002647	4.50 x 5.25 Mag Lens Holder
37245	-	BH3* and SmarTIGer* Mag Lens Holder

### **Compatibility Chart**

SHELL	HALO X	HSL-100	HSL-1	HSL-2	951P	990P	930P	860P	H100-A	430P	490P	411P	451P	Element*	Nitro*
Сар	187-S	187-S	187-S	187-S											187-S
Adapter	386	386	386	386					87 M Blades						386
Headgear	370	370	370	370	117A	117A	117A	117A	170	117A	117A	117A	117A	Element*	370
	TrueSight* II NexGen*	NexGen*													
	Insight*	Insight*												Element* Variable	Nitro*
			Solera											Element*	

### **Electric Line**

### **Electrode Holders**

	Code	Old Code	Description	Body Alloy	Electrode Capacity	Cable Connection Capacity	Weight	Duty Cycle Rating	Units/Case
	14679	3001793	JH-1	Copper Alloy	3/16 inch	4 through 1/0	12 ounces	Medium Duty	24
	14683	3001797	JH-2	Aluminum Alloy	5/32 inch	4 through 1/0	10 ounces	Light Duty	24
1	14680	3001794	AW-C	Copper Alloy	1/4 inch	4 through 2/0	19 ounces	Medium Duty	24
	14682	3001796	A-W	Aluminum Alloy	1/4 inch	3 through 2/0	14 ounces	Medium Duty	24
	14681	3001795	A3-S	Copper Alloy	3/8 inch	2/0 through 4/0	30 ounces	Heavy Duty	12
	14684	3001798	J-4	_	1/4 inch	2 through 1/0	16 ounces	Heavy Duty	12



Duty Cycle Rating is the maximum percentage of arc time (out of any 10-minute period) that a holder should be expected to perform comfortably.

Replacement parts available — email orders@jacksonsafety.com

### **Cable Connectors**

Kimberly-Clark Professional\* offers a popular range of fully insulated cable connectors with tapered ends covering the cable jacket and locking out moisture, oil and dirt.

### **Cable Connectors**

Code	Old Code	Description	Cable Connection Type	Connection Half Connection Type	Cable Connection Capacity	Standard Pack	Units/Case
14741	3001848	Uni-Trik* UB-1-BP	Double Dome-Nose	Camlock	4 through 1	1 each Male & Female	6
14742	3001849	Uni-Trik* UB-3-BP	Double Dome-Nose	Camlock	1/0 through 3/0	1 each Male & Female	6
14745	3001852	Uni-Trik* UB-4-BP	Double Dome-Nose	Camlock	3/0 through 4/0	1 each Male & Female	6
14733	3001840	Quick-Trik* QNB-2-BP	Single Dome-Nose	Camlock & Locking Bar	1/0 and 2/0	1 each Male & Female	6
14734	3001841	Quick-Trik* QNB-4-BP	Single Dome-Nose	Camlock & Locking Bar	3/0 and 4/0	1 each Male & Female	6
14735	3001842	Quick-Trik* QB-2-BP	Single Dome-Nose	Camlock & Locking Bar	1/0 and 2/0	1 each Male & Female	6



# Camlock & Locking Bar draw together for virtually unbreakable connection Large dome-nose screw for high-conductivity connection

### **Ground Clamps**


Jackson Safety\* Brand Ground Clamps feature large contact areas, high-clamping pressure and long-levered handles for easy jaw opening. Clamps have fully insulated pivots and springs. The cable jacket is held securely inside the conductor body with a cable bar for improved holding ability and longer cable life.

### **Ground Clamps**

Code	Old Code	Description	Jaw Opening	Cable Connection Cap.	Weight	Std. Pack
14730	3001834	GC-2	11/4 inch	4 through 1/0	16 oz.	24
14731	3001835	GC-3	1% inch	1/0 and 2/0	23 oz.	24
14732	3001836	GC-5	2 inch	3/0 and 4/0	34 oz.	12

### **Cable Lugs and Terminal Covers**

Code	Old Code	Description	Standard Pack
14748	3001855	Cable Lug QLB-45	Sold in pairs
14747	3001854	Cable Lug ULB-45	Sold in pairs
14746	3001853	Terminal Covers	Sold in pairs



# **Contour Layout Systems**

Cylind	irical	Pipe	Mar	kers



Code	Old Code	Description	Pipe Diameter
14771	3001874	#1 Contour Marker	1½" to 18" diameter
14772	3001875	#2 Contour Marker Combo Adaptor	Use with #1 Contour Marker
14773	3001877	#4 Jumbo Contour Marker	8" to 48" diameter
14774	3001878	#5 Jumbo Marker Combo Adaptor	Use with #4 Contour Marker



14784 3001888 #14 Circle-Ellipse Projector 1½" to 18" diameter



14775 3001879 #6 Centering Head ½" to 4" diameter



14797	_	Contour Dial-Set-Level (DSL)	Adjustable bubble protractor



14783	3001887	Radius Marker – Jumbo	Up to 40" in radius
14782	3001886	Radius Marker – Standard	Up to 24" in radius
14781	3001885	Radius Marker – Small	Up to 20" in radius
14/80	3001884	Radius Marker – Mini	Up to 8" in radius



14785	3001890	#19 Multi-Trammel Heads	All



14778	3001882	#9 Fitter Welding Protractor	All

### **Flange Aligning Tools**



Code	Old Code	Description
14779	3001883	#10 Pipe Flange Aligner
14795	3001903	#32 Flange Aligner Base
14796	3001904	#33 Universal Level
14777	3001881	#8 Pro-Mag Level
14786	3001891	#20 Dual-Angle Flange Level – Nonmagnetic, can be used on PVC Pipe

### **Pre-Assembled Kits**



Code	Old Code	Description
20664	3014807	Contour Worker Kit • #1 Contour Marker • #7 Centering Head • #8 Pro-Mag Level

• Standard Radius Marker
• Square Soap Stone & Holder
• Lockable Metal Carrying Case

### **Burning Square & Guides**



Code	Old Code	Description
14791	3001899	#28 Magnetic Burning Guide
14792	3001900	#29 – 34" Extension (Use with #28 Magnetic Burning Guide)
14793	3001901	#30 – 48" Extension (Use with #28 Magnetic Burning Guide)
14794	3001902	#31 – 72" Extension (Use with #28 Magnetic Burning Guide)

### Wrap-A-Round\* Tools

Code	Old Code	Description	Color	Size	Pipe Diameter
14752	3001858	Medium Wrap-A-Round*	Black	3.88" to 4'	3" to 6"
14763	3001867	Medium Wrap-A-Round*	Gray	3.88" to 4'	3" to 6"
14753	3001859	Large Wrap-A-Round*	Black	3.88" to 6'	3" to 10"
14764	3001868	Large Wrap-A-Round*	Gray	3.88" to 6'	3" to 10"
14754	3001860	X-Large Wrap-A-Round*	Black	5" to 7'	4" to 12"
14766	3001869	X-Large Wrap-A-Round*	Gray	5" to 7'	4" to 12"
14756	3001861	XX-Large Wrap-A-Round*	Black	5" to 9'	6" to 16"
14767	3001870	XX-Large Wrap-A-Round*	Gray	5" to 9'	6" to 16"
14757	3001862	Medium/Large <b>Custom</b> Wrap-A-Round*	Black	3.88" to Length Desired <sup>†</sup>	3" to 6"
14768	3001871	Medium/Large <b>Custom</b> Wrap-A-Round*	Gray	3.88" to Length Desired <sup>†</sup>	3" to 6"
14758	3001863	X-Large <b>Custom</b> Wrap-A-Round*	Black	5" to Length Desired <sup>†</sup>	4" to 12"
14769	3001872	X-Large <b>Custom</b> Wrap-A-Round*	Gray	5" to Length Desired <sup>†</sup>	4" to 12"
14759	3001864	Special Wrap-A-Round*	Black	7" to Length Desired <sup>†</sup>	
14770	3001873	Special Wrap-A-Round*	Gray	7" to Length Desired <sup>†</sup>	

† Length desired available up to a maximum of 375'



# Wilson\* Welding Curtains and High-Temperature Fabrics

With the addition of the Wilson\* Brand, Kimberly-Clark Professional\* now offers a comprehensive range of curtains, pads and covers from a variety of high-temperature and fireresistant specialty materials. All Wilson\* products are electronically welded or sewn for superior quality and long-lasting protection.

The Wilson\* Brand has made significant contributions to advancing industrial barrier protection since the 1950s. As the Brand recognized for originating the first transparent form of barrier welding protection, we're pleased to feature Wilson\* in our trusted line of safety products.



# **Welding Curtains**

Kimberly-Clark Professional\* Welding Curtains and Screens are designed to address the challenges of employee safety and workplace productivity relative to a wide range of high-heat applications. Actual finished size on standard orders may vary 3" in height and width.

All Wilson\* Welding Curtains meet or exceed California State Fire Marshall (CFM) requirements for flame resistance. These fabrics are not intended for use in lieu of visors, goggles, eyewear or welding helmets. Clear/colorless See-Thru Curtains available in 14-Mil and 40-Mil are not intended for welding or ultraviolet filtration.

- Transparent curtains feature secure side hemming done by an electronic welding process for added strength and durability
- Plastic grommets are placed 8" apart on one width side and 16" apart on both height sides providing improved wear and less possibility of separation
- Standard sizes, custom orders and roll goods are available



# **See-Thru Welding Curtains**

### Wilson\* Orange 14-Mil See-Thru Welding Curtain



Code	Old Code	Description
37601	5420-25	5' x 4' See-Thru Orange Curtain
36219	5630-25	5' x 6' See-Thru Orange Curtain
36256	5840-25	5' x 8' See-Thru Orange Curtain
36193	51050-25	5' x 10' See-Thru Orange Curtain
37606	6424-25	6' x 4' See-Thru Orange Curtain
36292	6636-25	6' x 6' See-Thru Orange Curtain
36307	6848-25	6' x 8' See-Thru Orange Curtain
36278	61060-25	6' x 10' See-Thru Orange Curtain
36287	61272-25	6' x 12' See-Thru Orange Curtain

### **Product Features**

- Heavy-duty vinyl designed to filter far/near ultraviolet radiation and blue light
- Grommeted and ready-to-hang (tubing or framing not included)
- 40-mil See-Thru Orange Welding Curtains available as custom order
- Custom sizes available

### Wilson\* Gold 14-Mil See-Thru Welding Curtain



Code	Old Code	Description
37602	5420-50	5' x 4' See-Thru Gold Curtain
36228	5630-50	5' x 6' See-Thru Gold Curtain
36259	5840-50	5' x 8' See-Thru Gold Curtain
36195	51050-50	5' x 10' See-Thru Gold Curtain
37607	6424-50	6' x 4' See-Thru Gold Curtain
36296	6636-50	6' x 6' See-Thru Gold Curtain
36312	6848-50	6' x 8' See-Thru Gold Curtain
36281	61060-50	6' x 10' See-Thru Gold Curtain

### **Product Features**

- Heavy-duty vinyl designed to filter far/near ultraviolet radiation and blue light
- Grommeted and ready-to-hang (tubing or framing not included)
- Custom sizes available

### Wilson\* Green 14-Mil See-Thru Welding Curtain



Code	Old Code	Description
37603	5420-60	5' x 4' Green See-Thru Curtain
36251	5630-60	5' x 6' Green See-Thru Curtain
36269	5840-60	5' x 8' Green See-Thru Curtain
36196	51050-60	5' x 10' Green See-Thru Curtain
37700	6424-60	6' x 4' Green See-Thru Curtain
36299	6636-60	6' x 6' Green See-Thru Curtain
36315	6848-60	6' x 8' Green See-Thru Curtain
36283	61060-60	6' x 10' Green See-Thru Curtain

### **Product Features**

- Heavy-duty vinyl designed to filter far/near ultraviolet radiation and blue light
- Grommeted and ready-to-hang (tubing or framing not included)
- Custom sizes available

### Wilson\* Plasma 14-Mil See-Thru Welding Curtain



Code	Old Code	Description
37604	5420-90	5' x 4' Plasma See-Thru Welding Curtain
36253	5630-90	5' x 6' Plasma See-Thru Welding Curtain
36271	5840-90	5' x 8' Plasma See-Thru Welding Curtain
36197	51050-90	5' x 10' Plasma See-Thru Welding Curtain
37608	6424-90	6' x 4' Plasma See-Thru Welding Curtain
36301	6636-90	6' x 6' Plasma See-Thru Welding Curtain
36317	6848-90	6' x 8' Plasma See-Thru Welding Curtain
36285	61060-90	6' x 10' Plasma See-Thru Welding Curtain

### **Product Features**

- Extra-dark green (Shade 8) heavy-duty vinyl
- Filters far/near ultraviolet radiation and blue light
- Ideal for plasma cutting or other applications with bright welding arcs
- Grommeted and ready-to-hang (tubing or framing not included)
- Custom sizes available

### Wilson\* Green Canvas Welding Curtain



Code	Old Code	Description
37453	5420-15	5' x 4' Green Canvas Welding Curtain
36218	5630-15	5' x 6' Green Canvas Welding Curtain
36255	5840-15	5' x 8' Green Canvas Welding Curtain
36191	51050-15	5' x 10' Green Canvas Welding Curtain
37454	6424-15	6' x 4' Green Canvas Welding Curtain
36289	6636-15	6' x 6' Green Canvas Welding Curtain
36304	6848-15	6' x 8' Green Canvas Welding Curtain
36277	61060-15	6' x 10' Green Canvas Welding Curtain

### **Product Features**

- Green 12 oz. cotton duck material
- Flame-, water- and mildew-resistant
- Grommeted and ready-to-hang (tubing or framing not included)
- Rip-Stop Curtains available as custom order. Available colors include blue, black, green and yellow

### Wilson\* 14-mil Clear/Colorless Barrier Curtain



Code	Old Code	Description
36227	5630-40	5' x 6' Clear/Colorless Barrier Curtain
36258	5840-40	5' x 8' Clear/Colorless Barrier Curtain
36194	51050-40	5' x 10' Clear/Colorless Barrier Curtain
36295	6636-40	6' x 6' Clear/Colorless Barrier Curtain
36311	6848-40	6' x 8' Clear/Colorless Barrier Curtain
36280	61060-40	6' x 10' Clear/Colorless Barrier Curtain

### **Product Features**

- Heavy-duty colorless vinyl
- For general industrial barrier protection
- Grommeted and ready-to-hang (tubing or framing not included)
- Custom sizes available
- Not to be used for welding

### Wilson\* Instant Curtain

Code	Old Code	Description
36328	IC60-25	5' See-Thru Orange, 14-mil
36330	IC72-25	6' See-Thru Orange, 14-mil
36331	IC72-50	6' See-Thru Gold, 14-mil
37197	IC72-60	6' See-Thru Green, 14-mil

Product Features

• 75' long with plastic grommets every 8" on one width side (no hems)

Customize your own welding curtain by cutting from bulk transparent welding-curtain material.



# Welding/ Safety Screens



### Wilson\* Stur-D-Screen1

- Allows for a variety of configurations to fit multiple work environments
- Square 19-gauge steel tubing, bolted corner clamps and platform "T" legs reduce slipping and twisting of the unit
- Black powder-coated enamel finish is rust- and abrasion-resistant
- Package includes square steel frame, brackets, platform "T" legs, and lacing ties
- Pre-drilled for casters

### Wilson\* Stur-D-Screen¹ and recommended curtains with each frame size

Fram	e Only	Frame Size	See-Thru Orange	See-Thru Gold	See-Thru Green	Plasma	Clear	Green Canvas
Code	Old Code	Frame Size	see-Tillu Orange	See-Tira Gota	See-Illiu Green	Plasifia	Clear	Green Carivas
36335	R1064-00	6' x 4' Single Panel	37601	37602	37603	37604	Custom	37453
36336	R1066-00	6' x 6' Single Panel	36219	36228	36251	36253	36227	36218
36338	R1068-00	6' x 8' Single Panel	36256	36259	36269	36271	36258	36255
36333	R10610-00	6' x 10' Single Panel	36193	36195	36196	36197	36194	36191
36340	R2066-00	6' x 6' Double Panel	Custom	Custom	Custom	Custom	Custom	Custom
36346	R2068-00	6' x 8' Double Panel	Custom	Custom	Custom	Custom	Custom	Custom
36352	R3066-00	6' x 6' Triple Panel	Custom	Custom	Custom	Custom	Custom	Custom
36358	R3068-00	6' x 8' Triple Panel	Custom	Custom	Custom	Custom	Custom	Custom

Per OSHA recommendations, allow 1' clearance at floor for all framing configurations.


<sup>&</sup>lt;sup>1</sup> Temperatures and applications are intended as a guideline only and not a guarantee of performance. Kimberly-Clark Professional\* recommends the use of welding blankets in multiple layers to attain proper molten-metal and radiant-heat protection. It is the user's responsibility to monitor the activity and use of blankets/high-heat roll goods at all times

# ANSI/FM 4950-Certified High-Temperature Fabrics

Wilson\* High-temperature Fabrics protect equipment and employees working near hazardous operations such as flame cutting, welding, grinding and spraying. Available as blankets, hanging curtains or roll goods, Wilson\* Fabrics are designed to withstand temperatures ranging from 600°F–2000°F.² All high-temperature fabrics meet minimum specification standards for flame resistance (NFPA-701). Welding blankets are hemmed on all four sides using durable, heat-resistant thread and feature grommets in each corner and on 36" centers.

### Choosing the right high-heat material

Temperature ratings are based on recommended uses and information provided herein is intended as a guideline only. Kimberly-Clark Professional\* recommends the use of welding blankets in multiple layers to attain proper molten-metal and radiant-heat protection. It is the user's responsibility to monitor the activity and use of all blankets and roll goods at all times.



### **CHOOSING THE RIGHT HIGH-HEAT MATERIAL**

					1	MATERIALS	;				
APPLICATIONS	18-oz Uncoated (1850)	24-oz Uncoated (900FC)	35-oz Uncoated (1000FC)	15-oz Acrylic Coated (3001)	16-oz Polyurethane Coated (2000TP)	24-oz Acrylic Coated (2624)	24-oz Vermiculite Coated (906)	32-oz Silicone Coated (3000R)	18-oz Silica (2-1900)	36-oz Silica (2-3700)	15-oz Carbonized Acrylic Felt (5180)
Welding Vertical – general-purpose welding with light sparks & spatter	•	•	•	•	•	•	•	•	•	•	•
Grinding & Flame Cutting		•	•	•	•	•	•	•	•	•	
Furnace Blanket									•	•	•
Slag Protection		•	•	•	•	•	•	•	•	•	•
Heat Treating	•	•	•						•	•	•
Stress Relief – up to 1700°F									•	•	•
Welding Horizontal – use as blanket								•			

<sup>&</sup>lt;sup>2</sup> Temperatures and applications are intended as a guideline only and not a guarantee of performance. Kimberly-Clark Professional\* recommends the use of welding blankets in multiple layers to attain proper molten-metal and radiant-heat protection. It is the user's responsibility to monitor the activity and use of blankets/high-heat roll goods at all times



### All Wilson Blankets listed are FM-Approved



# **Light-Use Protection**

### Wilson\* Weld-O-Glass 18-oz Fiberglass Blanket, Uncoated

33 /	35	oce.	22	Į,
=				Y.
				Ğ
				ğ
36				Ğ

Code	Old Code	Description
36290	6636-1850	6' x 6' 18-oz Fiberglass Blanket, Uncoated
36305	6848-1850	6' x 8' 18-oz Fiberglass Blanket, Uncoated
36364	8864-1850	8' x 8' 18-oz Fiberglass Blanket, Uncoated
36144	1850-40	Roll Goods, 40" x 50 yards
36145	1850-60	Roll Goods, 60" x 50 yards

### **Product Features**

- ANSI/ FM-4950 certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Beige

### Wilson\* Weld-O-Glass 15-oz Fiberglass Blanket, Acrylic Coated



Code	Old Code	Description
37605	5525-3001	5' x 5' 15-oz Fiberglass Blanket, Acrylic Coated
36310	6848-3001	6' x 8' 15-oz Fiberglass Blanket, Acrylic Coated
37192	1010100-3001	10' x 10' 15-oz Fiberglass Blanket, Acrylic Coated

### **Product Features**

- ANSI/ FM-4950 certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Color: Gray

### Wilson\* Weld-O-Glass 16-oz Fiberglass Blanket, Polyurethane Coated



Code	Old Code	Description
36148	2000TP-38	Roll Goods, 38" x 50 yards
36149	2000TP-60	Roll Goods, 60" x 50 yards

### Product Features

- ANSI/ FM-4950 certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Red

# Medium- to Heavy-Use Protection

### Wilson\* Weld-O-Glass 24-oz Fiberglass Blanket, Uncoated



Code	Old Code	Description
36323	900FC-38	Roll Goods, 38" x 50 yards

### Product Features

- ANSI/ FM-4950 certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Extra fabric weight offers added durability and protection
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: White

### Wilson\* Weld-O-Glass 24-oz Fiberglass Blanket, Acrylic Coated



Old Code	Description
6636-2624	6' x 6' Fiberglass Blanket, Acrylic Coated
5848-2624	6' x 8' Fiberglass Blanket, Acrylic Coated
8864-2624	8' x 8' Fiberglass Blanket, Acrylic Coated
2624-40	Roll Goods, 40" x 50 yards
	6636-2624 6848-2624 8864-2624

### **Product Features**

- ANSI/ FM-4950 certified for use in vertical (1.4.3) applications with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Yellow

### Wilson\* Weld-O-Glass 24-oz Fiberglass Blanket, Vermiculite Coated



Code	Old Code	Description
37597	4624-906	4' x 6' Fiberglass Blanket, Vermiculite Coated
37598	4832-906	4' x 8' Fiberglass Blanket, Vermiculite Coated
36217	5525-906	5' x 5' Fiberglass Blanket, Vermiculite Coated
36302	6636-906	6' x 6' Fiberglass Blanket, Vermiculite Coated
36318	6848-906	6' x 8' Fiberglass Blanket, Vermiculite Coated

### **Product Features**

- ANSI/ FM-4950 certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Color: Black

### Wilson\* Weld-O-Glass 18-oz & 36-oz Silica Blanket, Uncoated



Code	Old Code	Description
37599	51050-21900	5' x 10' Silica Blanket, Uncoated, 18-oz
36291	6636-21900	6' x 6' Silica Blanket, Uncoated, 18-oz
36306	6848-21900	6' x 8' Silica Blanket, Uncoated, 18-oz
37600	51050-23700	5' x 10' Silica Blanket, Uncoated, 36-oz
36165	21900-38	Roll Goods, 38" x 50 yards, 18-oz

### **Product Features**

- ANSI/ FM-4950 certified for use in vertical (1.4.3; 18-oz) or horizontal (1.4.2; 36-oz) applications with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- 18-oz for medium-duty protection
- 36-oz for heavy-duty protection
- $\bullet$  Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Tan

# **Heavy-Duty Protection**

### Wilson\* Weld-O-Glass 17-oz & 32-oz Fiberglass Blanket, Silicone Coated



Code	Old Code	Description
36175	3101R-38	17-oz Roll Goods, 38" x 50 yards
36176	3101R-60	17-oz Roll Goods, 60" x 50 yards
37592	1010100- 3000R	10' x 10' 32-oz Fiberglass Blanket, Silicone Coated
36173	3000R-38	32-oz Roll Goods, 38" x 50 yards
36174	3000R-60	32-oz Roll Goods, 60" x 50 yards

### Product Features

- ANSI/ FM-4950 certified for use in vertical (1.4.3) applications with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area (Codes 36175 & 36176)
- ANSI /FM-4950 certified for use in horizontal applications with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; protects machinery and prevents ignition of combustibles such as wood that are located adjacent to the underside of the blanket.
   Certified roll goods feature the ANSI FM imprint every 3' along the edge (Codes 36173, 36174 & 37592)
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Red





Back Hand Pad (10/pack; no pack splits)

### Wilson\* Weld-O-Glass 15-oz Carbonized Acrylic Felt Blanket



Code	Old Code	Description
37594	3309-5180	3' x 3' 15-oz Carbonized Acrylic Felt Blanket
37596	4624-5180	4' x 6' 15-oz Carbonized Acrylic Felt Blanket
36210	5525-5180	5' x 5' 15-oz Carbonized Acrylic Felt Blanket
36320	6636-5180	6' x 6' 15-oz Carbonized Acrylic Felt Blanket
36313	6848-5180	6' x 8' 15-oz Carbonized Acrylic Felt Blanket
36208	5180-72	Roll Goods, 72" x 50 yards

### **Product Features**

- ANSI/ FM-4950 certified for use in horizontal applications (1.4.1) with severe exposures such as that resulting from molten substances or heavy horizontal welding. Designed to prevent the ignition of combustibles that are located adjacent to the underside of the pad
- Service temperature 1800°F, intermittent service temperature to  $3000^{\circ}F$
- Designed for horizontal, vertical or angled-plane use
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Black

# **Accessories**

### **Back-Hand Pad**



40	Code	Old Code	
1 9	36680	ВНР06	

### **Product Features**

- Glove protector helps to extend glove life and performance, 5.5" x 13"
- $\bullet \ \, \text{Double-layer protection with Wilson*} \\$ Aluminum Mylar Aluminum (AMA) top and high-temperature glass fabric bottom sewn and riveted for added durability

### Welding Umbrella



Code	Old Code	Description
36684	UM6500	Blue Welding Umbrella, 6.5' x 7'
36683	UB750-150	Yellow Welding Umbrella, 7.5' x 7'
37653	_	Heavy-duty Green Canvas Welding Umbrella, 6.5' x 7'
37652	_	Heavy-duty Green Canvas Welding Umbrella, 7.5' x 7'
36685	UMST4X4	Umbrella Stand, 4' x 4' cross-shape, folds for easy storage

### **Product Features**

- Provides protection from rain or sunlight
- Lightweight aluminum frame and tilt mechanism with water and fire-resistant fabric

### **Welding Curtain Hooks**



Code	Old Code	Description	Quantity
36687	WIL100	Heavy-duty hooks for use with welding curtains. Fit 1-1/2" - 2" outside diameter pipe	10/pack (No pack splits)



# WypAll\* Wipers

Kimberly-Clark Professional\* is committed to creating exceptional workplaces that are safer, healthier and more productive.

It starts with giving you exactly the right wiper for the job, whether it's heavy-duty parts cleaning — or a delicate task in the lab.

A good product "fit" ensures quality performance, safety and efficiency. It's also how we improve productivity, with no extra wipers or effort needed to complete each task.

So choose your wiper based on your specific needs — and count on Kimberly-Clark Professional\* to help you make your workplace truly exceptional.



# Take the WypAll\* X Wiper Challenge

Replace your current wiper solution with WypAll\* X Wipers for 60-days. If you don't see a 20% savings in your costs, we will reimburse you the difference between the cost of your product and our product up to \$1,000 in free product of your choice.



# Which wiper is right for you?

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Premium Rag & Shop Tov	wel Replacement				
WypAll* X90 Cloths	• Clean wiping tasks • Solvent wiping • Surface preparation • Soft $\Theta$ durable for repeated use	•••••	•••••	•••••	•••••
WypAll* X80 Wipers	• Heavy-duty machine & part wiping • Wiping metal shavings • Prepping surfaces with solvents • Cleaning rough surfaces	••••	••••	••••	••••
WypAll* X70 Wipers	• Cleaning surfaces & tools • Heavy-maintenance wiping	• • • •	••••	• • • •	••••
Economy Rag Replaceme	ent				
WypAll* X60 Wipers	<ul> <li>Applying thinners &amp; solvents • Cable lubricant removal</li> <li>Adhesive cleaning • Removing grease &amp; soil in tight areas</li> </ul>	•••	•••	•••	•••
WypAll* X50 Wipers	• Applying lubricants • Vehicle $\vartheta$ equipment cleanup • Low-lint glass cleaning $\vartheta$ wiping	• •	• •	• •	• •
General Purpose					
WypAll* L40 Wipers	• Absorbing large liquid spills & leaks • Routine industrial cleaning & maintenance • Removing soils & liquids from face & hands	• •	••••	••	••••
WypAll* L30 Wipers	<ul> <li>Light-duty cleanup • Janitorial &amp; maintenance wiping</li> <li>Process line wiping &amp; cleaning • Patient hygiene</li> </ul>	• •	•••	••	•••
Single Use					
WypAll* L20 Multi-Ply Wipers	• Single-use parts & tool cleanup • General-purpose field utility wiping • Retail store maintenance & cleaning	•	••••	••	••
WypAll* L10 Single and Multi-Ply Wipers	<ul> <li>Spray &amp; wipe jobs • Glass surface cleaning</li> <li>Absorbs small liquid spills • Dairy wiping</li> </ul>	•	• •	•	• •

Need more help selecting a wiper? Go to www.kcproductselector.com/Wipers.aspx

# Consider the Cost, Waste and Inefficiency of Rags



Rags may seem like a good wiping choice. But think about what you're really getting — and ask yourself these questions:

- How many of the rags we buy are unusable and are just thrown away?
   Why are we paying for rags we can't use?
- How much valuable space do we devote to storing those big bulky rag containers?
- Is walking back and forth to the rag barrel (and taking time to choose a rag) hurting worker productivity?
- How many rags are used to complete a wiping task?
- How many pounds of heavy rags are we paying to dispose of?

Rags are sold by weight but are inconsistent in size, fabric and shape. They add to your landfill waste and associated costs. They can even leave residue on parts, creating quality issues.

# This small change can make a big impact:


Simply switch to WypAll\* Wipers. When you compare the lifecycles of WypAll\* Wipers and rags, you'll discover opportunities to:

- Consume less
- Reduce waste
- Cut costs1

Take a look at these 5 important ways WypAll\* Wipers outperform rags. Then find out how easy it is to make the switch.

 $<sup>^{\</sup>rm 1}$  Comparisons based on average WypAll\* Wiper usage versus average rag usage.

# WypAll\* Wipers vs. Rags



overall efficiency of your operation.

# WypAll\* X90 Cloths

When protecting the process is critical, reach for the toughest!

**WypAll\* X90 Cloths** are designed for the toughest jobs around your facility. With their innovative design, WypAll\* X90 Cloths have the highest fluid capacity of any product in the WypAll\* Brand line and can lift as well as release fluid.

WypAll\* X90 Cloths deliver superb fluid handling which allows you to complete clean wiping applications like never before. When you need durability, cleanliness and high fluid capacity, reach for WypAll\* X90 Cloths.

- Low lint
- Low extractables for very clean solvent wiping
- Contain no glues, adhesives or binders
- Outstanding fluid capacity and release

• Soft and durable for repeated use

• Blue color will not dye bleed



save money with less wasted solvent!

WypAll\* X90 Cloths release 90% of the solvent they absorb, outperforming rags and reducing your solvent spend!



### WypAll\* X90 Cloths



	Code	Description	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser
1	12890	Pop-Up* Box	Denim Blue	8.3" x 16.8"	21.1cm x 42.7cm	5/68	73900 ]
	12891	Brag* Box	Denim Blue	11.1" x 16.8"	28.2cm x 42.7cm	1/136	73900
	12889	Jumbo Roll	Denim Blue	11.8" x 12.6"	30cm x 32cm	1/450	80596, 80579




# WypAll\* X80 Wipers

The ideal shop towel replacement system

**WypAll\* X80 Wipers** are the wipers of choice for the toughest jobs. Take a look and see how WypAll\* X80 Wipers outpace shop towels and rags in every way.

- Pound for pound, absorbs more water and oil than rental shop towels
- Consistent size, shape and cleanliness
- Available in a wide range of dispensing options for your convenience



WypAll* X80 Wipers									
	Code	Delivery System		Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser	HYDROKNIT
	05930	Pop-Up* Box		Red	9.1" x 16.8"	23.1cm x 42.7cm	5/80	73900	
WYPALL	41048	Pop-Up* Box		White	9.1" x 16.8"	23.1cm x 42.7cm	5/80	73900	
	41041	Brag* Box		Blue	12.5" x 16.8"	31.8cm x 42.7cm	1/160	73900	
V Comment	41044	Brag* Box		White	12.5" x 16.8"	31.8cm x 42.7cm	1/160	73900	
	41026	1/4 fold		White	12.5" x 12"	31.8cm x 30.5cm	4/50	45888, 09107	
- 07-	41029	1/4 fold		Red	12.5" x 12"	31.8cm x 30.5cm	4/50	45888, 09107	
Harming Agents	41025	Jumbo Roll		White	12.5" x 13.4"	31.8cm x 34cm	1/475	80596, 80579	]
	41055	Jumbo Roll	- 0	Red	12.5" x 13.4"	31.8cm x 34cm	1/475	80596, 80579	
	41043	Jumbo Roll		Blue	12.5" x 13.4"	31.8cm x 34cm	1/475	80596, 80579	
Performance				lvent sistance	Absorptio Capacity	n Wet Strength	Abs Rat	sorption te	1
<ul> <li>Heavy-duty machine &amp; part wiping</li> <li>Prepping surfaces with solvents</li> </ul>			•	••••			0 •	••••	

# WypAll\* X70 Wipers

The ideal rag replacement system

WypAll\* X70 Wipers have what it takes to tackle those heavy-duty industrial jobs usually handled by cloth rags. Count on WypAll\* X70 Wipers for long-lasting performance that extends usage and reduces waste.

- Pound for pound absorbs more oil and water than rags
- Cleans oil, grime and solvent with one wipe
- Versatile, economical alternative to scrap rags and shop towels



### WypAll\* X70 Wipers



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser
41412	Pop-Up* Box	Blue	9.1" x 16.8"	23.1cm x 42.7cm	10/100	73900
41455	Pop-Up* Box -	White	9.1" x 16.8"	23.1cm x 42.7cm	10/100	73900
40587	Pop-Up* Box	White	9.1" x 12.5"	23.1cm x 31.75cm	10/120	73900
41300	Brag* Box	White	12.5" x 16.8"	31.8cm x 42.7cm	1/152	73900
41200	1/4 Fold	White	12.5" x 12"	31.8cm x 30.5cm	12/76	45888, 09107
41061	Flat Sheet	White	16.6" x 29.8"	42.2cm x 75.7cm	1/300	N/A
41100	Flat Sheet	White	14.9" x 16.6"	37.8cm x 42.2cm	1/300	N/A
41702	Center Pull Roll	White	9.8" x 13.4"	24.9cm x 34cm	3/275	09335
41600	Jumbo Roll	White	12.5" x 13.4"	31.8cm x 34cm	1/870	80596, 80579
41611	Jumbo Roll	Blue	12.5" x 13.4"	31.8cm x 34cm	1/870	80596, 80579

# WypAll\* X70 Wipers

The ideal rag replacement system

### WypAll\* X70 Wipers in a Bucket



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser	
83561	Wipers in a Bucket	White	9.75" x 13"	24.8cm x 33cm	2/220	N/A	
83571	Wipers in a Bucket - Refill	White	9.75" x 13"	24.8cm x 33cm	3/220	N/A	

### WypAll\* X70 Wipers in a Bucket

- Easy-carry bucket is crush resistant and refillable
- Keep wipers clean and handy wherever you go!



# WypAll\* X60 Wipers

Tough, versatile, excellent value

**WypAll\* X60 Wipers** bring the absorbing power of our Hydroknit\* technology to a lighter-weight wiper. Designed to outperform rags, WypAll\* X60 Wipers raise the standard for general-purpose wipers.

- No adhesives or binders; leaves no residue
- Reinforced for extra scrubbing and cleaning power
- Tough enough for big jobs soft enough for face and hands



### WypAll\* X60 Wipers



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser
34015	Brag* Box	White	12.5" x 16.8"	31.8cm x 42.7cm	1/180	73900
34790	Pop-Up* Box	White	9.1" x 16.8"	23.1cm x 42.7cm	10/126	73900
34865	1/4 Fold	White	12.5" x 12"	31.8cm x 30.5cm	12/76	45888, 09107
34770	1/4 Fold	White	11" x 23"	27.9cm x 58.4cm	9/100	45888, 09107
34900	Flat Sheet	White	12.5" x 16.8"	31.8cm x 42.7cm	6/150	N/A
35401	Small Roll	White	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A
35411	Small Roll	Blue	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A
35421	Small Roll	White	19.8" x 13.4"	50.3cm x 34cm	6/130	N/A
35431	Small Roll	Blue	19.8" x 13.4"	50.3cm x 34cm	6/130	N/A
34955	Jumbo Roll	White	12.5" x 13.4"	31.8cm x 34cm	1/1100	80596, 80579
34965	Jumbo Roll	Blue	12.5" x 13.4"	31.8cm x 34cm	1/1100	80596, 80579

# WypAll\* X50 Wipers

Tough, versatile, excellent value

**WypAll\* X50 Wipers** are our most economical extended-use wiper that picks up where the competition falls apart. Strong and sensible, WypAll\* X50 Wipers combine versatile performance with economical design for light-duty tasks.

- At least 25% more sheets than leading competitor to tackle a variety of jobs
- Reinforced for strength when wet or dry
- Smaller sheet size means less waste



### WypAll\* X50 Wipers



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser	
83550	Pop-Up* Box	White	9.1" x 12.5"	23.1cm x 31.8cm	10/176	73900	
35025	1/4 Fold	White	10" x 12.5"	25.4cm x 31.8cm	32/26	45888, 09107	
35015	Jumbo Roll	White	9.8" x 13.4"	24.9cm x 34cm	1/1100	80596, 80579	
							1 M A

Performance	Solvent	Absorption	Wet	Absorption
	Resistance	Capacity	Strength	Rate
<ul> <li>Applying lubricants • Vehicle &amp; equipment cleanup</li> <li>Low-lint glass cleaning &amp; surface wiping</li> </ul>	••0000	••0000	••0000	••0000


# WypAll\* L40 Wipers

America's favorite disposable wiper

WypAll\* L40 Wipers are an outstanding generalpurpose wiper with good performance in a wide range of industrial cleaning and personal wiping tasks. WypAll\* L40 Wipers feature our unique DRC (Double Re-Creped) base sheet technology. This unique process creates an absorbent sponge-like inner layer that absorbs liquids fast, with a soft, touchable outer layer.

& maintenance • Removing soils & liquids from face & hands

- Easily absorbs liquids, lubricants, and oils
- Soft enough for use on face and hands
- Setting the standard for general-purpose wiping for over 20 years



### WypAll\* L40 Wipers



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser
05740	Pop-Up* Box	Blue	16.4" x 9.8"	41.7cm x 24.9cm	9/100	09352
05790	Pop-Up* Box -	White	16.4" x 9.8"	41.7cm x 24.9cm	9/100	09352
03046	Pop-Up* Box	White	10" x 9.8"	25.4cm x 24.8cm	9/90	09352, 73900
05600	1/4 Fold	White	12.5" x 12"	31.8cm x 30.5cm	12/56	45888, 09107
05701	1/4 Fold -	White	12.5" x 12"	31.8cm x 30.5cm	18/56	45888, 09107
05776	1/4 Fold	Blue	12.5" x 12"	31.8cm x 30.5cm	12/56	45888, 09107
05027	Small Roll	White	11" × 10.4"	27.9cm x 26.4cm	24/70	N/A
05796	Center Pull	White	10" x 13.2"	25.4cm x 33.5cm	2/200	09335
05007	Jumbo Roll	White	12.5" x 13.4"	31.8cm x 34cm	1/750	80596, 80579


Performance	Solvent	Absorption	Wet	Absorption
	Resistance	Capacity	Strength	Rate
Absorbing large liquid spills & leaks • Routine industrial cleaning	00000	00000	<b>99</b> 0000	000000

# WypAll\* L30 Wipers

Exceptional performance, exceptional value

WypAll\* L30 Wipers offer a lighter-weight wiper at a great, everyday price. The DRC process gives WypAll\* L30 Wipers high surface softness, while its reinforced grid provides strength for wet-surface wiping and cleaning. Choose WypAll\* L30 Wipers to replace airlaid wipers.

- Cloth-like feel at a value price
- Strong, yet soft enough for personal use
- Ideal for a range of light-duty maintenance, processing and janitorial wiping tasks




WypAll* L30 Wipers								
	Code	Delivery System	Color	Size (inches)	Size (centii	meters) Put-U	p Dispenser	
Breste	05816	Pop-Up* Box	White	16.4" x 9.8"	41.7cm x 2	24.9cm 6/120	0 09352	E-
	05800	Pop-Up* Box	- White	16.4" x 9.8"	41.7cm x 2	24.9cm 8/100	0 09352	
	03086	Pop-Up* Box	White	10" x 9.8"	25.4cm x 2	24.9cm 10/12	0 73900	
	05812	1/4 Fold	White	12.5" x 12"	31.8cm x 3	30.5cm 12/90	45888, 09107	
Brothe & In wroter	05820	Center Pull	White	9.8" x 15.2"	24.9cm x 3	38.6cm 2/300	0 09335	$\cap$
/ - / O	05830	Center Pull	White	8" x 15"	20.3cm x	38.1cm 6/150	0 09336	
	05841	Jumbo Roll	White	12.4" x 13.3"	31.5cm x 3	33.8cm 1/950	ا 80596, 80579	
	05843	Small Roll	White	11" x 10.4"	27.9cm x 2	26.4cm 24/70	) N/A	
Performance	е			Solvent Resista		Absorption Capacity	Wet Strength	Absorption Rate
		nitorial & maintena eaning • Patient hy		••0	000	•••000	••0000	•••000

# WypAll\* L20 Wipers

Multi-Ply construction for high-capacity absorbency

WypAll\* L20 Wipers deliver value and versatility, and perform reliably in everyday wiping tasks.

- Textured for extra cleaning power
- No binders or glues
- Multi-ply capacity for large spills



ullet Single-use parts ullet tool cleanup ullet General-purpose field utility wiping • Retail store maintenance & cleaning

Resistance •00000

Capacity 000000

Strength ••0000

Absorption Rate



# WypAll\* L10 Wipers

Single- and multi-ply construction for high-capacity absorbency

**WypAll\* L10 Wipers** deliver value and versatility, and perform reliably in everyday wiping tasks.

• Strength and durability for general cleanup tasks

WypAll* L10 Wipers						EPA	Meets EPA sta	EPA Meets EPA standards for minimum post-consumer waste cor						
The same of the sa		Code	Delivery System		Color	Material	Size (inches)	Size (centimeters	s) Put-Up	Dispense	er			
	EPA	05320	Pop-Up* Box Utility Wipers		White	1-ply paper	9.0" x 10.25"	22.9cm x 26cn	n 18/125	09352				
	EPA	05322	Pop-Up* Box Utility Wipers	- 🗇	White	1-ply paper	12" x 10.25"	30.5cm x 26cn	n 18/125	09352				
ageate and	EPA	42346	Pop-Up* Box Light Weight Utility Wipers		White	1-ply paper	9.0" x 10.25"	22.9cm x 26cn	m 24/250	09352				
	EPA	05120	Banded Windshield Wipers		Blue	2-ply paper	9.3" x 10.25"	23.6cm x 26cm	n 16/140	N/A				
	EPA	05123	Banded Windshield Wipers		Blue	1-ply paper	9.1" x 10.25"	23.1cm x 26cm	n 10/224	N/A				
	EPA	01770	Banded Dairy Wipers		White	1-ply paper	9.3" x 10.5"	23.6cm x 26.7cr	m 12/200	N/A				
	EPA	01772	Pop-Up* Box Dairy Wipers		White	1-ply paper	9.0" x 10.25"	22.9cm x 26cm	n 18/110	09352				
							olvent							
Performa	Performance								Wet Strength	Absor Rate	rption			
• Spray & w • Dairy wipir		bs • Glass	surface cleaning • Ab	uid spills 🛛	00000	••0000	•00000	)	0000					

# WypAll\* Foodservice Towels & Kimtech Prep\* Surface Sanitizer Wipes

Performance, value and peace of mind

### **Foodservice Towels and Surface Sanitizers**

- Hydroknit\* fast-absorbing material gives WypAll\* Foodservice Towels durability and wet strength
- Selected wiper codes available with Kimfresh\* Antimicrobial Treatment
- Kimtech Prep\* Surface Sanitizer Wipes are germ-killing wipes that are always dispensed fresh and clean

### WypAll\* Foodservice Towels & Kimtech Prep\* Surface Sanitizer Wipes



Featuring Kimfresh\* Antimicrobial Treatment

Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up	Dispenser
06280 �	WypAll* X80 Towels	1/4 Fold	White	Hydroknit* w/Blue Stripe	12" x 23.4"	30.5cm x 59.4cm	1/150	45888, ¬ 09107
05925	WypAll* X70 Towels	1/4 Fold	White	Hydroknit* w/Blue Stripe	12.5" x 23.5"	31.8cm x 59.7cm	1/300	45888, 09107
05927	WypAll* X70 Towels	1/4 Fold	Blue	Hydroknit*	12.5" x 23.5"	31.8cm x 59.7cm	1/300	45888, 09107
06354	WypAll* X70 Towels	1/4 Fold	Red	Hydroknit*	12.5" x 23.5"	31.8cm x 59.7cm	1/300	45888, 09107
06053	WypAll* X50 Towels	1/4 Fold	White	Hydroknit*	12.5" x 23.5"	31.8cm x 59.7cm	1/200	45888, 09107
06350	WypAll* X80 Towels	1/4 Fold	White	Spunlace	13.5" x 24"	34.3cm x 61cm	1/150	45888, 09107
06351	WypAll* X80 Towels	1/4 Fold	Blue	Spunlace	13.5" x 24"	34.3cm x 61cm	1/150	45888, 09107
58040	Kimtech Prep* Surface Sanitizer Wipes	Canister 🕰	White	Hydroknit*	12" x 12"	30.5cm x 30.5cm	8/30	776018

# WypAll\* Washcloths and Towels

Strong enough to clean surfaces, yet soft enough for patient care

- Natural rubber latex-free
- Cloth-like softness
- Available in a variety of sizes

### **WypAll\* Washcloths & Towels**



Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up	Dispenser
41083	WypAll* X60 Washcloth	1/4 Fold	White	Hydroknit*	12.5" x 10"	31.8cm x 25.4cm	8/70	45888, 09107
34865	WypAll* X60 Washcloth	1/4 Fold	White	Hydroknit*	12.5." x 12"	31.8cm x 30.5cm	12/76	45888, 09107
35010	WypAll* X60 Shower Towel	Flat Sheet	White	Hydroknit*	20" x 43.7"	50.8cm x 111cm	3/100	N/A
35025	WypAll* X50 Washcloth	1/4 Fold	White	Hydroknit*	10" x 12.5"	25.4cm x 31.8cm	32/26	45888, 09107
05812	WypAll* L30 Wipers	1/4 Fold	White	DRC	12.5" x 12"	31.8cm x 30.5cm	12/90	45888, 09107
05770	WypAll* L40 Professional Towel	Вох	White	DRC	12" x 23"	30.5cm x 58.4cm	12/45	N/A
05860	WypAll* L40 Dry-Up Towel	Roll in Box	White	DRC	19.5" x 42"	49.5cm x 106.7cm	1/200	N/A

# WypAll\* Waterless Cleaning Wipes


Waterless Cleaning Wipes remove grease from hands, tools and machinery

**WypAll\* Waterless Cleaning Wipes** are a powerful and portable pre-saturated cleaning system designed for on-the-go tasks where dry wiping simply isn't enough.

- Great for cleaning hands, tools, machines, non-porous work surfaces, dirty parts and any other tough jobs wherever they are
- Wipers won't damage tools, equipment or parts
- Ideal for manufacturing, maintenance, engineering, transportation and on-the-go service professionals

# WypAll\* Waterless Cleaning Wipes

Tough on grime, easy on skin



- Textured surface and advanced cleaning agent efficiently break down and dissolve stubborn dirt and grime
- Absorbent layer soaks up and holds the dirt preventing it from returning to the hands
- Smooth surface cleans off any remaining dirt, while leaving the skin coated with moisturizers

### **WypAll\* Waterless Cleaning Wipes**



c	Code	Delivery System		Size (inches)	Size (centimeters)	Fragrance	Color	Put-Up	Dispenser	
9	1371	Bucket		9.5" x 12"	24.1cm x 30.5cm	Orange, Citrus	Green/ White	6/75	10986	>
9	1367	Bucket Refill Bag		9.5" x 12"	24.1cm x 30.5cm	Orange, Citrus	Green/ White	6/75	10986	7
5	8310	Canister		9.5" x 12"	24.1cm x 30.5cm	Orange, Citrus	Green/ White	8/50	776018	
9	1054	One-Pack	$\mathbb{Q}$	8" x 10.5"	20.3cm x 26.6cm	Orange, Citrus	Green/ White	1/100	N/A	

# WypAll\* Microfiber Cloths

The WypAll\* Microfiber Cloths are designed with the cleaning professional in mind, and are environmentally friendly, green cleaning options that can be used without chemicals.



WypAl	l* Microfiber Clotl	ns			
Code	Description	Color	Size (inches)	Size (centimeters)	Put-Up
83610	General Purpose	Yellow	15.75" x 15.75"	40cm x 40cm	4/6
83620	General Purpose	Blue	15.75" x 15.75"	40cm x 40cm	4/6
83630	General Purpose	Green	15.75" x 15.75"	40cm x 40cm	4/6
83980	General Purpose	Red	15.75" x 15.75"	40cm x 40cm	4/6

# Scott® Presaturated Wipes for the Office and Schools

Help prevent the spread of germs

**Scott® Surface Wipes** are ideal for classroom, office or home cleaning. Gentle ingredients make this wipe acceptable for use by anyone, including children to keep work and play surfaces clean.

Scott® Disinfectant Wipes are alcohol- and bleach-free and are ideal for cleaning, disinfecting and deodorizing.

Most surface disinfectants work for the moment. But bacteria can be quickly reintroduced just by touching and handling the surface again. Scott® 24 Hour Sanitizing Wipes kill 99.9% of bacteria for 24 hours even after multiple touches<sup>†</sup>.

Coatt® Drocaturated Wines



SCOLL	Presaturated Wi	pes					
Code No.	Description	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser	Country
41524	24 Hour <sup>th</sup> Sanitizing Wipes	White	7.87" x 6.69"	20cm x 17cm	12/50	774039	USA only
42532	24 Hour <sup>th</sup> Sanitizing	White	7.87" x 6.69"	20cm x 17cm	12/50	774039	Canada

<sup>†</sup> EPA Reg. No. 9402-17

Residual Self-Sanitizing: To sanitize for 24 hours against Staphylococcus aureus, Enterobacter aerogenes, and Community-Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA) on hard, non-porous, non-food contact surfaces. Directions for Wipes: Use enough wipes to thoroughly treat surfaces to remain visibly wet for 5 minutes. Air dry. No rinsing required. Directions for Spray: Spray 6-8 inches from surface until thoroughly wet. Let stand for 5 minutes. Wipe dry. No rinsing required.

# **Kimtech Prep\* Wipers**

For critical tasks in healthcare and clean manufacturing environments

From preparing surfaces for painting at an automotive manufacturer to cleaning and disinfecting surfaces in healthcare facilities, Kimtech Prep\* Wipers are ideal for tasks where precision and reliability are essential.

### Kimtech Prep\* Scottpure\* Critical Task Wipers

- Low-lint rayon/polyester spunlace
- Clothlike softness
- Excellent absorbency
- Low extractables

### **Kimtech Prep\* Kimtex\* Wipers**

- Low-lint polypropylene construction
- Perfect for use with grease and oils
- Great for cleaning and prep on surfaces and parts
- Acid-, base- and solvent-resistant

# Kimtech Prep\* Wipers for the WetTask\* Wiping System

- Choose the Kimtech\* Wiper that works best for your task and add the chemical solution you prefer
- Enclosed system helps eliminate contaminated rags and solutions and helps reduce exposure to chemical vapors and splashes
- Kimtech\* Wiper code 36101 is suitable for disinfecting and sanitizing with quaternary amines, bleach and solvent chemicals



### **Kimtech Prep\* Wipers - Dry**

Code No.	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up	Dispenser	
06121	Kimtech Prep* Scottpure* Critical Task Wipers	1/4 Fold	White	Spunlace	12" x 15"	30.5cm x 38.1cm	4/100	45888, 09107	
06151	Kimtech Prep* Scottpure* Critical Task Wipers	Carton	White	Spunlace	12" x 23"	30.5cm x 58.4cm	8/50	N/A	
06193	Kimtech Prep* Scottpure* Critical Task Wipers	Center Pull Roll, Jr.	White	Spunlace	7" x 7"	17.8cm x 17.8cm	6/225	09336	
33560	Kimtech Prep* Kimtex* Wipers	1/4 Fold	Blue	Meltblown	12.5" x 12"	31.8cm x 30.5cm	8/66	45888, 09107	
33570	Kimtech Prep* Kimtex* Wipers	Pop-Up* Box	Blue	Meltblown	8.8" x 16.8"	22.4cm x 42.7cm	5/100	N/A	
33352	Kimtech Prep* Kimtex* Wipers	Brag* Box	Blue	Meltblown	12.1" x 16.8"	30.7cm x 42.7cm	1/180	N/A	
33241	Kimtech Prep* Kimtex* Wipers	Jumbo Roll	Blue	Meltblown	9.8" x 13.4"	24.9cm x 34cm	1/717	80596, 80579	<b></b>

### Kimtech\* Wipers for the WetTask\* System

Code No.	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up	Dispenser
06001	Kimtech Prep* Wipers for Solvents	Roll	White	Hydroknit*	12" x 12.5"	30.5cm x 31.8cm	6/60	1 Free Bucket 7 /Case
06211	Kimtech Prep* Wipers for Disinfectants and Sanitizers	Roll	White	Spunlace	12" x 12.5"	30.5cm x 31.8cm	6/90	1 Free Bucket /Case
06411	Kimtech Prep* Wipers for Bleach, Disinfectants and Sanitizers	Roll	White	Meltblown	12" x 12.5"	30.5cm x 31.8cm	6/90	1 Free Bucket /Case
06471	Kimtech Prep* Wipers for Bleach, Disinfectants and Sanitizers	Roll -	White	Meltblown	12" x 12.5"	30.5cm x 31.8cm	6/90	No Bucket Included
36101	Kimtech* Dual Function Wipers with Textured Surface for Bleach, Disinfectants and Sanitizers	Roll	Purple/ White	Meltblown	12" × 12.5"	30.5cm x 31.8cm	6/90	1 Free Bucket/Case
77320	Kimtech Prep* Wipers for Bleach, Disinfectants and Sanitizers	Roll	White	Meltblown	12" x 12.5"	30.5cm x 31.8cm	12/35	1 Free Canister /Case
06006	Kimtech Prep* Wipers for Solvents	Roll	White	Hydroknit*	9" x 15"	22.9cm x 38.1cm	2/275	09361
09361	Kimtech* Wipers for the WetTask* System	Bucket 🗂	Blue	N/A	3.5 Gallons	N/A	2/1	Bucket for 06006

# **Kimtech Science\* Wipers**

The industry standard for labs and research

Kimtech Science\* Kimwipes\* Wipers were the first delicate task wipers for laboratories introduced over 60 years ago and since then have been the market leader for wiping surfaces, parts, instruments and lens cleaning in laboratories.



### **Kimtech Science\* Delicate Task Wipers**

Code No.	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up
34120	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply tissue	4.4" x 8.4"	11.2cm x 21.3cm	30/280
34155	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply tissue	4.4" x 8.4"	11.2cm x 21.3cm	60/280
34133	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply tissue	11.8" x 11.8"	30cm x 30cm	15/196
34256	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply tissue	14.7" x 16.6"	37cm x 42cm	15/140
34705	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	2-ply tissue	11.8" x 11.8"	30cm x 30cm	15/119
34721	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	2-ply tissue	14.7" x 16.6"	37cm x 42cm	15/90
34743	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	3-ply tissue	11.8" x 11.8"	30cm x 30cm	15/119

### **Kimtech Science\* Lens Cleaning Station**

Code No.	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up
34623	Kimtech Science* Lens Cleaning Station	Lens Station	White	1-ply tissue	4.4" x 8.4"	11.2cm x 21.3cm	4/560 & 8 oz.
34644	Kimtech Science* Lens Cleaning Station	Lens Station	White	1-ply tissue	4.4" x 8.4"	11.2cm x 21.3cm	4/1120 & 16 oz.

### **Kimtech Science\* Precision Wipers**

Code No.	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up
05511	Kimtech Science* Precision Wipers	Pop-Up* Box	White	1-ply tissue	4.4" x 8.4"	11.2cm x 21.3cm	60/280
75512	Kimtech Science* Precision Wipers	Pop-Up* Box	White	1-ply tissue	11.8" x 11.8"	30cm x 30cm	15/196
05514	Kimtech Science* Precision Wipers	Pop-Up* Box	White	1-ply tissue	14.7" x 16.6"	37cm x 42cm	15/140
05517	Kimtech Science* Precision Wipers	Pop-Up* Box	White	2-ply tissue	14.7" x 16.6"	37cm x 42cm	15/90

### **Kimtech Science\* Bench Top Protectors**

Code No.	Description		Color/Description	Material	Material Size (inches)			
75460	Kimtech Science* Bench Top Protector	Sheet	Top Layer (white) cellulose fiber Bottom Layer (green) anti-slip polyethylene film	Airlaid/Polyethylene	18" x 19.5"	8/50		

# **Kimtech Pure\* Wipers**

Designed for precision and performance

**Kimtech Pure\* Wipers** have been specifically designed for ISO Class 4 and higher cleanrooms. These wipers are ideal for use in pharmaceutical, high-tech, biotechnology and medical-device industries. They are double-bagged in anti-stat packaging.



### **Kimtech Pure\* Wipers**

Code No.	Description	Cleanro	om Class	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up
CLASS 4		ISO	FS209						
33390	Kimtech Pure* W4 Critical Task Wipers	4	10	Flat/Anti-stat Dbl Bag	White	Polypropylene	9" x 9"	22.9cm x 22.9cm	5/100
33330	Kimtech Pure* W4 Critical Task Wipers	4	10	Flat/Anti-stat Dbl Bag	White	Polypropylene	12" x 12"	30.5cm x 30.5cm	5/100
06070	Kimtech Pure* W4 PreSat Alcohol Wipers, 70% IPA	4	10	Resealable Pouch/ Anti-stat Liner Bag	White	Polypropylene	11" x 9"	27.9cm x 22.9cm	10/40
76490	Kimtech Pure* W4 PreSat Sterile Wipers	4	10	Resealable Pouch/ Anti-stat Liner Bag	White	Polypropylene	11" x 9"	27.9cm x 22.9cm	10/40
CLASS 5		ISO	FS209						
06179	Kimtech Pure* W5 Critical Task Wipers	5	100	Flat/Anti-stat Dbl Bag	White	Spunlace	9" x 9"	22.9cm x 22.9cm	5/100





# **Delivery Systems**

Designed to match your workplace — perfectly!

It's an innovation only Kimberly-Clark Professional\* could bring you: **Products that deliver value**, **performance and versatility**. Whether the workplace environment calls for mobile, benchtop or high capacity, the solution is here.

Code No.	Description	Delivery System	Case Count				
				73900	09352	10986	776018
73900	Access* Wall Mount Dispenser	Brag* Box / Pop-Up* Box	10				
09352	The Grabber* Dispenser	Pop-Up* Box	12		· Emailie		
10986	Wire Mount Bracket Dispenser	Bucket	1		0	T T	
776018	Wire Mount Bracket Dispenser	Canister	1				
				45888	09107		
45888	WypAll* Quarterfold Dispenser	1/4 Fold	1				
09107	Quarterfold Dispenser	1/4 Fold	6		1		
				09335 / 09336	80596	80579	
09335	Center Pull Dispenser	Medium Roll	1	Title 1			
09336	Center Pull Jr. Dispenser	Medium Roll	1		NAME OF TAXABLE PARTY.	3	
80596	Jumbo Roll Dispenser	Large Roll	1★				
80579	Jumbo Roll Wall Mounted Dispenser	Large Roll	1★		4		

# Kimtech\* Aviation MRO/OEM Wipes

Every day, your aviation operation faces a difficult fact: production and maintenance have to be done exactly right. That's why Kimberly-Clark Professional\* is committed to creating Exceptional Workplaces\* – healthier, safer and more productive.

To reduce turnaround time and maximize productivity, we've engineered wipes for aviation's specific requirements. Our complete range of aviation wipes is designed to perform in all areas of OEM and MRO operations - from paint surface prep and engine maintenance to general purpose cleaning.





### **Wipes for Abrasive Surfaces**

More abrasive-resistant than common aviation wipes such as cheesecloth, Sontara and Veraclean wipes



### **Cleaning Wipes**

An easy to implement lean cleaning solution that addresses waste reduction and productivity improvement around general wiping needs



### **Surface Preparation Wipes**

Leading edge material for optimum linting and extractables control. The ultimate in aviation precision wiping performance



### WetTask\* System

More controlled dispensing and application of solvent for reduced waste and better overall performance versus traditional bucket/decanter systems and disposable pre-saturated options

What Is Your Pro	■ Good	■ Good ■ Better						
VVIIac is Tour Fic	)CC33:		PERFC	PERFORMANCE BY PROCESS				
Task	Subtask	Challenge/needs	A2	P2	Р3	С		
Solvent application for washing	Pre-cleaning (degreasing)	Solvent wipe				<b>A</b>		
Surface prep (before painting)	Paint stripping (chemical or mechanical)  Efficiently remove debris after paint stripping					<b>A</b>		
	Solvent wash (can be either spray	Solvent application for washing	<b>A</b>	<u> </u>		•		
	or wipe application of solvent)	Drying	<b>A</b>	•	•			
	Water rinse	Drying	<b>A</b>	•	•	-		
	Curtago prop	Solvent cleaning	•	•	•	-		
	Surface prep	Lint-free drying	•	•	•	•		
Delicate surfaces	Easily scratched surfaces:	No scratching			<b>A</b>			
	avionics, cleaning glass, cockpit,	Lint-free surface cleaning			<b>A</b>			
	windshield and plastic glass	No streaking			<b>A</b>			
Rough surfaces	Composites	Abrasion resistance	<b>A</b>					
	·	Lint-free surface cleaning	<b>A</b>					
Sealing	Surface prep (pre-cleaning)	Solvent wipe				<b>A</b>		
	Sealant application	Excess sealant removal (fresh or semi-cured sealant)	<b>A</b>	•		•		
Maintenance (non-critical parts on engine,	Cleaning	Solvent wipe				<b>A</b>		
aviorites, ruet systems, etc./	ionics, fuel systems, etc.)  Drying			<u> </u>		<b>A</b>		
Maintenance	Cleaning Solvent wipe		<b>A</b>	•	•			
(critical parts on engine, avionics, fuel systems, etc.)	Drying	Solvent wipe  Lint-free drying	•	•				
•	Final wipe	•	•	•	•			

# **Choose Your Product**

Code	Description	Format		Material	Packaging	Size W x L (inches)
Aviation	Wipes for Abrasive Surfaces					
28648	Kimtech* A2 Aviation Wipe for Abrasive Surfaces	Roll	3	Polyamide/Polyester	6 rolls/60 sheets per roll	12" x 12.5"
44846	Kimtech* A2 Aviation Wipe for Abrasive Surfaces	Flat	0	Polyamide/Polyester	5 packs/100 sheets per pack	12" x 12"
44854	Kimtech* A2 Aviation Wipe for Abrasive Surfaces	1/4 Fold		Polyamide/Polyester	12 packs/76 sheets per pack	12.5" x 12"
Aviation	Surface Preparation Wipes					
28643	Kimtech* P2 Aviation Surface Preparation Wipe	Pop-Up* Box		Polyester/Cellulose	4 boxes/200 sheets per box	12" x 12"
28644	Kimtech* P2 Aviation Surface Preparation Wipe	1/4 Fold		Polyester/Cellulose	10 packs/60 sheets per pack	12" x 12"
28647	Kimtech* P3 Aviation Surface Preparation Wipe	Pop-Up* Box		Rayon	8 boxes/50 sheets per box	12" x 23"
Aviation	Cleaning Wipes					
28641	Kimtech* C2 Aviation Cleaning Wipe	Roll	$\square$	Cellulose/Polypropylene	1 roll/900 sheets per roll	12.5" x 13"
28645	Kimtech* C3 Aviation Cleaning Wipe	Roll/Bucket		Cellulose/Polypropylene	6 rolls/60 sheets per roll	12" x 12.5"
44844	Kimtech* C3 Aviation Cleaning Wipe	1/4 Fold		Cellulose/Polypropylene	12 packs/76 sheets per pack	12.5" x 12"
44845	Kimtech* C3 Aviation Cleaning Wipe	Flat		Cellulose/Polypropylene	5 packs/100 sheets per pack	12" x 12"
44851	Kimtech* C3 Aviation Cleaning Wipe	Flat		Cellulose/Polypropylene	5 packs/200 sheets per pack	6" x 12"
44853	Kimtech* C3 Aviation Cleaning Wipe	Flat	_	Cellulose/Polypropylene	5 packs/100 sheets per pack	9" x 9"
28642	Kimtech* C4 Aviation Cleaning Wipe	Roll	Y	Cellulose/Polypropylene	1 roll/900 sheets per roll	12.5" x 13"
Dispens	ers					
28646	Kimtech* WetTask* System Bucket for use with A2 code 28648 & C3 code 28645				4 buckets	_
45888	WypAll* Quarterfold Dispenser		0		1 Dispenser	-

aviation (MEK, MPK, Acetone, IPA, etc.)



# **Trusted Brands** for your Washroom



While people all over the globe are hard at work delivering great products and services that make the world move forward, we are busy transforming those environments. In fact, we are on a mission to create a new standard for the workplace. This means we not only sell great products, but also full-service solutions that truly change your working environment.

We offer two of the most recognized and respected brands in the world: Kleenex® Brand and Scott® Brand, both of which eliminate the guesswork for you and your employees.

Ready to make your workplace truly exceptional? We are ready to help, because we are dedicated to creating spaces that are healthier, safer and more productive.

### Go With The Brand You Know

Kleenex® Brand is America's #1 consumer facial tissue. So it's no surprise that people also prefer Kleenex® Facial Tissue when they're away from home.

Exceptional softness and premium performance encourage tissue use, helping you create a healthier work environment.





Facial	Tissue	

. 0.0.0										
	Code	Description	EPA FSC	ECOLOGO	Color	Ply	Size (WxL)	Qty/ Unit	Units/ Case	Qty/ Case
$\Im$	21270	Kleenex® Boutique* Facial Tissue	Ø		White	2	8.4" x 8.0" 21.3cm x 20.3cm	95 sts.	36 bxs.	3,420 sts.
A	21272	Kleenex® Naturals Boutique* Facial Tissue	v Ø		White	2	8.4" x 8.0" 21.3cm x 20.3cm	95 sts.	36 bxs.	3,420 sts.
	21320	Surpass* Boutique* Facial Tissue	v Ø	V	White	2	8.0" x 8.3" 20.3cm x 21.1cm	110 sts.	36 bxs.	3,960 sts.
Š	21606	Kleenex® Facial Tissue	<b>Ø</b>		White	2	8.4" x 8.0" 21.3cm x 20.3cm	125 sts.	48 bxs.	6,000 sts.
	21400	Kleenex® Facial Tissue	Ø		White	2	8.4" x 8.0" 21.3cm x 20.3cm	100 sts.	36 bxs.	3,600 sts.
<b>3</b>	21601	Kleenex® Naturals Facial Tissue	v Ø		White	2	8.4" x 8.0" 21.3cm x 20.3cm	125 sts.	48 bxs.	6,000 sts.
	21340	Surpass* Facial Tissue	v 0	V	White	2	8.0" x 8.3" 20.3cm x 21.1cm	100 sts.	30 bxs.	3,000 sts.
<b>3</b>	21390	Surpass* Facial Tissue	v Ø	V	White	2	8.0" x 8.3" 20.3cm x 21.1cm	125 sts.	60 bxs.	7,500 sts.







# **Bathroom Tissue** Solutions




### Better Hygiene, Less Waste

Create a healthier restroom environment with Kleenex® and Scott® Brand bathroom tissue products. Designed to reduce waste, they also directly address good hygiene with enclosed, touchless dispensing options.

A customer favorite is our Coreless Jumbo Roll Tissue (JRT) that provides 15% more tissue per roll than standard cored JRT systems.

	Code	Description	EPA	FSC E	COLOGO	Color	Ply	Size (WxL)	Qty/Unit	Units/ Case	Qty/ Case	Fits Dispensers
3	07827	Scott® JRT Bathroom Tissue	•	<b>Ø</b>	V	White	2	3.55" x 2,000' 9.0cm x 609.6m	2,000' 609.6m	6 rolls	12,000' 3,657.6m	09551, 09612
3	07202	Scott® JRT Bathroom Tissue	•	0	•	White	1	3.55" x 4,000' 9.0cm x 1,219.2m	4,000' 1,219.2m	6 rolls	24,000° 7,315.2m	09551, 09612
3	07223	Scott® JRT Jr. Bathroom Tissue	•	0	•	White	1	3.55" x 2,000' 9.0cm x 609.6m	2,000' 609.6m	12 rolls	24,000° 7,315.2m	09078, 09507, 09508 09551, 09554
3	07805	Scott® JRT Jr. Bathroom Tissue	•	0	•	White	2	3.55" x 1,000' 9.0cm x 304.8m	1,000' 304.8m	12 rolls	12,000' 3,657.6m	09078, 09507, 09508 09551, 09554
3	67805	Scott® 100% Recycled Fiber JRT Jr. Bathroom Tissue	~	9	•	White	2	3.55" x 1,000' 9.0cm x 304.8m	1,000′ 304.8m	12 rolls	12,000° 3,657.6m	09507, 09508, 09551, 09554
3	02129	Scott® JRT Jr. Bathroom Tissue	~	Ø	<b>v</b>	White	2	3.55" x 1,000' 9.0cm x 304.8m	1,000' 304.8m	12 rolls	12,000' 3,657.6m	09078, 09507, 09508 09554
3	070061	Scott® Coreless JRT Jr. Bathroom Tissue	~	9	•	White	2	3.78" x 1,150' 9.6cm x 350.5m	1,150' 350.5m	12 rolls	13,800′ 4,206m	09601, 09602, 09603 09608, 09609, 34831, 34 39709, 39730, 39731, 397
3	07304	Cottonelle® JRT Jr. Bathroom Tissue	•	Ø		White	2	3.55" x 750' 9.0cm x 228.6m	750′ 228.6m	12 rolls	9,000' 2,743.2m	09078, 09507, 09508 09551, 09554
0	04460	Scott® Standard Roll Bathroom Tissue	•	Ø	<b>v</b>	White	2	4.1" x 4.0" 10.4cm x 10.2cm	550 sts.	80 rolls	44,000 sts.	09021
0	13217	Scott® 100% Recycled Fiber Standard Roll Bathroom Tissue	~	<b>Ø</b>	•	White	2	4.1" x 4.0" 10.4cm x 10.2cm	506 sts.	80 rolls	40,480 sts.	09021
$\emptyset$	04007	Scott® Coreless Standard Roll Bathroom Tissue	~	<b>Ø</b>	~	White	2	4.0" x 3.94" 10.2cm x 10.0cm	1,000 sts.	36 rolls	36,000 sts.	09021, 09604, 0960 09606
0	17713	Cottonelle® Standard Roll Bathroom Tissue	V	9		White	2	4.09" x 4.0" 10.3cm x 10.2cm	451 sts.	60 rolls	27,060 sts.	09021
<b>p</b>	07001	Cottonelle® Coreless Standard Roll Bathroom Tissue	V	<b>Ø</b>		White	2	4.0" x 3.94" 10.2cm x 10.0cm	800 sts.	36 rolls	28,800 sts.	09021, 09604, 09605 , 09606
	07410	Scott® Personal Seats	•			White	1	15.0" x 18.0" 38.1cm x 45.1cm	125 sts.	24 pks.	3,000 sts.	09505, 09506, 095
7	39000	Scott® Personal Seats				White	1	14.5" x 17.0" 36.8cm x 43.1cm	250 sts.	20 pks.	5,000 sts.	

 $<sup>^{\</sup>rm 1}$  Works with manual dispensers only  $\,\,$   $^{\rm 2}$  Works with electronic and manual dispensers







# Paper Towel Solutions



#### A Customized Washroom Experience

With a clean, sleek design that fits any washroom environment, the innovative Mod\* System has dispensing modules that simply plug and play. The result: a towel dispenser that's totally customized to meet the needs of each washroom within your facility now and into the future.

From manual or electronic hard roll towel dispensing to image-conscious folded towels, our systems offer a full range of hygienic options that deliver trusted Kleenex® and Scott® Brand towels.

#### **Better For The Planet**

We offer towels that are FSC® and ECOLOGO® certified and meet EPA standards for minimum post-consumer waste content.

Our towels are designed with Absorbency Pockets\*, so fewer towels are used. That means more towels left in the dispenser, more time between refills, less paper waste and, in many cases, less cost for your business.

#### **Folded Towels**

Code	Description	EPA	FSC E	COLOGO	Color	Ply	Size (WxL)	Qty/Unit	Units/ Case	Qty/ Case	Fits Dispensers
01700	Scott® Single-Fold Towels	<b>v</b>	<b>Ø</b>	V	White	1	9.3" x 10.5" 23.6cm x 26.7cm	250 sts.	16 pks.	4,000 sts.	N/A
01804	Scott® Multi-Fold Towels	•	<b>Ø</b>	•	White	1	9.2" x 9.4" 23.4cm x 23.9cm	250 sts.	16 pks.	4,000 sts.	09905, 09906, 39710, 39719, 39781
01801	Scott® 100% Recycled Fiber Multi-Fold Towels	•	<b>Ø</b>	V	Natural	1	9.2" x 9.4" 23.4cm x 23.9cm	250 sts.	16 pks.	4,000 sts.	09905, 09906, 39710, 39719, 39781
01510	Scott® C-Fold Towels	•	Ø	•	White	1	10.125" x 13.15" 25.7cm x 34.3cm	200 sts.	12 pks.	2,400 sts.	09905, 09906, 39710, 39719, 39781
02920	Scott® 100% Recycled Fiber C-Fold Towels	•	Ø	•	White	1	10.1" x 13.2" 25.6cm x 33.5cm	200 sts.	12 pks.	2,400 sts.	09905, 09906, 39710, 39719, 39781
01960	Scott® Scottfold* Towels	•	<b>Ø</b>	•	White	1	7.8" x 12.4" 19.8cm x 31.5cm	175 sts.	25 pks.	4,375 sts.	09214, 09215, 09216, 39640, 39711, 39712
01980	Scott® Scottfold* Towels	~	<b>Ø</b>	V	White	1	9.4" x 12.4" 23.9cm x 31.5cm	175 sts.	25 pks.	4,375 sts.	09905, 09906, 39710, 39719, 39781
01890	Kleenex® Multi-Fold Towels	~	<b>Ø</b>	V	White	1	9.2" x 9.4" 23.4cm x 23.9cm	150 sts.	16 pks.	2,400 sts.	09905, 09906, 39710, 39719, 39781
01500	Kleenex® C-Fold Towels	~	<b>Ø</b>	V	White	1	10.125" x 13.15" 25.7cm x 34.3cm	150 sts.	16 pks.	2,400 sts.	09905, 09906, 39710, 39719, 39781







	Code	Description	FΡΔ	FSC	ECOLOGO	Color	Ply	Size (WxL)	Qty/Unit	Units/	Qty/	Fits
⊇,	02000	Scott® High Capacity	LFA		∠ ×	White	1 1	8.0" x 950'	950'	<b>Case</b> 6 rolls	<b>Case</b> 5,700'	<b>Dispensers</b> 09765, 09992, 09993
		Hard Roll Towels (1.75" / 4.4cm core)	Ť		·			20.3cm x 289.5m	289.5m		1,737m	09994, 09995, 09996 09998
	02001	Scott® Essential* High Capacity Hard Roll Towels (1.75″ / 4.4cm core)	V	<b>Ø</b>	<b>V</b>	White	1	8.0" x 950' 20.3cm x 289.5m	950' 289.5m	6 rolls	5,700' 1,737m	46253, 46254
	01000	Scott® High Capacity Hard Roll Towels (1.5" / 3.8cm core)	V	<b>Ø</b>	<b>V</b>	White	1	8.0" x 1,000' 20.3cm x 304.8m	1,000′ 304.8m	12 rolls	12,000' 3,657.6m	09073, 09746, 09765 09990, 09991
	01005	Scott® High Capacity Hard Roll Towels (1.5" / 3.8cm core)	~	<b>Ø</b>	<b>V</b>	White	1	8.0" x 1,000' 20.3cm x 304.8m	1,000′ 304.8m	6 rolls	6,000' 1,828.8m	09073, 09746, 09765 09990, 09991
	01040	Scott® Hard Roll Towels (1.5" / 3.8cm core)	~	Ø	<b>V</b>	White	1	8.0" x 800' 20.3cm x 243.8m	800' 243.8m	12 rolls	9,600' 2,926.1m	09073, 09746, 09765 09990, 09991
	04142	Scott® Hard Roll Towels (1.5" / 3.8cm core)	~	Ø	~	Natural	1	8.0" x 800' 20.3cm x 243.8m	800′ 243.8m	12 rolls	9,600° 2,926.1m	09073, 09746, 0976
	02021	Scott® Hard Roll Towels (1.5" / 3.8cm core)	V	<b>Ø</b>	•	Natural	1	8.0" x 400' 20.3cm x 121.9m	400′ 121.9m	12 rolls	4,800' 1,462.8m	09073, 09746, 0976
	02068	Scott® Hard Roll Towels (1.5″ / 3.8cm core)	~	0	<b>V</b>	White	1	8.0" x 400' 20.3cm x 121.9m	400′ 121.9m	12 rolls	4,800' 1,462.8m	09073, 09746, 0976
	32848	Scott® Hard Roll Towels (2.0" / 5.1cm core)	•	Ø	<b>V</b>	Natural	1	8.0" x 800' 20.3cm x 243.8m	800' 243.8m	6 rolls	4,800' 1,462.8m	09746, 09765
	25702	Scott® Hard Roll Towels, Mod* System (Blue code) (1.75" / 4.4cm core)	~	<b>Ø</b>	V	White	1	7.5" x 1150' 19.0cm x 350.5m	1,150' 350.5m	6 rolls	6,900′ 2103.1m	Mod* System (page 154)
	43959	Scott® Hard Roll Towels, Mod* System (Blue code) (1.75" / 4.4cm core)	V	<b>Ø</b>	<b>V</b>	Mocha	1	7.5" x 800' 19.0cm x 243.8m	800' 243.8m	6 rolls	4,800' 1,462.8m	Mod* System (page 154)
	12388	Scott® Slimroll* Hard Roll Towels (1.75" / 4.4cm core)	~	Ø	<b>V</b>	White	1	8.0" x 580' 20.3cm x 176.8m	580' 176.8m	6 rolls	3,480′ 1,060.7m	10441, 10442, 13567 36016, 36034, 3603
	50606	Kleenex® Hard Roll Towels (1.75" / 4.4cm core)	<b>V</b>	<b>Ø</b>	<b>V</b>	White	1	8.0" x 600' 20.3cm x 182.9m	600′ 182.9m	6 rolls	3,600' 1,097m	09765, 09992, 09993 09994, 09995, 09996 09998
	01080	Kleenex® Hard Roll Towels (1.5" / 3.8cm core)	•	Ø	<b>~</b>	White	1	8.0" x 425' 20.3cm x 129.5m	425′ 129.5m	12 rolls	5,100° 1,554m	09073, 09746, 0976 09990, 09991
2	01032	Scott® Roll Control Center-Pull Towels	~	Ø	~	White	1	8.0"x 12.0" 20.3cm x 30.4cm	700 sts.	6 rolls	4,200 sts.	09335, 09989
3	01051	Scott® Center-Pull Towels	~	<b>Ø</b>	•	White	1	8.0" x 15.0" 20.3cm x 38.1cm	500 sts.	4 rolls	2,000 sts.	09335
3	01010	Scott® Center-Pull Towels	V	Ø	V	White	2	8.0" x 15.0" 20.3cm x 38.1cm	500 sts.	4 rolls	2,000 sts.	09335
3	01320	Kleenex® Premiere* Center-Pull Towels				White	1	8.0" x 15.0" 20.3cm x 38.1cm	250 sts.	4 rolls	1,000 sts.	09335
<u>"</u>	41482	Scott® Kitchen Roll Towels	V	<b>Ø</b>	<b>V</b>	White	1	11.0" x 8.78" 27.9cm x 22.3cm	128 sts.	20 rolls	2,560 sts.	-
<u>,</u>	13608	Scott® Kitchen Roll Towels (Convenience Case)	~	<b>Ø</b>	~	White	1	11.0" x 8.78" 27.9cm x 22.3cm	96 sts.	15 rolls	1,440 sts.	_
<u>'</u>	13964	Kleenex® Premiere* Kitchen Roll Towels				White	1	10.4" x 11.0" 26.4cm x 27.9cm	70 sts.	24 rolls	1,680 sts.	-







# **Skin Care** Solutions



#### **Industrial Scott\* Brand Skin Care Solutions**

Scott\* industrial skin cleansers with grit are designed for the demanding needs of the toughest workplace applications. Scott\* hand lotions offer unique formulas to moisturize and promote good skin condition in industrial workplace environments.



#### Industrial Scott\* Skin Cleansers & Lotion

Description	Manual	Bag-Ir	1-Вох	Bulk	Color	Fragrance
Size x Case Count	1.0L x 6	3.5L x 2	8.0L x 2	1 Gallon x 4		
Naturally Tuff Orange Skin Cleanser with Grit	40552³ 41862⁴	91047³ 41860⁴	91045³ 41861⁴	91057³	White	Orange
Super Duty Skin Cleanser with Grit	405513	91757³ 41863⁴	91748³ 41864⁴	91388³	White	Citrus
Skin Relief Lotion	35365				White	Fresh

<sup>&</sup>lt;sup>3</sup> Not for sale in California

#### **Scott\* Brand Skin Care Solutions**

Count on Scott\* Brand for practical and affordable skin care products that help to keep skin clean and healthy. The lineup includes a variety of high-capacity solutions that provide the ideal blend of great performance and value. From everyday cleansers to industrial solutions, you can achieve good hygiene on a budget.

#### **Scott\* Skin Cleansers**

Description	Certification	Suretouch*	Bag-In-Box	Bulk	Color	Fragrance
Size x Case Count		1.0L x 3	8.0L x 2	1 Gallon x 4		
Gentle Lotion Skin Cleanser			91721		Pink	Floral
Golden Lotion Skin Cleanser		91437			Yellow	Citrus
Antibacterial Skin Cleanser (0.5% PCMX)	CFIA Accepted			93069	Clear	Floral

#### Scott\* Hair & Body Wash

Description	Ві	ılk	Color	Fragrance
Size x Case Count	8.0L x 2	1 Gallon x 4		
Hair & Body Wash	91726	91325	Yellow	Citrus

#### Fit Dispensers

Suretouch*	Manual	Sani-Tuff Push Dispenser (3.5L & 8L)
91936	92144, 92145	92013
Scott* Brand	Scott* Antibacteria	al Scott* Industria



9201.

<sup>&</sup>lt;sup>4</sup> Prop 65 Compliant

#### Kleenex® Brand Skin Care Solutions

Incomparable Quality. Impressive Selection.

From quality essentials to specialty products, Kleenex® Brand delivers the highest quality with a comprehensive line of skin care solutions.



#### Kleenex® Skin Cleansers

Description	Certification	Manual	Electronic	Counter Mount	Color	Fragrance
Size x Case Count		1.0L x 6	1.2L x 2	1.5L x 2		
Antibacterial Skin Cleanser (0.25% Triclosan)	CFIA Accepted	91559			Clear	Floral
Antibacterial Foam Skin Cleanser (0.5% Triclosan)	NSF E-4, CFIA Accepted	91554	91594	11279	Clear	Fruit
Antiseptic Foam Skin Cleanser (1.75% PCMX)	NSF E-2, CFIA Accepted		91595		Clear	Unscented
Green Certified Foam Skin Cleanser	Green Seal™; NSF E-1, CFIA Accepted	91565	91591		Clear	Unscented
Gentle Lotion Skin Cleanser		91556			Pink	Floral
Foam Skin Cleanser with Moisturizers		91552	91592	11280	Pink	Floral

#### Kleenex® Hand Sanitizers

Description	Certification	Manual	Electronic	Color	Fragrance
Size x Case Count		1.0L x 6	1.2L x 2		
Moisturizing Foam Hand Sanitizer	NSF E-3	91560	91590	Clear	Fresh
Moisturizing Instant Hand Sanitizer	NSF E-3	91562	91600	White	Fruit

#### Kleenex® Lotion

Description	Manual	Color	Fragrance
Size x Case Count	1.0L x 6		
Moisturizing Hand & Body Lotion	35362	White	Fresh


#### Kleenex® Hair & Body Wash

Description	Manual	Color	Fragrance
Size x Case Count	1.0L x 6		
Hair & Body Wash	91557	Clear	Citrus
Foam Hair & Body Wash	91553	Light Blue	Fresh

#### **Fit Dispensers**

11329, 92147, 92148,
32499, 32504, 32508 92144, 92145 11331, 34829, 40836

Kleenex® Brand



Products meet Green Seal™ Standard GS-41A, see back cover for additional details



Kleenex® Green Certified



Kleenex® Moisturizing







### **Scott® Continuous Air Freshener System**

Keep your washroom smelling clean and fresh with the Scott® Continuous Air Freshener System. Four great scent options plus a fragrance-free Natural odor neutralizer that's specially formulated to neutralize and remove odors from the air.

Scott	Scott® Continuous Air Fresheners								
Code	Description	Fragrance	Color	Dimensions (W x H x D)	Case Count	Fits Dispensers			
12369	Scott® Continuous Air Freshener	Natural (odor neutralizer)	Clear	2.3" x 4.4" x 2.3" 5.8cm x 11.1cm x 5.8cm	6	92620, 92621			
12370	Scott® Continuous Air Freshener	Summer Fresh	Clear	2.3" x 4.4" x 2.3" 5.8cm x 11.1cm x 5.8cm	6	92620, 92621			
12373	Scott® Continuous Air Freshener	Mango	Clear	2.3" x 4.4" x 2.3" 5.8cm x 11.1cm x 5.8cm	6	92620, 92621			
91067	Scott® Continuous Air Freshener	Citrus	Clear	2.3" x 4.4" x 2.3" 5.8cm x 11.1cm x 5.8cm	6	92620, 92621			
91072	Scott® Continuous Air Freshener	Ocean	Clear	2.3" x 4.4" x 2.3" 5.8cm x 11.1cm x 5.8cm	6	92620, 92621			

### **Promoting Healthier Environments**

We have all kinds of ways to address germ "hot spots" — surfaces like door handles and break room tables that many people touch each day. We bring you innovative solutions to break the chain of germ transmission and help you create your own healthy work environment.

Automatic	Door	Handle	Disinfectant	System
-----------	------	--------	--------------	--------

Code	Description	Size	Qty/Case	Fits Dispensers
35524 <sup>US</sup>	Hyso® Aerosol Canister	4.5 oz.	6	35563, 35566, 35578

Scott® 24 Hour <sup>††</sup> Sanitizing Solutions			
41524 <sup>US</sup> Scott <sup>®</sup> 24 Hour <sup>th</sup> Sanitizing Wipes	50 wipes	12	White

<sup>&</sup>lt;sup>††</sup> Residual Self-Sanitizing: To sanitize for 24 hours against Staphylococcus aureus, Enterobacter aerogenes, and Community-Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA) on hard, non-porous, non-food contact surfaces. Directions for Wipes: Use enough wipes to thoroughly treat surfaces to remain visibly wet for 5 minutes. Air dry. No rinsing required. Directions for Spray: Spray 6-8 inches from surface until thoroughly wet. Let stand for 5 minutes. Wipe dry. No rinsing required.



The Automatic Door Handle Disinfectant System disinfects the handle between uses, eliminating 99.9% of most common bacteria on the handle surface.



Scott® 24 Hour<sup>#</sup> Sanitizing Spray kills 99.9% of bacteria for up to 24 hours<sup>#</sup> — even after multiple touches.

# Dispensers



		-			
Stainlage	Ctaal	5+	Metallic	Finich	Dispensers

Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
Bathroom 7	Tissue & Seat Cover Dispensers				
39709	Mod* Coreless JRT Jr. Bathroom Tissue Dispenser	Faux Stainless	14.13" x 10.39" x 5.87" 35.9cm x 26.4cm x 14.9cm	1	07006
096015	Coreless JRT Bathroom Tissue Dispenser	Stainless Steel	14.25" x 9.75" x 6.0" 36.2cm x 24.8cm x 15.2cm	1	07006
09606⁵	Coreless Double Roll Bathroom Tissue Dispenser	Stainless Steel	10.13" x 7.13" x 6.38" 25.7cm x 18.1cm x 16.3cm	1	04007, 07001
09512	Toilet Seat Cover Dispenser	Stainless Steel	16.63" x 12.25" x 2.5" 42.2cm x 31.1cm x 6.4cm	1	07410
Roll Towel I	Dispensers				
See Page 154	Mod* Hard Roll Towel Dispenser	Stainless Steel	17.62" x 22.0" x 5.38" 44.8cm x 55.9cm x 13.7cm	1	25702, 43959
See Page 154	Mod* Hard Roll Towel Dispenser	Faux Stainless	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	25702, 43959
36034 <sup>5</sup>	Mod* Slimroll* Hard Roll Towel Dispenser	Faux Stainless	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.2cm	1	12388
Folded Tow	el Dispensers				
39710	Mod* Universal Folded Towel Dispenser	Faux Stainless	12.69" x 18.80" x 5.52" 32.2cm x 47.8cm x 14.0cm	1	01500, 01510, 01804, 01890, 01980, 02046, 02920
Skin Care D	ispensers				
325085	Mod* Electronic Touchless Cassette Skin Care Dispenser	Faux Stainless	7.29" x 11.69" x 4.0" 18.5cm x 29.7cm x 10.2cm	1	91590, 91591, 91594, 91595, 91600 11430, Stand available
113295	Electronic Cassette Skin Care Dispenser	Brushed Metallic	7.25" x 11.5" x 4.0" 18.4cm x 29.2cm x 10.2cm	1	91590, 91591, 91594, 91595, 91600, 11430, Stand available
113315	Touchless Counter Mount Skin Care Dispenser	Polished Chrome	2.12" x 4.25" x 5.56" 5.4cm x 10.8cm x 14.1cm	1	11279, 11280
40836	Touchless Counter Mount Skin Care Dispenser, Slimline	Polished Chrome	2.12" x 4.25" x 5.56" 5.4cm x 10.8cm x 14.1cm	1	11279, 11280
91936	Suretouch* Counter Mount Skin Care Dispenser	Polished Chrome	2.5" x 3.13" x 5.62" 6.4cm x 8.0cm x 14.3cm	1	91437
Miscellaneo	ous Dispensers				
35563	Automatic Door Handle Disinfectant Dispenser	Brushed Metallic	7.40" x 4.37" x 2.64" 18.8cm x 11.1cm x 6.7cm	1	35524

 $<sup>^{\</sup>rm 5}$  When installed properly, these dispensers meet the ADA Standards for Accessible Design, 28 CFR Part 36 (2010), local rules may vary.











### White Dispensers

Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
Bathroon	n Tissue & Seat Cover Dispensers				
34832	Mod* Coreless JRT Jr. Bathroom Tissue Dispenser	White	14.13" x 10.39" x 5.87" 35.9cm x 26.4cm x 14.9cm	1	07006
09603⁵	Coreless JRT Bathroom Tissue Dispenser	White	14.25" x 9.75" x 6.0" 36.2cm x 24.8cm x 15.2cm	1	07006
09609	Coreless JRT Twin Bathroom Tissue Dispenser	White	20.1" x 10.9" x 5.9" 51.0cm x 27.6cm x 14.9cm	1	07006
096055	Coreless Double Roll Bathroom Tissue Dispenser	White	11.0" x 7.63" x 6.0" 27.9cm x 19.4cm x 15.2cm	1	04007, 07001
095085	JRT Jr. Escort* Jumbo Roll Bathroom Tissue Dispenser w/Stub Roll	White	14.0" x 16.0" x 5.8" 35.6cm x 40.7cm x 14.7cm	1	02129, 07223, 07304, 07805, 67223, 67805
09505	Toilet Seat Cover Dispenser	White	17.5" x 13.25" x 2.25" 44.5cm x 33.7cm x 5.7cm	1	07410
Roll Towe	el Dispensers				
36035⁵	Mod* Slimroll* Hard Roll Towel Dispenser	White	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.2cm	1	12388
104425	Slimroll* Hard Roll Towel Dispenser	White	12.0" x 12.5" x 7.0" 30.5cm x 31.8cm x 17.8cm	1	12388
09993⁵	Electronic Touchless Roll Towel Dispenser Includes Module (1.75" / 4.4cm hub)	White	12.63" x 16.13" x 10.2" 32.1cm x 40.9cm x 25.9cm	1	02000, 50606
09995	Sanitouch Roll Towel Dispenser (1.75" / 4.4cm hub)	White	12.63" x 16.13" x 10.2" 32.1cm x 40.9cm x 25.9cm	1	02000, 50606
09991	Sanitouch Roll Towel Dispenser (1.5" / 3.8cm hub)	White	12.63" x 16.13" x 10.2" 32.1cm x 40.9cm x 25.9cm	1	01000, 01005, 01040, 01080
Folded To	owel Dispensers				
39640⁵	Mod* Scottfold* Folded Towel Dispenser	White	10.6" x 18.79" x 5.48" 26.9cm x 47.7cm x 13.9cm	1	01960
09906	Universal Folded Towel Dispenser (fits 9.4* / 23.9cm towel)	White	13.31" x 18.85" x 5.85" 33.8cm x 47.9cm x 14.9cm	1	01500, 01510, 01801, 01804, 01890, 01980, 02920, 03650, 43752
Skin Care	Dispensers				
32499⁵	Mod* Electronic Touchless Cassette Skin Care Dispenser	White	7.29" x 11.69" x 4.0" 18.5cm x 29.7cm x 10.2cm	1	91590, 91591, 91594, 91595, 91600, 11430, Stand available
921475	Electronic Cassette Skin Care Dispenser	White	7.25" x 11.5" x 4.0" 18.4cm x 29.2cm x 10.2cm	1	12979, 34643, 91590, 91591, 91592, 91594, 91595, 91600, 11430, Stand available
921445	Cassette Skin Care Dispenser	White	4.85" x 8.36" x 5.43" 12.3cm x 21.2cm x 13.8cm	1	35362, 35365, 40551, 40552, 41862, 91552, 91553, 91554, 91556, 91557, 91559, 91560, 91562, 91565
Miscellan	neous Dispensers				
35578 us	Automatic Door Handle Disinfectant Dispenser	White	7.40" x 4.37" x 2.64" 18.8cm x 11.1cm x 6.7cm	1	35524
92620	Scott® Continuous Air Freshener Dispenser	White	2.8" x 5.0" x 2.4" 7.1cm x 12.7cm x 6.0cm	1	12369, 12370, 12373, 91067, 91072

 $<sup>^5</sup>$  When installed properly, these dispensers meet the ADA Standards for Accessible Design, 28 CFR Part 36 (2010), local rules may vary.















#### **Black/Smoke Dispensers**

Code	e Description		Dimensions (W x H x D)	Case Count	Fits Product				
Bathroo	Bathroom Tissue & Seat Cover Dispensers								
090215	Double Roll Bathroom Tissue Dispenser	Smoke/Grey	6.0" x 13.6" x 6.6" 15.2cm x 34.5cm x 16.8cm	1	04007, 04460, 07001, 13217, 17713				
34831	Mod* Coreless JRT Jr. Bathroom Tissue Dispenser	Black	14.13" x 10.39" x 5.87" 35.9cm x 26.4cm x 14.9cm	1	07006				
096025	Coreless JRT Bathroom Tissue Dispenser	Smoke/Grey	14.25" x 9.75" x 6.0" 36.2cm x 24.8cm x 15.2cm	1	07006				
09608	Coreless JRT Twin Bathroom Tissue Dispenser	Smoke/Grey	20.0" x 11.0" x 6.0" 50.8cm x 27.9cm x 15.2cm	1	07006				
096045	Coreless Double Roll Bathroom Tissue Dispenser	Smoke/Grey	11.0" x 7.63" x 6.0" 27.9cm x 19.4cm x 15.2cm	1	04007, 07001				
39731	Mod* Coreless JRT Twin Bathroom Tissue Dispenser	Black	20.25" x 11.60" x 6.25" 51.4cm x 29.5cm x 15.9cm	1	07006				
09551	Cored JRT Combo Unit Bathroom Tissue Dispenser	Smoke/Grey	20.43" x 13.12" x 5.8" 51.9cm x 33.3cm x 14.7cm	1	07202, 07223, 07304, 07805 , 07827, 67223, 67805				
095075	JRT Jr. Escort* Jumbo Roll Bathroom Tissue Dispenser w/Stub Roll	Smoke/Grey	16.0" x 13.88" x 5.75" 40.6cm x 35.3cm x 14.6cm	1	02129, 07223, 07304, 07805, 67223, 67805				
09078	D-2 JRT Jr. Bathroom Tissue Dispenser	Smoke/Putty	20.0" x 13.13" x 6.0" 50.8cm x 33.4cm x 15.3cm	1	02129, 07223, 07304, 07805, 67223				
09506	Toilet Seat Cover Dispenser	Smoke/Grey	17.5" x 13.25" x 2.25" 44.5cm x 33.7cm x 5.7cm	1	07410				

Roll Towel Dispensers								
See page 154	Mod* Hard Roll Towel Dispenser	Black	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	See page 154			
360165	Mod* Slimroll* Hard Roll Towel Dispenser	Black	12.65" x 13.02" x 7.18" 32.1cm x 33.1cm x 18.2cm	1	12388			
104415	Slimroll* Hard Roll Towel Dispenser	Smoke/Grey	12.0" x 12.5" x 7.0" 30.48cm x 31.75cm x 17.78cm	1	12388			
09992⁵	Electronic Touchless Roll Towel Dispenser (1.75" / 4.4cm hub)	Smoke/Grey	12.63" x 16.13" x 10.2" 32.1cm x 41.0cm x 25.9cm	1	02000, 50606			
09996	Sanitouch Hard Roll Towel Dispenser (1.75" / 4.4cm hub)	Smoke/Grey	12.63" x 16.13" x 10.2" 32.1cm x 41.0cm x 25.9cm	1	02000, 50606			
09990	Sanitouch Hard Roll Towel Dispenser (1.5" / 3.8cm hub)	Smoke/Grey	12.63" x 16.13" x 10.2" 32.1cm x 41.0cm x 25.9cm	1	01000, 01005, 01040, 01080			
099895	Roll Control Center-Pull Towel Dispenser	Smoke/Grey	10.3" x 11.9" x 9.3" 26.2cm x 30.2cm x 23.6cm	1	01032			
093355	Sr. Center-Pull Towel Dispenser	Smoke/Grey	10.0" x 12.5" x 10.65" 25.4cm x 31.8cm x 27.1cm	1	01010, 01032, 01051, 01320			
09073	D-2 Hard Roll Towel Dispenser	Smoke/Putty	17.5" x 16.0" x 10.0" 44.5cm x 40.6cm x 25.4cm	1	01000, 01005, 01040, 01080, 02021, 02068, 04142			
097655	Lev-R-Matic Roll Towel Dispenser (1.5" / 3.8cm hub)	Smoke/Grey	13.3" x 13.5" x 9.8" 33.8cm x 34.3cm x 24.9cm	1	01000, 01005, 01040, 01080, 02000, 02021, 02068, 04142, 32848, 50606			

 $<sup>^{\</sup>rm 5}$  When installed properly, these dispensers meet the ADA Standards for Accessible Design, 28 CFR Part 36 (2010), local rules may vary.







### **Black/Smoke Dispensers**

Code	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product
Folded	Towel Dispensers				
397115	Mod* Scottfold* Folded Towel Dispenser	Black	10.6" x 18.79" x 5.48" 26.9cm x 47.7cm x 13.9cm	1	01960
39719	Mod* Universal Folded Towel Dispenser	Black	12.69" x 18.80" x 5.52" 32.2cm x 47.8cm x 14.0cm	1	01500, 01510, 01801, 01804, 01890, 01980, 02920
09905	Universal Folded Towel Dispenser (fits 9.4" / 23.9cm towel)	Smoke/Grey	13.31" x 18.85" x 5.85" 33.8cm x 47.9cm x 14.9cm	1	01500, 01510, 01801, 01804, 01890, 01980, 02920
Skin Ca	are Dispensers				
32504 <sup>5</sup>	Mod* Electronic Touchless Cassette Skin Care Dispenser	Black	7.29" x 11.69" x 4.0" 18.5cm x 29.7cm x 10.2cm	1	91590, 91591, 91594, 91595, 91600, 11430, Stand available
921485	Electronic Cassette Skin Care Dispenser	Black	7.25" x 11.5" x 4.0" 18.4cm x 29.2cm x 10.2cm	1	91590, 91591, 91594, 91595, 91600, 11430, Stand available
921455	Cassette Skin Care Dispenser	Black	4.85" x 8.36" x 5.43" 12.3cm x 21.2cm x 13.8cm	1	35362, 35365, 40551, 40552, 41862, 91552, 91553, 91554, 91556, 91557, 91559, 91560, 91562, 91565
92013	Sani-Tuff Push Dispenser	Smoke/Grey	10.8" x 7.0" x 17.8" 27.4cm x 17.8cm x 45.2cm	1	41860, 41861, 41863, 41864, 91045, 91047, 91721, 91726, 91748, 91757
Miscell	aneous Dispensers & Stands				
35566	Automatic Door Handle Disinfectant Dispenser	Black	7.4" x 4.37" x 2.64" 18.8cm x 11.1cm x 6.7cm	1	35524
92621 <sup>US</sup>	Scott® Continuous Air Freshener Dispenser	Black	2.8" x 5.0" x 2.4" 7.1cm x 12.7cm x 6.0cm	1	12369, 12370, 12373, 91067, 91072

<sup>&</sup>lt;sup>5</sup> When installed properly, these dispensers meet the ADA Standards for Accessible Design, 28 CFR Part 36 (2010), local rules may vary.



#### Mod\* Hard Roll Towel Dispensers

Blue Codes	Description	Finish	Dimensions (W x H x D)	Case Count	Fits Product			
E-Series Dispensers & Module								
35609⁵	Mod* Electronic HRT Dispenser	Faux Stainless	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	25702, 43959			
343495	Mod* Electronic HRT Dispenser	White	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	25702, 43959			
343485	Mod* Electronic HRT Dispenser	Black	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	25702, 43959			
34361	Mod* E-Series Module	_	_	1	_			

M-Series Dispensers & Module								
356125	Mod* Manual HRT Dispenser	Faux Stainless	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	25702, 43959			
343475	Mod* Manual HRT Dispenser	White	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	25702, 43959			
343465	Mod* Manual HRT Dispenser	Black	12.66" x 16.44" x 9.18" 32.2cm x 41.8cm x 23.3cm	1	25702, 43959			
34359	Mod* M-Series Module	_	_	1	_			

<sup>&</sup>lt;sup>5</sup> When installed properly, these dispensers meet the ADA Standards for Accessible Design, 28 CFR Part 36 (2010), local rules may vary.











34347

Count on Kimberly-Clark Professional\* to provide the essentials for a healthier, safer and more productive workplace.



Place your order today with your local representative



Find your local distributor www.KCProfessional.com/distributor



Visit our website www.KCProfessional.com

Count on Kimberly-Clark Professional\* to provide the essentials for a healthier, safer and more productive workplace.



Place your order today with your local representative



Find your local distributor www.KCProfessional.com/distributor



Visit our website www.KCProfessional.com

To register your welding product https://www.KCProfessional.com/Resources/tools/Warranty/

NewUserRegistration.aspx

#### **Our Guarantee**

Your total satisfaction means everything to us. If, for any reason, our products do not meet your expectations, Kimberly-Clark will reimburse you<sup>†</sup> for your initial purchase, via FREE product, for up to \$1,000. For more information on Kimberly-Clark Professional\*, visit us online at **www.KCProfessional.com**.

‡ Guarantee extended to consuming end-user accounts only.

#### The following information is provided to assist with your buying decisions. Read all instructions and warnings attached to product before use.

It is the responsibility of the user to assess the types of hazards and the risks associated with exposure and then decide on the appropriate personal protective equipment needed for each circumstance. Failure to use only Jackson Safety\* designed, produced and tested components, attachments and replacement parts can adversely affect product performance resulting in serious injury.

## JACKSON SAFETY\* AND KLEENGUARD\* APPAREL AND HAND PROTECTION

Apparel or hand protection should be replaced immediately if ripped, torn, abraded or punctured.

Fabrics are not flame-resistant unless specified. Keep away from sparks, flames and sources of ignition. Melting fabric can cause severe burns.

The information provided within this literature refers to the performance of the fabric only, in the laboratory under controlled conditions. Kimberly-Clark makes no representation that its products will provide complete protection from exposure to contaminants. Thin mil glowes are for industrial use only, and are not intended for applications involving direct exposure to hazardous chemicals.

#### JACKSON SAFETY\* EYE PROTECTION

Provides limited eye protection. Additional protective devices are required for full eye coverage and protection.

Does not protect you from all hazards. Even though the lenses in these safety glasses are impact-resistant, they can break and shatter and will not protect you from explosions, all flying debris, and severe impacts. Should not be worn to provide protection from other hazards including, but not limited to, extreme temperatures, high heat, airborne dusts or mists, liquid splashes, sports activities and high-energy optical radiation.

#### JACKSON SAFETY\* FACE SHIELDS

Will not protect against hazards such as, but not limited to, fragmenting grinding wheels, explosive devices, welding rays, corrosive liquids or molten metal. Some face shields do not provide any impact protection. Do not use for protection against lasers, masers, x-rays or gamma rays. Do not use for protection from infrared (IR) or ultraviolet (UV) light unless marked for this protection. Wear only with Jackson Safety\* Brand Headgear or Cap Adaptors or other recommended products. Safety eyewear or goggles must also be worn. Do not use solvents for cleaning.

#### JACKSON SAFETY\* RESPIRATORY PROTECTION

Do not use respirators for sandblasting or to protect against asbestos, lead-based paint, pesticides, oil aerosols', vapors or gases. Do not wear respirators when conditions prevent a good facial seal. It is important to fit check the respirator each time it is worn. Jackson Safety Brand Respirators are not for medical use and should never be altered or modified. Powered air-purifying respirators (PAPRs) help protect against certain airborne contaminants. Do not use the PAPR with parts or accessories not specifically identified as compatible and which are included on the NIOSH approval label for the PAPR.

<sup>†</sup> Except R95 or P95

#### JACKSON SAFETY\* HEARING PROTECTION

Jackson Safety\* Hearing Protection may be adversely affected by certain chemical substances; avoid the use of solvents and other disinfectants. Regularly inspect for tears or cracks and replace if serviceability is suspected to be affected. Corded earplugs should not be used where there is a risk that the connecting cord could be caught up dur-

#### HEAD PROTECTION

Use other protection against severe impact hazards, severe penetration, or for blows to the front, side, or rear of head. Jackson Safety\* Hard Hats protect the top of head only. Replace hard hat after impact, even if there are no visible signs of damage. Replace headgear after one year, and entire hard hat after five years, even if there are no visible signs of damage. Be only Jackson Safety\* Brand Hard Hat Attachments with Jackson Safety\* Brand Hard Hat. Attachments with Jackson Safety\* Brand Hard Hats. Other manufacturers' attachments may fit, but have not been tested for safety and effectiveness. Use only Jackson Safety\* Brand Replacement Headgear specifically designed for your hard hat model. Headgear from other manufacturers (or Jackson Safety\* Brand Headgear designed for other models) will not provide proper impact protection even if it fits in the shell. Do not use for sporting or recreational activities.

#### WELDING HELMET AND/OR FILTER

Must always be worn with impact-resistant safety spectacles or goggles. Use the specified Jackson Safety\* Brand Safety Plate in front of the welding filter. Use the specified Jackson Safety\* Brand Internal Safety Plate when using an auto-darkening filter. Keep a safety plate in the fixed portion of a lift-front helmet. Our welding helmets and/or filters are not intended to protect against spatter and rays created during direct overhead welding. Our helmets and/or filters are not suitable for lasers, or low energy (below 5 amps) welding. Our helmets and/or filters are not suitable for oxyacetylene torching or plasma cutting applications unless equipped with the 'Torch' mode setting on the auto-darkening filter.

#### WELDING BLANKETS

Do not use a welding blanket for personal protection. Use only to cover work surfaces for welding. Blanket contains fibrous glass that may cause skin irritation from contact. Wear long-sleeved, loose-fitting clothing when handling. Wash skin with soap and water after contact. Do not use for any purpose other than as a welding blanket. Do not use when wet, because blanket will conduct electricity and heat. Do not allow contact with flammable liquids that would ignite if exposed to sparks.

#### WELDING CURTAINS

Do not use a welding curtain in place of goggles or other suitable eye protection. Do not use for any purpose other than as a welding curtain.

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers and are warrantied for the following periods from end-user's date of purchase (verified by valid sales receipt) (a) five years for Balder\* Technology auto darkening filters; (b) two years for all other auto-darkening filters; and (c) one year for powered air-purifying respirators; (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

\*/\*Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques déposées de Kimberly-Clark Worldwide, Inc. ou de ses filiales. The Color Grey is a Trademark of KCWW. The Color Purple and Purple Nitrile\* are owned by Halyard Health or its affiliates and used under license. © KCWW. Nomex, Tychem and Tyvek are registered trademarks of E.I. DuPont de Nemours and Company. Proban® is a registered trademark of Rhodia Operations. Dyneema is a registered trademark of Royal DSM NJ. Saranex is a registered trademark of The Dow Chemical Company. SMITH & WESSON\*, the S&W® Monogram, MAGNUM®, 38 SPECIAL, 44 MAGNUM, MAGNUM 3G, and SIGMA, are trademarks owned by SMITH & WESSON CORP. and are used with SMITH & WESSON CORP.'S permission. Lycra is a registered trademark of INVISTA. VELCRO® is a registered trademark of Velcro Industries B. V.



Printed with Soy Ink.

Effective May 2016







#### **WIPING SOLUTIONS**

- 5 WypAll\* Wipers
- 8 WypAll\* X90 Cloths
- 9 WypAll\* X80 Cloths
- 9 WypAll\* X70 Cloths
- **10** WypAll\* X70 Wipers in a Bucket
- 11 WypAll\* X60 Cloths
- 11 WypAll\* X50 Cloths
- 12 WypAll\* L40 Towels
- 13 WypAll\* L30 Towels
- 13 WypAll\* L20 Towels
- 14 WypAll\* L10 Towels
- **14** WypAll\* Washcloths & Towels
- 15 WypAll\* Foodservice Towels & Kimtech Prep\* Surface Sanitizer Wipes
- **16** WypAll\* Waterless Cleaning Wipes
- **16** WypAll\* Microfiber Cloths
- 17 Kimtech Prep\* Wipers
- **18** Kimtech Science\* Wipers
- 19 Kimtech Pure\* Wipers
- 20 Kimtech\* Aviation Wipes
- 23 Delivery Systems





# Wiping Solutions for your Exceptional Workplace

From wiping up grime to soaking up spills, effective cleaning is essential to your operation. It directly affects your product quality and your people.

And selecting the right cleaning tools means everything. Choose the best... WypAll\* Cloths and Towels. They are a clean, consistent and reliable replacement for paper towels, rags or shop towels. From single-use WypAll\* L Towels to WypAll\* X Cloth reusable solutions, we've got the right tool for every task.

#### Kimtech\* Brand

From the very beginning, Kimtech\* Brand has offered scientific environments truly innovative wiper solutions. Over 60 years ago, we created Kimwipes\* Wipers, the first and still the Number 1 lab wiper. From sterile pre-saturated cleanroom wipers to the wiper that's the industry standard for labs and research, Kimtech\* Brand continues to provide the high-performance wiper solutions you need.







# WypAll\* Wipers — The Right Tool



### Which wiper is right for you?

A good product "fit" ensures quality performance, safety and efficiency. It's also how we improve productivity, with no extra wipers or effort needed to complete each task.

So choose your wiper based on your specific needs

— and count on Kimberly-Clark Professional\* to
help you make your workplace truly exceptional.

Take a closer look at WypAll\* Wipers, the #1 brand in disposable wipers in North America.





See back cover for more details

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Premium Rag & Shop Tov	vel Replacement				
WypAll* X90 Cloths	• Low-lint wiping • Critical task wiping • Abrasive surface cleaning • Scrubbing tools	•••••	•••••	•••••	•••••
WypAll* X80 Cloths	Absorbs industrial-sized spills (oil, water, grease) • Solvent wiping     Heavy-duty machine & part wiping • Wiping metal shavings	••••	••••	••••	••••
WypAll* X70 Cloths	Applying disinfectants     Absorbs and releases high amounts of liquids	•••	••••	••••	••••
Economy Rag Replaceme	ent				
WypAII* X60 Cloths	• Cleaning equipment & surfaces • Applying/removing thinners & lubricants • Adhesive cleaning	•••	•••	•••	•••
WypAll* X50 Cloths	Vehicle & equipment clean-up • Cleaning counters     Basic clean-up tasks that require durability & absorbency	• •	••	••	••
General Purpose					
WypAll* L40 Towels	• Wiping faces & hands¹ • Routine cleaning & maintenance • Absorbs liquids & oils	• •	••••	• •	••••
WypAll* L30 Towels	Wet wiping & cleaning • Patient wiping¹     Polishing surfaces • Janitorial wiping	• •	•••	• •	•••
Single-use					
WypAll* L20 Multi-ply Towels	Parts & tool clean-up     General purpose wiping	•	••••	••	••
WypAll* L10 Single and Multi-ply Towels	Spray & wipe jobs • Absorbs incidental spills     Cleaning smooth & glass surfaces • Retail & grocery cleaning     Dairy-udder wiping	•	••	•	••

Need more help selecting a wiper? Go to www.KCProductselector.com/Wipers.aspx

<sup>&</sup>lt;sup>1</sup> Not for use on compromised skin.

# Consider the Cost, Waste and Inefficiency of Rags



Rags may seem like a good wiping choice. But think about what you're really getting — and ask yourself these questions:

- How many of the rags we buy are unusable and are just thrown away?
   Why are we paying for rags we can't
- How much valuable space do we devote to storing those big bulky rag containers?
- Is walking back and forth to the rag barrel (and taking time to choose a rag) hurting worker productivity?
- How many rags are used to complete a wiping task?
- How many pounds of heavy rags are we paying to dispose of?

Rags are sold by weight but are inconsistent in size, fabric and shape. They add to your landfill waste and associated costs. They can even leave residue on parts, creating quality issues.

# This small change can make a big impact:


Simply switch to WypAll\* Wipers. When you compare the lifecycles of WypAll\* Wipers and rags, you'll discover opportunities to:

- Consume less
- Reduce waste
- Cut costs<sup>2</sup>

Take a look at these 5 important ways WypAll\* Wipers outperform rags. Then find out how easy it is to make the switch.

 $^{2}$  Comparisons based on average WypAll\* Wiper usage versus average rag usage.

# WypAll\* Wipers vs. Rags



# WypAll\* X90 Cloths

Reinforced for scrubbing & cleaning abrasive surfaces

#### Tasks

- Low-lint wiping
- · Critical task wiping
- Abrasive surface cleaning
- Scrubbing tools

#### Attributes

- · Low-lint may minimize rework
- Soft & durable for repeated use
- Releases 90% of solvent absorbed which may reduce solvent spend
- Rinse & reuse reduces waste & cost
- Clean & consistent cloth every time
- Portable dispensers enable you to keep product where you work

#### WypAll\* X90 Cloths



Code	Description	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser
12890	Pop-Up* Box	Denim Blue	8.3" x 16.8"	21.1cm x 42.7cm	5/68	73900 - 📶
12891	Brag* Box	Denim Blue	11.1" x 16.8"	28.2cm x 42.7cm	1/136	73900
12889	Jumbo Roll	Denim Blue	11.8" x 12.6"	30cm x 32cm	1/450	80596,



See back cover for more details



# Save money with less wasted solvent!

WypAll\* X90 Cloths release 90% of the solvent they absorb, outperforming rags and reducing your solvent spend!

# WypAll\* X80 Cloths

Maximum-duty reusable cloth

#### **Tasks**

- Absorbs industrial-sized spills (oil, water, grease)
- · Solvent wiping
- Heavy-duty machine and part wiping
- · Wiping metal shavings

#### **Attributes**

- Reinforced for extra scrubbing and cleaning power
- Doesn't fall apart when tackling the most demanding jobs even in solvents
- Rinse & reuse reduces waste & cost
- · Clean & consistent cloth every time
- Portable dispensers enable you to keep product where you work
- Absorbs 30% more water, significantly faster and leaves 3 times less lint<sup>3</sup> than shop towels

#### WypAll\* X80 Cloths Code **Delivery System** Color Size (inches) Size (centimeters) Put-Up Dispenser 05930 Pop-Up\* Box Red 9.1" x 16.8" 23.1cm x 42.7cm 5/80 73900 41048 Pop-Up\* Box White 9.1" x 16.8" 23.1cm x 42.7cm 5/80 73900 41041 Brag\* Box Blue 12.5" x 16.8" 31.8cm x 42.7cm 1/160 73900 41044 Brag\* Box White 12.5" x 16.8" 31.8cm x 42.7cm 1/160 73900 41026 1/4 Fold White 12.5" x 12" 31.8cm x 30.5cm 4/50 45888, 09107 41029 1/4 Fold 12.5" x 12" 31.8cm x 30.5cm 4/50 45888, 09107 Red 41025 Jumbo Roll White 12.5" x 13.4" 31.8cm x 34cm 1/475 80596, 80579 41055 Red 12.5" x 13.4" 31.8cm x 34cm 1/475 80596, 80579 Jumbo Roll 41043 Jumbo Roll Blue 12.5" x 13.4" 31.8cm x 34cm 1/475 80596, 80579

# WypAll\* X70 Cloths

T-shirt rag replacement, reusable cloth with high fluid absorbency

#### Tasks

- · Applying disinfectants
- Absorbs & releases high amounts of liquids


#### **Attributes**

- Can absorb water 5 times its weight for fast clean-up
- · Absorbs more oil & water than rags
- Rinse & reuse reduces waste & cost
- · Clean & consistent cloth every time
- Portable dispensers enable you to keep product where you work


#### WypAll\* X70 Cloths



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser
41412	Pop-Up* Box	Blue	9.1" x 16.8"	23.1cm x 42.7cm	10/100	73900
41455	Pop-Up* Box	White	9.1" x 16.8"	23.1cm x 42.7cm	10/100	73900
40587	Pop-Up* Box	White	9.1" x 12.5"	23.1cm x 31.75cm	10/120	73900
41300	Brag* Box	White	12.5" x 16.8"	31.8cm x 42.7cm	1/152	73900
41200	1/4 Fold	White	12.5" x 12"	31.8cm x 30.5cm	12/76	45888, 09107
41061	Flat Sheet	White	16.6" x 29.8"	42.2cm x 75.7cm	1/300	N/A
41100	Flat Sheet	White	14.9" x 16.6"	37.8cm x 42.2cm	1/300	N/A
41702	Center-Pull Roll	White	9.8" x 13.4"	24.9cm x 34cm	3/275	09335
41600	Jumbo Roll	White	12.5" x 13.4"	31.8cm x 34cm	1/870	80596, 80579
41611	Jumbo Roll ]	Blue	12.5" x 13.4"	31.8cm x 34cm	1/870	80596, 80579



<sup>&</sup>lt;sup>3</sup> Pound for pound, based on one test lot.



### WypAll\* X70 Wipers in a Bucket



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser	
83561	Wipers in a Bucket	White	9.75" x 13"	24.8cm x 33cm	2/220	N/A	
83571	Wipers in a Bucket - Refill	White	9.75" x 13"	24.8cm x 33cm	3/220	N/A	

## WypAll\* X70 Wipers in a Bucket

- Easy-carry bucket is crush resistant and refillable
- Keep wipers clean and handy wherever you go!



# WypAll\* X60 Cloths

A versatile reusable cloth to replace assorted rags

#### **Tasks**

- · Cleaning equipment & surfaces
- Applying/removing thinners & lubricants
- Adhesive cleaning

#### **Attributes**

- Absorbs 2 times more water and oil than rags3 for faster clean-up
- Tough enough for big jobs soft enough for face & hands1
- Rinse & reuse reduces waste & cost
- On average, reduces disposal waste by 78% versus rags
- Clean & consistent cloth every time
- Portable dispensers enable you to keep product where you work

#### WypAll\* X60 Cloths





Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser	
34015	Brag* Box	White	12.5" x 16.8"	31.8cm x 42.7cm	1/180	73900	
34790	Pop-Up* Box	White	9.1" x 16.8"	23.1cm x 42.7cm	10/126	73900	
34865	1/4 Fold	White	12.5" x 12"	31.8cm x 30.5cm	12/76	45888, 09107	
34770	1/4 Fold	White	11" x 23"	27.9cm x 58.4cm	9/100	45888, 09107	
34900	Flat Sheet	White	12.5" x 16.8"	31.8cm x 42.7cm	6/150	N/A	
35401	Small Roll	White	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A	
35411	Small Roll	Blue	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A	
35421	Small Roll	White	19.8" x 13.4"	50.3cm x 34cm	6/130	N/A	
35431	Small Roll	Blue	19.8" x 13.4"	50.3cm x 34cm	6/130	N/A	
34955	Jumbo Roll	White	12.5" x 13.4"	31.8cm x 34cm	1/1100	80596, 80579	
34965	Jumbo Roll	Blue	12.5" x 13.4"	31.8cm x 34cm	1/1100	80596, 80579	

# WypAll\* X50 Cloths

Durable & absorbent value cleaning cloth

#### **Tasks**

- Vehicle & equipment clean-up
- Cleaning counters
- Basic clean-up tasks that require durability & absorbency

#### **Attributes**

- Economical general purpose cloth
- Clean & consistent cloth every time
- Portable dispensers enable you to keep product where you work

#### WypAll\* X50 Cloths



Code	Delivery System		Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser	
83550	Pop-Up* Box		White	9.1" x 12.5"	23.1cm x 31.8cm	10/176	73900	A.A
35025	1/4 Fold		White	10" x 12.5"	25.4cm x 31.8cm	32/26	45888, 09107	
35015	Jumbo Roll	9	White	9.8" x 13.4"	24.9cm x 34cm	1/1100	80596, 80579	A 6
								נעו



See back cover for more details

 $<sup>^{1}</sup>$  Not for use on compromised skin.  $^{3}$  Pound for pound, based on one test lot.

# WypAll\* L40 Towels

Soft like a tissue, absorbs like a sponge, toss like a towel

#### Tasks

- Absorbs spills big & small
- Wiping face & hands1
- Routine cleaning & maintenance
- Easily absorbs liquids, lubricants & oils
- Compostable<sup>4</sup>


**Attributes** 

• Portable dispensers enable you to keep product where you work

#### WypAll\* L40 Towels



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser	
05740	Pop-Up* Box	Blue	16.4" x 9.8"	41.7cm x 24.9cm	9/100	09352	
05790	Pop-Up* Box -	White	16.4" x 9.8"	41.7cm x 24.9cm	9/100	09352	
03046	Pop-Up* Box	White	10" x 9.8"	25.4cm x 24.8cm	9/90	09352, 73900	
05600	1/4 Fold	White	12.5" x 12"	31.8cm x 30.5cm	12/56	45888, 09107	
05701	1/4 Fold -	White	12.5" x 12"	31.8cm x 30.5cm	18/56	45888, 09107	
05776	1/4 Fold	Blue	12.5" x 12"	31.8cm x 30.5cm	12/56	45888, 09107	
05027	Small Roll	White	11" x 10.4"	27.9cm x 26.4cm	24/70	N/A	
05796	Center-Pull	White	10" x 13.2"	25.4cm x 33.5cm	2/200	09335	
05007	Jumbo Roll	White	12.5" x 13.4"	31.8cm x 34cm	1/750	80596, 80579	
							באנו





# WypAll\* L30 Towels

Soft, absorbent, medium-duty towel

#### **Tasks**

- · Wet wiping & cleaning
- · Patient wiping1
- Polishing surfaces
- Janitorial wiping

#### **Attributes**


- Cloth-like feel at a value price
- Soft enough for personal use1
- Compostable<sup>4</sup>
- Portable dispensers enable you to keep product where you work

#### WypAll\* L30 Towels



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser
05816	Pop-Up* Box	White	16.4" x 9.8"	41.7cm x 24.9cm	6/120	09352
05800	Pop-Up* Box	White	16.4" x 9.8"	41.7cm x 24.9cm	8/100	09352
03086	Pop-Up* Box	White	10" x 9.8"	25.4cm x 24.9cm	10/120	73900 AA
05812	1/4 Fold	White	12.5" x 12"	31.8cm x 30.5cm	12/90	45888, 09107
05820	Center-Pull	White	9.8" x 15.2"	24.9cm x 38.6cm	2/300	09335
05830	Center-Pull	⊠ White	8" x 15"	20.3cm x 38.1cm	6/150	09335
05841	Jumbo Roll	White	12.4" x 13.3"	31.5cm x 33.8cm	1/950	80596, 80579
05843	Small Roll	White	11" × 10.4"	27.9cm x 26.4cm	24/70	N/A

Double Re-Creped Technology



# WypAll\* L20 Towels

Single-use towel for medium-sized jobs

#### **Tasks**

Delivery System

1/4 Fold

Center-Pull

- · Parts & tool clean-up
- · General-purpose wiping

#### **Attributes**

- · Medium-duty, single-use towel
- Textured for extra cleaning power
- Meets EPA guidelines for minimum post-consumer waste content: towels 40%

Size (centimeters)

- Compostable4
- Portable dispensers enable you to keep product where you work

#### WypAll\* L20 Towels



EPA Meets EPA standards for minimum post-consumer waste content.




_	
EPA 47033	Pop-Up* Box
EPA 47044	Pop-Up* Box
EPA 34607	Brag* Box
EPA 58399	Brag* Box
EPA 47000	1/4 Fold

Code

47022

47758



⊐ત્ર	Natural	2-ply pape
ال	White	4-ply pape
<u> </u>	White	4-ply pape
$\mathbb{F}$	Natural	2-ply pape
	Natural	2-ply pape

White

White

Material

4-ply paper

2-ply paper

2-ply paper	9.1" x 16.8"	23.1cm x 42.7cm
4-ply paper	9.1" x 16.8"	23.1cm x 42.7cm
4-ply paper	12.5" x 16.8"	31.8cm x 42.7cm
2-ply paper	12.5" x 16.8"	31.8cm x 42.7cm
2-ply paper	12.5" x 12"	31.8cm x 30.5cm

12.5" x 12"

9.8" x 13.4"

Size (inches)

23.1cm x 42.7cm	10/88	/3900	
31.8cm x 42.7cm	1/176	73900	
31.8cm x 42.7cm	1/176	73900	
31.8cm x 30.5cm	12/68	45888, 09107	
31.8cm x 30.5cm	12/68	45888, 09107	
24.9cm x 34cm	3/550	09335	

Put-Up

10/88

Dispenser

<sup>&</sup>lt;sup>1</sup> Not for use on compromised skin.

<sup>&</sup>lt;sup>4</sup> All Kimberly-Clark Professional\* white L series towels can be aerobically composted in municipal or industrial facilities in the United States and Canada by ASTM D6868-11. Check with your waste hauler to ensure your application and their composting process are compatible.

# WypAll\* L10 Towels

Light-duty, single-use towels

#### Tasks

- · Spray & wipe jobs
- · Absorbs incidental spills
- · Cleans smooth & glass surfaces
- · Retail & grocery cleaning
- Dairy udder wiping

#### **Attributes**

- Strong & durable for general clean-up tasks
- · Meets EPA guidelines for minimum post-consumer waste content: towels 40%
- Compostable<sup>4</sup>
- Portable dispensers enable you to keep product where you work

#### EPA Meets EPA standards for minimum post-consumer waste content. WypAll\* L10 Towels Code **Delivery System** Color Material Size (inches) Size (centimeters) Put-Up Dispenser Pop-Up\* Box 05320 White 9.0" x 10.25" 18/125 1-ply paper 22.9cm x 26cm Utility Wipers 46091 Pop-Up\* Box 09352 05322 White 1-ply paper 12" x 10.25" 30.5cm x 26cm 18/125 46091 **Utility Wipers** Pop-Up\* Box 09352 42346 White 90" x 10 25" 22 9cm x 26cm 24/250 Light Weight 1-ply paper 46091 **Utility Wipers** Banded 05120 Blue 2-ply paper 9.3" x 10.25" 23.6cm x 26cm 16/140 N/A Windshield Wipers Banded Blue 05123 9.1" x 10.25" 23.1cm x 26cm 10/224 N/A 1-ply paper Windshield Wipers Banded 01770 White 1-ply paper 9.3" x 10.5" 23.6cm x 26.7cm 12/200 N/A Dairy Wipers Pop-Up\* Box 09352 01772 White 9.0" x 10.25" 18/110 1-ply paper 22.9cm x 26cm Dairy Wipers

# WypAll\* Washcloths and Towels

Strong enough to clean surfaces, yet soft enough for patient care

#### **Attributes**

- Natural rubber latex-free
- · Cloth-like softness
- · Available in a variety of sizes

#### **WypAll\* Washcloths & Towels**



Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up	Dispenser
41083	WypAll* X60 Washcloth	1/4 Fold	White	Hydroknit*	12.5" x 10"	31.8cm x 25.4cm	8/70	45888, 09107
34865	WypAll* X60 Washcloth	1/4 Fold	White	Hydroknit*	12.5." x 12"	31.8cm x 30.5cm	12/76	45888, 09107
35010	WypAll* X60 Shower Towel	Flat Sheet	White	Hydroknit*	20" x 43.7"	50.8cm x 111cm	3/100	N/A
35025	WypAll* X50 Washcloth	1/4 Fold	White	Hydroknit*	10" x 12.5"	25.4cm x 31.8cm	32/26	45888, 09107
05812	WypAll* L30 Wipers	1/4 Fold	White	DRC	12.5" x 12"	31.8cm x 30.5cm	12/90	45888, 09107
05770	WypAll* L40 Professional Towel	Вох	White	DRC	12" x 23"	30.5cm x 58.4cm	12/45	N/A
05860	WypAll* L40 Dry-Up Towel	Roll in Box	White	DRC	19.5" x 42"	49.5cm x 106.7cm	1/200	N/A

<sup>&</sup>lt;sup>1</sup> Not for use on compromised skin.

<sup>&</sup>lt;sup>4</sup> All Kimberly-Clark Professional\* white L series towels can be aerobically composted in municipal or industrial facilities in the United States and Canada by ASTM D6868-11. Check with your waste hauler to ensure your application and their composting process are compatible.



# WypAll\* Foodservice Towels & Kimtech Prep\* Surface Sanitizer Wipes

Performance, value and peace of mind

#### **Attributes**

- Hydroknit\* fast-absorbing material gives WypAll\* Foodservice Towels durability and wet strength
- Selected wiper codes available with Kimfresh\* Antimicrobial Treatment
- Kimtech Prep\* Surface Sanitizer Wipes are germ-killing wipes that are always dispensed fresh and clean

#### WypAll\* Foodservice Towels & Kimtech Prep\* Surface Sanitizer Wipes



Featuring Kimfresh\* Antimicrobial Treatment


Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up	Dispenser
06280 �	WypAll* X80 Towels	1/4 Fold	White	Hydroknit* w/Blue Stripe	12" x 23.4"	30.5cm x 59.4cm	1/150	N/A
05925	WypAll* X70 Towels	1/4 Fold	White	Hydroknit* w/Blue Stripe	12.5" x 23.5"	31.8cm x 59.7cm	1/300	N/A
05927	WypAll* X70 Towels	1/4 Fold	Blue	Hydroknit*	12.5" x 23.5"	31.8cm x 59.7cm	1/300	N/A
06354	WypAll* X70 Towels	1/4 Fold -	Red	Hydroknit*	12.5" x 23.5"	31.8cm x 59.7cm	1/300	N/A
06053	WypAll* X50 Towels	1/4 Fold	White	Hydroknit*	12.5" x 23.5"	31.8cm x 59.7cm	1/200	N/A
06350	WypAll* X80 Towels	1/4 Fold	White	Spunlace	13.5" x 24"	34.3cm x 61cm	1/150	N/A
06351	WypAll* X80 Towels	1/4 Fold	Blue	Spunlace	13.5" x 24"	34.3cm x 61cm	1/150	N/A
58040	Kimtech Prep* Surface Sanitizer Wipes	Canister <b>Ca</b>	White	Hydroknit*	12" x 12"	30.5cm x 30.5cm	8/30	N/A

# **WypAll\* Waterless Cleaning Wipes**

A portable pre-saturated cleaning system for on-the-go tasks

#### WypAll\* Waterless Cleaning Wipes

Tough on grime, easy on skin



- Textured surface and advanced cleaning agent efficiently break down and dissolve stubborn dirt and grime
- Absorbent layer soaks up and holds the dirt preventing it from returning to the hands
- Smooth surface cleans off any remaining dirt, while leaving the skin coated with moisturizers



#### Tasks

#### **Attributes**

- Cleaning hands
- Cleaning tools & machines
- Cleaning non-porous work surfaces
- Dual textured: smooth side for wiping & abrasive side for scrubbing
- Tough on grime, easy on skin
- Won't damage or fade tools, equipment or parts
- Removes oil, grease, grime & dirt with ease

#### **WypAll\* Waterless Cleaning Wipes**



Code	Delivery System	Size (inches)	Size (centimeters)	Fragrance	Color	Put-Up	Dispenser
91371	Bucket	9.5" x 12"	24.1cm x 30.5cm	Orange/ Citrus	Green/ White	6/75	10986
91367	Bucket Refill Bag	9.5" x 12"	24.1cm x 30.5cm	Orange/ Citrus	Green/ White	6/75	10986
58310	Canister	9.5" x 12"	24.1cm x 30.5cm	Orange/ Citrus	Green/ White	8/50	776018

# **WypAll\* Microfiber Cloths**

The WypAll\* Microfiber Cloths are designed with the cleaning professional in mind, and are environmentally friendly, green cleaning options that can be used without chemicals.



WypAl	l* Microfiber Clot	hs			
Code	Description	Color	Size (inches)	Size (centimeters)	Put-Up
83610	General Purpose	Yellow	15.75" x 15.75"	40cm x 40cm	4/6
83620	General Purpose	Blue	15.75" x 15.75"	40cm x 40cm	4/6
83630	General Purpose	Green	15.75" x 15.75"	40cm x 40cm	4/6
83980	General Purpose	Red	15.75" x 15.75"	40cm x 40cm	4/6

# **Kimtech Prep\* Wipers**

**KIMTECH** 

For critical tasks in healthcare and clean manufacturing environments

From preparing surfaces for painting at an automotive manufacturer to cleaning and disinfecting surfaces in healthcare facilities, Kimtech Prep\* Wipers are ideal for tasks where precision and reliability are essential.

#### Kimtech Prep\* Scottpure\* Critical Task Wipers

- Low-lint rayon/polyester spunlace
- Clothlike softness
- Excellent absorbency
- Low extractables

#### **Kimtech Prep\* Kimtex\* Wipers**

- Low-lint polypropylene construction
- Perfect for use with grease and oils
- Great for cleaning and prep on surfaces and parts
- Acid-, base- and solvent-resistant

#### Kimtech Prep\* Wipers for the WetTask\* Wiping System

- Choose the Kimtech\* Wiper that works best for your task and add the chemical solution you prefer
- Enclosed system helps eliminate contaminated rags and solutions and helps reduce exposure to chemical vapors and splashes
- Kimtech\* Wiper code 36101 is suitable for disinfecting and sanitizing with quaternary amines, bleach and solvent chemicals



#### **Kimtech Prep\* Wipers - Dry**

Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up	Dispenser	
06121	Kimtech Prep* Scottpure* Critical Task Wipers	1/4 Fold	White	Spunlace	12" x 15"	30.5cm x 38.1cm	4/100	45888, 09107	
06151	Kimtech Prep* Scottpure* Critical Task Wipers	Carton	White	Spunlace	12" x 23"	30.5cm x 58.4cm	8/50	N/A	
06193	Kimtech Prep* Scottpure* Critical Task Wipers	Center-Pull Roll, Jr.	White	Spunlace	7" x 7"	17.8cm x 17.8cm	6/225	09336	2
33560	Kimtech Prep* Kimtex* Wipers	1/4 Fold	Blue	Meltblown	12.5" x 12"	31.8cm x 30.5cm	8/66	45888, 09107	
33570	Kimtech Prep* Kimtex* Wipers	Pop-Up* Box	Blue	Meltblown	8.8" x 16.8"	22.4cm x 42.7cm	5/100	N/A	
33352	Kimtech Prep* Kimtex* Wipers	Brag* Box	Blue	Meltblown	12.1" x 16.8"	30.7cm x 42.7cm	1/180	N/A	
33241	Kimtech Prep* Kimtex* Wipers	Jumbo Roll	Blue	Meltblown	9.8" x 13.4"	24.9cm x 34cm	1/717	80596, 80579	<b>€</b>

#### Kimtech\* Wipers for the WetTask\* System

Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up	Dispenser
06001	Kimtech Prep* Wipers for Solvents	Roll	White	Hydroknit*	12" x 12.5"	30.5cm x 31.8cm	6/60	1 Free Bucket // Case
06211	Kimtech Prep* Wipers for Disinfectants and Sanitizers	Roll	White	Spunlace	12" x 12.5"	30.5cm x 31.8cm	6/90	1 Free Bucket /Case
06411	Kimtech Prep* Wipers for Bleach, Disinfectants and Sanitizers	Roll	White	Meltblown	12" x 12.5"	30.5cm x 31.8cm	6/90	1 Free Bucket /Case
06471	Kimtech Prep* Wipers for Bleach, Disinfectants and Sanitizers	Roll -	White	Meltblown	12" x 12.5"	30.5cm x 31.8cm	6/90	No Bucket Included
36101	Kimtech* Dual Function Wipers with Textured Surface for Bleach, Disinfectants and Sanitizers	Roll	Purple/ White	Meltblown	12" x 12.5"	30.5cm x 31.8cm	6/90	1 Free Bucket/Case
77320	Kimtech Prep* Wipers for Bleach, Disinfectants and Sanitizers	Roll	White	Meltblown	12" x 12.5"	30.5cm x 31.8cm	12/35	1 Free Canister /Case
06006	Kimtech Prep* Wipers for Solvents	Roll	White	Hydroknit*	9" x 15"	22.9cm x 38.1cm	2/275	09361
09361	Kimtech* Wipers for the WetTask* System	Bucket 🗂	Blue	N/A	3.5 Gallons	N/A	2/1	Bucket for 06006

# **Kimtech Science\* Wipers**

The industry standard for labs and research

Kimtech Science\* Kimwipes\* Wipers were the first delicate task wipers for laboratories introduced over 60 years ago and since then have been the market leader for wiping surfaces, parts, instruments and lens cleaning in laboratories.



#### **Kimtech Science\* Delicate Task Wipers**



Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up
34120	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply Tissue	4.4" x 8.4"	11.2cm x 21.3cm	30/280
34155	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply Tissue	4.4" x 8.4"	11.2cm x 21.3cm	60/280
34133	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply Tissue	11.8" × 11.8"	30cm x 30cm	15/196
34256	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply Tissue	14.7" x 16.6"	37cm x 42cm	15/140
34705	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	2-ply Tissue	11.8" × 11.8"	30cm x 30cm	15/119
34721	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	2-ply Tissue	14.7" x 16.6"	37cm x 42cm	15/90
34743	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	3-ply Tissue	11.8" x 11.8"	30cm x 30cm	15/119

#### **Kimtech Science\* Lens Cleaning Station**



Code	Description	Delivery System		Color	Material	Size (inches)	Size (centimeters)	Put-Up
34623	Kimtech Science* Lens Cleaning Station	Lens Station		White	1-ply Tissue	4.4" x 8.4"	11.2cm x 21.3cm	4/560 & 8 oz.
34644	Kimtech Science* Lens Cleaning Station	Lens Station		White	1-ply Tissue	4.4" x 8.4"	11.2cm x 21.3cm	4/1120 & 16 oz.

#### **Kimtech Science\* Precision Wipers**

Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up
05511	Kimtech Science* Precision Wipers	Pop-Up* Box	White	1-ply Tissue	4.4" x 8.4"	11.2cm x 21.3cm	60/280
75512	Kimtech Science* Precision Wipers	Pop-Up* Box	White	1-ply Tissue	11.8" x 11.8"	30cm x 30cm	15/196
05514	Kimtech Science* Precision Wipers	Pop-Up* Box	White	1-ply Tissue	14.7" x 16.6"	37cm x 42cm	15/140
05517	Kimtech Science* Precision Wipers	Pop-Up* Box	White	2-ply Tissue	14.7" x 16.6"	37cm x 42cm	15/90

#### **Kimtech Science\* Bench Top Protectors**

Code	Description		Color/Description	Material	Size (inches)	Size (centimeters)	Put-Up
75460	Kimtech Science* Bench Top Protector	Sheet	Top layer (white) cellulose fiber; Bottom layer (green) anti-slip polyethylene film	Airlaid/ Polyethylene	18" x 19.5"	45.7cm x 49.5cm	8/50



**TAA:** Product complies with the Trade Agreements Act

# **Kimtech Pure\* Wipers**

Designed for precision and performance

Kimtech Pure\* Wipers have been specifically designed for ISO Class 4 and higher cleanrooms. These wipers are ideal for use in pharmaceutical, high-tech, biotechnology and medical-device industries. They are double-bagged in anti-stat packaging.



#### **Kimtech Pure\* Wipers**

Code	Description	Cleanro	om Class	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up
CLASS 4		ISO	FS209						
33390	Kimtech Pure* W4 Critical Task Wipers	4	10	Flat/Anti-stat Dbl Bag	White	Polypropylene	9" x 9"	22.9cm x 22.9cm	5/100
33330	Kimtech Pure* W4 Critical Task Wipers	4	10	Flat/Anti-stat Dbl Bag	White	Polypropylene	12" x 12"	30.5cm x 30.5cm	5/100
06070	Kimtech Pure* W4 PreSat Alcohol Wipers, 70% IPA	4	10	Resealable Pouch/ Anti-stat Liner Bag	White	Polypropylene	11" x 9"	27.9cm x 22.9cm	10/40
76490	Kimtech Pure* W4 PreSat Sterile Wipers	4	10	Resealable Pouch/ Anti-stat Liner Bag	White	Polypropylene	11" x 9"	27.9cm x 22.9cm	10/40
CLASS 5		ISO	FS209						
06179	Kimtech Pure* W5 Critical Task Wipers	5	100	Flat/Anti-stat Dbl Bag	White	Spunlace	9" x 9"	22.9cm x 22.9cm	5/100



# Kimtech\* Aviation MRO/OEM Wipes

# **KIMTECH**

**Every day, your aviation operation faces a difficult fact:** production and maintenance have to be done exactly right. That's why Kimberly-Clark Professional\* is committed to creating Exceptional Workplaces\* – healthier, safer and more productive.

To reduce turnaround time and maximize productivity, we've engineered wipes for aviation's specific requirements. Our complete range of aviation wipes is designed to perform in all areas of OEM and MRO operations – from paint surface prep and engine maintenance to general purpose cleaning.





#### **Wipes for Abrasive Surfaces**

More abrasive-resistant than common aviation wipes such as cheesecloth, Sontara and Veraclean wipes



#### **Cleaning Wipes**

An easy to implement lean cleaning solution that addresses waste reduction and productivity improvement around general wiping needs



#### **Surface Preparation Wipes**

Leading edge material for optimum linting and extractables control. The ultimate in aviation precision wiping performance



#### WetTask\* System

More controlled dispensing and application of solvent for reduced waste and better overall performance versus traditional bucket/decanter systems and disposable pre-saturated options

■ Good

Better

▲ Best

## What Is Your Process?

What is Your Pro	ocess?		PERFO	DRMANC	E BY PRO	CESS
Task	Subtask	Challenge/needs	A2	P2	Р3	С
Solvent application for washing	Pre-cleaning (degreasing)	Solvent wipe				<b>A</b>
Surface prep (before painting)	Paint stripping (chemical or mechanical)	Efficiently remove debris after paint stripping				<b>A</b>
	Solvent wash (can be either spray	Solvent application for washing	<b>A</b>			•
	or wipe application of solvent)	Drying	<b>A</b>	•	•	
	Water rinse	Drying	<b>A</b>	•	•	
	Surface prep	Solvent cleaning	<b>A</b>	•	•	
	Surface prep	Lint-free drying	<b>A</b>	•	•	
Delicate surfaces	Easily scratched surfaces:	No scratching			<b>A</b>	
	avionics, cleaning glass, cockpit,	Lint-free surface cleaning			<b>A</b>	
	windshield and plastic glass	No streaking			<b>A</b>	
Rough surfaces	Composites	Abrasion resistance	<b>A</b>			
	'	Lint-free surface cleaning	<b>A</b>			
Sealing	Surface prep (pre-cleaning)	Solvent wipe				<b>A</b>
	Sealant application	Excess sealant removal (fresh or semi-cured sealant)	<b>A</b>	•		
Maintenance (non-critical parts on engine, avionics, fuel systems, etc.)	Cleaning	Solvent wipe				<b>A</b>
aviorines, ract systems, etc.,	Drying	Lint-free drying				<b>A</b>
Maintenance	Cleaning	Solvent wipe	<b>A</b>	•	•	
(critical parts on engine, avionics, fuel systems, etc.)	Drying	Lint-free drying	<b>A</b>	•	•	
	Final wipe	Lint-free drying	<b>A</b>	•	•	

# **KIMTECH**

### All Kimtech\* Aviation Wipes are:

- QPL listed, BMS 15-5G Class A and AMS 3819C Class 2, Grade A, Form 1
- Low Lint and extremely low lint options
- Silicone Free
- Free of glues, adhesives or binders
- Compatible with commonly used solvents in aviation (MEK, MPK, Acetone, IPA, etc.)

# **Choose Your Product**

Code	Description	Format		Material	Packaging	Size W x L (inches)
Aviation	Wipes for Abrasive Surfaces					
28648	Kimtech* A2 Aviation Wipes for Abrasive Surfaces	Roll	3	Polyamide/Polyester	6 rolls/60 sheets per roll	12" x 12.5"
44846	Kimtech* A2 Aviation Wipes for Abrasive Surfaces	Flat		Polyamide/Polyester	5 packs/100 sheets per pack	12" x 12"
44854	Kimtech* A2 Aviation Wipes for Abrasive Surfaces	1/4 Fold		Polyamide/Polyester	12 packs/76 sheets per pack	12.5" x 12"
Aviation	Surface Preparation Wipes					
28643	Kimtech* P2 Aviation Surface Preparation Wipes	Pop-Up* Box		Polyester/Cellulose	4 boxes/200 sheets per box	12" x 12"
28644	Kimtech* P2 Aviation Surface Preparation Wipes	1/4 Fold		Polyester/Cellulose	10 packs/60 sheets per pack	12" x 12"
28647	Kimtech* P3 Aviation Surface Preparation Wipes	Pop-Up* Box		Rayon	8 boxes/50 sheets per box	12" x 23"
Aviation	Cleaning Wipes					
28641	Kimtech* C2 Aviation Cleaning Wipes	Roll	$\nabla$	Cellulose/Polypropylene	1 roll/900 sheets per roll	12.5" x 13"
28645	Kimtech* C3 Aviation Cleaning Wipes	Roll/Bucket	Ü	Cellulose/Polypropylene	6 rolls/60 sheets per roll	12" x 12.5"
44844	Kimtech* C3 Aviation Cleaning Wipes	1/4 Fold		Cellulose/Polypropylene	12 packs/76 sheets per pack	12.5" x 12"
44845	Kimtech* C3 Aviation Cleaning Wipes	Flat		Cellulose/Polypropylene	5 packs/100 sheets per pack	12" x 12"
44851	Kimtech* C3 Aviation Cleaning Wipes	Flat		Cellulose/Polypropylene	5 packs/200 sheets per pack	6" x 12"
44853	Kimtech* C3 Aviation Cleaning Wipes	Flat		Cellulose/Polypropylene	5 packs/100 sheets per pack	9" x 9"
28642	Kimtech* C4 Aviation Cleaning Wipes	Roll	3	Cellulose/Polypropylene	1 roll/900 sheets per roll	12.5" x 13"
Dispens	ers					
28646	Kimtech* WetTask* System Bucket for use with A2 code 28648 & C3 code 28645				4 buckets	_
45888	WypAll* Quarterfold Dispenser		0		1	_



# **Wiper Delivery Systems**

Designed to match your workplace — perfectly!

It's an innovation only Kimberly-Clark Professional\* could bring you: **Products that deliver value**, **performance and versatility.** Whether the workplace environment calls for mobile, benchtop or high capacity, the solution is here.

<b>Delivery Systems</b> ★ Ask your Sales Professional about the FREE Jumbo Roll Dispenser program.								
Code	Description	Delivery System	Case Count					
				73900	09352	46091	10986	776018
73900	Access* Wall Mount Dispenser	Brag* Box / Pop-Up* Box	10					
09352	The Grabber* Dispenser	Pop-Up* Box	12					
46091	WypAll* L10 Dispenser Bracket	Pop-Up* Box	6					
10986	Wire Mount Bracket Dispenser	Bucket	1					
776018	Wire Mount Bracket Dispenser	Canister	1					
				45888	09107			
45888	WypAll* Quarterfold Dispenser	1/4 Fold	1		13			
09107	Quarterfold Dispenser	1/4 Fold	6					
				09335	80596	80579		
09335	Center-Pull Dispenser	Medium Roll	1		WI FALL	•		
80596	Jumbo Roll Dispenser	Large Roll	1★					
80579	Jumbo Roll Wall Mounted Dispenser	Large Roll	1★					



Count on Kimberly-Clark Professional\* to provide the essentials for a healthier, safer and more productive workplace.



Place your order today with your local representative



Find your local distributor www.KCProfessional.com/distributor



Visit our website www.KCProfessional.com



Save 20% in 60 Days with WypAll\* X Cloths or Your Money Back. **Guaranteed!** 

Replace your rags or shop towels for 60 days. If you don't see 20% savings<sup>†</sup>, we will reimburse you the difference between the cost of your product and the Kimberly-Clark Professional\* product up to \$1,000. Contact your Kimberly-Clark Sales Professional for program details.

 $^\dagger$  Guarantee extended to consuming end-user accounts with the following restrictions: WypAll\* X Cloths switching from rags or shop towels.

#### Our Guarantee

Your total satisfaction means everything to us. If, for any reason, our products do not meet your expectations, Kimberly-Clark will reimburse you<sup>†</sup> for your initial purchase, via FREE product, for up to \$1,000. For more information on Kimberly-Clark Professional\*, visit us online at **www.KCProfessional.com**.

‡ Guarantee extended to consuming end-user accounts only.

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers and are warrantied for the following periods from end-user's date of purchase (verified by valid sales receipt) (a) five years for Balder\* Technology auto darkening filters; (a) two years for all other auto-darkening filters; and (c) one year for powered air-purifying prizinators; (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WAR-RANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.