



Creating Exceptional Workplaces*

for the Aerospace Industry





Making Aerospace OEM and MRO
Operations **Efficient Workplaces**

Your aerospace operation is focused on perfection in production and maintenance. Part of this mission is eliminating hazards and waste.

That's why Kimberly-Clark Professional* created **The Efficient Workplace** – an innovative program that combines proven lean principles with industry best practices and customized product solutions.

It's designed to help you uncover **hidden opportunities** in your operation that can make a big difference in safety and efficiency.

To reduce waste and improve performance, we deliver wipes engineered for specific aerospace requirements. Our complete range of aerospace wipes are designed to perform in all areas of OEM and MRO operations – from composites, assembly, paint surface prep, and engine maintenance to general purpose cleaning.

With a constant focus on safety, we deliver the top quality Personal Protective Equipment aerospace workers need to stay safe and productive.

The aerospace wipes and PPE protect and empower what matters most: **your people**. So let us show you how our wipe and PPE solutions can improve safety, save time and reduce your overall costs.



**Exceptional
Workplaces®**

Every day, your aviation operation faces a difficult fact: production and maintenance have to be done exactly right. That's why Kimberly-Clark Professional* is committed to creating Exceptional Workplaces* – healthier, safer and more productive.

To reduce turnaround time and maximize productivity, we've engineered wipers for aviation's specific requirements. Our complete range of aviation wipers is designed to perform in all areas of OEM and MRO operations – from paint surface prep and engine maintenance to general purpose cleaning.

All Kimtech Aviation wipers are QPL certified on Aerospace Material Specification (AMS) 3819C and Boeing Material Specification (BMS) 15-5G.*

Wipes for Abrasive Surfaces

More abrasive-resistant than common aviation wipers such as cheesecloth, Sontara and Veraclean wipers



Surface Preparation Wipes

Leading edge material for optimum linting and extractables control. The ultimate in aviation precision wiping performance



Cleaning Wipes

An easy to implement lean cleaning solution that addresses waste reduction and productivity improvement around general wiping needs



WetTask* System

More controlled dispensing and application of solvent for reduced waste and better overall performance versus traditional bucket/decanter systems and disposable pre-saturated options





What is Your Process?

■ Good ● Better ▲ Best

			PERFORMANCE BY PROCESS			
Task	Subtask	Challenge/needs	A2	P2	P3	C
Solvent application for washing	Pre-cleaning (degreasing)	Solvent wipe				▲
Surface prep (before painting)	Paint stripping (chemical or mechanical)	Efficiently remove debris after paint stripping				▲
	Solvent wash (can be either spray or wipe application of solvent)	Solvent application for washing	▲			●
		Drying	▲	●	●	■
	Water rinse	Drying	▲	●	●	■
	Surface prep	Solvent cleaning	▲	●	●	■
Lint-free drying		▲	●	●	■	
Delicate surfaces	Easily scratched surfaces: avionics, cleaning glass, cockpit, windshield and plastic glass	No scratching		■	▲	
		Lint-free surface cleaning		■	▲	
		No streaking		■	▲	
Rough surfaces	Composites	Abrasion resistance	▲			
		Lint-free surface cleaning	▲			
Sealing	Surface prep (pre-cleaning)	Solvent wipe				▲
	Sealant application	Excess sealant removal (fresh or semi-cured sealant)	▲	●		■
Maintenance (non-critical parts on engine, avionics, fuel systems, etc.)	Cleaning	Solvent wipe				▲
	Drying	Lint-free drying				▲
Maintenance (critical parts on engine, avionics, fuel systems, etc.)	Cleaning	Solvent wipe	▲	●	●	■
	Drying	Lint-free drying	▲	●	●	■
	Final wipe	Lint-free drying	▲	●	●	■



Wipes for Abrasive Surfaces



Surface Preparation Wipes



Cleaning Wipes



WetTask System

All Kimtech* Aviation Wipes are:

- QPL listed, BMS 15-5G Class A and AMS 3819C Class 2, Grade A, Form 1
- Low Lint and extremely low lint options
- Silicone Free
- No glues, adhesives or binders
- Compatible with commonly used solvents in aviation (MEK, MPK, Acetone, IPA, etc.)



Choose Your Product

Code	Description	Format	Material	Packaging	Size W x L (inches)
Aviation Wipes for Abrasive Surfaces					
28648	Kimtech* A2 Aviation Wipe for Abrasive Surfaces	Roll	Polyamide/Polyester	6 rolls/60 sheets per roll	12" x 12.5"
44846	Kimtech* A2 Aviation Wipe for Abrasive Surfaces	Flat	Polyamide/Polyester	5 packs/100 sheets per pack	12" x 12"
44854	Kimtech* A2 Aviation Wipe for Abrasive Surfaces	1/4 Fold	Polyamide/Polyester	12 packs/76 sheets per pack	12.5" x 12"
Aviation Surface Preparation Wipes					
28643	Kimtech* P2 Aviation Surface Preparation Wipe	Pop-Up* Box	Polyester/Cellulose	4 boxes/200 sheets per box	12" x 12"
28644	Kimtech* P2 Aviation Surface Preparation Wipe	1/4 Fold	Polyester/Cellulose	10 packs/60 sheets per pack	12" x 12"
28647	Kimtech* P3 Aviation Surface Preparation Wipe	Pop-Up* Box	Rayon	8 boxes/50 sheets per box	12" x 23"
Aviation Cleaning Wipes					
28641	Kimtech* C2 Aviation Cleaning Wipe	Roll	Cellulose/Polypropylene	1 roll/900 sheets/roll	12.5" x 13"
28645	Kimtech* C3 Aviation Cleaning Wipe	Roll/Bucket		6 rolls/60 sheets/roll	12" x 12.5"
44844	Kimtech* C3 Aviation Cleaning Wipe	1/4 Fold	Cellulose/Polypropylene	12 packs/76 sheets/pack	12.5" x 12"
44845	Kimtech* C3 Aviation Cleaning Wipe	Flat	Cellulose/Polypropylene	5 packs/100 sheets/pack	12" x 12"
44851	Kimtech* C3 Aviation Cleaning Wipe	Flat		5 packs/200 sheets/pack	6" x 12"
44853	Kimtech* C3 Aviation Cleaning Wipe	Flat		5 packs/100 sheets/pack	9" x 9"
28642	Kimtech* C4 Aviation Cleaning Wipe	Roll	Cellulose/Polypropylene	1 roll/900 sheets/roll	12.5" x 13"
Dispensers					
28646	Kimtech* WetTask* System Bucket for use with A2 code 28648 & C3 code 28645			4 buckets	—
45888	WypAll* Quarterfold Dispenser			1 Dispenser	—

All Kimtech* Aviation wipes are QPL certified on Aerospace Material Specification (AMS) 3819C and Boeing Material Specification (BMS) 15-5G.



We have collaborated with Aviation OEM and MRO's from around the world and seen first hand the occupational health & safety challenges you face.

The Kimtech* WetTask* System is a **refillable, fully-enclosed wiping system** that offers more controlled dispensing and application of solvent.

YOUR BENEFIT:

Productivity

- More controlled dispensing and application of solvent for better overall performance vs. traditional bucket/ decanter systems and disposable pre-saturated options
- Provides flexibility to change solvents in the future if needed

Profitability

- Guaranteed 20% reduction in solvent usage
- Reduced waste and cost versus standard buckets or disposable presaturated options

Environmental Health & Safety

- Reduce your environmental footprint with less VOC's
- Less worker exposure to chemicals
- Lower risk of spilling

1



Insert code **28648 A2** Aviation Wipe for Abrasive Surfaces or code **28645 C3** Aviation Cleaning Wipe

2



Add approximately 1.5-1.75 Liters

Optional dispensing ring included



3



Thread 1 sheet through lid opening. Replace lid **FIRMLY**

Wait approximately 5 minutes

Solvent volume and wait time depends on the solvent and wipe. Ensure all liquid is absorbed.

4



Place matching color strip to side of bucket



Add color plastic insert to top of lid

5



Add hazard label

See how to reduce solvent usage and VOC's

Scan now or visit:

<https://youtu.be/oBli4LaeLO0>



Kimtech Science* Kimwipes* Wipers were the first delicate task wipers for laboratories introduced over 60 years ago and since then have been the market leader for wiping surfaces, parts, instruments and lens cleaning in laboratories.

Kimtech Science* Kimwipes* Delicate Task Wipers

Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up
34120	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply tissue	4.4" x 8.4"	11.2cm x 21.3cm	30/280
34155	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply tissue	4.4" x 8.4"	11.2cm x 21.3cm	60/280
34133	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply tissue	11.8" x 11.8"	30cm x 30cm	15/196
34256	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	1-ply tissue	14.7" x 16.6"	37cm x 42cm	15/140
34705	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	2-ply tissue	11.8" x 11.8"	30cm x 30cm	15/119
34721	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	2-ply tissue	14.7" x 16.6"	37cm x 42cm	15/90
34743	Kimtech Science* Kimwipes* Delicate Task Wipers	Pop-Up* Box	White	3-ply tissue	11.8" x 11.8"	30cm x 30cm	15/119

Kimtech Science* Lens Cleaning Station

Code	Description	Delivery System	Color	Material	Size (inches)	Size (centimeters)	Put-Up
34623	Kimtech Science* Lens Cleaning Station	Lens Station	White	1-ply tissue	4.4" x 8.4"	11.2cm x 21.3cm	4/560 & 8 oz.
34644	Kimtech Science* Lens Cleaning Station	Lens Station	White	1-ply tissue	4.4" x 8.4"	11.2cm x 21.3cm	4/1120 & 16 oz.



WypAll* X80 Wipers are the wipers of choice for the toughest jobs. Take a look and see how WypAll* X80 Wipers outpace shop towels and rags in every way.

- Pound for pound, absorbs more water and oil than rental shop towels
- Consistent size, shape and cleanliness
- Available in a wide range of dispensing options for your convenience

WypAll* X80 Wipers



Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser
05930	Pop-Up* Box	Red	9.1" x 16.8"	23.1cm x 42.7cm	5/80	73900
41048	Pop-Up* Box	White	9.1" x 16.8"	23.1cm x 42.7cm	5/80	73900
41041	Brag* Box	Blue	12.5" x 16.8"	31.8cm x 42.7cm	1/160	73900
41044	Brag* Box	White	12.5" x 16.8"	31.8cm x 42.7cm	1/160	73900
41026	1/4 fold	White	12.5" x 12"	31.8cm x 30.5cm	4/50	09107
41029	1/4 fold	Red	12.5" x 12"	31.8cm x 30.5cm	4/50	09107
41025	Jumbo Roll	White	12.5" x 13.4"	31.8cm x 34cm	1/475	80596, 80579
41055	Jumbo Roll	Red	12.5" x 13.4"	31.8cm x 34cm	1/475	80596, 80579
41043	Jumbo Roll	Blue	12.5" x 13.4"	31.8cm x 34cm	1/475	80596, 80579

WypAll* X60 Wipers are tough, versatile, and an excellent value. These wipers bring the absorbing power of our Hydroknit* technology to a lighter-weight wiper. Designed to outperform rags, WypAll* X60 Wipers raise the standard for general-purpose wipers.

- No adhesives or binders; leaves no residue
- Reinforced for extra scrubbing and cleaning power
- Tough enough for big jobs – soft enough for face and hands

WypAll* X60 Wipers





Code	Delivery System	Color	Size (inches)	Size (centimeters)	Put-Up	Dispenser
34015	Brag* Box	White	12.5" x 16.8"	31.8cm x 42.7cm	1/180	73900
34790	Pop-Up* Box	White	9.1" x 16.8"	23.1cm x 42.7cm	10/126	73900
34865	1/4 Fold	White	12.5" x 12"	31.8cm x 30.5cm	12/76	09107
34770	1/4 Fold	White	11" x 23"	27.9cm x 58.4cm	9/100	09107
34900	Flat Sheet	White	12.5" x 16.8"	31.8cm x 42.7cm	6/150	N/A
35401	Small Roll	White	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A
35411	Small Roll	Blue	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A
35421	Small Roll	White	19.8" x 13.4"	50.3cm x 34cm	6/130	N/A
35431	Small Roll	Blue	19.8" x 13.4"	50.3cm x 34cm	6/130	N/A
34955	Jumbo Roll	White	12.5" x 13.4"	31.8cm x 34cm	1/1100	80596, 80579
34965	Jumbo Roll	Blue	12.5" x 13.4"	31.8cm x 34cm	1/1100	80596, 80579



Apparel sizing:



Medium: 5'4" – 5'9" 120 – 170 lbs.	Large: 5'7" – 5'11" 150 – 200 lbs.	XLarge: 5'9" – 6'2" 180 – 230 lbs.	2XLarge: 6'0" – 6'5" 200 – 250 lbs.	3XLarge: 6'2" – 6'7" 240 – 280 lbs.	4XLarge: 6'5" – 6'8" 260 – 320 lbs.
---	---	---	--	--	--



KleenGuard® A20 Breathable Particle Protection Apparel

Vending Machine Ready
■ = Made to Order (MTO)

Zipper Front	White Code	Vending	Blue Denim Code	Size	Case Count	MTO
 	35671	—	—	S	24	■
	49002	—	58532	M	24	
	49003	37711	58533	L	24	
	49004	37712	58534	XL	24	
	49005	37713	58535	2XL	24	
	49006	37714	58536	3XL	20	
	49007	37715	58537	4XL	20	
	35670	—	—	5XL/6XL	20	■

Zipper Front, Elastic Back, Wrists & Ankles	White Code	Vending	Blue Denim Code	Size	Case Count	MTO
 	35810	—	—	S	24	■
	49102	—	58502	M	24	
	49103	37716	58503	L	24	
	49104	37717	58504	XL	24	
	49105	37718	58505	2XL	24	
	49106	37719	58506	3XL	20	
	49107	37720	58507	4XL	20	
	30920	—	23998	5XL	20	■
	27179	—	—	6XL	21	■
	35669	—	—	5XL/6XL	20	■

Zipper Front, Elastic Back, Wrists, Ankles & Hood	White Code	Vending	Blue Denim Code	Vending	Size	Case Count	MTO
 	49112	43170	58512	—	M	24	
	49113	43171	58513	—	L	24	
	49114	41169	58514	41185	XL	24	
	49115	41170	58515	41186	2XL	24	
	49116	41171	58516	41187	3XL	20	
	49117	43173	58517	—	4XL	20	
	30924	43174	30953	—	5XL	20	■

Zipper Front, Elastic Back, Wrists, Ankles, Hood & Boots	White Code	Blue Denim Code	Size	Case Count	MTO
 	49122	58522	M	24	
	49123	58523	L	24	
	49124	58524	XL	24	
	49125	58525	2XL	24	
	49126	58526	3XL	20	
	49127	58527	4XL	20	
	27258	30910	5XL	20	■



Product Features:

- Protects against non-hazardous and hazardous dust
- Lightweight and breathable
- Reflex® Coverall Design offers excellent fit and freedom of movement
- Seamless front to provide more protection in the primary exposure area
- Passes NFPA 99 for antistatic materials
- Serged seams

TAA Compliant: Complying with the Federal Acquisition Regulations (FAR) is something that is top of mind for all Federal Government employees. One of the key elements and most easily missed elements of the FAR is the reference to the Trade Agreements Act (TAA), meaning products be manufactured or "substantially transformed" in a "designated country." Kimberly-Clark has developed a full line of TAA compliant Protective Solutions that provides you with the peace of mind and reassurance that you are purchasing product that complies with the Trade Agreements Act.

These items are identified throughout the catalog with this icon:




KleenGuard* A40 Liquid & Particle Protection Apparel with Blue Breathable Back

Zipper Front, Elastic Wrists, Ankles & Hood

Code

Size

Case Count



42119	M	25
37591	L	25
37163	XL	25
37164	2XL	25
37165	3XL	25
38508	4XL	25
37584	5XL/6XL	25

NOW AVAILABLE WITH THUMB HOLES

42523	S	25
42525	M	25
42526	L	25
42527	XL	25
42528	2XL	25
42529	3XL	25
42530	4XL	25
42531	5XL	25





Product Features:



- Protects against hazardous particles and liquids
- Liquid barrier, particulate barrier, low in lint
- Passes NFPA 99 for antistatic materials
- Passes ASTM F1670 testing for penetration of blood and bodily fluids
- Meets ANSI/ISEA 101-1996 sizing standards
- Serged seams







Kimberly-Clark has developed a full line of TAA Compliant Protective Solutions



KleenGuard* A45 Liquid & Particle Protection Surface Prep and Paint Apparel

Zipper Front	Code	Size	Case Count
 	41483	S	25
	41484	M	25
	41485	L	25
	41486	XL	25
	41487	2XL	25
	41488	3XL	25
	41489	4XL	25
41490	5XL/6XL	25	

Zipper Front, Elastic Wrists & Ankles	Code	Size	Case Count
 	41491	S	25
	41492	M	25
	41493	L	25
	41494	XL	25
	41495	2XL	25
	41496	3XL	25
	41497	4XL	25
41498	5XL/6XL	25	

Zipper Front, Elastic Wrists, Ankles & Hood	Code	Size	Case Count
 	41503	S	25
	41504	M	25
	41505	L	25
	41506	XL	25
	41507	2XL	25
	41508	3XL	25
	41509	4XL	25
	41510	5XL/6XL	25

Zipper Front, Elastic Wrists, Ankles, Hood & Boots	Code	Size	Case Count
 	41513	S	25
	41514	M	25
	41515	L	25
	41516	XL	25
	41517	2XL	25
	41518	3XL	25
	41519	4XL	25
	41520	5XL/6XL	25

Snap Front	Code	Size	Case Count
 	37166	L	25
	37167	XL	25
	37168	2XL	25
	37169	3XL	25
	37170	4XL	25



Product Features:

- Protects against isocyanates¹
- Protects against chromate dust
- Silicone-free²
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Passes NFPA 99 for antistatic materials
- Respirator fit hood design
- Water-resistant zipper
- Serged seams
- Tested against polyurethane containing polymeric isocyanate (40% concentration)
- Per BMS 15-5G Method 2611 and AMS 3819C, 1% detection limit
- White

¹ Tested against polyurethane containing polymeric isocyanate (40% concentration)


² Per BMS 15-5G Method 2611 and AMS 3819C, 1% detection limit


See how easy it is to stay protected at all times in this "HOW TO" video. Scan now or visit:

<https://youtu.be/oBli4LaeLO0>



KleenGuard* A70 Chemical Spray Protection Apparel

Zipper Front, Storm Flap, Elastic Wrists, Ankles & Hood	Code	Size	Case Count
	09812	M	12
	09813	L	12
	09814	XL	12
	09815	2XL	12
	09816	3XL	12
	09817	4XL	12
	09818	5XL	12

Zipper Front, Storm Flap, Elastic Wrists, Hood & Boots	Code	Size	Case Count
	00682	M	12
	00683	L	12
	00684	XL	12
	00685	2XL	12
	00686	3XL	12
	00687	4XL	12
	00688	5XL	12



Product Features:

- Wick-away lining for enhanced comfort
- Liquid-resistant, extra-long zipper
- Taped, sealable zipper flap
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front for more protection in the primary exposure area
- Bound seams
- Passes NFPA 99 for antistatic materials
- Yellow

KleenGuard* A70 Apparel Fabric Liquid Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903		Vapor Permeation ASTM F739	
	Test Duration: 60 mins. Saturation Exposure		Normalized Breakthrough (min.)	Rate (µg/cm ² /min)
Acetone	Pass		Immediate	7.9
Acetonitrile	▲	Pass	Immediate	8.97
Carbon Disulfide	▲	Pass	Immediate	76.3
Dichloromethane	▲	Pass	Immediate	85.1
Diethylamine	▲	Pass	Immediate	High
n,n-Dimethylformamide	Pass		Immediate	2.54
Ethyl Acetate	Pass		Immediate	40.3
n-Hexane	▲	Pass	Immediate	High
Methanol	▲	Pass	Immediate	1.71
Nitrobenzene	Pass		Immediate	97.4
Sodium Hydroxide (50%)	Pass		>480	Not detected
Sulfuric Acid (98%)	Pass		>480	Not detected
Tetrachloroethylene	▲	Pass	Immediate	High
Tetrahydrofuran	Pass		Immediate	32.8
Toluene	▲	Pass	Immediate	High


▲ **WARNING:** Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.





Kimberly-Clark has developed a full line of TAA Compliant Protective Solutions


KleenGuard* A20 Accessories

■ = Made to Order (MTO)

TAA	Lab Coat	Code	Size	Case Count	MTO
 <ul style="list-style-type: none"> Serged seams 4 hook-and-loop closure Elastic wrists Knee length White 		35618	S	30	■
		35619	M	30	
		35620	L	30	
		35621	XL	30	
		35622	2XL	30	
		35623	3XL	30	
		35624	4XL	30	
		35625	5XL	30	
	37427	6XL	30	■	


TAA	Lab Coat	Code	Size	Case Count	MTO
 <ul style="list-style-type: none"> Serged seams 4-snap closure Open wrists Knee length Left chest pocket Right hip pocket White 		42201	XS	25	■
		30913	S	25	■
		10019	M	25	
		10029	L	25	
		10039	XL	25	
		40049	2XL	25	
		30930	3XL	25	■
		30914	4XL	25	■


TAA	Sleeve Protector	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic top & wrists 21" length ergonomically designed for improved fit White 		36870	21"	200 ea


TAA	Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Fully elasticized for formed fit 6.5" height White One size fits all 		36885	Universal	300 ea


KleenGuard* A40 Accessories


Vending Machine Ready
■ = Made to Order (MTO)

TAA	Lab Coat	Code	Size	Case Count	MTO
 <ul style="list-style-type: none"> Serged seams 4-snap closure Open wrists Knee length Left chest pocket Right hip pocket White 		35617	XS	30	■
		27201	S	30	
		44452	M	30	
		44453	L	30	
		44454	XL	30	
		44455	2XL	30	
		44456	3XL	30	
		27207	4XL	30	■
	30935	5XL	30	■	

TAA	Boot Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic top Elastic at ankle Highly durable PVC sole 18" height White 		36779	M/L	400
		44495	XL/2XL	400

TAA	Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic top Highly durable PVC sole 5.25" height White 		44492	M/L	400
		44494	XL/2XL	400

TAA	Lab Coat	Code	Size	Case Count	MTO
 <ul style="list-style-type: none"> Serged seams 5-snap closure Elastic wrists Knee length No pocket White 		30938	S	30	■
		44442	M	30	
		44443	L	30	
		44444	XL	30	
		44445	2XL	30	
		44446	3XL	30	
		30923	4XL	30	■
		30941	5XL	30	■


TAA	Sleeve Protector	Code	Vending	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic top & wrists 18" length White 		44480	41175	18"	200





Kimberly-Clark has developed a full line of TAA Compliant Protective Solutions

KleenGuard* A70 Accessories

Vending Machine Ready

Sleeve Protector	Code	Vending	Size	Case Count
 <ul style="list-style-type: none"> • Bound seams • Elastic top & wrist • 21" length • Ergonomically designed to fit to arm • Yellow 	97780	41233	21" Length	200

Apron	Code	Vending	Size	Case Count
 <ul style="list-style-type: none"> • Bound seams • Bound neck and ties • Yellow • One size fits all 	97790	42134	29" x 44"	100

Smock	Code	Size	Case Count
 <ul style="list-style-type: none"> • Bound seams • Elastic wrists • Bound neck • Back neck snaps • Elastic shoulder for proper fit • Yellow 	09829	44" Length	25
	09830	52" Length	25



Kimberly-Clark* Exam Gloves

Kimberly-Clark* Comfort Latex^{††} Powder Free Exam Gloves 9.5"



Code	Color	Size	Case Count	Product Features
43431	Natural	XS	100 gloves/box • 10 boxes/case	<ul style="list-style-type: none"> • Natural rubber latex, a renewable resource • AQL 1.5, exceeds ASTM standards for critical defects (pinholes) • Beaded cuffs for strength and donning ease • Fully textured fingertips to enhance grip • Ambidextrous for ease of use
43432	Natural	S	100 gloves/box • 10 boxes/case	
43433	Natural	M	100 gloves/box • 10 boxes/case	
43434	Natural	L	100 gloves/box • 10 boxes/case	
43435	Natural	XL	100 gloves/box • 10 boxes/case	
43436	Natural	2XL	90 gloves/box • 10 boxes/case	

^{††} This product contains natural rubber latex, which may cause allergic reactions. Safe use of this glove by or on latex sensitive individuals has not been established. This product should not be worn, or exposed to, individuals allergic to natural rubber latex.

Kimberly-Clark* Purple Nitrile* Exam Gloves 9.5"



Code	Color	Size	Case Count	Product Features
55080	Purple	XS	100 gloves/box • 10 boxes/case	<ul style="list-style-type: none"> • 6 mil thickness • Static dissipated in use • Not made with natural rubber latex • Textured fingertips • Powder-free
55081	Purple	S	100 gloves/box • 10 boxes/case	
55082	Purple	M	100 gloves/box • 10 boxes/case	
55083	Purple	L	100 gloves/box • 10 boxes/case	
55084	Purple	XL	90 gloves/box • 10 boxes/case	

Kimberly-Clark* Purple Nitrile-Extra* Exam Gloves 12"



Code	Color	Size	Case Count	Product Features
55090	Purple	XS	50 gloves/box • 10 boxes/case	<ul style="list-style-type: none"> • 6 mil thickness • Static dissipated in use • Not made with natural rubber latex • Textured fingertips • Powder-free
50601	Purple	S	50 gloves/box • 10 boxes/case	
50602	Purple	M	50 gloves/box • 10 boxes/case	
50603	Purple	L	50 gloves/box • 10 boxes/case	
50604	Purple	XL	50 gloves/box • 10 boxes/case	

KleenGuard* Nitrile Gloves

G10 Blue Nitrile Gloves 9.5"

Vending Machine Ready



Code	Vending	Color	Size	Case Count	Product Features
57370	42609	Blue	XS	100 gloves/box • 10 boxes/case	<ul style="list-style-type: none"> • Textured fingertips; powder-free • Excellent tactile sensitivity • CFIA Approved • 6 mil thickness; 9.5" length • Not made with natural rubber latex
57371	42610	Blue	S	100 gloves/box • 10 boxes/case	
57372	41071	Blue	M	100 gloves/box • 10 boxes/case	
57373	41078	Blue	L	100 gloves/box • 10 boxes/case	
57374	41059	Blue	XL	90 gloves/box • 10 boxes/case	

Jackson Safety* Gloves

G29 Solvent Gloves 12"



Code	Color	Size	Case Count	Product Features
49822	Blue	6 (XS)	50 gloves/box • 10 boxes/case	<ul style="list-style-type: none"> • Neoprene blend construction • Highest level of dexterity per EN420:2003 standard • 12 mil (finger); 9 mil (palm) • Ambidextrous; 12" length • Textured fingertips; powder-free • Silicone-free • Not made with natural rubber latex
49823	Blue	7 (S)	50 gloves/box • 10 boxes/case	
49824	Blue	8 (M)	50 gloves/box • 10 boxes/case	
49825	Blue	9 (L)	50 gloves/box • 10 boxes/case	
49826	Blue	10 (XL)	50 gloves/box • 10 boxes/case	
49827	Blue	11 (2XL)	50 gloves/box • 10 boxes/case	

**The Dexterity of a Thin Mil Glove.
The Protection of a Heavy Chemical Glove.**

Tested for
EASTMAN
SKYDROL
AVIATION
HYDRAULIC FLUIDS

G35 Inspection Gloves

Vending Machine Ready



Code	Vending	Color	Size	Case Count	Product Features
38716	43813	White Nylon	XS	12 pairs/bag • 10 bags/case	<ul style="list-style-type: none"> • Not made with silicone • Low-linting • 100% white nylon • Seamless knit shell • Colored yarn on cuff • Ambidextrous
38717	43814	White Nylon	S	12 pairs/bag • 10 bags/case	
38718	43815	White Nylon	M	12 pairs/bag • 10 bags/case	
38719	43816	White Nylon	L	12 pairs/bag • 10 bags/case	
38720	43817	White Nylon	XL	12 pairs/bag • 10 bags/case	

Jackson Safety* Gloves

G40 Polyurethane Coated Gloves

Vending Machine Ready



Code	Vending	Color	Size	Case Count	Product Features
13837	42606	Black	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> • Thin mil feel for tactile sensitivity • Excellent grip and dexterity • Seamless knit construction for comfort • Tear-resistant • Abrasion-resistant • Color selection: <ul style="list-style-type: none"> – Dark black coating hides dirt for longer wear – Gray coating enhances visibility of Foreign Object Damage (FOD)
13838	42607	Black	8 (M)	12 pairs/bag • 5 bags/case	
13839	37725	Black	9 (L)	12 pairs/bag • 5 bags/case	
13840	37726	Black	10 (XL)	12 pairs/bag • 5 bags/case	
13841	42608	Black	11 (2XL)	12 pairs/bag • 5 bags/case	
38726		Grey	7 (S)	12 pairs/bag • 5 bags/case	
38727		Grey	8 (M)	12 pairs/bag • 5 bags/case	
38728		Grey	9 (L)	12 pairs/bag • 5 bags/case	
38729		Grey	10 (XL)	12 pairs/bag • 5 bags/case	
38730		Grey	11 (2XL)	12 pairs/bag • 5 bags/case	

G40 Foam Nitrile Coated Gloves

Vending Machine Ready



Code	Vending	Color	Size	Case Count	Product Features
40225	41527	Blue & Black	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> • 25% better productivity than leather • Excellent grip and dexterity • Seamless knit nylon back for comfort • Highest EN388 abrasion rating
40226	40511	Blue & Black	8 (M)	12 pairs/bag • 5 bags/case	
40227	37729	Blue & Black	9 (L)	12 pairs/bag • 5 bags/case	
40228	37730	Blue & Black	10 (XL)	12 pairs/bag • 5 bags/case	
40229	40421	Blue & Black	11 (2XL)	12 pairs/bag • 5 bags/case	

G40 Smooth Nitrile+ Coated Gloves†



Code	Color	Size	Case Count	Product Features
38428	Black	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> • Seamless knit nylon back for comfort • Nitrile coating offers good grip and protection against liquid permeation • High EN388 Abrasion rating of 3 • Dark black coating hides dirt for longer wear
38429	Black	8 (M)	12 pairs/bag • 5 bags/case	
38430	Black	9 (L)	12 pairs/bag • 5 bags/case	
38431	Black	10 (XL)	12 pairs/bag • 5 bags/case	
38432	Black	11 (2XL)	12 pairs/bag • 5 bags/case	

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

G60 Level 2 Polyurethane Coated Cut Resistant Gloves†

Vending Machine Ready



Code	Vending	Color	Size	Case Count	Product Features
38635	40424	Grey & Yellow	7 (S)	12 pairs/bag • 1 bag/case	<ul style="list-style-type: none"> • ANSI Level 2/EN388 Level 2 cut resistance; CPPT = 672 grams • Excellent dexterity for improved productivity • Polyurethane coating provides a barrier against oil penetration • Suitable for intermittent heat contact up to 212°F†
38636	40428	Grey & Yellow	8 (M)	12 pairs/bag • 1 bag/case	
38637	37727	Grey & Yellow	9 (L)	12 pairs/bag • 1 bag/case	
38638	37728	Grey & Yellow	10 (XL)	12 pairs/bag • 1 bag/case	
38639	40429	Grey & Yellow	11 (2XL)	12 pairs/bag • 1 bag/case	
38642	40451	Grey & Yellow Knuckle-Coated	7 (S)	12 pairs/bag • 1 bag/case	
38643	40452	Grey & Yellow Knuckle-Coated	8 (M)	12 pairs/bag • 1 bag/case	
38644	40453	Grey & Yellow Knuckle-Coated	9 (L)	12 pairs/bag • 1 bag/case	
38645	40503	Grey & Yellow Knuckle-Coated	10 (XL)	12 pairs/bag • 1 bag/case	
38646	40507	Grey & Yellow Knuckle-Coated	11 (2XL)	12 pairs/bag • 1 bag/case	

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

Jackson Safety* Gloves

G60 Level 3 Economy Cut Gloves†

Vending Machine Ready



Code	Vending	Color	Size	Case Count
38689	42614	Black & White	7 (S)	12 pairs/bag • 1 bag/case
42542	—	Black & White	7 (S)	12 pairs/bag • 5 bags/case
38690	42615	Black & White	8 (M)	12 pairs/bag • 1 bag/case
42543	—	Black & White	8 (M)	12 pairs/bag • 5 bags/case
38691	42616	Black & White	9 (L)	12 pairs/bag • 1 bag/case
42545	—	Black & White	9 (L)	12 pairs/bag • 5 bags/case
38692	42617	Black & White	10 (XL)	12 pairs/bag • 1 bag/case
42547	—	Black & White	10 (XL)	12 pairs/bag • 5 bags/case
38693	42619	Black & White	11 (2XL)	12 pairs/bag • 1 bag/case
42595	—	Black & White	11 (2XL)	12 pairs/bag • 5 bags/case

Product Features

- ANSI Level 2/EN388 Level 3 cut resistance
- CPPT = 686 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon and Lycra® fiber provides cut resistance and a comfortable fit
- Black polyurethane coating enhances grip
- Dark coating hides dirt for longer wear

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

G60 Level 3 Polyurethane Coated Cut Resistant Gloves

Vending Machine Ready



Code	Vending	Color	Size	Case Count
13823	43347	Grey & Salt & Pepper	7 (S)	12 pairs/bag • 1 bag/case
13824	43348	Grey & Salt & Pepper	8 (M)	12 pairs/bag • 1 bag/case
13825	37722	Grey & Salt & Pepper	9 (L)	12 pairs/bag • 1 bag/case
13826	37723	Grey & Salt & Pepper	10 (XL)	12 pairs/bag • 1 bag/case
13827	37724	Grey & Salt & Pepper	11 (2XL)	12 pairs/bag • 1 bag/case
38731	43769	Grey & Salt & Pepper Knuckle-Coated	7 (S)	12 pairs/bag • 1 bag/case
38732	43770	Grey & Salt & Pepper Knuckle-Coated	8 (M)	12 pairs/bag • 1 bag/case
38733	43772	Grey & Salt & Pepper Knuckle-Coated	9 (L)	12 pairs/bag • 1 bag/case
38734	43773	Grey & Salt & Pepper Knuckle-Coated	10 (XL)	12 pairs/bag • 1 bag/case
38735	43781	Grey & Salt & Pepper Knuckle-Coated	11 (2XL)	12 pairs/bag • 1 bag/case

Product Features

- ANSI Level 3/EN388 Level 3 cut resistance
- CPPT = 1010 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon, Lycra® fiber and glass liner
- Excellent dexterity for improved productivity

G60 Level 5 Polyurethane Coated Cut Resistant Gloves

Vending Machine Ready



Code	Vending	Color	Size	Case Count
98235	43246	Black & Salt & Pepper	7 (S)	12 pairs/bag • 1 bag/case
98236	43256	Black & Salt & Pepper	8 (M)	12 pairs/bag • 1 bag/case
98237	43258	Black & Salt & Pepper	9 (L)	12 pairs/bag • 1 bag/case
98238	43259	Black & Salt & Pepper	10 (XL)	12 pairs/bag • 1 bag/case
98239	43260	Black & Salt & Pepper	11 (2XL)	12 pairs/bag • 1 bag/case
38721	—	Grey & Salt & Pepper	7 (S)	12 pairs/bag • 1 bag/case
38722	—	Grey & Salt & Pepper	8 (M)	12 pairs/bag • 1 bag/case
38723	—	Grey & Salt & Pepper	9 (L)	12 pairs/bag • 1 bag/case
38724	—	Grey & Salt & Pepper	10 (XL)	12 pairs/bag • 1 bag/case
38725	—	Grey & Salt & Pepper	11 (2XL)	12 pairs/bag • 1 bag/case

Product Features

- ANSI Level 4/EN388 Level 5 cut resistance
- CPPT = 2085 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber spun with glass, stainless steel and spandex
- Superior cut resistance based on tests performed against the competition
- Polyurethane coating enhances grip
- Color selection:
 - Dark black coating hides dirt for longer wear
 - Gray coating enhances visibility of Foreign Object Damage (FOD)

Jackson Safety* Chemical-Resistant Gloves

G80 Nitrile Chemical Resistant Gloves

Vending Machine Ready



Code	Vending	Color	Size	Case Count
94445	42622	Green	7 (S)	12 pairs/bag • 5 bags/case
94446	42623	Green	8 (M)	12 pairs/bag • 5 bags/case
94447	42624	Green	9 (L)	12 pairs/bag • 5 bags/case
94448	42625	Green	10 (XL)	12 pairs/bag • 5 bags/case
94449	42627	Green	11 (2XL)	12 pairs/bag • 5 bags/case

Product Features

- Cotton flock lined for added comfort
- 13" length, 15 mil thickness
- Textured fingertips enhance grip
- Approved for food handling per U.S. FDA regulations
- CFIA Approved
- Meets EN374-3: 2003 standard

G80 Neoprene/Latex Chemical Resistant Gloves†

Vending Machine Ready



Code	Vending	Color	Size	Case Count
38741	43341	Blue & Yellow	7 (S)	12 pairs/bag • 5 bags/case
38742	43342	Blue & Yellow	8 (M)	12 pairs/bag • 5 bags/case
38743	43345	Blue & Yellow	9 (L)	12 pairs/bag • 5 bags/case
38744	43346	Blue & Yellow	10 (XL)	12 pairs/bag • 5 bags/case

Product Features

- Neoprene over natural rubber latex
- 12" length, 27.5 mil thickness
- Palm strengthened for extra protection
- Cotton flock lining
- Anti-slip pattern on fingers for good wet or dry grip
- Meets EN 374-AKL standard

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

Jackson Safety* Cut-Resistant Sleeves

G60 Level 2 Cut Resistant Sleeves†

Vending Machine Ready



Code	Vending	Color	Size	Case Count
90070	37731	Yellow	18" with thumbhole	12 each/bag • 5 bags/case
90071	37732	Yellow	18" without thumbhole	12 each/bag • 5 bags/case

Product Features

- Cut-resistant outer layer with cotton inner layer for comfortable fit
- ANSI Level 2/EN388 Level 2 cut resistance
- CPPT = 934/920 grams respectively
- Good breathability

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.
Sleeve must not come into contact with a naked flame.

G60 Level 5 Cut Resistant Sleeve†

Vending Machine Ready



Code	Vending	Color	Size	Case Count
90075	43408	Salt & Pepper	18"	12 each/bag • 2 bags/case

Product Features

- ANSI Level 3/EN388 Level 5 cut resistance
- CPPT = 1244 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber with nylon, Lycra® fiber and glass liner
- Proprietary closure on arm and wrist

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

Jackson Safety* Nemesis* Safety Glasses

- All Nemesis* Safety Glasses meet ANSI Z87.1+ 2010 standards
- All Nemesis* Safety Glasses lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection
- All Nemesis* Safety Glasses have hardcoated lenses for scratch resistance and longer life
- Each pair of Nemesis* Safety Glasses comes with a neck cord



Unsurpassed durability is just what you'd expect from a trusted leader recognized for high-quality, reliable eyewear

Nemesis* Safety Eyewear • Pairs/Box: 12



	Code	Old Code	Description	Lens
	25676	3000354	Clear Lens, Black Frame	
	25679	3000355	Clear Anti-Fog Lens, Black Frame	AF
	25659	3000359	Amber Lens, Black Frame	
	22475	3020121	Smoke Anti-Fog Lens, Black Frame	AF
	22476	3020122	Amber Anti-Fog Lens, Black Frame	AF
	25685	3000357	Indoor/Outdoor Lens, Black Frame	
	25688	3000356	Smoke Mirror Lens, Black Frame	
	19639	3011373	Light Blue Lens, Blue Frame	

Product Features

- Sporty, flexible, lightweight design
- Enhanced nosepiece design with integrated ridges to channel away sweat
- Every pair includes a neck cord
- Neck cord tightening bead is threaded on the neck cord to prevent foreign object debris in your process, product, or facility

Nemesis* S Safety Eyewear (Small) • Pairs/Box: 12



	Code	Description	Lens
	38474	Clear Lens, Black Frame with Black Tips	
	38478	Clear Anti-Fog Lens, Black Frame with Pink Tips	AF
	38480	Indoor/Outdoor Lens, Black Frame with Green Tips	
	38476	Smoke Lens, Black Frame with Black Tips	

Product Features

- Sporty eyewear that fits the smaller, slimmer head without adjustments
- Structure features a stronger nose piece and wider bridge for an amazingly comfortable fit
- Select styles have fun temple tip colors for individuality
- Every pair includes a neck cord
- Neck cord tightening bead is threaded on the neck cord to prevent foreign object debris in your process, product, or facility

AF - Anti-Fog



Kimberly-Clark has developed a full line of TAA Compliant Solutions

Nemesis* RX Readers Safety Eyewear • Pairs/Box: 6




Code	Old Code	Description	Lens
28618	3013305	Clear Lens, Black Frame, +1.0	
28621	3013306	Clear Lens, Black Frame, +1.5	
28624	3013307	Clear Lens, Black Frame, +2.0	
28627	3013308	Clear Lens, Black Frame, +2.5	
28630	3013309	Clear Lens, Black Frame, +3.0	

- Product Features**
- Sporty, flexible, lightweight eyewear with integrated diopters for vision assistance
 - Enhanced nosepiece design with integrated ridges to channel away sweat
 - Every pair includes a neck cord
 - Neck cord tightening bead is threaded on the neck cord to prevent foreign object debris in your process, product, or facility

Nemesis* with RX Inserts Safety Eyewear • Pairs/Box: 12



Code	Description	Lens
38503	Clear Anti-Fog Lens, Black Frame with Black Tips	AF
38504	Amber Anti-Fog Lens, Black Frame with Black Tips	AF
38507	Indoor/Outdoor Anti-Fog Lens, Metallic Blue Frame with Black Tips	AF
38505	Smoke Anti-Fog Lens, Black Frame with Black Tips	AF



- Product Features**
- Sporty eyewear that comes with a close-fit prescription lens insert behind the polycarbonate eye shield
 - Solution tends to be more lightweight and comfortable than options like side shields and over-the-glasses safety glasses.
 - Adjustable ratchet-action temples with five positions provide a truly custom fit
 - Every pair includes a neck cord
 - Neck cord tightening bead is threaded on the neck cord to prevent foreign object debris in your process, product, or facility

Jackson Safety* Visitor Safety Glasses

- All Visitor Safety Glasses meet ANSI Z87.1+ 2010 standards
- All Visitor Safety Glasses lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection

Element* Safety Eyewear • Pairs/Box: 12



Code	Old Code	Description	Lens	Product Features
25627	3004880	Clear Lens, Translucent Temples, Uncoated		<ul style="list-style-type: none"> • Lightweight, popular styling with an economical price • Metal-free design with screw-less hinges to minimize electrical transference risk • Universal nose bridge for comfort

• CE Certified • CSA Certified AF - Anti-Fog



Kimberly-Clark has developed a full line of TAA Compliant Solutions

Unispec* II Safety Eyewear • Pairs/Box: 50



Code	Old Code	Description	Lens	Product Features
25646 ■	3000285	Clear Lens, Clear Temples, Uncoated		

- Lightweight, popular styling with an economical price
- Metal-free design with screw-less hinges to minimize electrical transference risk
- Universal nose bridge for comfort
- Fits over most prescription eyewear

Jackson Safety* Premium Safety Glasses

- All Premium Safety Glasses meet ANSI Z87.1+ 2010 standards
- All Premium Safety Glasses lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection
- All Premium Safety Glasses have hardcoated lenses for scratch resistance and longer life

Maxfire* Safety Eyewear • Pairs/Box: 12



Code	Description	Lens	Product Features
38499	Clear Anti-Fog Lens, Black Frame with Red Tips	AF	<ul style="list-style-type: none"> • Flexible 4-position click-to-fit temples and 3-position adjustable nose pad allows for lens angle to be customized for the user and work application • Flexible nose pad and soft rubber inserts on brow, temples, and along the ear provide additional comfort • Premium anti-scratch and anti-fog performance, meeting the CE standards for EN166 "K" and "N" • Metal-free design with screw-less hinges to minimize electrical transference risk
38494	Amber Anti-Fog Lens, Black Frame with Red Tips	AF	
38490	Indoor/Outdoor Anti-Fog Lens, Brown Frame with Brown Tips	AF	
38485	Smoke Anti-Fog Lens, Brown Frame with Brown Tips	AF	

Maxfire* Small Safety Eyewear • Pairs/Box: 12



Code	Description	Lens	Product Features
38498	Clear Anti-Fog Lens, Black Frame with Red Tips	AF	<ul style="list-style-type: none"> • Same contemporary styling as the Maxfire* safety glasses, but smaller to fit smaller, slimmer heads • Flexible 4-position click-to-fit temples and 3-position adjustable nose pad allows for lens angle to be customized for the user and work application • Flexible nose pad and soft rubber inserts on brow, temples, and along the ear provide additional comfort • Premium anti-scratch and anti-fog performance, meeting the CE standards for EN166 "K" and "N" • Metal-free design with screw-less hinges to minimize electrical transference risk
38493	Amber Anti-Fog Lens, Black Frame with Red Tips	AF	
38489	Indoor/Outdoor Anti-Fog Lens, Brown Frame with Brown Tips	AF	
38484	Smoke Anti-Fog Lens, Brown Frame with Brown Tips	AF	

Jackson Safety* Shielded Safety Glasses

- All Shielded Safety Glasses meet ANSI Z87.1+ 2010 standards
- All Shielded Safety Glasses lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection
- All Shielded Safety Glasses have hardcoated lenses for scratch resistance and longer life

Calico* Safety Eyewear • Pairs/Box: 12



Code	Old Code	Description	Lens
25672	08661	Clear Anti-Fog Lens, Black Frame	AF
25674	08660	Amber Anti-Fog Lens, Black Frame	AF
36692	—	1/2 Shade Anti-Fog Lens, Black Frame	AF
25675	08662	Smoke Anti-Fog Lens, Black Frame	AF

- Product Features**
- Lightweight, wraparound design with cushioned brow for added comfort and protection
 - Temple bars can be changed to a head strap with an easy click of a button
 - Premium anti-scratch and anti-fog performance, meeting the CE standards for EN166 "K" and "N"
 - Every pair comes with a microfiber bag that can be used for eyewear storage and lens cleaning

Interchangeable headstrap allows tighter fit

Epic* Safety Eyewear • Pairs/Box: 12



Code	Description	Lens
33345	Clear Super Anti-Fog Lens, Black & Red Temples	AF
33347	Indoor/Outdoor Super Anti-Fog Lens, Black & Red Temples	AF
35327	Smoke Super Anti-Fog Lens, Black & Red Temples	AF

- Product Features**
- Lightweight, wraparound design with cushioned brow for added comfort and protection
 - Temple bars can be changed to a head strap with an easy click of a button
 - Top and bottom direct ventilation and anti fog coating provides premium anti-fog performance, with 2X longer anti-fog protection than what the CE EN166 "N" standard requires

• CE Certified • CSA Certified AF - Anti-Fog



Kimberly-Clark has developed a full line of TAA Compliant Solutions



Jackson Safety* Splash Protection Safety Goggles

- Splash Protection Safety Goggles meet ANSI Z87.1+ 2010 Standards
- Splash Protection Safety Goggle lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection

Revolution* OTG Goggle Protection



Code	Old Code	Description	Lens	Pairs/Box	Product Features
14399	3000048	Clear VisiClear* Lens, Blue Frame	AF <input type="checkbox"/>	30	<ul style="list-style-type: none"> • Cross Vent Technology keeps air flowing in and moisture out to prevent fogging and enhance comfort • VisiClear* anti-fog and anti-scratch lens coating prevents fogging and scratching for longer goggle life • Fits over most prescription eyewear

Monogoggle* XTR* OTG Goggle Protection



Code	Old Code	Description	Lens	Pairs/Box	Product Features
18624	3010334	Clear Anti-Fog Lens, Blue Frame	AF <input type="checkbox"/>	6	<ul style="list-style-type: none"> • Indirect ventilation increases airflow to minimize fogging condensation • Soft, pliable frame conforms to the face for comfort • Cylindrical lens provides increased visibility • Fits over most prescription eyewear

Jackson Safety* Shield Protection Safety Goggles

- Shield Protection Safety Goggles meet ANSI Z87.1+ 2010 Standards
- Shield Protection Safety Goggle lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection

Shield Goggle Protection



Code	Old Code	Description	Lens	Pairs/Box	Product Features
18629	3010343	Clear Anti-Fog Lens, Blue Frame	AF <input type="checkbox"/>	6	<ul style="list-style-type: none"> • Monogoggle* XTR* goggles with a detachable curved face shield offering added protection • Fits over most prescription eyewear

Jackson Safety* Respirators

R10 N95 Particulate Respirator with Comfort Straps & Dual Valves



Code	Description	Protection	Case Count	Strap Color	Product Features
64260	N95 Particulate Respirator with Comfort Straps and Dual Valves	N95	10/box 8 boxes/case	Blue	<ul style="list-style-type: none"> • Wide, comfortable user-preferred head straps • Dual exhalation valves designed and positioned to help reduce eyewear fogging • Adjustable head straps • Soft, comfortable foam nose pad with a cloth layer • Not made with natural rubber latex • Meets heat and flame resistant per ANSI/ISEA 110-2009

R10 N95 Particulate Respirator with Comfort Straps



Code	Description	Protection	Case Count	Strap Color	Product Features
64250	N95 Particulate Respirator with Comfort Straps	N95	20/box 8 boxes/case	Blue	<ul style="list-style-type: none"> • Wide, comfortable user-preferred head straps • Adjustable head straps • Soft, comfortable foam nose pad with a cloth layer • Not made with natural rubber latex

R20 P95 Particulate Respirator



Code	Description	Protection	Case Count	Strap Color	Product Features
64420	P95 Particulate Respirator (Single Valve)	P95	10/box 8 boxes/case	Yellow	<ul style="list-style-type: none"> • Effective against all oil based and non-oil based particulate aerosols and dust that do not emit harmful vapors • Soft foam nose pad with bendable nose clip • Highly visible, color-coded straps • Knitted elastic straps ultrasonically attached • Not made with natural rubber latex

R20 P95 AG Particulate Respirator with Comfort Straps and Dual Valves



Code	Description	Protection	Case Count	Strap Color	Product Features
32704	P95 Particulate Respirator with dual valves and nuisance level acid gas relief	P95	10/box 8 boxes/case	Yellow	<ul style="list-style-type: none"> • Effective against all oil based and non-oil based particulate aerosols and dust that do not emit harmful vapors • Carbon layer reduces exposure to nuisance levels of acid gases • Wide, comfortable user-preferred head straps • Adjustable head straps • Not made with natural rubber latex • Meets heat and flame resistant per ANSI/ISEA 110-2009

R20 P95 OV Particulate Respirator with Comfort Straps and Dual Valves



Code	Description	Protection	Case Count	Strap Color	Product Features
64560	P95 Particulate Respirator with dual valves and nuisance level organic vapor relief	P95	10/box 8 boxes/case	Yellow	<ul style="list-style-type: none"> • Effective against all oil based and non-oil based particulate aerosols and dust that do not emit harmful vapors • Carbon layer reduces exposure to nuisance levels of organic vapors • Wide, comfortable user-preferred head straps • Adjustable head straps • Not made with natural rubber latex • Meets heat and flame resistant per ANSI/ISEA 110-2009

Fit Test Kit for Particulate Respirators

Qualitative Fit Test with Bitrex & Saccharin Solutions



Code	Description	Case Count
11266	Qualitative Fit Test Kit	1 kit
REPLACEMENT PARTS		
99009	Bitrex Solutions (Threshold & Fit Test)	2 bottles/box
99003	Saccharin Solutions (Threshold & Fit Test)	2 bottles/box
99015	Hood	2 hoods/box
99018	Nebulizers with Extra Valves	2 nebulizers/box

Product Features
Qualitative Fit Test includes:
• Bitrex Threshold & Fit Testing solutions
• Saccharin Threshold & Fit Testing solutions
• Nebulizers for threshold and fit testing
• Extra nebulizer valves
• Hood
• DVD, poster and printed materials for helpful tips and instructions on why and how to conduct a Qualitative Fit Test

Visit www.KCProfessional.com/fittest for online fit testing instructional video.

Hearing Protection

Disposable Earplugs

H10 Disposable Earplugs



Code	Description	NRR	Class	Case Count
67210	Uncorded	31	A(L)	200 Pairs/Box; 8 Boxes/Case
67212	Corded	31	A(L)	100 Pairs/Box; 8 Boxes/Case

Product Features
• Soft roll-down foam
• Smooth "bullet" shape for easy insertion
• High visibility for easy compliance monitoring
• Gravity feed display box

Earmuffs

H70 Vibe* Earmuffs



Code	Old Code	Description	NRR	Case Count
20775	3015090	Headband, Black	29	1/Pack

Product Features
• Innovative design with soft padded headband which adjusts to fit most head shapes and sizes
• Dielectric ¹ , durable thermoplastic material retains shape and pressure for consistent noise reduction
• Various noise levels available in headband and capmount styles
• Clamshell packaging

¹ Dielectric means all exposed parts are plastic or rubber



Exceptional
Workplaces*

Count on Kimberly-Clark Professional* to provide the essentials for a healthier, safer and more productive workplace.



Place your order today
with your local representative



Find your local distributor
www.KCProfessional.com/distributor



Visit our website
www.KCProfessional.com

Our Guarantee

Your total satisfaction means everything to us. If, for any reason, our products do not meet your expectations, Kimberly-Clark will reimburse you[†] for your initial purchase, via FREE product, for up to \$1,000. For more information on Kimberly-Clark Professional*, visit us online at www.kcprofessional.com.

† Guarantee extended to consuming end-user accounts only.

The following information is provided to assist with your buying decisions. Read all instructions and warnings attached to product before use.

It is the responsibility of the user to assess the types of hazards and the risks associated with exposure and then decide on the appropriate personal protective equipment needed for each circumstance. Failure to use only Jackson Safety* designed, produced and tested components, attachments and replacement parts can adversely affect product performance resulting in serious injury.

JACKSON SAFETY* AND KLEENGUARD* APPAREL AND HAND PROTECTION

Apparel or hand protection should be replaced immediately if ripped, torn, abraded or punctured.

Fabrics are not flame-resistant unless specified. Keep away from sparks, flames and sources of ignition. Melting fabric can cause severe burns.

The information provided within this literature refers to the performance of the fabric only, in the laboratory under controlled conditions. Kimberly-Clark makes no representation that its products will provide complete protection from exposure to contaminants. Thin mil gloves are for industrial use only, and are not intended for applications involving direct exposure to hazardous chemicals.

JACKSON SAFETY* EYE PROTECTION

Provides limited eye protection. Additional protective devices are required for full eye coverage and protection.

Does not protect you from all hazards. Even though the lenses in these safety glasses are impact-resistant, they can break and shatter and will not protect you from explosions, all flying debris, and severe impacts.

Should not be worn to provide protection from other hazards including, but not limited to, extreme temperatures, high heat, airborne dusts or mists, liquid splashes, sports activities and high-energy optical radiation.

JACKSON SAFETY* RESPIRATORY PROTECTION

Do not use respirators for sandblasting or to protect against asbestos, lead-based paint, pesticides, oil aerosols[†], vapors or gases. Do not wear respirators when conditions prevent a good facial seal. It is important to fit check the respirator each time it is worn. Jackson Safety* Brand Respirators are not for medical use and should never be altered or modified. Powered air-purifying respirators (PAPRs) help protect against certain airborne contaminants. Do not use the PAPR with parts or accessories not specifically identified as compatible and which are included on the NIOSH approval label for the PAPR.

[†] Except R95 or P95

JACKSON SAFETY* HEARING PROTECTION

Jackson Safety* Hearing Protection may be adversely affected by certain chemical substances; avoid the use of solvents and other disinfectants. Regularly inspect for tears or cracks and replace if serviceability is suspected to be affected. Corded earplugs should not be used where there is a risk that the connecting cord could be caught up during use.

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers and are warranted for the following periods from end-user's date of purchase (verified by valid sales receipt) (a) five years for Balder* Technology auto darkening filters; (b) two years for all other auto-darkening filters; and (c) one year for powered air-purifying respirators; (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques déposées de Kimberly-Clark Worldwide, Inc. ou de ses filiales. The Color Grey is a Trademark of KCWW. The Color Purple and Purple Nitrile are owned by Halyard Health or its affiliates and used under license. © KCWW. P16-250-2-00E 01/16

Effective January 2016