

# Eaton SC-15

Catalog Number: SC-15

Eaton Bussmann series SC fuse, Current-limiting time-delay fuse, Rejection style, 15 A, Class G, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 10 kAIC at 170 Vdc|100 kAIC at 600 Vac, Standard, 600 V, 170 Vdc

## General specifications

Product Name	Catalog Number
Eaton Bussmann series SC fuse	SC-15
UPC	EAN
051712250153	5027590066327
Product Length/Depth	Product Height
.41 in	1.31 in
Product Width	Product Weight
.41 in	.1 lb
Warranty	Compliances
Not Applicable	RoHS Compliant CE Marked



## Electrical rating

### Amperage Rating

15 A

### Interrupt rating

100 kAIC at 600 Vac

10 kAIC at 170 Vdc

### Response time

12 sec at 200%

### Voltage rating

600 Vac, 170 Vdc

## Physical details

### Packaging type

Standard

## General information

### Class

Class G

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Special features

Rejection style

## Resources

### Catalogs

[Bussmann series complete full line catalog no. 1007](#)

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[Eaton Specification Sheet - SC-15](#)

### Technical data sheets

[Bussmann series SC Class G Fuse Data Sheet No. 1024](#)

[SC-15~BUSS SC FUSE CLASS G CLASS G](#)

### Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)