

Indutabs®

Calcium Hypochlorite Tablets

Indutabs are formulated to be readily soluble in water and are a powerful disinfectant for residential, municipal and industrial applications:

- Pools and spas
- Hydrotherapy/Immersion tanks
- Potable drinking water
- Beverage bottling
- Cooling towers
- Food processing
- Pulp bleaching
- Wastewater

Indutabs are registered with the United States EPA and certified to NSF/ANSI Standard 60.

Indutabs:

- Contain calcium hypochlorite; which is less corrosive and has a more neutral pH than other forms of chlorine
- Are 3/4" in diameter
- Contain a minimum of 65% available chlorine
- Do not contain stearates
- Do not contain cyanuric acid (CYA), eliminating the threat of over stabilization
- Provide a slow, steady and consistent chlorine dose
- Disinfect killing unwanted bacteria
- Minimize storage space with convenient, stackable pails
- Are manufactured in the USA, do not contain foreign ingredients



The products mentioned here can be hazardous if not properly used. It is recommended that before anyone uses or handles the products mentioned herein, he or she read and understand the precautionary and other information on the product label, as well as in the safety data sheet.

Residential/Municipal/Industrial Suggested Dosage Rates:

Application	Dosage
Swimming pools	10 oz per every 5,000 gallons to yield 5 - 10 ppm of available chlorine
Spas/Hot tubs	1/2 oz per 500 gallons to yield 5 ppm of available chlorine
Hydrotherapy tanks	1 oz per 1,000 gallons to yield 1 ppm of available chlorine
Potable water	1 oz per 6,000 gallons to yield 0.2 - 0.6 ppm of available chlorine
*Additio	nal dosage guidelines can be found on the product label
	Solution Reference Guide
1 lb (16 oz)	in 82,000 gallons of water yields 1 ppm of available chlorine
1 1/4 lb (20 oz) in 100 gallons of water yields 1,000 ppm of available chlorine
6 3/10 lb (100 c	z) in 50 gallons of water yields 10,000 ppm of available chlorine
tablets weigh approximately 1	07

Note: Suggested dosage rates are for estimation purposes and in no way guarantee actual usage rates. Many factors other than flow rate can contribute to chemical usage rates such as pH, turbidity, water temperature, etc.

Available in 50 lb and 100 lb pails

