Perfect Platform Installation & Owners Manual

Read and Save These Instructions

- Installation by anyone other than a qualified contractor voids the warranty.
- Product designed for residential installation only. Commercial installation voids warranty.
- Modification or alteration of product, parts, installation instructions or local safety codes voids warranty.
 - Read our full warranty policy at the end of this document.

CAUTION: Sharp edges may cause injury from cuts. Use care when handling.

WARNING: Disconnect power to furnace before installation.

Specifications

MERV:

Type: Cartridge 58 pounds Weight: 2000 CFM Rated Air Flow: Static Pressure Drop: .26 in w.c.

Air flow from furnace through air cleaner Operation:

Replacement Filter: 6FM2025 (MERV 11 - GFI #4551); Replace every 6-12 months

Min. Ave. 75% efficiency removing particles 1.0-3.0 in size

Application: Inline


Installation: Return Air Duct; can be adjusted for 10" or 12" duct. (See diagram below)

Pallet Quantity:

Warranty: 10 Years

Heavy 22 gauge galvanized sheet metal; riveted for sturdiness and long life Material:

- Accommodates 1.3 or 3.5 ton electric air handler or gas furnace
- Two door openings allow access from either side for installation purposes and filter replacement





Perfect Platform

Installation & Owners Manual

Air Cleaner GFI #4545

Replacement Filter Size

- The Perfect Platform filter part number is GFI #4551 (6FM2025) MERV 11.
- Replace your filter at least once every 6 months, or more often if needed.

Door

• Affix the handle (6) to the door (only one of the two doors has holes for handles), using the two included #6 x 1/2" screws. This door is to be located on the side for which the homeowner has access for replacing the filter.

Filter Rail Spacer

• The filter rail spacer (5) is placed to the back, next to the filter track and closest to the door opening that will not be accessible. The open side of the spacer will be against the removable panel (7) at the back (inaccessible) opening.

Adjustable Center Assembly

- The center crossbar (1) is secured to the platform with the two formed flanges down. Set the crossbar in place, but do not secure it to the Perfect Platform until the intake duct adjuster (2) is also in place.
- The Perfect Platform crossbar can be adjusted to close the gap for a narrow air handler or furnace.

Duct Flanges


- The flat duct flanges (3) need to be bent up 90° and are used to secure the intake duct to the platform.
- The Perfect Platform intake duct adjuster (2) can be placed allowing for either 10" or 12" duct. The formed flange should be facing up and is used to secure the intake duct to the platform. Once the adjuster is positioned correctly four #8 x 3/8" screws are used to secure both the adjuster and crossbar to the platform at the sides. One screw is used to secure the adjuster to the crossbar in the center.

Duct Adaptors

• Two duct adaptors (4) are used if you need to reduce the intake duct to 24". The adaptors are placed where indicated, on each side of the return, and holes are drilled in the platform. Use the clearance holes on the adaptors as the locators to drill the platform holes. Do not drill holes elsewhere as this may interfere with the door. The shaded area of the duct adaptor will need to be cut off to allow the intake duct to fit over the adaptor.

IMPORTANT: Once the air handler or furnace and the duct are in place and secured, the joints must be properly sealed to prevent air leakage.

| Description |
|----------------------|
| Center Crossbar |
| Intake Duct Adjuster |
| Duct Flanges |
| Duct Adaptors |
| Filter Rail Spacer |
| Door Handle |
| Removable Back Panel |
| |



Air Cleaner GFI #4545

Perfect PlatformInstallation & Owners Manual

Limited Warranty

What is Covered

- This air cleaner, if properly registered by the return of the attached warranty registration card to the manufacturer, is warranted to the consumer against defects in materials and workmanship for a period of ten years from the date of installation.
- This Limited Warranty runs to the original purchaser of the Product(s) who owns, and resides in, the residential
 property for which it is installed and maintained.
- The Limited Warranty coverage begins upon the date the Product(s) is installed.
- Any other defective parts will be repaired without charge except for removal, reinstallation and transportation
 costs. To obtain repair service under this limited warranty, the consumer must send the defective part or the
 complete unit to the manufacturer.

What is Not Covered

- This product is designed for residential installation only, therefore, commercial or industrial installations are not covered under this warranty.
- The air cleaner media is not covered by this limited warranty or any other warranties.
- Damage caused by misuse, neglect, fire, wind, damage in transit, or other casualty, damage caused during installation, or any cause beyond General Filters, Inc. control is not covered under this Limited Warranty.
- Labor involved in diagnostic calls or in removing, repairing, servicing or replacing parts is not covered under this Limited Warranty.
- Shipping charges are not covered by this Limited Warranty.
- Agreements made by third parties that are not listed in this Limited Warranty.
- THERE ARE NO EXPRESS WARRANTIES COVERING THIS AIR CLEANER OTHER THAN AS SET FORTH
 ABOVE, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE EXPRESSLY EXCLUDED. THE MANUFACTURER ASSUMES NO LIABILITY IN CONNECTION WITH
 THE INSTALLATION OR USE OF THIS PRODUCT, EXCEPT AS STATED IN THIS LIMITED WARRANTY. THE
 MANUFACTURER WILL IN NO EVENT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES

To Make a Warranty Claim / Obtain Service

- Owner must submit a warranty registration within 30 days after installation of Product(s).
- The Owner must complete our online Return Merchandise Authorization (RMA) Form (www.generalfilters.com/returns), to arrange for applicable Limited Warranty service, within the warranty period. Owner must also provide complete model and serial number, proof of required periodic maintenance, installation date and location and an accurate, detailed description of the problem.
- Owner shall be solely responsible for properly packaging the Covered or Extended Coverage Equipment, for all freight charges, and for all risk of loss associated with shipment.
- Owner is responsible for obtaining a licensed contractor to perform any repairs, maintenance or other work on unit.
- If during the Limited or Extended Warranty Period, Covered or Extended Coverage Equipment fails because of a manufacturing defect, Company will provide a free replacement part to the Owner through a licensed service contractor.



Air Cleaner GFI #4545

Perfect PlatformInstallation & Owners Manual

Limited Warranty

Limitations Of Liability

- General Filters, Inc. makes no express warranties other than the warranty specified above.
- The implied warranties of merchantability and fitness for a particular purpose are limited to the duration listed.
- The manufacturer assumes no liability in connection with the installation or use of the product, except as stated in this Limited Warranty.
- The manufacturer will in no event be liable for incidental or consequential damages.
- This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow either limitations on implied warranties, or exclusions from incidental or consequential damages, so the above exclusion and limitation may not apply to you. This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow either limitations on implied warranties, or exclusions from incidental or consequential damages, so the above exclusion and limitation may not apply to you.

Questions

Any questions pertaining to this limited warranty should be addressed to the manufacturer. (U.S.A.: The
manufacturer has elected not to make available the informal dispute settlement mechanism which is specified in the
Magnuson-Moss Warranty Act.)

Submit a new product warranty registration on www.generalfilters.com.

