

[illegible]

TABLE OF CONTENTS

TABLE OF CONTENTS	2
INTRODUCTION What can Component Hardware do for you?	3-5
WORK TABLES	6-8
SINK COMPONENTS	9-13
CAFETERIA COMPONENTS	14-17
CABINET HARDWARE	18-23
ORIGINAL EQUIPMENT MANUFACTURING	24-30
• EQUIPMENT LEGS	25
• HINGES	27
CANOPY HOOD	31-33
PROPRIETARY PRODUCTS	34
NOTES PAGE	35

SYMBOLS EXPLAINED

∅	Diameter
↔	Width
↕	Height
↕↔	Vertical Adjustment
↔↔	Horizontal Adjustment
⚖	Weight
⊕	Electrical
🔋	Battery

NOTE: All dimensions are in MM.

SEE OUR CATALOGUE SECTIONS FOR ALL OUR OTHER HIGH QUALITY PRODUCTS:



All photographs and illustrations are considered to be a representation of the actual item. In some cases there may be slight variations.
 This catalog, copy, part numbers and unique method of illustrating products is copyrighted by Component Hardware Group, Inc. All rights reserved.
 No portion of this catalog may be reproduced in any form or by any means in whole or in part, without the written consent of Component Hardware.
 Component Hardware reserves the right to make any and all changes and to discontinue any of its products without notice.
 Not responsible for typographical errors.

© COPYRIGHT 2013 COMPONENT HARDWARE GROUP, INC. REV. 09/2013

www.componenthardware.com

Our Value Proposition

By applying more than 30 years of experience in engineering, developing, sourcing and supporting the most demanding customers, Component Hardware will be able to improve your operational cost, time to market and improved reliability of both your manufacturing processes as well as your finished manufactured products any where in the world. Our dedicated staff is ready to support your team by being an active partner for value engineering, innovation and total quality solutions!

Quality

Component Hardware has a long-standing reputation for providing high quality services and products to its customers. Our quality assurance processes that we apply anywhere in the world ensure that we can consistently provide our customers with products that meet, or exceed, their application requirements. All of our major factories are ISO 9001 certified.



Engineering Capabilities

Part of our services include design and on-site technical assistance to enable our customers to go from concept to production without delay. Our engineering department works with Solidworks 3-D CAD technology, 3-D printing and stereolithography, enabling rapid prototyping without investing in expensive tooling.

We work closely with the industry regulatory agencies such as NSF, CSA, UL, CE, EPA/ WaterSense and NFPA which we have linked to the applicable regional standards applicable in Europe.

These efforts lead to products designed for individual customers and patented catalog products, such as Encore Plumbing Drainmaster™ rotary drains, SANIGUARD® product protection, Quick-Tite® through-penetration fittings, Flame Gard® grease filters and Keil® refrigeration products.

Global Supply Chain

Our goal is to provide our customers with on time delivery at your manufacturing facility, even if your scheduling is not 100% clear. Component Hardware has invested in inventory of standard and custom-made items to help reduce your operational costs. Globally, we accommodate over 9000 SKUs, of which 2000 are available in Europe. Our global supply chain, combined with a strong distribution base, assures our customers of an uninterrupted supply of products....any time, anywhere.



Forging



Hot, cold and warm forging are part of our capabilities. We can forge products from 85 grams to 1,36 kg. Forged products typically need some further processing to get a high quality finish and tend to impart a high strength-to-weight ratio.




Sand Casting

An economical method of casting steel, stainless steel, brass or aluminum components when finish and tolerances are not critical. The components can be heat-treated or shot peened to improved tensile strength and smooth the rough surfaces.



Die Casting



Component Hardware can do both hot and cold chamber die casting. We cast zinc, brass and aluminum to support both performance and price objectives. Die casting provides strong, durable parts, while allowing thinner walls, closer dimensional limits and smoother surfaces than injection molding, sand casting or forging. Die cast parts can be finished or plated with a minimum of surface preparation. We can cast zinc from 45 to 450 ton, aluminum from 45 to 675 ton and brass from 45 to 135 ton.



Investment Casting

Also known as lost wax casting is used to produce smaller, more complicated parts. This method allows tighter tolerances, high complexity and high production output with an extremely good surface finish.



Stamping & Metal Forming

Component Hardware provides turn-key stamping and metal forming services including: forming, piercing, notching, roll forming and deep-drawing of aluminum, brass, steel and stainless steel products.





Machining

A collection of material-working processes that involve using power-driven machine tools, such as lathes and drill presses, to shape metal or plastic by removing excess material. Our machining services include milling, turning, drilling, grinding, tapping and rounding of both metal and plastic components.



Plastic Injection Molding & Extruding

We are able to extrude or mold a variety of high quality thermoplastic materials including ABS, polyethylene, polypropylene, PVC and more. Individual or multi-cavity dies can be developed to suit your individual production volumes.



Wire Forming

Used to form items like baskets, pulls, clips, springs, specialty pins, rings, wire racks, hooks and other custom products. Component Hardware can provide custom wire forming of steel, stainless steel, brass and aluminum.




Plating & Powder Coating

Component Hardware's metal finishing capabilities include zinc, nickel and chrome plating, electro-polishing, anodizing aluminum and powder coating in both epoxy and polyester. Our SANIGUARD® antimicrobial product protection may be applied as a powder coating to metal substrates or molded into a plastic resin master batch. Our plating and powder coating capabilities allow you to have clean and smooth surfaces in a wide variety of applications.

Rapid Prototyping, 3-D Printing & Stereolithography (SLA)

Both the customer and Component Hardware can touch and feel a newly designed product without having to invest in expensive tooling. This process is supported with the latest 3-D rendering capabilities. Once approved, the same information is used for production in our certified manufacturing locations.




Global Support

Component Hardware provides sales and distribution services in Europe through its own organization – CHG Europe BV. The European division covers all countries in Continental Europe with distribution and direct supply for all original equipment manufacturers and services the domestic Dutch and German market exclusively. Other Component Hardware locations are in the USA, South America, Australia, Middle-East and Canada.

"Your partner for value engineering, innovation and total quality solutions"


WORK TABLES



- ✓ INSERT FEET ARE AVAILABLE IN A WIDE VARIETY OF SIZES FOR SQUARE AND ROUND TUBES
- ✓ COME IN A GREAT VARIETY OF FINISHES, PLASTIC, ZAMAK, NICKEL PLATED AND STAINLESS STEEL
- ✓ A SUBSTANTIAL RANGE OF ADJUSTABLE INSERT LEGS
- ✓ NSF CERTIFIED MODELS AVAILABLE
- ✓ AVAILABLE FROM STOCK

- ✓ STELPOTEN VERKRIJGBAAR VOOR MEERDERE AFMETINGEN, VOOR RONDE EN VIERKANTE BUIZEN
- ✓ VERKRIJGBAAR IN VERSCHILLENDE MATERIALEN; PLASTIC, ZAMAK, VERCHROOMD EN RVS
- ✓ EEN UITGEBEIDE RANGE IN HOOGTE VERSTELBARE POOTJES
- ✓ NSF GECERTIFICEERDE MODELLEN VERKRIJGBAAR
- ✓ UIT VOORRAAD LEVERBAAR

- ✓ EINSCHLAGFÜSSE SIND ERHÄLTICH IN VIELEN VERSCHIEDENEN GRÖSSEN, FÜR RUND- UND VIERKANT ROHRE
- ✓ VERFÜGBAR IN UNTERSCHIEDLICHEN MATERIALIEN WIE ZAMAK (ALUMINIUM), KUNSTSTOFF, EDELSTAHL UND VERNICKELT
- ✓ DER WESENTLICHE BEDARF AN EINSCHLAGFÜSSEN WIRD ABGEDECKT
- ✓ NSF ZERTIFIZIERTE MODELLE SIND ERHÄLTICH
- ✓ LAGERWARE, DAHER KURZFRISTIG VERFÜGBAR



INP SERIES		ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋
	INSERT FOOT, PLASTIC	INP 030 H	30	30	22	32		200
	EINSCHLAGFUSS, KUNSTSTOFF	INP 035 H	35	35	32	36		200
	VERINS POUR TUBES CARRÉS	INP 035 H-SC	35	35	32	36		200
	STELPOOT, KUNSTSTOF	INP 040 H	40	40	32	36		200
		INP 040 H-SC	40	40	32	36		200
		INP 070 H-B	70	70	153	54		450
		INP 070 H-G	70	70	153	54		450
		INP 424H-BLK	45	45	94	53		450
*OTHER COLORS AVAILABLE								

IN - H SERIES		ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋
	INSERT FOOT, ZAMAK, NICKEL PLATED	IN 025	25	25	20	30		90
	EINSCHLAGFUSS, VERZINKT, ZAMAK	IN 025-NP	25	25	20	30		90
	VERINS POUR TUBES CARRÉS, GALVANISÉS, CHROMÉS	IN 030 H	30	30	30	30		120
		IN 030 H-NP	30	30	30	30		120
	STELPOOT, VERZINKT, VERNIKKELD	IN 035 H	35	35	25	30		200
		IN 035 H-NP	35	35	25	30		200
		IN 040 H	40	40	35	30		450

IN - F SERIES		ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋
	INSERT FOOT WITH FLANGE , ZAMAK, NICKEL PLATED	IN 030 F	30	30	20	30		120
	EINSCHLAGFUSS MIT FLANSCH, VERZINKT, ZAMAK	IN 030 F-NP	30	30	20	30		120
	VERINS POUR TUBES CARRÉS, GALVANISÉS	IN 035 F	35	35	20	30		200
	STELPOOT MET FLENS, VERZINKT, VERNIKKELD	IN 040 F	40	40	31	31		450
		IN 035 F-NP	35	35	20	20		200
		IN 040 F-NP	40	40	31	31		450

IN - HSS SERIES		ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋
	INSERT FOOT, NICKEL PLATED, STAINLESS STEEL	IN 035 H-SS	35	35	25	30		200
	EINSCHLAGFUSS, VERNICKELT, EDELSTAHL	IN 040 H-SS	40	40	35	30		450
	VERINS POUR TUBES, GALVANISÉS, INOX							
	STELPOOT, VERNIKKELD, RVS							




IN & INR SERIES		ITEM		SQUARE, 4-ECKIG, CARRÉ, VIERKANT					
				Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋
	INSERT FOOT, SQUARE OR ROUND, ZAMAK WITH OR WITHOUT FLANGE, NICKEL PLATED OR S/S	IN 040 F-SS			40	40	30		450
		IN 040 F-SS50			40	40	30		450
	STELLFUSS, 4-ECKIG ODER RUND, ZAMAK, MIT ODER OHNE FLANGE, NICKEL ODER EDELSTAHL	ROUND, RUND, ROND, ROND							
	VERINS CARRÉ OU ROND, ZAMAK NICKELÉ, EMBOUT INOX AVEC OU SANS FLANGE	INR 040 F-SS	40		40	30		450	
		INR 040 F-SS50	40		40	30		450	
		INR 040 H-NP	40		35	35		450	
	STELPOOT, VIERKANT OF ROND, ZAMAK MET EN ZONDER FLENS, VERNIKKELD OF RVS	INR 040 H-SS	40		35	35		450	

A48, 50, 84, 86 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
		A48-5032-M	41		100	44		900
EQUIPMENT LEG, STAINLESS STEEL		A48-5048-M	41		150	44		900
ANSCHRAUBFUSS, EDELSTAHL		A50-5032-M	41		100	44		900
PIED RÉGLABLE, INOX		A50-5048-M	41		150	44		900
STELPOOT, RVS		A84-5032-M	50		100	44		900
*ALL A48, 50, 84 AND 86 MODELS CAN BE PLATED MOUNTED BY FITTING THE MP1/SS ON TOP.		A84-5048-M	50		150	44		900
		A86-5032-M	50		100	44		900
		A86-5048-M	50		150	44		900
		MP1/SS*		102 x 80				

A59 & A65 SERIES		ITEM	Ø	↔	↕	↕	↕	↕
	EQUIPMENT LEG, STAINLESS STEEL	A59-1000	59	120/150	30			700
	ANSCHRAUBFUSS, EDELSTAHL	A59-1100	59	120/180	60			700
		A59-1150	59	120/150	60			700
	PIED RÉGLABLE, INOX	A59-1250	59	120/180	30			700
		A65-2000	65	120/150	30			700
	STELPOOT, RVS	A65-2100	65	120/180	60			700
		A65-2200	65	120/150	30			700
		A65-2300	65	120/180	60			700

Q85 SERIES		ITEM	
	BRITE GARD™ STAINLESS STEEL CLEANER/PROTECTANT	Q85-200424	24 X 118 ML
	BRITE GARD™ EDELSTAHL REINIGER/SCHUTZSYSTEM	Q85-200496	96 X 118 ML
	BRITE GARD™ NETTOYANT/PROTECTEUR POUR INOX	Q85-2016	1 X 473 ML
		Q85-201606	6 X 473 ML
	BRITE GARD™ RVS REINIGER/BESCHERMER	Q85-201612	12 X 473 ML
		Q85-2128	1 X 3,68 L
		Q85-212804	4 X 3,68 L



- ✓ ENCORE PLUMBING PRODUCTS COME STANDARD WITH SANIGUARD® PRODUCT PROTECTION
 - ✓ ALL FAUCETS AND PRE-RINSES ARE CERTIFIED BY NSF
 - ✓ FAUCETS AND PRE-RINSES ARE INDIVIDUALLY PRESSURE TESTED TO 400 PSI
 - ✓ ALL FAUCETS AND PRE-RINSES ARE MANUFACTURED IN SOLID BRASS AND ARE MULTIPLE CHROME PLATED
 - ✓ PRE-RINSES COME WITH A NYLON-REINFORCED SANTOPRENE® INNER HOSE FOR MAXIMUM DURABILITY
 - ✓ IMMEDIATE SHIPMENT FROM STOCK IS ASSURED
-
- ✓ ENCORE KRANEN EN VOORSPOELDOUCHES ZIJN STANDAARD VOORZIEN VAN SANIGUARD PRODUCT BESCHERMING
 - ✓ ALLE KRANEN EN VOORSPOELDOUCHES ZIJN GECERTIFICEERD VOLGENS NSF
 - ✓ ELKE KRAAN EN VOORSPOELDOUCHE ONDERGAAT STANDAARD EEN DRUKTEST TOT 400 PSI
 - ✓ ALL KRANEN EN VOORSPOELDOUCHES WORDEN GEFABRICEERD UIT MASSIEF BRONS EN MEERVOUDIG VERCHROOMD
 - ✓ DE VOORSPOELDOUCHES HEBBEN EEN NYLON VERSTERKTE SANTOPRENE BINNENSLANG VOOR MAXIMALE LEVENSDUUR
 - ✓ LEVERING UIT VOORRAAD GEGARANDEERD
-
- ✓ ENCORE ARMATUREN SIND STANDARDMÄSSIG MIT EINER SANIGUARD OBERFLÄCHENBESCHICHTUNG AUSGESTATTET
 - ✓ ALLE ARMATUREN UND GESCHIRRWASCHBRAUSEN SIND NSF ZERTIFIZIERT
 - ✓ ALLE ARMATUREN UND GESCHIRRWASCHBRAUSEN SIND DRUCKGEPRÜFT BIS 400PSI
 - ✓ ALLE ARMATUREN UND GESCHIRRWASCHBRAUSEN SIND AUS MASSIVEM MESSING GEFERTIGT UND MEHRFACH VERCHROMT
 - ✓ GESCHIRRWASCHBRAUSEN SIND MIT NYLON VERSTÄRKTEM SCHLAUCH AUS SANTOPRENE AUSGESTATTET, DAS GARANTIERT MAXIMALE LEBENSDAUER
 - ✓ SCHNELLE LIEFERUNG AUS LAGERVORRAT IST GEWÄHRLEISTET




KN50, 55, 56, 60, 66 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	ENCORE, DECK MOUNT PRE-RINSE UNIT, WITH AND WITHOUT ADD ON FAUCET, 10 MM WATER CONNECTIONS	KN50-1100-BS	38	380	726			
	ENCORE GESCHIRRSPÜLBRAUSE MIT UND OHNE SCHWENKAUSLAUF, 10 MM WASSERANSCHLUSS	KN50-1155-BS10	38	380	1076			
	ENCORE DOUCHETTES DE PRÉLAVAGE, MONO-TROU, MONTAGE SUR TABLE, SANS ET AVEC ROBINET INTERMÉDIAIRE, 10 MM CONNECTION	KN56-1000-BS		102	978			
		KN60-1000-BS		203	978			
		KN66-1000-BS		152	978			
		KN55-7008		203	219			
		KN55-7010		254	230			
	ENCORE VOORSPOELDOUCHE, ENKELGAT, TAFELMODEL, 10 MM WATER AANSLUITINGEN	KN55-7012		305	242			

KN53 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	ENCORE WALL MOUNT DOUBLE HOLE PRE-RINSE UNIT WITH AND WITHOUT ADD ON FAUCET	KN53-1000-BS		380	726		200	
	ENCORE GESCHIRRWASSCHBRAUSE DOPPELLOCH WANDMODEL, MIT UND OHNE SCHWENKAUSLAUF	KN53-1020-BS		380	965		150	
	ENCORE DOUCHETTES DE PRÉLAVAGE, BI-TROU, FIXATION MURALE, SANS ET AVEC ROBINET INTERMÉDIAIRE							
	ENCORE, VOORSPOELDOUCHE DUBBELGATS WANDMODEL, MET EN ZONDER TUSSENKRAAN							


KLF-Y104-A		ITEM	
	PRE RINSE SPRAY ASSEMBLY FLOW RATE PATTERN	KLF-Y104-A	2,23 FLOW RATE L/MIN 15 DEGREES
	ENERGIESPARENDER BRAUSENKOPF FÜR GESCHIRRBRAUSE, VARIABLER DURCHFLUSS		2,69 FLOW RATE L/MIN STRAIGHT
	DOUCHETTE ÉCONOMISEUR D'EAU, DÉBIT RÉGLABLE		4,32 FLOW RATE L/MIN 25 DEGREES
	SPROEIKOP, WATERBESPAREND		
	CONNECTS TO ALL PRE RINSES, PLEASE CALL FOR INFORMATION		


KN51 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	ENCORE, DOUBLE PANTRY FAUCET, WITH SWIVEL AND DOUBLE JOINTED SPOUTS	KN51-9106	38	152	211			
	ENCORE DOPPELMISCHARMATUR MIT SCHWENKBAREM AUSLAUF	KN51-9108	38	203	224			
	ENCORE ROBINET PROFESSIONEL, MONO-TROU POUR TABLE, ROTATION COMPLÈTE AVEC COL DE CYGNE	KN51-9110	38	254	235			
		KN51-9112	38	305	246			
	ENCORE PROFESSIONELE KRAAN, ENKELGAT, TAFELMODEL, ZWENKBARE UITLOOP, 10 MM WATER AANSLUITING	KN51-9114	38	356	257			
		KN51-9116	38	406	268			
		KN51-9118	38	457	255			
	AVAILABLE WITH DIFFERENT SPOUT STYLES							



KN54 SERIES 	ENCORE, WALL MOUNT FAUCET WITH SWING SPOUT ENCORE WAND MONTAGE DOPPELMISCHARMATUR MIT SCHWENKBAREM AUSLAUF ENCORE ROBINET PROFESSIONEL, BI-TROU FIXATION MURALE, ROTATION COMPLÈTE AVEC COL DE CYGNE ENCORE PROFESSIONELE KRAAN, DUBBELGATS VERSTELBAAR, ZWENKBARE UITLOOP	ITEM KN54-8006 KN54-8008 KN54-8010 KN54-8012 KN54-8014 KN54-8016	$\varnothing$ 	$\leftrightarrow$ 152 203 254 305 356 406	$\updownarrow$ 141 154 165 176 187 200	$\uparrow$ 	$\downarrow$ 	$\rightarrow$
KN61 SERIES 	ENCORE DOUBLE DECK MOUNT FAUCET WITH SWIVEL SPOUT ENCORE DOPPELMISCHARMATUR MIET SCHWENKBAREN AUSLAUF ENCORE ROBINET PROFESSIONEL, BI-TROU POUR TABLE, ROTATION COMPLÈTE AVEC COL DE CYGNE ENCORE PROFESSIONELE KRAAN, DUBBELGATS VERSTELBAAR, TAFELMODEL, ZWENKBARE RECHTE UITLOOP	ITEM KN61-8010 KN61-8012 KN61-8014 KN61-8016 KN61-8018	$\varnothing$ 	$\leftrightarrow$ 254 305 356 406 457	$\updownarrow$ 108 120 131 143 160	$\uparrow$ 	$\downarrow$ 	$\rightarrow$
K14 SERIES 	ELECTRONIC FAUCET BATTERY OR 220-240 V OPERATED WITH AND WITHOUT MIXING VALVE INFRA ROT WASSERARMATUR, BATTERIE ODER 220-240 V BETRIEBEN, MIT ODER OHNE WASSERMENGEN ROBINET INFRA ROUGE AVEC PILES OU 220-240 V, AVEC OU SANS MIXTURE CHAUD INFRAROOD KRAAN, BATTERIJ OF 220-240 V, MET OF ZONDER TEMPERATUURREGELAAR	ITEM K14-9100 K14-9200 K14-9800 K14-9850	$\varnothing$ 66 66 66 64	$\leftrightarrow$ 112 112 112 144	$\updownarrow$ 125 125 125 125	$\bigcirc$ 	 	MIX
KHR SERIES 	HOSE REELS, GRAY POWDER COATED (A) AND STAINLESS STEEL (B) SCHLAUCHAUFRÖLLER, GRAU PULVERBESCHICHTET UND EDELSTAHL DÉVIDOIR MURAL, COUCHE DE PEINTURE EN POUDRE OU EN INOX SLANGHASPELS, GECOAT (A) EN RVS (B) 	ITEM (A) KHR-5635-O (B) KHR-5635-OSS (A) KHR-5635-E (B) KHR-5635-ESS	$\varnothing$ 	$\leftrightarrow$ 368 368 470 470	$\updownarrow$ 349 349 381 381	$\uparrow$ 	$\downarrow$ 	$\rightarrow$



K27-1000		ITEM	Ø	↔	↕	⌞	⌞
	WATER STATION FILLER, CHROME PLATED, STAINLESS STEEL	K27-1000		356	305	248	
	WASSERSTATION GLASFÜLLER, VERCHROMT EDELSTAHL						
	STATION D'EAU AVEC ROBINET COLONNE, INOX						
	WATERSTATION GLASVULLER, VERCHOOMD RVS						
							

K30-1010		ITEM	Ø	↔	↕	⌞	⌞
	DIPPERWEL ASSEMBLY WITH FAUCET, STAINLESS STEEL	K30-1010		180	166		
	PORTIONIERERSPÜLE MIT AUSLAUFHAHN, EDELSTAHL						
	RINCE DOSEUR AVEC ROBINET, INOX						
	IJSLEPELBAK MET KRAAN, RVS						
							

D50 SERIES		ITEM	Ø	↔	OVERFLOW OUTLET	OVERFLOW ASSY
	TWIST HANDLE WASTE OUTLET WITH FLAT STRAINER	D50-4161 (1-1/2" NPS)	76	101		
	ABLAUFVENTIL SPUHLBECKEN MIT GEBOGENEM HEBEL MIT FLACHEM SIEB	D50-7100 (1-1/2" NPS)	89	114		
	EVACUATION D'EVIER AVEC LEVIER ROTATIVE	D50-4151 (1-1/2" NPS)	76	101	YES	
	AFVOER SPOELBAK MET GEBOGEN DRAAIHENDEL MET VLAKKE ZEEF	D50-7110 (1-1/2" NPS)	89	114	YES	
	ALL MODELS AVAILABLE WITH LEVER HANDLE	D50-4591 (1-1/2" NPS)	76	101		YES
		D50-7115 (1-1/2" NPS)	89	114		YES
		D50-4160 (2" NPS)	76	101		
		D50-7200 (2" NPS)	89	114		
		D50-4150 (2" NPS)	76	101	YES	
		D50-7210 (2" NPS)	89	114	YES	
	ALL MODELS WITH 76MM SINK OPENING AVAILABLE WITH BOX PATTERN DRAIN (D23/D63 SERIES)	D50-4590 (2" NPS)	76	101		YES
		D50-7215 (2" NPS)	89	114		YES

D53 SERIES		ITEM	Ø	↔	OVERFLOW OUTLET	OVERFLOW ASSY
	TWIST HANDLE WASTE OUTLET WITH CRUMB CUP	D53-7100 (1-1/2" NPS)	89	114		
	ABLAUFVENTIL SPUHLBECKEN MIT GEBOGENEM HEBEL MIT TOPSIEB	D53-7200 (2" NPS)	89	114		
	EVACUATION D'EVIER AVEC LEVIER ROTATIVE	D53-7110 (1-1/2" NPS)	89	114	YES	
	AFVOER SPOELBAK MET GEBOGEN DRAAIHENDEL MET ZEEF	D53-7210 (2" NPS)	89	114	YES	
	ALL MODELS AVAILABLE WITH LEVER HANDLE	D53-7115 (1-1/2" NPS)	89	114		YES
		D53-7215 (2" NPS)	89	114		YES



E13 & E18 SERIES		ITEM	Ø	↔	↕	↱	↲	↻
	OVERFLOW TUBE, STAINLESS STEEL	E13-1240	31		240			
	STANDROHR, EDELSTAHL	E13-0242	38		254			
	TROP-PLEINS, INOX	E13-0244	38		305			
		E13-0245	38		125			
		E13-0246	38		170			
		E13-0247	38		200			
		E13-0248	38		220			
		E13-0250	38		270			
		E18-1250	31					
		E18-1500/2	38					

E13 & E18 SERIES		ITEM	Ø	↔	↕	↱	↲	↻
	OVERFLOW TUBE, STAINLESS STEEL	E13-2130	50		130			
	STANDROHR, EDELSTAHL	E13-2150	50		170			
		E13-2200	50		200			
	TROP-PLEINS, INOX	E13-2250	50		250			
		E13-2300	50		300			
		E13-2350	50		350			
		E18-2000	50					

SS SERIES		ITEM	Ø	↔	↕	↱	↲	↻
	OVERFLOW TUBE, STAINLESS STEEL	SS 10	38		250			
	SIEBSTANDROHRE, EDELSTAHL	SS 12	38		300			
	TROP-PLEINS, INOX	SS 14	38		350			
	STANDPIJPEN, RVS							

SBM SERIES		ITEM	Ø	↔	↕	↱	↲	↻
	SINK BOWLS, STAINLESS STEEL	SBM-404020-TF		400	400	200		
		SBM-404025-TF		400	400	250		
	WASCHBECKEN, EDELSTAHL	SBM-404030-TF		400	400	300		
	ÉVIERS, INOX	SBM-504025-TFL		500	400	250		
		SBM-504025-TFR		500	400	250		
	SPOELBAKKEN, RVS	SBM-504030-TFL		500	400	300		
		SBM-504030-TFR		500	400	300		
		SBM-505025-TF		500	500	250		
		SBM-505030-TF		500	500	300		
		SBM-604530-TFL		600	450	300		
		SBM-604530-TFR		600	450	300		
		SBM-605030-TFL		600	500	300		
		SBM-605030-TFR		600	500	300		

CAFETERIA COMPONENTS



- ✓ A VERY EXTENSIVE RANGE OF COMPONENTS TO ALLOW OUR CUSTOMERS TO DO ONE-STOP SHOPPING
- ✓ HEAVY DUTY STAINLESS STEEL SHELF BRACKETS AVAILABLE IN VARIOUS SIZES AND MODELS
- ✓ GLASS CLAMPS FOR ROUND AND SQUARE TUBING FOR 6 AND 8MM GLASS
- ✓ LED FIXTURES UTILIZE LONG-LASTING, ENERGY EFFICIENT LED LAMPS

- ✓ EEN ZEER UITGEBREIDE RANGE COMPONENTEN DIE 'ONE-STOP SHOPPING' MOGELIJK MAAKT
- ✓ HEAVY DUTY RVS DRAGERS VERKRIJGBAAR IN MEERDERE MODELLEN EN AFMETINGEN
- ✓ GLASHOUDERS VOOR ZOWEL RONDE ALS VIERKANTE BUIZEN VOOR 6 EN 8 MM GLAS
- ✓ LED ARMATUREN MAKEN GEBRUIK VAN DUURZAME, ENERGIEZUINIGE LED LAMPEN

- ✓ EINE SEHR GROSSE AUSWAHL VON KOMPONENTEN, DIE ES UNSEREN KUNDEN MÖGLICH MACHT ALLES AUS EINER HAND ZU ERHALTEN (ONE-STOP SHOPPING)
- ✓ SCHWERLAST (KLAPP)-KONSOLEN AUS EDELSTAHL, ERHÄLTICH IN VERSCHIEDENEN GRÖSSEN UND MODELLEN
- ✓ GLASHALTER AUS EDELSTAHL FÜR RUND UND VIERKANTROHR FÜR 6 UND 8MM GLAS, AUCH IN V4A LIEFERBAR
- ✓ LED LAMPEN FÜR LANGLEBIGEN UND ENERGIESPARENDEN EINSATZ

J19 SERIES



MOBILITEIT OP ZIJN BEST! SELECTIE VAN LICHTE, MIDDELZWARE, STANDAARD EN ZWARE WIELEN IN VEEL VERSCHILLENDE WIELMATEN EN MATERIALEN. TEVEN'S EEN VERScheidenheid VAN MONTAGE MOGELIJKHEDEN.

[illegible]

J19 SERIES



VASTE OF NEERKLAPBARE DRAGERS VOOR CAFETERIA SYSTEMEN,
RVS

[illegible]


JE31 SERIES



ALSO AVAILABLE IN SS 304

ITEM	Ø	↔	↕	⊥	⊥	⊥
JE31-2900-316		25	33.5		6	
JE31-2902-316	30	25	33.5		6	
JE31-2905-316		29	35		6	
JE31-2906-316	30	29	35		6	
JE31-2907-316		29	35		8	
JE31-2908-316	30	29	35		8	

B70 SERIES



GLASDEURPROFIEL, RVS


ITEM	Ø	↔	↕	↕	↕	↕
B70-1001		3650	11		7	
B70-1002		3650	11		7	
B70-1003		3650	11		7	
B70-1005		3650	8		6	
B70-1007		3650	8		10	
B70-1008		3650	19		10	
B70-1009		3650	11		9	



L82 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	FLUORESCENT LIGHT, IP 65 RATED, STAINLESS STEEL FACE	L82-1020-CE		610	150			
	EINBAULEUCHTE, IP 65, EDELSTAHL	L82-1030-CE		914	150			
	ECLAIRAGE ENCASTRABLE POUR HOTTE, IP 65, FACE INOX	L82-1040-CE		1219	150			
	INBOUW VERLICHTINGSARMATUUR, IP 65, RVS AFWERKING	L82-1030-L13W		914	150			
		L82-1030-L13N		914	150			
		L82-1030-L13C		914	150			
		L82-1040-L22W		1219	150			
		L82-1040-L22N		1219	150			
		L82-1040-L22C		1219	150			
	TEMPERATURE RATING OF 75°C							

CUP DISPENSERS		ITEM	Ø	↔	↕	↗	↘	↖
	CUP DISPENSER, STAINLESS STEEL	C.3200 CH	135		610			
	BECHERSPENDER VERSTELLBAR, EDELSTAHL	C.3200 CV	135		610			
	DISTRIBUTEURS DE GOBELETS, INOX	C.3400 CH	150		610			
		C.3400 CV	150		610			
	BEKERVERDELERS, RVS	C.3450 SS	135		610			
		C.3500 CH	170		610			

CONTEMPO SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	CORNER BUMPERS AND STRIPS, BLACK, GREY	C60-1010	127		19			
	STOSSECKE UND STOSSSTREIFEN, SCHWARZ, GRAU	C60-1030		88	23			
	PARE CHOCS ET BANDE PARE CHOCS, NOIRE, GRIS	C60-1040		104	23			
		C60-1050		111	32			
	STOOTBUMPERS EN STRIPS, ZWART EN GRIJS	C60-5010		7600	22			
		C60-1040-B		104	23			
		C60-1050-B		111	32			

C65 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	CORNER BUMPERS AND STRIPS, BLACK, GREY	C65-1010		97	25			
	STOSSECKE UND STOSSSTREIFEN, SCHWARZ, GRAU	C65-2120		3050	22			
	PARE CHOCS ET BANDE PARE CHOCS, NOIRE, GRIS	C65-3120		3050				
		C65-5090		85	22			
	STOOTBUMPERS EN STRIPS, ZWART EN GRIJS	C65-5000		76	22			

CHG KAN U UITGEBREIDE ENGINEERING CAPACITEITEN AANBIEDEN,
WAARONDER: CONCEPT & HAALBAARHEID STUDIES/3D MODELLEREN
& RENDERING (SOLIDWORKS)/ RAPID PROTOTYPING (3D PRINTER
BESCHIKBAAR)

[illegible]

A three-tier stainless steel shelving unit. It features three horizontal shelves supported by vertical posts. The shelves are made of a polished, reflective metal, likely stainless steel. The vertical posts are also made of the same material and have pre-drilled holes for adjusting the height of the shelves. The unit is shown against a plain white background.

WANDSCHAPPEN, RVS

[illegible]

A stainless steel cooking pot with a black lid. The pot is cylindrical with a flared rim and a small handle on the right side. The lid is black and has a central knob.

ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋
6350-B	200	235	50			
6350-G	200	235	50			
6351		238	SCRAP RING			
6360	207	268	WELDING RING			
6352-G	251	279	68			
6352-Z	251	279	68			
J92-1000	152		133			
J92-5000	146		133			

ITEM	Ø	↔	↕	⌊	⌋	⌈
J70-4691	25					
J70-4701	25					
J72-4711	38					
J72-4731	50					
J74-4721	38					
J74-4723	44					
J74-4725	41					




- ✓ A VERY EXTENSIVE RANGE OF COMPONENTS TO ALLOW OUR CUSTOMERS TO DO ONE-STOP SHOPPING
- ✓ DECORATIVE HANDLES AND KNOBS AND PULLS COME IN A WIDE VARIETY OF MODELS AND SIZES
- ✓ NSF LISTED FULL EXTENSION DRAWER SLIDES WITH 50 AND 100 KG LOAD CAPACITY
- ✓ DRAWER ASSEMBLIES HAVE A HEAVY DUTY WELDED CONSTRUCTION

- ✓ EEN ZEER UITGEBREIDE RANGE COMPONENTEN DIE 'ONE-STOP SHOPPING' MOGELIJK MAAKT
- ✓ DECORATIEVE HENDELS, KNOPPEN EN GREPEN VERKRIJGBAAR IN EEN GROOT AANTAL MODELLEN EN AFMETINGEN
- ✓ NSF GECERTIFICEERDE VOLLEDIG UITSCHUIFBARE TELESKOOP LADENGELEIDERS MET 50 EN 100 KG DRAAGKRACHT
- ✓ SCHUIFLADES HEBBEN EEN 'HEAVY DUTY' GELASTE CONSTRUCTIE

- ✓ EINE SEHR GROSSE AUSWAHL VON KOMPONENTEN, DIE ES UNSEREN KUNDEN MÖGLICH MACHT ALLES AUS EINER HAND ZU BEKOMMEN (ONE-STOP SHOPPING)
- ✓ DEKORATIVE GRIFFE, KNÖPFE UND SCHLÖSSER IN EINER GROSSEN AUSWAHL VON MODELLEN UND GRÖSSEN
- ✓ NSF ZERTIFIZIERTE SCHUBLADENFÜHRUNGEN MIT 50 UND 100 KG TRAGLAST




P47, P48 & P49 SERIES 	TUBULAR HANDLES STAINLESS STEEL, HANDLES CHROME PLATED ROHRGRIFFE EDELSTAHL, GRIFFE VERCHROMT POIGNÉES TUBULAIRES, POIGNÉES CHROMÉES BUISHANDGREPEN RVS, HANDGREPEN VERCHROOMD	ITEM P47-0300 P47-0450 P48-1010 P48-1012-M P49-1500 P49-1500-6	Ø A A B B C C	↔ 300 450 371 325 311 195	↕ 60 60 36 36 37 37	↗ 	↘ 	↖
P49 SERIES 	HANDLE SUPPORT & BRACKET HANDGRIFFSTÜTZEN & BEFESTIGUNGEN SUPPORTS POUR TUBE HANDGREEPSTEUNEN EN BEVESTIGINGEN	ITEM P49-1010 P49-2100 P49-2200	Ø 	↔ 25 36 36	↕ 63 75 75	↗ 	↘ 	↖
P40 & P50-53 SERIES 	HANDLES & PULLS AUFBAUHANDGRIFFE POIGNÉES ET TIRANTS OPBOUWHANDVATEN	ITEM P40-1010 P50-1010-M P50-1011 P50-1011-M P51-1010 P52-1010 P53-1012	Ø 	↔ 155 120 120 120 100 120 143	↕ 44 24 24 24 19 24 41	FINISH CHROME PLATED CHROME PLATED BUFFED SATIN BUFFED SATIN CHROME PLATED BLACK NYLON BLACK NYLON		
P44 & P45 SERIES 	PULLS, ALUMINUM, SATIN CHROME FINISH AUFBAUHANDGRIFFE ALU, VERCHROMT TIRANTS POUR MONTAGE ALU, CHROMÉS HANDVATEN ALUMINIUM, VERCHROOMD	ITEM P44-1010 P45-3000 P45-3500 P45-4000	Ø 	↔ 117 76 89 102	↕ 25 32 32 32	↗ 	↘ 	↖



P46 SERIES 	BAR PULL, STAINLESS STEEL GRIFFE, EDELSTAHL TIRANTS POUR MONTAGE, INOX OPBOUWHANDVATEN, RVS	ITEM P46-1010 P46-1010-M. P46-1012 P46-1012-M	Ø 133 133 108 108	↔ 25 25 25 25	↕ 25 25 25 25	↕ 25 25 25 25	↕ 25 25 25 25	↕ 25 25 25 25
P60, P62 & P63 SERIES 	RECESSED PULLS, STAINLESS STEEL MUSCHELGRIFFE, EDELSTAHL POIGNÉES À ENCASTRER, INOX INBOUWHANDVATEN, RVS	ITEM P60-1010-M P62-1010-M P62-1014 P63-1012-M	Ø 122 120 120 120	↔ 62 62 62	↕ 62 62 62	↕ 62 62 62	↕ 62 62 62	↕ 62 62 62
P73 SERIES 	SNAP-IN HANDLE, BLACK ABS MUSCHELGRIFFE AUS KUNSTSTOFF SCHWARZ POIGNÉES À ENCASTRER, ABS NOIR INBOUWHANDVATEN, ABS ZWART	ITEM P73-0500 P73-1000 P73-2000	Ø 93 138 189	↔ 35 37 44	↕ 35 37 44	↕ 35 37 44	↕ 35 37 44	↕ 35 37 44
P90 SERIES 	PADDLE LATCH, STAINLESS STEEL MUSCHEL VERSCHLÜSSE, EDELSTAHL POIGNÉES À CLAQUET, INOX GREEPSLUITINGEN, RVS	ITEM P90-1000 P90-2000 P90-2000-C P90-5000 P90-5000-C	Ø 55 84 84 124 124	↔ 41 68 68 98 98	↕ 41 68 68 98 98	↕ 41 68 68 98 98	↕ 41 68 68 98 98	↕ 41 68 68 98 98



M15 SERIES 	CABINET HINGE AND LATCH, CHROME PLATED SCHARNIERE UND VERSCHLÜSSE, VERCHROMT VERROUX ET POIGNÉES, CHROMÉS GRENDELSCHARNIEREN EN SLUITINGEN, VERCHROOMD	ITEM M15-9210 M15-9211	Ø 	↔ 46 59 	↕ 27 59 	OFFSET 3 MM AND 10 MM 3 MM AND 10 MM
R74 SERIES 	LIFT-OFF HINGE, STAINLESS STEEL SCHARNIERE, AUSHEBBAR, EDELSTAHL PAUMELLES DÉGONDABLE, INOX AFNEEMBARE SCHARNIEREN, RVS	ITEM R74-8000 R74-8001 R74-8100 R74-8101 R74-9000 R74-9001	Ø 44 44 50 50 32 32	↔ 44 44 50 50 32 32	↕ 50 50 75 75 50 50	↗
M48 SERIES 	CONTINUOUS HINGE WITH STAINLESS STEEL PIN, STAINLESS STEEL KLAVIERBAND, EDELSTAHL CHARNIÈRES PIANO A SOUDER, INOX PIANOSCHARNIER MET ROESTVRIJSTALEN PIN, RVS	ITEM M48-0112 M48-0122 M48-0132 M48-0134 M48-0142 M48-0143 M48-0144 M48-0154	Ø 0.9 1 1 1.4 1.4 1.4 1.4 1.4	↔ 19 27 38 38 51 51 51 63.5	↕ 1820 1820 1820 1820 1820 1820 1820 1820	↗
M75 & M76 SERIES 	CORNER SHAPED HINGES, STAINLESS STEEL ABNEHMBARES FLAGGESCHARNIER, EDELSTAHL CHARNIÈRE DÉGONABLE SUR AIGUI OU AIGUI COIN, INOX DEMONTEERBAAR SCHARNIER RECHT OF IN HOEKMODEL, RVS	ITEM M75-1002 M75-5003 M76-0080 M76-0080/2 M77-0100	Ø 28 35 29 29 29	↔ 28 35 29 29 29	↕ 52 76 80 80 100	↗ 2



DRGN SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	WIRE SHELVES, STAINLESS STEEL	DRGN 2/1		650	530			
	GITTERROST GASTRONORM, EDELSTAHL	DRGN 1/1		530	325			
	RAYONNAGE GASTRONORM, INOX	DRGN 2/3		354	325			
	DRAADROOSTER, RVS							
	ALSO AVAILABLE IN OTHER TYPES							

M12 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	CABINET HINGE AND LATCH, STAINLESS STEEL	M12-9292	0.8		35			
	SCHARNIERE UND VERSCHLUSSE, EDELSTAHL	M12-9293	1		35			
	VERROUX ET POIGNÉES, INOX	M12-9294	1.2		50			
	GRENDELSCHARNIEREN EN SLUITINGEN, RVS	M12-9295	1.5		70			

S26 & 52 Series		ITEM	Ø	↔	↕	LOAD CAPACITY
	DRAWER SLIDE FULL EXTENSION, STAINLESS STEEL	S26-0016		400	21.4	50 KG
	SCHUBLADENFÜHRUNGEN VOLLAUSSZUG, EDELSTAHL	S26-0018		450	21.4	50 KG
	GLISSIÈRES TÉLESCOPIQUES, INOX	S26-0020		500	21.4	50 KG
	TELESCOPISCHE LADENGELEIDERS, RVS	S26-0022		550	21.4	50 KG
		S52-0020		500	62	100 KG
		S52-0022		550	62	100 KG
		S52-0024		500	62	100 KG
	AVAILABLE IN DELRIN BEARINGS AND SS BEARINGS	S52-0026		550	62	100 KG

P30 SERIES		ITEM	Ø	↔	↕	KEYING
	UTILITY LOCK	P30-4750	7	16	22	ALIKE
	DREHRIEGEL VERSCHLÜSSE	P30-4751	7	16	22	DIFFERENT
	SERRURES POUR TIROIRS	P30-4752	7	16	22	DIFFERENT & MASTER KEYED
	TUIMELSLOTEN	P30-4760	7	16	22	ALIKE
		P30-4761	7	16	22	DIFFERENT
		P30-4762	7	16	22	DIFFERENT & MASTER KEYED
		P30-4770	24	28	35	ALIKE
		P30-4771	24	28	35	DIFFERENT
		P30-4772	24	28	35	DIFFERENT & MASTER KEYED
		P30-4780	28	35	41	ALIKE
		P30-4781	28	35	41	DIFFERENT
		P30-4782	28	35	41	DIFFERENT & MASTER KEYED



S90 SERIES		ITEM	Ø	↔	↕	↗	↘	↙
	DRAWER ASSEMBLY, STAINLESS STEEL	S90-0015-N		497	171			
	SCHUBLADEN EINBAUELEMENT, EDELSTAHL							
	TIROIRS NEUTRES, INOX							
	LADE INBOUWELEMENT, RVS							
	DIFFERENT SIZES ON REQUEST							

B57 & B58 SERIES		ITEM	Ø	↔	↕	↗	↘	↙
	DOOR SHEAVES, ZINC PLATED, STAINLESS STEEL	B58-5511	25	25.5	69		STEEL	FRONT
	SCHIEBETÜR ROLLEN, GALVANISIERT, EDELSTAHL	B58-5513	25	25.5	69		NYLON	FRONT
	ROULETTE RÉGLABLE POUR PORTE GLISSANTE, GALVANISÉE, INOX	B58-5515-SS	22.5	30	65	8.5	NYLON	FRONT
		B58-5521	25	25.5	69		STEEL	REAR
		B58-5523	25	25.5	69		NYLON	REAR
	SCHUIFDEURWIELEN INSTELBAAR, GEGALVANISEERD, RVS	B58-5525-SS	22.5	30	32.5	8.5	NYLON	REAR
		B57-6000		6000	32			
		B56-1096						
		B62-1093						
		B62-1086						

BEARINGS		ITEM	Ø	↔	↕	↗	↘	↙
	BALL BEARINGS, STAINLESS STEEL, STEEL, NYLON	B10-1210	23	6.3				
	FLACHES KUGELLAGERS, EDELSTAHL, STAHL, NYLON	B20-1013	22	5.5				
	ROULEMENT A BILLES, INOX, ACIER	B20-1019	25.4	7.9				
	VLAKE KOGELLAGERS, RVS, STAAL, NYLON							
	AVAILABLE WITH DIFFERENT SIZE SCREWS							

BEARINGS		ITEM	Ø	↔	↕	↗	↘	↙
	BALL BEARINGS, STAINLESS STEEL, STEEL, NYLON	B20-1028	33.3	7.9				
	FLACHES KUGELLAGERS, EDELSTAHL, STAHL, NYLON	B20-1032	25.4	5.5				
	ROULEMENT A BILLES, INOX, ACIER	B20-1219	33.3	7.9				
	VLAKE KOGELLAGERS, RVS, STAAL, NYLON	B20-1230	23	6.3				
		B20-1819	25.4	5.5				
		B23-1013	33,3	7,9				
		B24-1013	30	7,9				



- ✓ EQUIPMENT LEGS AVAILABLE IN VARIOUS SIZES WITH MOUNTING PLATE OR PROTRUDING STUD
- ✓ WIDE RANGE OF LATCHES AND HINGES FOR REFRIGERATION APPLICATIONS
- ✓ CE CERTIFIED SELF REGULATING CONDENSATE EVAPORATORS
- ✓ CONCEALED SELF CLOSING CARTRIDGE, HINGES ENSURE SILENT & SMOOTH OPERATION

- ✓ RVS STELPOTEN VERKRIJGBAAR IN VERSCHILLENDE AFMETINGEN MET SCHROEFDRAAD OF MONTAGEPLAAT
- ✓ EEN UITGEBREID ASSORTIMENT SCHARNIEREN EN SLUITINGEN VOOR KOELKASTEN EN INLOOP-KOELINGEN
- ✓ CE GECERTIFICEERDE ZELFREGULERENDE VERDAMPINGSBAKJES
- ✓ ZELFSLUITENDE PIVOTSCHARNIEREN VERZEKEREN EEN GERUISLOZE EN SOEPELE WERKING

- ✓ ANSCHRAUBFÜSSE IN VERSCHIEDENEN GRÖSSEN ERHÄLTICH. MIT ANSCHRAUBPLATTE ODER METRISCHEM GEWINDE
- ✓ GROSSE AUSWAHL AN SCHARNIEREN UND VERSCHLÜSSEN FÜR DIE KÄLTE- UND KÜHLTECHNIK
- ✓ CE GEPRÜFTE SELBST REGULIERENDE KONDENSWASSERVERDUNSTER
- ✓ SELBSTSCHLIESSENDE SCHARNIERE GARANTIEREN RUHIGEN UND SANFTEN BETRIEB




A48, 50, 84 & 86 SERIES 	EQUIPMENT LEG, STAINLESS STEEL ANSCHRAUBFUSS, EDELSTAHL PIED RÉGLABLE, INOX STELPOOT, RVS *ALL A48, 50, 84 AND 86 MODELS CAN BE PLATED MOUNTED BY FITTING THE MP1/SS ON TOP.	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↕</th><th>↕</th><th>↕</th></tr><tr><td>A48-5032-M</td><td>41</td><td></td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A48-5048-M</td><td>41</td><td></td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>A50-5032-M</td><td>41</td><td></td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A50-5048-M</td><td>41</td><td></td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>A84-5032-M</td><td>50</td><td></td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A84-5048-M</td><td>50</td><td></td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>A86-5032-M</td><td>50</td><td></td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A86-5048-M</td><td>50</td><td></td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>MP1/SS*</td><td></td><td>102 x 80</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↕	↕	↕	A48-5032-M	41		100	44		900	A48-5048-M	41		150	44		900	A50-5032-M	41		100	44		900	A50-5048-M	41		150	44		900	A84-5032-M	50		100	44		900	A84-5048-M	50		150	44		900	A86-5032-M	50		100	44		900	A86-5048-M	50		150	44		900	MP1/SS*		102 x 80											
ITEM	Ø	↔	↕	↕	↕	↕																																																																									
A48-5032-M	41		100	44		900																																																																									
A48-5048-M	41		150	44		900																																																																									
A50-5032-M	41		100	44		900																																																																									
A50-5048-M	41		150	44		900																																																																									
A84-5032-M	50		100	44		900																																																																									
A84-5048-M	50		150	44		900																																																																									
A86-5032-M	50		100	44		900																																																																									
A86-5048-M	50		150	44		900																																																																									
MP1/SS*		102 x 80																																																																													
A59 & A65 SERIES 	EQUIPMENT LEG, STAINLESS STEEL ANSCHRAUBFUSS, EDELSTAHL PIED RÉGLABLE, INOX STELPOOT, RVS	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↕</th><th>↕</th><th>↕</th></tr><tr><td>A59-1000</td><td>59</td><td>120/150</td><td>30</td><td></td><td></td><td>700</td></tr><tr><td>A59-1100</td><td>59</td><td>120/180</td><td>60</td><td></td><td></td><td>700</td></tr><tr><td>A59-1150</td><td>59</td><td>120/150</td><td>60</td><td></td><td></td><td>700</td></tr><tr><td>A59-1250</td><td>59</td><td>120/180</td><td>30</td><td></td><td></td><td>700</td></tr><tr><td>A65-2000</td><td>65</td><td>120/150</td><td>30</td><td></td><td></td><td>700</td></tr><tr><td>A65-2100</td><td>65</td><td>120/180</td><td>60</td><td></td><td></td><td>700</td></tr><tr><td>A65-2200</td><td>65</td><td>120/150</td><td>30</td><td></td><td></td><td>700</td></tr><tr><td>A65-2300</td><td>65</td><td>120/180</td><td>60</td><td></td><td></td><td>700</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↕	↕	↕	A59-1000	59	120/150	30			700	A59-1100	59	120/180	60			700	A59-1150	59	120/150	60			700	A59-1250	59	120/180	30			700	A65-2000	65	120/150	30			700	A65-2100	65	120/180	60			700	A65-2200	65	120/150	30			700	A65-2300	65	120/180	60			700														
ITEM	Ø	↔	↕	↕	↕	↕																																																																									
A59-1000	59	120/150	30			700																																																																									
A59-1100	59	120/180	60			700																																																																									
A59-1150	59	120/150	60			700																																																																									
A59-1250	59	120/180	30			700																																																																									
A65-2000	65	120/150	30			700																																																																									
A65-2100	65	120/180	60			700																																																																									
A65-2200	65	120/150	30			700																																																																									
A65-2300	65	120/180	60			700																																																																									
Q77 SERIES 	THERMAL MASTIC COATING WÄRMELEITPASTE PATE CONDUCTRICE WARMTEGELEIDENDE PASTA	<table><tr><th>ITEM</th><th></th></tr><tr><td>Q77-1000</td><td>305 ML</td></tr><tr><td>Q77-1240</td><td>3,68 L</td></tr><tr><td>Q77-1250</td><td>19 L</td></tr><tr><td>Q77-1260</td><td>200 L</td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>	ITEM		Q77-1000	305 ML	Q77-1240	3,68 L	Q77-1250	19 L	Q77-1260	200 L																																																																			
ITEM																																																																															
Q77-1000	305 ML																																																																														
Q77-1240	3,68 L																																																																														
Q77-1250	19 L																																																																														
Q77-1260	200 L																																																																														
Q75 & Q76 SERIES 	SOUND DEADENER/ SOUND DEADENING PAD SCHALLDÄMPFER/ SCHALLSCHUTZ POLSTER PRODUITS D'INONORISATION/ PLAQUES D'INONORISATION GELUIDSDEMPENDE LATEX & PASTA/ GELUIDSDEMPENDE PADS PASTA	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↕</th><th>↕</th><th>↕</th></tr><tr><td>Q75-1366</td><td></td><td></td><td>3,68 L - LATEX</td><td></td><td></td><td></td></tr><tr><td>Q75-2500</td><td></td><td></td><td>3,68 L - SPRAY</td><td></td><td></td><td></td></tr><tr><td>Q76-1250</td><td></td><td>90</td><td>250</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↕	↕	↕	Q75-1366			3,68 L - LATEX				Q75-2500			3,68 L - SPRAY				Q76-1250		90	250																																																				
ITEM	Ø	↔	↕	↕	↕	↕																																																																									
Q75-1366			3,68 L - LATEX																																																																												
Q75-2500			3,68 L - SPRAY																																																																												
Q76-1250		90	250																																																																												





R24 SERIES 	MAGNETIC/MECHANICAL EDMOUNT LATCH, CHROME PLATED MAGNETISCHER VERSCHLUSS, VERCHROMT LOQUETEAUX AVEC AIMANT, CHROMÉES MAGNEETSLUITINGEN, VERCHROOMD	ITEM R24-9175 R24-9175-C R24-9175-X R24-9175-XC	Ø 273 273 273 273	↔ 38 38 38 38	↕ 	↗ 	↘ 	↻
R25 SERIES 	MAGNETIC EDMOUNT LATCH, CHROME PLATED MAGNETISCHER VERSCHLUSS, VERCHROMT LOQUETEAUX AVEC AIMANT, CHROMÉES MAGNEETSLUITINGEN, VERCHROOMD	ITEM R25-1700-C R25-1700-NC R25-1700-XC R25-1700-XNC	Ø 292 292 292 292	↔ 49 49 49 49	↕ 	↗ 	↘ 	↻
R30 SERIES 	LATCH, SURFACE MOUNT, CHROME PLATED VERSCHLÜSSE, VERCHROMT LOQUETEAUX, CHROMÉES SLUITINGEN, VERCHROOMD	ITEM R30-9140-5/8 R30-9140-FL	Ø 178 172	↔ 53 53	↕ 	↗ 	↘ 	↻
R35 SERIES 	EDGMOUNT LATCH, CHROME PLATED ZUGVERSCHLÜSSE, RECHTS, VERCHROMT FERMETURES POIGNÉES DROITE, CHROMÉES WERPSLUITINGEN, RECHTE HENDEL, VERCHROOMD	ITEM R35-1105 R35-1105-C R35-1105-X R35-1105-XC R35-3105-X	Ø 260 260 260 260 260	↔ 38 38 38 38 38	↕ 	↗ 	↘ 	↻ HIGH TEMPERATURE





R42 SERIES 	EDGEMOUNT HINGE KANTENSCHARNIERE FÜR KÜHLMÖBELTÜREN CHARNIÈRES À RAMPE HOEKSCHARNIEREN  *AVAILABLE WITH POWER SPRING KIT	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>OFFSET</th></tr><tr><td>R42-2000</td><td></td><td>31</td><td>140</td><td>35 MM</td></tr><tr><td>R42-2840</td><td></td><td>21</td><td>127</td><td>22 MM</td></tr><tr><td>R42-2842*</td><td></td><td>24</td><td>127</td><td>28 MM</td></tr><tr><td>R42-2843</td><td></td><td>24</td><td>127</td><td>28 MM</td></tr><tr><td>R42-2844*</td><td></td><td>24</td><td>127</td><td>41 MM</td></tr><tr><td>R42-2855</td><td></td><td>31</td><td>140</td><td>28 MM</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	OFFSET	R42-2000		31	140	35 MM	R42-2840		21	127	22 MM	R42-2842*		24	127	28 MM	R42-2843		24	127	28 MM	R42-2844*		24	127	41 MM	R42-2855		31	140	28 MM															
ITEM	Ø	↔	↕	OFFSET																																																
R42-2000		31	140	35 MM																																																
R42-2840		21	127	22 MM																																																
R42-2842*		24	127	28 MM																																																
R42-2843		24	127	28 MM																																																
R42-2844*		24	127	41 MM																																																
R42-2855		31	140	28 MM																																																
R45 & 50 SERIES 	LIFT OFF EDGEMOUNT HINGES KANTENSCHARNIERE FÜR KÜHLMÖBELTÜREN CHARNIÈRES À RAMPE AFNEEMBARE HOEKSCHARNIEREN	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>OFFSET</th></tr><tr><td>R45-1010</td><td></td><td>28</td><td>110</td><td>30 MM</td></tr><tr><td>R50-2850</td><td></td><td>30</td><td>146</td><td>41 MM</td></tr><tr><td>R50-2850 SPO</td><td></td><td>30</td><td>146</td><td>35 MM</td></tr><tr><td>R50-2850-BLK</td><td></td><td>30</td><td>146</td><td>41 MM</td></tr><tr><td>R50-2850-SS</td><td></td><td>30</td><td>146</td><td>41 MM</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	OFFSET	R45-1010		28	110	30 MM	R50-2850		30	146	41 MM	R50-2850 SPO		30	146	35 MM	R50-2850-BLK		30	146	41 MM	R50-2850-SS		30	146	41 MM																				
ITEM	Ø	↔	↕	OFFSET																																																
R45-1010		28	110	30 MM																																																
R50-2850		30	146	41 MM																																																
R50-2850 SPO		30	146	35 MM																																																
R50-2850-BLK		30	146	41 MM																																																
R50-2850-SS		30	146	41 MM																																																
T90 SEREIS 	TEMPERATURE METER, STAINLESS STEEL HOUSING, SEVERAL TYPES AVAILABLE THERMOMETER, EDELSTAHLGEHÄUSE, VERSCHIEDENE TYPEN ERHÄLTICH THERMOMÈTRE EN BOÎTIER INOX, PLUSIEURS MODÈLES DISPONIBLES TEMPERATUUR METER RVS, IN VERSCHILLENDE TYPES BESCHIKBAAR	<table><tr><td>T90-25HP</td><td>HANGING TYPE</td></tr><tr><td>T90-6142</td><td>FLUSH FRONT/RECESSED</td></tr><tr><td>T90-6812</td><td>SURFACE MOUNT</td></tr><tr><td>T90-DM120</td><td>LCD DIGITAL</td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>	T90-25HP	HANGING TYPE	T90-6142	FLUSH FRONT/RECESSED	T90-6812	SURFACE MOUNT	T90-DM120	LCD DIGITAL																																										
T90-25HP	HANGING TYPE																																																			
T90-6142	FLUSH FRONT/RECESSED																																																			
T90-6812	SURFACE MOUNT																																																			
T90-DM120	LCD DIGITAL																																																			
R56 SERIES 	CARTRIDGE HINGE SELBSTSCHLIESSENDE SCHARNIERE CHARNIÈRES PIVOT PIVOT SCHARNIEREN ALL ITEMS AVAILABLE IN LEFT HAND VERSION	<table><tr><th>ITEM</th><td></td></tr><tr><td>R56-1010</td><td>75 X 98</td></tr><tr><td>R56-5010</td><td>79 X 25 - RH CARTRIDGE VERTICAL</td></tr><tr><td>R56-5011</td><td>79 X 25 - RH CARTRIDGE HORIZONTAL</td></tr><tr><td>R56-5017</td><td>79 X 25 - RH PIVOT HORIZONTAL</td></tr><tr><td>R56-7011</td><td>79 X 25 - RH PIVOT VERTICAL</td></tr><tr><td>R56-7040</td><td>79 X 25 - RH DOUBLE PIVOT HORIZONTAL</td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>	ITEM		R56-1010	75 X 98	R56-5010	79 X 25 - RH CARTRIDGE VERTICAL	R56-5011	79 X 25 - RH CARTRIDGE HORIZONTAL	R56-5017	79 X 25 - RH PIVOT HORIZONTAL	R56-7011	79 X 25 - RH PIVOT VERTICAL	R56-7040	79 X 25 - RH DOUBLE PIVOT HORIZONTAL																																				
ITEM																																																				
R56-1010	75 X 98																																																			
R56-5010	79 X 25 - RH CARTRIDGE VERTICAL																																																			
R56-5011	79 X 25 - RH CARTRIDGE HORIZONTAL																																																			
R56-5017	79 X 25 - RH PIVOT HORIZONTAL																																																			
R56-7011	79 X 25 - RH PIVOT VERTICAL																																																			
R56-7040	79 X 25 - RH DOUBLE PIVOT HORIZONTAL																																																			



T12 SERIES		ITEM	↔	↕	
	CONDENSATE EVAPORATOR	T12-0372	120 X 317	70	160 WATT
	TAUWASSERVERDUNSTER	T12-0372-CE	120 x 317	70	160 WATT
	BACS ÉVAPORATEURS	T12-5200	120 x 317	70	300 WATT
	VERDAMPINGSBAKJES	T12-5200-CE	120 x 317	70	300 WATT
		T12-3390*	150	82	BRACKET

T21 & T22 SERIES		ITEM	Ø	↔	↕	⊥	⊥	⊥
	PILASTERS, ALUMINIUM	T22-0016			406			
	LOCHSCHIENE ALUMINIUM	T22-0018			457			
	CRÉMAILLÈRES ALUMINIUM	T22-0024			610			
	STELLIJSTEN ALUMINIUM	T22-0048			1219			
		T22-0072			1828			
								

T22 SERIES S/S		ITEM	Ø	↔	↕	⊥	⊥	⊥
	PILASTER, STAINLESS STEEL	T22-1024			610			
	LOCHSIENE, EDELSTAHL	T22-1048			1219			
	CRÉMAILLÈRES, INOX	T22-1060			1524			
	STELLIJSTEN, RVS	T22-1072			1828			
								


T30 SERIES		ITEM	Ø	↔	↕	⊥	⊥	⊥
	SNAP-IN SHELF SUPPORT	T30-5030	C	22				
	KLAMMER	T30-5031	D	16				
	TAQUETS	T30-5032	D	16				
	CLIPS VOOR STELLIJSTEN	T30-5055	B	19				
		T30-5130	A	22				
		T30-5131	A	22				




W19 SERIES 	WALK-IN LATCH SICHERHEITSVERSCHLÜSSE LOQUETEAUX DE SÉCURITÉ SCHARNIEREN VOOR INLOOPKOELING	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>OFFSET</th></tr><tr><td>W19-1000</td><td></td><td>266</td><td>51</td><td>0 MM - 19 MM</td></tr><tr><td>W19-1000-C</td><td></td><td>266</td><td>51</td><td>0 MM - 19 MM</td></tr><tr><td>W19-1500</td><td></td><td>266</td><td>51</td><td>19 MM - 41 MM</td></tr><tr><td>W19-1500-C</td><td></td><td>266</td><td>51</td><td>19 MM - 41 MM</td></tr><tr><td>W19-2000</td><td></td><td>266</td><td>51</td><td>41 MM - 64 MM</td></tr><tr><td>W19-2000-C</td><td></td><td>266</td><td>51</td><td>41 MM - 64 MM</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	OFFSET	W19-1000		266	51	0 MM - 19 MM	W19-1000-C		266	51	0 MM - 19 MM	W19-1500		266	51	19 MM - 41 MM	W19-1500-C		266	51	19 MM - 41 MM	W19-2000		266	51	41 MM - 64 MM	W19-2000-C		266	51	41 MM - 64 MM																												
ITEM	Ø	↔	↕	OFFSET																																																													
W19-1000		266	51	0 MM - 19 MM																																																													
W19-1000-C		266	51	0 MM - 19 MM																																																													
W19-1500		266	51	19 MM - 41 MM																																																													
W19-1500-C		266	51	19 MM - 41 MM																																																													
W19-2000		266	51	41 MM - 64 MM																																																													
W19-2000-C		266	51	41 MM - 64 MM																																																													
W38 SERIES 	HEAVY DUTY WALK-IN LATCH, CHROME PLATED VERSCHLÜSSE, VERCHROMT LOQUETEAUX, CHROMÉES SLUITINGEN, VERCHROOMD	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>OFFSET</th></tr><tr><td>W38-1000</td><td></td><td>283</td><td>51</td><td>0 MM - 19 MM</td></tr><tr><td>W38-1000-C</td><td></td><td>283</td><td>51</td><td>0 MM - 19 MM</td></tr><tr><td>W38-1500</td><td></td><td>283</td><td>51</td><td>19 MM - 41 MM</td></tr><tr><td>W38-1500-C</td><td></td><td>283</td><td>51</td><td>19 MM - 41 MM</td></tr><tr><td>W38-2000</td><td></td><td>283</td><td>51</td><td>41 MM - 64 MM</td></tr><tr><td>W38-2000-C</td><td></td><td>283</td><td>51</td><td>41 MM - 64 MM</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	OFFSET	W38-1000		283	51	0 MM - 19 MM	W38-1000-C		283	51	0 MM - 19 MM	W38-1500		283	51	19 MM - 41 MM	W38-1500-C		283	51	19 MM - 41 MM	W38-2000		283	51	41 MM - 64 MM	W38-2000-C		283	51	41 MM - 64 MM																												
ITEM	Ø	↔	↕	OFFSET																																																													
W38-1000		283	51	0 MM - 19 MM																																																													
W38-1000-C		283	51	0 MM - 19 MM																																																													
W38-1500		283	51	19 MM - 41 MM																																																													
W38-1500-C		283	51	19 MM - 41 MM																																																													
W38-2000		283	51	41 MM - 64 MM																																																													
W38-2000-C		283	51	41 MM - 64 MM																																																													
W99 SERIES 	WALK-IN LATCH, STAINLESS STEEL 316 VERSCHLÜSSE, EDELSTAHL 316 LOQUETEAUX, INOX 316 SLUITINGEN, RVS 316	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↗</th><th>↖</th><th>🔒</th></tr><tr><td>W99-3800-SS</td><td></td><td>283</td><td>50</td><td></td><td></td><td></td></tr><tr><td>W99-3800-SS-C</td><td></td><td>283</td><td>50</td><td></td><td></td><td>LOCK</td></tr><tr><td>W99-3805-SS</td><td></td><td>283</td><td>50</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↗	↖	🔒	W99-3800-SS		283	50				W99-3800-SS-C		283	50			LOCK	W99-3805-SS		283	50																																						
ITEM	Ø	↔	↕	↗	↖	🔒																																																											
W99-3800-SS		283	50																																																														
W99-3800-SS-C		283	50			LOCK																																																											
W99-3805-SS		283	50																																																														
W59 & W60 SERIES 	WALK-IN DOOR HINGES, CHROME PLATED SCHARNIERE, VERCHROMT CHARNIÈRES, CHROMÉES SCHARNIEREN, VERCHROOMD	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>OFFSET</th></tr><tr><td>W60-1000</td><td></td><td>254</td><td>143</td><td></td></tr><tr><td>W60-1000-S</td><td></td><td>175</td><td>143</td><td></td></tr><tr><td>W59-1000</td><td></td><td>236</td><td>143</td><td></td></tr><tr><td>W59-1000-CBLK</td><td></td><td>236</td><td>143</td><td></td></tr><tr><td>W59-2000</td><td></td><td>236</td><td>143</td><td></td></tr><tr><td>W59-2000-CBLK</td><td></td><td>236</td><td>143</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	OFFSET	W60-1000		254	143		W60-1000-S		175	143		W59-1000		236	143		W59-1000-CBLK		236	143		W59-2000		236	143		W59-2000-CBLK		236	143																													
ITEM	Ø	↔	↕	OFFSET																																																													
W60-1000		254	143																																																														
W60-1000-S		175	143																																																														
W59-1000		236	143																																																														
W59-1000-CBLK		236	143																																																														
W59-2000		236	143																																																														
W59-2000-CBLK		236	143																																																														




W99 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	HINGE ASSEMBLY, STAINLESS STEEL 316	W99-4100-SSLH		263	108			
	TÜRBAND, EDELSTAHL 316	W99-4100-SSRH		263	108			
	CHARNIÈRES, INOX 316	W99-6015-SS		387	128			
	VLGSCHARNIER, RVS 316							

W28 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	SAFETY RELEASE / SS	W28-2325 (B)		82.5				
	SICHERHEITSINNENÖFFNER	W28-2400 (B)		100				
	DÉCONDAMNATIONS	W28-2400-SS (A)		100				
	NOODONTGRENDELINGEN	W28-2600 (B)		150				
		W28-2600-SS (A)		150				
		W28-2630-SS (A)		160				
		W28-2800 (B)		200				

VENT PORTS		ITEM	Ø	↔	↕	↗	↘	↖
	ROUND OR SQUARE VENT PORT	W87-1000 (A)	80				92-114	
	DRUCKAUSGLEICHS VENTIL RUND ODER VIERECKIG	W86-1012 (B)		165	165		76-108	
	SOUPAPES D'ÉQUILIBRAGE DE PRESSION, RONDE OU CARRÉ	W88-1012 (C)		127	127		101	
	DRUKVEREFFENINGSVENTIEL ROND OF VIERKANT							


SAFE-T-VU WINDOW		ITEM	Ø	↔	↕	↗	↘	↖
	SAFE-T-VU WINDOW	W90-1414-4G		436	436			
	SAFE-T-VU SICHERHEITSFENSTER							
	FENÊTRE SAFE-T-VU							
	SAFE-T-VU RAAM							



- ✓ EASY TO INSTALL ALL STAINLESS STEEL GREASE FILTERS IN A WIDE VARIETY OF DIMENSIONS
- ✓ EFFICIENTLY REMOVE A SIGNIFICANT AMOUNT OF GREASE BEFORE IT CAN ENTER THE VENTILATION SYSTEM
- ✓ EASY TO INSTALL CANOPY LIGHTING FIXTURES, GREASEPROOF, WATERPROOF AND HEATPROOF

- ✓ EENVOUDIG TE INSTALLEREN VETFILTERS VERKRIJGBAAR IN VELE AFMETINGEN
- ✓ VETFILTERS VANGEN EEN GROOT GEDEELTE VAN HET VET OP VOORDAT HET IN HET VENTILATIESYSTEEM KAN TERECHT KOMEN
- ✓ EENVOUDIG TE MONTEREN LICHTARMATUREN, RESISTENT TEGEN VET, WATER EN HITTE

- ✓ EINFACH ZU INSTALLIERENDE FLAMMSCHUTZFILTER IN ALLEN GÄNGIGEN GRÖSSEN
- ✓ EFFIZIENTE FETTFILTERUNG BEVOR DAS DAS BELÜFTUNGSSYSTEM ERREICHT WIRD
- ✓ EINFACH ZU INSTALLIERENDE, HITZE,-WASSER UND FETTBESTÄNDIGE HAUBENBELEUCHTUNG






FLAMEGARD TYPE IV		ITEM	Ø	↔	↕	↗	↘	↖
	FLAME GARD BAFFLE FILTER, STAINLESS STEEL, 20MM	FG20-300500		300	500			
	FLAME GARD FETTFANGFILTER, EDELSTAHL, 20MM	FG20-400400		400	400			
	FLAME GARD FILTRES POUR HOTTES, INOX, 20MM	FG20-400500		400	500			
	FLAME GARD FILTRES POUR HOTTES, INOX, 20MM	FG20-495495		495	495			
	FLAME GARD VETFILTER, RVS, 20MM	FG20-500300		500	300			
		FG20-500400		500	400			
		FG20-500500		500	500			
		FGA20-500500		500	500	(BAUART A)		

FLAMEGARD TYPE VI		ITEM	Ø	↔	↕	↗	↘	↖
	FLAME GARD BAFFLE FILTER, STAINLESS STEEL, 45MM	FR51-1016		254	406			
	FETTFANGFILTER, EDELSTAHL, 45MM	FR51-1020		254	508			
	FILTRES POUR HOTTES, INOX, 45MM	FR51-1216		305	406			
	FILTRES POUR HOTTES, INOX, 45MM	FR51-1220		305	508			
	VETFILTERS, RVS, 45MM	FR51-1616		406	406			
		FR51-1620		406	508			
		FR51-1625		406	635			
		FR51-2016		508	406			
		FR51-2020		508	508			
		FR51-2025		508	635			

L55 SERIES		ITEM	Ø	↕	
	CANOPY LIGHT FIXTURES WITH THERMAL AND CLEAR GLASS INCLUDING WIRE PROTECTION GUARD	L55-1004	140	222	TUFF SKIN
		L55-1024	140	222	TUFF SKIN WIRE GUARD
	DECKENBELEUCHTUNG LICHTARMIERUNG, UND THERMO ODER KLARES GLAS, MIT ODER OHNE WARMESCHUTZ	L55-2004	140	222	CLEAR
		L55-2024	140	222	CLEAR WIRE GUARD
	ARMATURE D'ECLAIRAGE AVE PROTECTION THERMIQUE	LED-40000N-P	70	157	
		LED-40000N-B	70	157	
	VERLICHTINGSARMATUUR MET THERMISCH EN HELDER GLAS, MET METALEN BESCHERMING	LED-40000W-B	70	157	
		LED-40001N	70	157	WITH GLOBE

L82 SERIES		ITEM	Ø	↔	↕	↗	↘	↖
	FLUORESCENT LIGHT, IP 65 RATED, STAINLESS STEEL FACE	L82-1020-CE		610	150			
	EINBAULEUCHTE, IP 65, EDELSTAHL	L82-1030		914	150			
		L82-1030-CE		914	150			
	ECLAIRAGE ENCASTRABLE POUR HOTTE, IP 65, FACE INOX	L82-1040-CE		1219	150			
		L82-1030-L13W		914	150			
		L82-1030-L13N		914	150			
		L82-1030-L13C		914	150			
	INBOUW VERLICHTINGSARMATUUR, IP 65, RVS AFWERKING	L82-1040-L13W		1219	150			
		L82-1040-L13N		1219	150			
		L82-1040-L13C		1219	150			




90 VML SERIES 	REGISTER, MULTI DAMPER, ALUMINUM LUFTEIN-/AUSLASSGITTER VERSTELLBAR, ALUMINIUM MULTI VALVE DAMPER, ALUMINUM MULTI VALVE DAMPER, ALUMINUM	ITEM 90VML-20X4 90VML-20X6 90VML-24X12 90VML-24X4 90VML-24X6 90VML-24X8 90VML-30X6 90VML-36X6	Ø 500 500 600 600 600 750 900	↔ 100 150 300 100 200 150 150	↕	↗	↘
J63 & 64 SERIES 	CAP STRIP AND DIVIDER BAR, STAINLESS STEEL ABDECKUNG, EDELSTAHL MOULURE, INOX AFDEKLIJST, RVS  	ITEM J63-1451 J64-1450	Ø 2130 2130	↔	↕	↗	↘
F10 SERIES 	CANOPY HOOD DRAIN, NICKEL PLATED ABLAUFSTYCK FYR FETTAUFFANGGRINNE, VERNICKELT DRAINAGE POUR BACS RAMASSE-GRASSE, CHROMÉS AFVOERSTUK VOOR VETOPVANGBAKJES, VERNIKKELD	ITEM F10-1187	Ø 25	↔	↕ 24	↗	↘
M90 SERIES 	SILICONE SEALANT, FOODGRADE, HIGH TEMPERATURE RESISTANCE, 5 DIFFERENT COLORS HOCH TEMPERATURSILIKONE, 5 FARBEN SILICONE HAUT TEMPERATURE, 5 COULEURS TEMPERATUURSBESTENDIG SILICONENKIT, FOODGRADE, 5 KLEUREN	ITEM M90-1010 M90-1012 M90-1014 M90-1016 M90-1018	CLEAR 310 ML ALUMINUM 310 ML WHITE 310 ML BLACK 310 ML HI TEMP RED 310 ML				

PROPRIETARY PRODUCTS



COMPONENT HARDWARE'S BROAD PRODUCTION CAPABILITIES ENABLE US TO MANUFACTURE A WIDE VARIETY OF CUSTOM PRODUCTS FOR OUR OEM CUSTOMERS. LISTED HERE IS A SAMPLING OF SOME PROPRIETARY PRODUCT DEVELOPMENT PROJECTS THAT WERE RECENTLY COMPLETED.




PAN HOOKS

SS Investment Cast



WATER JET

Investment Cast



GREASE BOX

Metal Fabrication & Stamping



WELDED / CONTROL BOX

SS Fabrication



CUSTOM OVEN HANDLE

Tube Forming, Bending, Stamping and Welding



CANOPY HOOD FAN HUB

Aluminum Die Cast

A collage of ten product catalogs from Component Hardware. The catalogs are arranged in a slightly overlapping, horizontal row. Each catalog features a different background color and displays various hardware products. The titles of the catalogs are: 'EQUIPMENT LEGS AND ACCESSORIES' (black background), 'INVESTIGATIONAL CASTERS' (teal background), 'Encore PREMIUM PLUMBING PRODUCTS' (blue background with water splash), 'Flame Gard' (black background with industrial equipment), 'REFRIGERATION COMPONENTS' (blue background), 'WALK-IN REFRIGERATION COMPONENTS' (blue background), 'CAFETERIA COMPONENT' (white background), 'CABINET HARDWARE' (teal background), and 'FABRICATION SUPPLIES' (red background). The tenth catalog on the right is partially cut off.

WORLD WIDE AVAILABILITY:

EUROPE

BELGIUM

LINUM EUROPE N.V.
VIJVERHOEK 53
KUURNE
BELGIUM
PHONE: +32(0)56 35 92 94
FAX: +32(0)56 35 88 47
INFO@LINUM.EU
WWW.LINUM.EU

FRANCE

LINUM EUROPE S.A.
34, RUE DES CHÂTEAUX
Z.I. DE LA PILATERIE -
59290 WASQUEHAL
FRANCE
PHONE: +33(0)3 20 24 09 99
FAX: +33(0)3 20 36 29 93
INFO-FR@LINUM.EU
WWW.LINUM.EU

IRELAND

CLONDALKIN AGENCIES, LTD.
UNIT 1, CRAG CRESCENT,
DUBLIN 22,
IRELAND
PHONE: +353 (0)1 457 4336
FAX: +353 (0)1 457 2910
CLONDALKINAGENCIES@GMAIL.COM
WWW.SINKS.IE

SPAIN & PORTUGAL

FAJOTA IBÉRICA S.L.
AVDA. DE LA INDUSTRIA, 29
NAVALCARNERO (MADRID)
SPAIN
PHONE: +34 (0)91 811 46 11
FAX: +34 (0)91 811 46 19
VENTAS@FAJOTA-IBERICA.COM
WWW.FAJOTA-IBERICA.ES

UNITED KINGDOM

DIE-PAT DIVISIONS LTD.
BROAD MARCH, 11
DAVENTRY, NORTH HAMPTONSHIRE
ENGLAND
PHONE: +44 (0)1 327 311 144
FAX: +44 (0)1 327 871 821
SALES@DIE-PAT.CO.UK
WWW.DIE-PAT.CO.UK

NORTH AMERICA

COMPONENT HARDWARE

1890 SWARTHMORE AVENUE
LAKEWOOD, NEW JERSEY
USA
PHONE: 732-363-4700
FAX: 732-364-8110
SALES@COMPONENTHARDWARE.COM
WWW.COMPONENTHARDWARE.COM



COMPONENT[®]
HARDWARE

Building better business, one part at a time.

CHG EUROPE B.V.

HAZELDONK 6475 • 4836 LH BREDA • NETHERLANDS
PHONE: +31 (0)76 596 86 99 • FAX: +31 (0)76 596 3114 • EMAIL: SALES@CHGEUROPE.COM
WWW.COMPONENTHARDWARE.COM