



Marine & Offshore Products

EverTUFF® CTS CPVC Hot & Cold Water Distribution Pipe & Fittings

EverTUFF® CTS CPVC Hot & Cold Water Distribution Pipe & Fittings



PRODUCT

Contact Spears® for any Information not found.

**CTS CPVC Pipe - USCG Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

CTS CPVC Pipe SDR 11 - CTS MARINE**10 Ft Length**

Priced per foot

NSF® Certified Lead Free

CG-CTS-005	1/2	500	0	176	2.19
CG-CTS-007	3/4	250	0	176	3.88
CG-CTS-010	1	150	0	176	8.00
CG-CTS-012	1-1/4	100	0	176	11.84
CG-CTS-015	1-1/2	100	0	176	15.72
CG-CTS-020	2	50	0	176	26.62

**CTS CPVC Pipe SDR 11 - CTS MARINE****20 FT Lengths**

Priced per foot

NSF® Certified Lead Free

CG-CTS-005-20	1/2	1000	0	176	2.19
CG-CTS-007-20	3/4	500	0	176	3.88
CG-CTS-010-20	1	300	0	176	8.00
CG-CTS-012-20	1-1/4	200	0	176	11.84
CG-CTS-015-20	1-1/2	200	0	176	15.72
CG-CTS-020-20	2	100	0	176	26.62

**Pipe - CPVC CTS Coiled SDR 11 - CTS MARINE****100 ft. Coil, Priced Per Foot**

NSF® Certified Lead Free

CG-CTS-005-100	1/2	100	0	176	2.54
CG-CTS-007-100	3/4	100	0	176	4.87
CG-CTS-010-100	1	100	0	176	10.01

CPVC CTS COILED PIPE WEIGHTS:**CTS-005-100 Weight per Foot .090 lbs; per Coil Weight 9 lbs.****CTS-007-100 Weight per Foot .149 lbs; per Coil Weight 14.9 lbs.****CTS-010-100 Weight per Foot .239 lbs; per Coil Weight 23.9 lbs.****WARNING: Banded coils will expand when opened. Exercise caution to avoid injury during banding removal.****CTS CPVC Fittings & Valves - USCG Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - CTS MARINE**Socket x Socket x Socket**

NSF® Certified Lead Free

CG-4101-005	1/2	100	500	173	2.37
CG-4101-007	3/4	50	250	173	4.43
CG-4101-010	1	10	100	173	22.22
CG-4101-012	1-1/4	10	100	173	34.28
CG-4101-015	1-1/2	5	50	173	44.67
CG-4101-020	2	5	25	173	72.14

**Tee - Reducing - CTS MARINE****Socket x Socket x Socket**

NSF® Certified Lead Free

CG-4101-074	1/2X1/2X3/4	10	100	173	8.23
CG-4101-094	3/4X1/2X1/2	50	250	173	4.42
CG-4101-095	3/4X1/2X3/4	25	250	173	6.03
CG-4101-101	3/4X3/4X1/2	50	250	173	4.59
CG-4101-102 ¹	3/4X3/4X1	10	100	173	49.26
CG-4101-120 ¹	1X1/2X1/2	10	100	173	53.10
CG-4101-121 ¹	1X1/2X3/4	10	100	173	54.50
CG-4101-122 ¹	1X1/2X1	10	100	173	41.56
CG-4101-124 ¹	1X3/4X1/2	10	100	173	49.56
CG-4101-125	1X3/4X3/4	10	100	173	27.09
CG-4101-126 ¹	1X3/4X1	10	100	173	39.63
CG-4101-130	1X1X1/2	10	100	173	25.34
CG-4101-131	1X1X3/4	10	100	173	24.21
CG-4101-138 ¹	1-1/4X1/2X1/2	10	80	173	61.87
CG-4101-139 ¹	1-1/4X1/2X3/4	10	80	173	61.87
CG-4101-142 ¹	1-1/4X1/2X1-1/4	10	80	173	61.87
CG-4101-146 ¹	1-1/4X3/4X1/2	10	80	173	61.87
CG-4101-147 ¹	1-1/4X3/4X3/4	10	80	173	55.28
CG-4101-148 ¹	1-1/4X3/4X1	10	80	173	59.90
CG-4101-149 ¹	1-1/4X3/4X1-1/4	10	80	173	55.06
CG-4101-156 ¹	1-1/4X1X1/2	10	80	173	58.50
CG-4101-157 ¹	1-1/4X1X3/4	10	80	173	56.00
CG-4101-158 ¹	1-1/4X1X1	10	100	173	57.52
CG-4101-159 ¹	1-1/4X1X1-1/4	10	80	173	64.51
CG-4101-166	1-1/4X1/2	10	100	173	61.87
CG-4101-167	1-1/4X3/4	10	100	173	55.06
CG-4101-168	1-1/4X1-1/4X1	10	100	173	58.21
CG-4101-169	1-1/4X1-1/4X1-1/2	5	40	173	61.87
CG-4101-173 ¹	1-1/2X1/2X1/2	5	40	173	74.97
CG-4101-174 ¹	1-1/2X1/2X3/4	5	40	173	74.97
CG-4101-175 ¹	1-1/2X1/2X1	5	40	173	74.97
CG-4101-176 ¹	1-1/2X1/2X1-1/4	5	40	173	74.97
CG-4101-177 ¹	1-1/2X1/2X1-1/2	5	40	173	74.97
CG-4101-182 ¹	1-1/2X3/4X1/2	5	40	173	74.97
CG-4101-184 ¹	1-1/2X3/4X3/4	5	40	173	74.97





Marine & Offshore Products
CTS CPVC Fittings & Valves - USCG Approved

CTS CPVC Fittings & Valves - USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing - CTS MARINE (continued)

Socket x Socket x Socket

CG-4101-185 ¹	1-1/2X3/4X1	5	40	173	74.97
CG-4101-186 ¹	1-1/2X3/4X1-1/4	5	40	173	74.97
CG-4101-188 ¹⁴	1-1/2X3/4X1-1/2	5	40	173	74.97
CG-4101-193 ¹	1-1/2X1X1/2	5	40	173	74.97
CG-4101-194 ¹	1-1/2X1X3/4	5	40	173	74.97
CG-4101-195 ¹	1-1/2X1X1	10	100	173	74.97
CG-4101-196 ¹	1-1/2X1X1-1/4	5	40	173	74.97
CG-4101-197 ¹	1-1/2X1X1-1/2	5	40	173	74.97
CG-4101-199 ¹	1-1/2X1-1/4X1/2	5	40	173	74.97
CG-4101-201 ¹	1-1/2X1-1/4X3/4	5	40	173	74.97
CG-4101-202 ¹	1-1/2X1-1/4X1	5	40	173	74.97
CG-4101-203 ¹	1-1/2X1-1/4X1-1/4	5	40	173	74.97
CG-4101-204 ¹	1-1/2X1-1/4X1-1/2	5	40	173	74.97
CG-4101-209	1-1/2X1-1/2X1/2	10	50	173	66.59
CG-4101-210	1-1/2X3/4	10	100	173	55.51
CG-4101-211	1-1/2X1	5	50	173	50.84
CG-4101-212 ¹	1-1/2X1-1/2X1-1/4	5	50	173	74.97
CG-4101-213 ¹	1-1/2X1-1/2X2	5	0	173	74.97
CG-4101-216 ¹	2X1/2X1/2	5	0	173	93.83
CG-4101-217 ¹	2X1/2X3/4	5	0	173	93.83
CG-4101-218 ¹	2X1/2X1	5	0	173	93.83
CG-4101-219 ¹	2X1/2X1-1/4	5	0	173	93.83
CG-4101-220 ¹	2X1/2X1-1/2	5	0	173	93.83
CG-4101-221 ¹	2X1/2X2	5	0	173	93.83
CG-4101-222 ¹	2X3/4X1/2	5	0	173	93.83
CG-4101-223 ¹	2X3/4X3/4	5	0	173	93.83
CG-4101-224 ¹	2X3/4X1	5	0	173	93.83
CG-4101-225 ¹	2X3/4X1-1/4	5	0	173	93.83
CG-4101-226 ¹	2X3/4X1-1/2	5	0	173	93.83
CG-4101-227 ¹	2X3/4X2	5	0	173	93.83
CG-4101-228 ¹	2X1X1/2	5	0	173	93.83
CG-4101-229 ¹	2X1X3/4	5	0	173	93.83
CG-4101-230 ¹	2X1X1	5	0	173	93.83
CG-4101-231 ¹	2X1X1-1/4	5	0	173	93.83
CG-4101-232 ¹	2X1X1-1/2	5	0	173	93.83
CG-4101-233 ¹	2X1X2	5	0	173	93.83
CG-4101-234 ¹	2X1-1/4X1/2	5	0	173	93.83
CG-4101-235 ¹	2X1-1/4X3/4	5	0	173	93.83
CG-4101-236 ¹	2X1-1/4X1	5	0	173	93.83
CG-4101-237 ¹	2X1-1/2X1/2	5	0	173	93.83
CG-4101-238 ¹	2X1-1/2X3/4	5	0	173	93.83
CG-4101-239 ¹	2X1-1/2X1	5	0	173	93.83
CG-4101-240 ¹	2X1-1/2X1-1/4	5	0	173	93.83
CG-4101-241 ¹	2X1-1/2X1-1/2	5	0	173	93.83
CG-4101-242 ¹	2X1-1/4X1-1/4	5	0	173	93.83
CG-4101-243 ¹	2X1-1/4X1-1/2	5	0	173	93.83
CG-4101-244 ¹	2X1-1/4X2	5	0	173	93.83
CG-4101-247	2X1/2	10	30	173	84.18
CG-4101-248	2X3/4	5	25	173	72.39
CG-4101-249	2X1	5	25	173	72.39
CG-4101-250 ¹	2X2X1-1/4	25	0	173	81.56

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing - CTS MARINE (continued)

Socket x Socket x Socket

CG-4101-251 ¹	2X2X1-1/2	5	25	173	81.56
CG-4101-257 ¹	2X1-1/2X2	5	0	173	81.56

¹ Outlet sized with bushing.



90° EII - CTS MARINE

Socket x Socket

NSF® Certified Lead Free

CG-4106-005	1/2	100	1000	173	1.83
CG-4106-007	3/4	50	500	173	3.02
CG-4106-010	1	10	100	173	8.87
CG-4106-012	1-1/4	10	100	173	17.70
CG-4106-015	1-1/2	10	100	173	31.93
CG-4106-020	2	5	100	173	61.24



90° EII - Reducing - CTS MARINE

Socket x Socket

NSF® Certified Lead Free

CG-4106-101	3/4X1/2	50	250	173	6.40
CG-4106-130 ¹	1X1/2	25	200	173	24.22
CG-4106-131 ¹	1X3/4	25	200	173	24.26
CG-4106-167 ¹	1/4X3/4	10	80	173	40.31
CG-4106-168 ¹	1-1/4X1	10	80	173	38.43
CG-4106-209 ¹	1-1/2X1/2	10	0	173	65.26
CG-4106-210 ¹	1-1/2X3/4	10	0	173	65.26
CG-4106-211 ¹	1-1/2X1	10	0	173	64.36
CG-4106-212 ¹	1-1/2X1-1/4	10	0	173	64.36
CG-4106-247 ¹	2X1/2	5	30	173	133.94
CG-4106-248 ¹	2X3/4	5	30	173	130.84
CG-4106-249 ¹	2X1	5	30	173	129.40
CG-4106-250 ¹	2X1-1/4	5	30	173	129.32
CG-4106-251 ¹	2X1-1/2	5	30	173	129.32

¹ Outlet sized with bushing



90° EII - Special Reinforced - CTS MARINE

Socket x SR Fipt - Stainless Steel Collar

NSF® Certified Lead Free

CG-4107-005SR	1/2	50	300	173	20.57
---------------	-----	----	-----	-----	-------

Drop Ear 90° EII - CPVC Fitting with Bracket - CTS MARINE

Socket x Socket

NSF® Certified Lead Free

CG-DE4106-005	1/2	25	150	173	5.58
---------------	-----	----	-----	-----	------



Marine & Offshore Products
CTS CPVC Fittings & Valves - USCG Approved



CTS CPVC Fittings & Valves - USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Drop Ear 90° EII - Special Reinforced CPVC Fitting with Bracket - CTS MARINE

Socket x SR Fipt - Stainless Steel Collar

NSF® Certified Lead Free

CG-DE4107-005SR	1/2	10	200	173	21.19
-----------------	-----	----	-----	-----	-------



Drop Ear EII Bracket ONLY - CTS MARINE

For 4107-005SR

CG-DET-005	1/2	400	0	173	4.18
------------	-----	-----	---	-----	------



Drop Ear EII - Stainless Steel Thread - CTS MARINE

Drop Ear EII - Stainless Steel Thread

NSF® Certified Lead Free

CG-DE4107-005SS	1/2	100	0	173	44.19
-----------------	-----	-----	---	-----	-------



Drop Ear EII - Stainless Steel Thread/CPVC Body - CTS MARINE

Socket x SS Fipt

NSF® Certified Lead Free

CG-DE4107005CSS	1/2	100	0	173	31.42
-----------------	-----	-----	---	-----	-------



90° Street EII - CTS MARINE

Spigot x Socket

NSF® Certified Lead Free

CG-4109-005	1/2	100	500	173	2.19
CG-4109-007	3/4	50	250	173	3.48
CG-4109-010	1	50	100	173	15.98



90° Stub Out EII - CTS MARINE

Socket x Closed End

NSF® Certified Lead Free

CG-S4106-005	1/2	50	0	173	31.28
--------------	-----	----	---	-----	-------



45° EII - CTS MARINE

Socket x Socket

NSF® Certified Lead Free

CG-4117-005	1/2	100	500	173	2.32
CG-4117-007	3/4	50	250	173	4.06



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

45° EII - CTS MARINE (continued)

Socket x Socket

CG-4117-010	1	10	100	173	10.29
CG-4117-012	1-1/4	10	100	173	21.82
CG-4117-015	1-1/2	10	100	173	31.60
CG-4117-020	2	10	100	173	66.20

45° Street EII - CTS MARINE

Spigot x Socket

NSF® Certified Lead Free

CG-4127-005	1/2	100	500	173	4.96
CG-4127-007	3/4	50	250	173	6.66
CG-4127-010	1	50	250	173	19.13



Coupling - CTS MARINE

Socket x Socket

NSF® Certified Lead Free

CG-4129-005	1/2	100	1000	173	1.51
CG-4129-007	3/4	50	500	173	2.02
CG-4129-010	1	10	100	173	9.02
CG-4129-012	1-1/4	10	100	173	11.66
CG-4129-015	1-1/2	10	100	173	16.49
CG-4129-020	2	10	50	173	31.39



GripLoc™ Coupling - CTS MARINE

WARNING: DO NOT INSERT FINGERS
Grip Socket x Grip Socket -

Uses No Solvent Cement. NSF® Certified Lead Free

CG-GL4129-005	1/2	1	75	173	34.98
CG-GL4129-007	3/4	1	50	173	36.44
CG-GL4129-010	1	12	24	173	46.17

Gripper is 410 Stainless Steel



Female Adapter with O-ring Gasket - CTS MARINE

Socket x Thread

For Cold Water Service Only - NSF® Certified Lead Free

CG-4135-005OR	1/2	100	500	173	6.52
CG-4135-007OR	3/4	50	250	173	9.21
CG-4135-010OR	1	10	100	173	10.68



Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
 Effective 05/16/2022 See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing



Marine & Offshore Products
CTS CPVC Fittings & Valves - USCG Approved

CTS CPVC Fittings & Valves - USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Special Reinforced - CTS MARINE

Socket x SR Fipt - Stainless Steel Collar

NSF® Certified Lead Free

CG-4135-005SR	1/2	25	200	173	17.64
CG-4135-007SR	3/4	25	300	173	19.41
CG-4135-010SR	1	5	100	173	24.61



Female Adapter - Reducing Special Reinforced - CTS MARINE

Socket x SR Fipt - Stainless Steel Collar

NSF® Certified Lead Free

CG-4135-131SR	1X3/4	25	150	173	34.29
---------------	-------	----	-----	-----	-------



Female Adapter - Stainless Steel Thread Transition - CTS MARINE

Socket x SS Fipt

NSF® Certified Lead Free

CG-4135-005SS	1/2	25	150	173	22.06
CG-4135-007SS	3/4	25	150	173	31.62
CG-4135-010SS	1	25	100	173	52.50
CG-4135-012SS	1-1/4	16	0	173	120.91
CG-4135-015SS	1-1/2	16	0	173	202.86
CG-4135-020SS	2	8	0	173	299.86



Male Adapter - CTS MARINE

Mipt x Socket

For Cold Water Service Only - NSF® Certified Lead Free

CG-4136-005	1/2	100	1000	173	1.94
CG-4136-007	3/4	50	500	173	3.27
CG-4136-010	1	10	100	173	15.48
CG-4136-012	1-1/4	10	100	173	23.94
CG-4136-015	1-1/2	10	100	173	29.52
CG-4136-020	2	10	100	173	48.69



Male Adapter - Spigot - CTS Marine

Mipt xx Spigot

For Cold Water Service Only - NSF® Certified Lead Free

CG-4161-005	1/2	50	700	173	6.20
-------------	-----	----	-----	-----	------



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Male Adapter - Internal Stainless Steel Reinforced - CTS MARINE

R Mipt x Socket - Stainless Steel Sleeve

NSF® Certified Lead Free

CG-4136-005R	1/2	25	300	173	22.66
CG-4136-007R	3/4	25	300	173	25.18
CG-4136-010R	1	10	120	173	37.51



Male Adapter - Transition with Stainless Steel Thread - CTS MARINE

Socket x SS Mipt

NSF® Certified Lead Free

CG-4136-005SS	1/2	25	150	173	22.08
CG-4136-007SS	3/4	25	150	173	34.93
CG-4136-010SS	1	25	100	173	59.10
CG-4136-012SS	1-1/4	16	0	173	118.41
CG-4136-015SS	1-1/2	16	0	173	202.86
CG-4136-020SS	2	8	0	173	223.17



Reducer Bushing - CTS MARINE

Spigot x Socket

NSF® Certified Lead Free

CG-4137-101	3/4X1/2	10	500	173	2.31
CG-4137-130	1X1/2	10	100	173	7.53
CG-4137-131	1X3/4	10	100	173	7.53
CG-4137-166	1-1/4X1/2	10	100	173	9.74
CG-4137-167	1-1/4X3/4	10	100	173	9.74
CG-4137-168	1-1/4X1	10	100	173	9.74
CG-4137-209	1-1/2X1/2	10	100	173	12.26
CG-4137-210	1-1/2X3/4	10	100	173	12.26
CG-4137-211	1-1/2X1	10	100	173	12.87
CG-4137-212	1-1/2X1-1/4	10	100	173	13.38
CG-4137-247	2X1/2	10	50	173	27.92
CG-4137-248	2X3/4	10	50	173	27.92
CG-4137-249	2X1	10	60	173	27.92
CG-4137-250	2X1-1/4	10	50	173	27.92
CG-4137-251	2X1-1/2	10	100	173	27.92



Transition Bushing - CTS MARINE

IPS Spigot x CTS Socket

NSF® Certified Lead Free

CG-4140-005	1/2	10	600	173	9.73
CG-4140-007	3/4	10	100	173	10.17
CG-4140-010	1	10	100	173	11.23
CG-4140-015	1-1/2	10	100	173	17.54
CG-4140-012	1-1/4	10	100	173	13.90
CG-4140-020	2	10	50	173	19.13



Marine & Offshore Products
CTS CPVC Fittings & Valves - USCG Approved



CTS CPVC Fittings & Valves - USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Transition Coupling - CTS MARINE

IPS Socket x CTS Socket

NSF® Certified Lead Free

CG-4141-007	3/4	25	300	173	6.98
-------------	-----	----	-----	-----	------

Cap - CTS MARINE

Socket

NSF® Certified Lead Free

CG-4147-005	1/2	100	500	173	1.66
CG-4147-007	3/4	50	250	173	2.10
CG-4147-010	1	10	100	173	7.70
CG-4147-012	1-1/4	10	100	173	10.61
CG-4147-015	1-1/2	10	100	173	16.29
CG-4147-020	2	10	50	173	32.90

GripLoc™ Cap - CTS MARINE

**WARNING: DO NOT INSERT FINGERS
Grip Socket**

Uses No Solvent Cement. NSF® Certified Lead Free

CG-GL4147-005	1/2	25	200	173	34.03
CG-GL4147-007	3/4	25	150	173	36.14
CG-GL4147-010	1	10	50	173	40.26

Gripper is 410 Stainless Steel

Union - CTS MARINE

Socket with EPDM O-ring Seal

100 psi Maximum Internal Pressure @ 180°F (82°C) -
NSF® Certified Lead Free

CG-4197-005	1/2	25	150	173	17.71
CG-4197-007	3/4	12	48	173	28.08
CG-4197-010	1	36	0	173	46.09
CG-4197-012	1-1/4	12	48	173	89.93
CG-4197-015	1-1/2	12	0	173	95.56
CG-4197-020	2	6	36	173	150.18

Union - Special Reinforced - CTS MARINE

Socket x SR Fipt - EPDM O-ring Seal, Stainless Steel Collar

100 psi Maximum Internal Pressure @ 180°F (82°C) -
NSF® Certified Lead Free

CG-4199-005SR	1/2	20	120	173	32.32
CG-4199-007SR	3/4	10	60	173	55.49
CG-4199-010SR	1	10	40	173	92.16

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

CPVC-PEX Transition Spigot Adapters - CTS MARINE

Spigot x PEX Barb-Crimp Style

CPVC Spigot is also (Socket)
NSF® Certified Lead Free

CG-TPC-005	1/2	25	150	173	54.83
CG-TPC-007	3/4 (1/2)	25	100	173	61.78
CG-TPC-010	1(3/4)	25	50	173	85.84

ASTM F1807 PEX Connector, Stainless Steel

CPVC-PEX Transition Socket Adapters - CTS MARINE

Socket x PEX Barb-Crimp Style

CPVC Socket is also (Spigot)
NSF® Certified Lead Free

CG-TPC-005-S	1/2 (3/4)	25	150	173	54.83
CG-TPC-007-S	3/4(1)	25	100	173	61.78
CG-TPC-010-S	1(1-1/4)	50	300	173	85.84

ASTM F1807 PEX Connector, Stainless Steel

Water Hammer Arrestor - CTS MARINE

Spigot

NSF® Certified Lead Free

CG-WHA-005	1/2	25	100	173	44.58
------------	-----	----	-----	-----	-------

Quarter Turn Angle Supply Stop - Socket - CTS MARINE

Socket x NPT

100 psi @ 180°F (82°C)

Male Thread for Connection to Flexible Supply Line having 1/2"
Female NPT Thread Inlet - NSF® Certified Lead Free

CG-7722-005	1/2	50	400	173	24.96
-------------	-----	----	-----	-----	-------

Quarter Turn Angle Supply Stop - Special Reinforced - CTS MARINE

SR Fipt x NPT

100 psi @ 180°F (82°C)

Male Thread for Connection to Flexible Supply Line having 1/2"
Female NPT Thread Inlet - NSF® Certified Lead Free

CG-7721-005SR	1/2	50	400	179	28.38
---------------	-----	----	-----	-----	-------

Ball Valve - Commercial - CTS MARINE-

Socket with EPDM O-ring Seal

100 psi Maximum Internal Pressure @ 180°F (82°C)
NSF® Certified Lead Free

CG-1922-005	1/2	25	200	179	42.36
CG-1922-007	3/4	24	0	179	61.41



Marine & Offshore Products

CTS CPVC Fittings & Valves - USCG Approved & CTS CPVC Solvent Cement - USCG Approved

CTS CPVC Fittings & Valves - USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Ball Valve - Commercial - CTS MARINE- (continued)

Socket with EPDM O-ring Seal

CG-1922-010	1	25	0	179	78.72
CG-1922-012	1-1/4	8	0	179	134.03
CG-1922-015	1-1/2	6	0	179	186.91
CG-1922-020	2	4	0	179	238.08

CTS CPVC Solvent Cement - USCG Approved

CTS-5 Solvent Cement - Yellow -CTS MARINE

One-Step (requires no primer)



CTS5-020	Pint	12	0	701	43.42
CTS5-030	Quart	12	0	701	75.55
CTS5-040	Gallon	6	0	701	258.42