

S9V2 Repair Parts

PartNumber	Description	S9V2B040U3	S9V2B060U3	S9V2B080U3	S9V2C100U4	S9V2D120U5
BLW01401	BLOWER; INDUCER, 2 STAGE, 115V, 60 HZ, 3300/2345 RPM, 5 MFD CPT AT 370 VAC, INCLUDES GASKET & SCREWS	X	X	X	X	X
BND00917	BAND; BELLY BAND ASSEMBLY, INCLUDES BAND, MOTOR LEGS, MOUNTING HARDWARE	X	X	X	X	X
BNR01233	BURNER; 0.50 ID INSHOT BURNER, STAINLESS STEEL, 2.75 X 4.50	X	X	X	X	X
CNT07114	CONTROL; IFC, RELEASE 2 STAGE FURNACE CONTROL		X	X	X	X
EXC02649	HEAT EXCHANGER	X				
EXC02650	HEAT EXCHANGER		X			
EXC02651	HEAT EXCHANGER			X		
EXC02653	HEAT EXCHANGER				X	
EXC02654	HEAT EXCHANGER					X
GKT04780	GASKET; BLOWER INDUCER, GREEN SILICONE, 3.70 OD X 2.90 ID	X	X	X	X	X
IGN00152	IGNITER; SILICON-NITRIDE, 120V, INCLUDES BRACKET AND SCREWS.	X	X	X	X	X
MOT16956	MOTOR; VARIABLE SPEED, 1/2 HP, AC120V, 1200 RPM	X	X	X		
MOT16957	MOTOR; VARIABLE SPEED, 3/4 HP, AC120V, 1200 RPM				X	
MOT16958	MOTOR; VARIABLE SPEED, 1.0 HP, AC120V, 1200 RPM					X
SEN02400	SENSOR; FLAME, NIKROTHAL 80 ELECTRODE	X	X	X	X	X
SEP00271	SEPARATOR; ASSEMBLY-UPFLOW, INCLUDES TRAP, ADAPTERS, O-RINGS AND SCREWS	X	X	X	X	X
SWT01649	SWITCH; REVERSE AIRFLOW, OPEN 105F, CLOSE 95F, 120/240V, 1/4QC TERM		X	X	X	X
SWT01649	SWITCH; REVERSE AIRFLOW, OPEN 105F, CLOSE 95F, 120/240V, 1/4QC TERM		X	X	X	X

S9V2 Repair Parts

PartNumber	Description	S9V2B040U3	S9V2B060U3	S9V2B080U3	S9V2C100U4	S9V2D120U5
SWT03924	SWITCH; PRESSURE, SPDT, 28VA PILOT DUTY AT 24 VAC, 125VA PILOT DUTY AT 120VAC, OPR TEMP RANGE: -40 TO 190F, 0.20 DEG W.C.	X	X	X	X	X
SWT03925	SWITCH; PRESSURE, SPST, 28VA PILOT DUTY AT 24 VAC, 125VA PILOT DUTY AT 125VAC, OPR TEMP RANGE: -40 TO 190F, 0.80 DEG W.C.		X			
SWT03926	SWITCH; POSITIVE PRESSURE, SPST, 28VA PILOT DUTY AT 24 VAC, 125VA PILOT DUTY AT 125VAC, OPERATING TEMP RANGE: -40 TO 185F	X	X	X	X	X
SWT03927	SWITCH; BLOWER INDUCER LIMIT SWITCH, 155F OPEN, 95F CLOSE	X			X	X
SWT03938	SWITCH; LIMIT, OPEN AT 135F, CLOSE AT 105F				X	
SWT03939	SWITCH; LIMIT, OPEN AT 140F, CLOSE AT 110F		X			
SWT03940	SWITCH; LIMIT, OPEN AT 145F, CLOSE AT 115F					X
SWT03964	SWITCH; BLOWER INDUCER LIMIT SWITCH, 155F OPEN, 125F CLOSE		X			
SWT03965	SWITCH; BLOWER INDUCER LIMIT SWITCH, 145F OPEN, 115F CLOSE			X		
SWT03967	SWITCH; FLAME ROLLOUT, 190F OPEN, 5.8 FLA, 34.8 LRA AT 120 VAC, 24 VAC, MAN RESET 100F, AUTO RESET -31F,		X	X	X	X
SWT03968	SWITCH; FLAME ROLLOUT, 190F OPEN, 5.8 FLA, 34.8 LRA AT 120 VAC, 24 VAC, MAN RESET 100F, AUTO RESET -31F,		X	X	X	X
SWT03971	SWITCH; PRESSURE, SPST, 28VA PILOT DUTY AT 24 VAC, 125VA PILOT DUTY AT 125VAC, OPR TEMP RANGE: -40 TO 190F, 1.00 DEG W.C.				X	
SWT03972	SWITCH; PRESSURE, SPST, 28VA PILOT DUTY AT 24 VAC, 125VA PILOT DUTY AT 125VAC, OPR TEMP RANGE: -40 TO 190F, 1.20 DEG W.C.					X
TRR02736	TRANSFORMER; 115V-24V, 35VA, 60 HZ, CLASS 2	X	X	X	X	X

S9V2 Repair Parts

PartNumber	Description	S9V2B040U3	S9V2B060U3	S9V2B080U3	S9V2C100U4	S9V2D120U5
TUB13975	TUBE; CONDENSATE DRAIN, INCLUDES CLAMPS, ADAPTER AND COUPLING	X	X	X	X	X
VAL09030	VALVE; GAS, NON DIRECT VENT 2 STAGE, 1/2-14 NPT, 24V, 50/60 HZ, "J" SERIES	X	X	X	X	X
WHL02916	WHEEL; BLOWER, 11 IN DIA, 8 IN WIDTH, 0.50 IN BORE, CW	X	X	X		