

Monogram 48" Built-In Side-by-Side Refrigerator

Features \$8,400 MSRP*

Flush inset installation

Allows the refrigerator to be installed flush with adjacent cabinetry

Advanced temperature management system with multi-shelf brushed aluminum air tower

Provides even distribution of air throughout the refrigerator

Climate-control drawer

Allows you to express-chill beverages, express-thaw meats and select specific temperatures for perishable foods

WiFi Connect

Enjoy the convenience and freedom of wirelessly controlling functions from your smartphone

LED lighting

Light columns in the freezer and fresh food compartments extend the full length of the interior and LED lighting located inside the vegetable and climate-control drawers illuminate contents without comprimising space

GE® water filter

Has been moved from the fresh food compartment to the overhead cabinet, where it is discreetly out of sight

Adjustable deli drawer on full-extension slides

Keeps meats, cheeses and other everyday foods within easy reach

Humidity-controlled vegetable drawer

Helps preserve the freshness of foods



* Manufacturer's Suggested Retail Price (MSRP)

Actual retail prices may vary by dealer. MSRP applies to the continental 48 United States and does not include such items as delivery, installation, installation accessories (i.e. range cords), or removal of old appliances. Consult your local authorized GE dealer for its prices.



Monogram 48" Built-In Side-by-Side Refrigerator

Adjustable spillproof glass shelves

Easily accommodate party trays and platters

Gallon-size door bin

Holds milk containers, two-liter bottles and pitchers

Adjustable door bins

Can be moved to one of two positions in seven locations

Dairy bin with center divider

Has a unique magnetic seal that locks in freshness

Filter-change indicator light

Located on the upfront control panel, provides a visual reminder when it's time to replace the filter for the water dispenser



Monogram 48" Built-In Side-by-Side Refrigerator

Specifications

APPROXIMATE DIMENSIONS (HxWxD)

84 in x 48 in x 25 3/8 in

| C | Δ | P | Δ | C | IT۱ | 1 |
|---|---|---|---|---|-----|---|
| | | | | | | |

| Total Capacity (cubic feet) | 29.90 cu ft |
|-----------------------------|-------------|
| Fresh Food Capacity | 17.60 cu ft |
| Freezer Capacity | 12.30 cu ft |

FEATURES

| Temperature Management Features | Electronic Sensors; Multi-Shelf Air Management Tower |
|-----------------------------------|--|
| Control Type | Upfront Electronic Digital Temperature Display |
| Defrost Type | Auto |
| Icemaker | Factory-Installed |
| Dispenser | Non-Dispenser |
| Water Filtration | GE Water Filtration 1 Year; Water Filter Indicator Light |
| Fresh Food Cabinet Shelves | 4 Total |
| Fresh Food Cabinet Shelf Features | Adjustable |
| Fresh Food Door Bins | 4 |
| Fresh Food Door Features | Adjustable; Door Alarm; Gallon Storage |
| Climate Control Drawer | Express Chill, Express Thaw, Select Temp |
| Deli Drawer | Adjustable Sealed w/ Full Extension Slides |
| Produce Drawer | High-Humidity Sealed w/ Full Extension Slides |
| Freezer Cabinet Shelves | 5 Adjustable; 5 Total; Wire |
| Freezer Door Bins | 3 Total |
| Freezer Utility Baskets | 2 |
| Clear Lexan Bins and Pans | Yes |
| Interior Lighting | LED Light Towers, Top LED and Pan LED Lighting |
| Leveling System | 4 Point |
| Sabbath Mode Kit | Optional - ZSAB1 |
| Exterior Style | Built-In |

ECONOMICAL

| Quiet Features Stainless Sealed Adjustable Toe Kick |
|---|
|---|

APPEARANCE

| Color Appearance | Custom Panels Required |
|----------------------|--|
| Design Style | Custom Panel |
| Handle | Custom Handle Compatible; Factory-Installed Full-Length Visor Handle |
| Door Panels Required | Yes |
| Door Stops | 90 Degree and 130 Degree |



Monogram 48" Built-In Side-by-Side Refrigerator

| Hidden Door Hinge(s) | Yes | | |
|-----------------------------|---|--|--|
| Adjustable Rollers | 4 | | |
| Easy Access Hinged Grille | Yes | | |
| Installation | Flush Inset Installation w/ 1/2" Reveals; Industry Standard Flush Installation | | |
| Master Light Control Switch | Yes | | |
| Panel Capability | 1/4" Framed Panels; 3/4" Overlay Panels; Flush Inset Panels | | |
| WEIGHTS & DIMENSIONS | | | |
| Approximate Shipping Weight | 775 lb | | |
| Net Weight | 775 lb | | |
| Overall Depth | 25 3/8 in | | |
| Overall Height | 84 in | | |
| Overall Width | 48 in | | |
| POWER/RATINGS | | | |
| Volts/Hertz/Amps | 115V; 60Hz; 20A | | |
| WARRANTY | | | |
| Parts Warranty | Limited 12-year sealed refrigerating system; Limited 2- year entire appliance; Limited 5-year sealed refrigerating system; Limited lifetime full extension slides | | |
| Labor Warranty | Limited 2-year entire appliance; Limited 5-year sealed refrigerating system | | |
| Warranty Notes | See written warranty for full details | | |