



**Q**UORUM  
INTERNATIONAL

CEILING FAN 2016-2017





## CEILING FANS 2016-2017

---

**Welcome to the 2016-2017 Quorum Fan Catalog.** With Quorum's range of fans, from classic designs to modern classics, we have a ceiling fan for every need. Whether you are revamping a room, updating your home, designing your dream house, or simply cooling the patio, we have you covered.

***The right design for any idea.***

# FIND YOUR DISTINCTIVE STYLE.

With an enormous selection of designs and finishes to choose from, you'll find the perfect ceiling fan that allows you to express your own personal taste and create the mood of comfort and style that only a beautiful ceiling fan can achieve. If you want to set your home apart – then you are holding the right catalog! If you prefer to shop online, you're invited to browse our entire collection of lighting and ceiling fans at [QuorumInternational.com](http://QuorumInternational.com)

## CONTENTS

CEILING FAN VISUAL TABLE OF CONTENTS .....	008
■ INDOOR CEILING FANS .....	012
■ Contemporary .....	012
■ Soft Contemporary .....	062
■ Traditional.....	092
■ Value Selections .....	192
■ INDOOR FAN LIGHT KITS .....	234
■ PATIO FANS .....	248
■ Contemporary .....	248
■ Soft Contemporary .....	260
■ Traditional.....	272
■ Value Selections .....	304
■ PATIO FAN LIGHT KITS .....	318
■ GLASS (FOR LIGHT KITS) .....	324
■ ACCESSORIES.....	332
■ Blade Alternatives .....	334
■ Optional Downrods, Couplers & Adapters .....	360
■ Remote & Wall Controls .....	363
■ FINISH INDEX.....	366
■ Indoor Fans.....	368
■ Patio Fans .....	377
■ Indoor Fan Light Kits .....	380
■ Patio Fan Light Kits.....	383
■ INDEX.....	386





# HOW THE BOOK WORKS

Ceiling fans are grouped into "families" that follow a common design theme to help you shop according to the style of the fan that you want. Fans that are intended for outdoor use are also grouped into a special patio section. Each fan family has a name and is often shown with one of our optional light kits that compliments the style and finish of the fan family. Note that many of Quorum's ceiling fan finishes are also applied to our decorative lighting fixture families that are found in our separate 2016-2017 Quorum Lighting catalog or online at [QuorumInternational.com](http://QuorumInternational.com)



## ICON KEY



Energy Star certified product.



Product with an upward facing light.



Product has blade options available.



Product can be placed in a damp location.



Product can be placed in a wet location.

# HOW TO READ THE SPECIFICATIONS

On each product page, you will find basic specifications for each ceiling fan or light kit. The basic fan specifications include item number, fan finish, and blade finish.

finish code

**71525-95**


Old World - *metal finish*

Old World | Walnut Blades - *blade finish: side A | side B blade finish*

## DETAILED MECHANICAL & ENERGY SPECS

To help you learn more information about dimensions and energy usage, a detailed reference chart is provided for every fan family (see sample below). This information is available on each family section or visit us online at: [QuorumInternational.com](http://QuorumInternational.com)

Detailed Mechanical Specifications Chart Sample:





## DIFFERENT BY DESIGN

Exceptional design is impossible to ignore. When perfectly executed, it breaks through the mundane and captivates the senses. It's something we take very seriously at Quorum International.

That's why our products are designed in-house by our award-winning industrial design team. And once our products are designed and manufactured, we offer them to our Authorized Quorum Distributors who, in turn, provide them to customers who appreciate the innovation, value and workmanship that go into each fan.

Headquartered in Fort Worth, Texas, Quorum leads the industry in service, quality and style, and we are honored that our distributors and customers continue to rely on us for those very things.

Please enjoy our catalog and we look forward to providing you with beautifully functional and inspiring products.





Be sure to look for the upcoming Quorum Summer Supplement that will be available in June 2016 introducing all new designs!

# INDOOR FANS

## VISUAL TABLE OF CONTENTS

---



Alpha 52"  
**014**



Alpha 60"  
**016**



Alton 60"  
**100**



Alton 70"  
**104**



Alumina  
**020**



Angel  
**022**



Ashfield  
**108**



Axel  
**024**




Bakersfield  
**110**



Barclay  
**114**



Barclay  
Hugger 44" **116**



Brewster  
**118**




Bristol  
**064**



Bronx  
**026**



Capri I 42"  
**194**



Capri I 52"  
**196**



Capri III  
**200**




Capri IV  
**204**




Capri V  
**208**



Capri VI  
**212**



Capri VII  
**216**




Chateaux  
**122**



Chateaux 60"  
**126**



Chateaux 52"  
Uni-pack **128**



Chateaux 60"  
Uni-pack **132**



Cimarron  
**136**



Colton  
**066**



Custom  
Hugger 42" **218**



Custom  
Hugger 52" **220**



Davenport  
**068**



Daystar  
**028**



Dragonfly 60"  
**030**



Dragonfly 72"  
**032**



Elica  
**034**



Empress  
**140**




Estate 30"  
**222**



Estate 42"  
**224**



Estate 52"  
**226**



Flex  
**036**



Galloway  
**144**



Gusto 32"  
**146**



Hanover  
**148**




Hoffman  
**070**



Jellyfish  
**038**



Jubilee  
**040**



Kai  
**042**



Kingsley 52"  
**150**



Kingsley 60"  
**152**



Le Monde  
**094**




Liberty  
**154**




Lone Star  
**156**



Lowell  
**160**



Medallion 30"  
**164**



Medallion 42"  
**166**



Medallion 52"  
**168**



Mendocino  
**072**



Mercer  
**074**



Metro  
**076**



Mission  
**078**



Modesto  
**080**

# INDOOR FANS

## VISUAL TABLE OF CONTENTS (CONTINUED)

---



Monticello  
**230**



Muse  
**044**



Nikko 44"  
**046**



Nikko 52"  
**048**



Nova  
**082**



Pinnacle  
**170**



Prizzm  
**050**




Proxima 60"  
**052**




Proxima 72"  
**054**



Retro  
**056**



Roderick  
**174**



Rothman  
**084**



Salon  
**176**



Soho  
**086**




Telstar  
**058**



Trimark  
**060**



Turino  
**180**




Turner  
**184**



Valor  
**088**




Vector  
**090**




Venture  
**186**



Windmill 60"  
**096**



Windmill 72"  
**098**



Windsor  
**190**

# PATIO FANS

## VISUAL TABLE OF CONTENTS

---



Adirondacks  
**274**




Allure  
**276**



Allure  
All-Weather **278**



Auburn  
**280**



Baltic  
**282**



Bronx  
**254**



Dragonfly 60"  
**256**



DragonFly 72"  
**258**



Estate 30"  
**306**



Estate 42"  
**308**



Estate 52"  
**310**



Estate Uni-Pack  
**314**



Galveston  
**284**




Georgia  
**286**



Hanover  
**262**



Hudson  
**264**



Marsden  
**288**



Medallion 30"  
**290**



Medallion 42"  
**292**



Medallion 52"  
**294**




Monaco  
**296**



Orbit  
**266**



Pinnacle  
**298**




Portside  
**268**



Proxima 60"  
**250**




Proxima 72"  
**252**



Rockwell  
**270**



Veranda  
**300**



Westbrook  
**302**





Q

# INDOOR FANS CONTEMPORARY

Clean lines and polished metals are the hallmarks of our Contemporary designs. Engineered with the utmost precision, Quorum fans are designed to elevate your space and bring unmatched style to your décor.




# ALPHA 52" CEILING FAN


They say variety is the spice of life. Leave it to the 52" Alpha to provide 16 different varieties. Customizing this contemporary, sleek fan is half the fun. And if you can't decide, mount a different style in each room for a sprinkle of spice around your entire space.




## AVAILABLE FINISHES / BLADE OPTIONS



**97003-08**  
Studio White  
**5230808124**  
Studio White Blades



**97003-014**  
Chrome  
**5230000124**  
Clear Blades



**97003-065**  
Satin Nickel  
**5236565124**  
Satin Nickel Blades



**97003-086**  
Oiled Bronze  
**5232424124**  
Walnut Blades

## HOW TO ORDER THE ALPHA FAN.

A. First Pick the Housing/Motor Finish from below:


97003-08 Studio White  
97003-014 Chrome  
97003-065 Satin Nickel  
97003-086 Oiled Bronze

B. Then Choose the Blade Finish from below:

5230000124 52" Clear  
5230808124 52" Studio White  
5232424124 52" Walnut  
5236565124 52" Satin Nickel

\*Note - Housing/Motor and Blades options will ship separately.

### HEIGHT CHART



### FAN HEIGHT

- Distance of 18"
- Distance of 16.25"

### GENERAL SPECS

16 Finish Combinations Available  
Lifetime Motor Warranty  
Three Blades  
52" Blade Sweep  
18-Degree Blade Pitch  
58" Lead Wire

### MECHANICAL SPECS

125mm DC Motor  
6 Speeds-Reversible w/ Wall Control  
12 Poles  
.39/.27/.18/.12/.08/.05 AMPS on H/M/L  
32/27/14/8/5/3 WATTS on H/M/L  
157/134/114/93/72/50 RPMS on H/M/L  
Wall Control Included  
Light Kit Uses (1) 50W GU10 (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5554 Cubic Feet/Minute  
Electricity Use: 32 Watts (Excludes Lights)  
Airflow Efficiency: 172 Cubic Feet/Minute/Watt

### BULB TYPE



GU 10

### WALL CONTROL





Included



# ALPHA 60" CEILING FAN

They say variety is the spice of life. Leave it to the 60" Alpha to provide 32 different varieties. Customizing this contemporary, sleek fan is half the fun. And if you can't decide, mount a different style in each room for a sprinkle of spice around your entire space.

## AVAILABLE FINISHES / BLADE OPTIONS



**97003-08**  
Studio White  
**6030808124**  
Studio White Blades

**97003-08**  
Studio White  
**6030808174**  
Italia Studio White Blades



**Blade Style**  
6032424124 60" Walnut



**Italia Blade Style**  
6032424174 60" Italia Walnut

### HOW TO ORDER THE ALPHA FAN.

A. First Pick the Housing/Motor Finish from below:

97003-08 Studio White  
97003-014 Chrome  
97003-065 Satin Nickel  
97003-086 Oiled Bronze

B. Then Choose the Blade Style Finish from below:

6030000124 60" Clear  
6030000174 60" Italia Clear  
6030808124 60" Studio White  
6030808174 60" Italia Studio White  
6032424124 60" Walnut  
6032424174 60" Italia Walnut  
6036565124 60" Satin Nickel  
6036565174 60" Italia Satin Nickel

\*Note - Housing/Motor and Blades options will ship separately.


AVAILABLE FINISHES / BLADE OPTIONS



**97003-086**  
Oiled Bronze  
**6032424124**  
Walnut Blades



**97003-086**  
Oiled Bronze  
**6032424174**  
Italia Walnut Blades



**97003-065**  
Satin Nickel  
**6036565124**  
Satin Nickel Blades




**97003-065**  
Satin Nickel  
**6036565174**  
Italia Satin Nickel Blades




**97003-065**  
Satin Nickel  
**6032424124**  
Walnut Blades




**97003-065**  
Satin Nickel  
**6032424174**  
Italia Walnut Blades



**97003-014**  
 Chrome  
**6030808124**  
 Studio White Blades



**97003-014**  
 Chrome  
**6030808174**  
 Italia Studio White Blades




**97003-014**  
 Chrome  
**6030000124**  
 Clear Blades



**97003-014**  
 Chrome  
**6030000174**  
 Italia Clear Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Distance of 18"
- Distance of 16.25"

**GENERAL SPECS**

16 Finish Combinations Available  
 Lifetime Motor Warranty  
 Three Blades  
 60" Blade Sweep  
 18-Degree Blade Pitch  
 58" Lead Wire

**MECHANICAL SPECS**

125mm DC Motor  
 6 Speeds-Reversible w/ Wall Control  
 12 Poles  
 .45/29/20/15/09/06 AMPS on H/M/L  
 32/20/13/9/6/4 WATTS on H/M/L  
 133/115/99/83/67/50 RPMs on H/M/L  
 Wall Control Included  
 Light Kit Uses (1) 50W GU10 (Included)

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 6147 Cubic Feet/Minute  
 Electricity Use: 32 Watts (Excludes Lights)  
 Airflow Efficiency: 195 Cubic Feet/Minute/Watt

**BULB TYPE**



GU 10

**REMOTE CONTROL OPTIONS**



Included



# ALUMINA CEILING FAN


This gorgeous series features a fluted, eye-catching motor housing that sets it apart from the rest. Additionally, three blades and disc-like light kit give this fan a bit of a retro feel, perfect for those seeking the unique combination of old and new.

## AVAILABLE FINISH



**30603-16**  
Brushed Aluminum  
Silver Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 8" downrod  
● Distance of 16.25"  
○ Distance of 21.75"

### GENERAL SPECS

- 1 Finish Available  
Lifetime Motor Warranty  
Three Blades  
60" Blade Sweep  
13 Degree Blade Pitch  
80" Lead Wire  
8" Downrod Included


### MECHANICAL SPECS

- 140 x 25mm GM Motor Size  
3 Speeds-Reversible w/Manual Reverse  
36 Poles  
.47/.46/.37 AMPS on H/M/L  
55/38/21 WATTS on H/M/L  
105/83/57 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/ Manual Reverse  
Light Kit Uses (1) 100W T-3 78mm Halogen Bulb (Included)

### ENERGY SPECS

- Energy Information at High Speed  
Airflow: 5142 Cubic Feet/Minute  
Electricity Use: 55 Watts (Excludes Lights)  
Airflow Efficiency: 93 Cubic Feet/Minute/Watt

### BULB TYPE



T-3 Halogen

### REMOTE CONTROL OPTIONS




Included



7-1305-0



8-1401




# ANGEL CEILING FAN

The Angel fan is perfectly named. With four polycarbonate "wings" for blades and an elegant, teardrop shaped decorative housing, this fan looks like it could take flight at any moment.



## AVAILABLE FINISH




**26424-155**  
Brushed Nickel  
Clear Polycarbonate Blades



**Optional Hugger Adapter**  
**7-2642-55** 11.75" (w) x 4" (h)  
Hugger adapter shown on 26425-155 ceiling fan.

### HEIGHT CHART



### FAN HEIGHT

Using 6" cable setup

- Distance of 22.5"
- Distance of 25.25"

### GENERAL SPECS

Lifetime Motor Warranty  
Four Blades  
42" Blade Sweep  
100" Lead Wire  
8 Optional Length Cables Included:  
6", 12", 18", 24", 36", 48", 60", and 72"

### MECHANICAL SPECS

188 x 20 Motor Size  
3 Speeds-Reversible w/Wall Control  
16 Poles  
.53/48/34 AMPS on H/M/L  
71/38/17 WATTS on H/M/L  
70/52/31 RPMS on H/M/L  
Remote Control Adaptable  
Not Light Kit Adaptable

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3385 Cubic Feet/Minute  
Electricity Use: 71 Watts (Excludes Lights)  
Airflow Efficiency: 47 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



Included



8-1401



# AXEL CEILING FAN

The words 'industrial chic' come to mind when eyeing the avant-garde Axel series. With its aerodynamically shaped blades and halogen bulb light kit, this fan is destined to be the focal point of any room. Choose from two different finishes to complement a variety of decorating styles.

## AVAILABLE FINISHES




**82524-86**  
Oiled Bronze  
Oiled Bronze Blades



**82524-65**  
Satin Nickel  
Satin Nickel Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 6" downrod
- Distance of 14.75"
- Distance of 10.75"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 20 Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included


### MECHANICAL SPECS

- 153 x 18 Motor Size
- 4 Speeds-Reversible w/Manual Reverse
- 16 Poles
- .61/.43/.27/.24 AMPS on H/M/L
- 74/36/15/10 WATTS on H/M/L
- 163/107/67/53 RPMS on H/M/L
- Triple Capacitor
- Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Light Kit Uses (1) 75W T-3 78mm Halogen Bulb (Included)

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6356 Cubic Feet/Minute
- Electricity Use: 74 Watts (Excludes Lights)
- Airflow Efficiency: 86 Cubic Feet/Minute/Watt

### BULB TYPE



T3 Halogen

### REMOTE CONTROL OPTIONS



Included



7-3000



# BRONX CEILING FAN

The Bronx series is a stunning example of contemporary design. The three blades fit directly into the housing and are positioned at a 13.5-degree angle to provide maximum efficiency. This fan is a stunning example of minimal, yet exquisite styling.

## AVAILABLE FINISHES



### 42523-86


Oiled Bronze | Amber Scavo Glass  
Walnut Blades  
Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)



### 42523-65

Satin Nickel | Satin Opal Glass  
Walnut Blades  
Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

### HEIGHT CHART



### FAN HEIGHT

Using 4.5" Downrod

- Distance of 15"
- Distance of 12"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Three Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4.5" Downrod Included

### MECHANICAL SPECS

172 x 17 Motor Size  
4 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.55/40/26/22 AMPS on H/M/L  
66/33/15/11 WATTS on H/M/L  
188/133/84/71 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (1) 75W JD-E11 Mini-Can  
Halogen Bulb (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5795 Cubic Feet/Minute  
Electricity Use: 66 Watts (Excludes Lights)  
Airflow Efficiency: 87 Cubic Feet/Minute/Watt

### BULB TYPE



JD-E11 Mini-Can

### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-3000



7-1401-0



# DAYSTAR CEILING FAN

The Daystar series offers a modern take on comfort. Similar to a propeller, the five blades are incorporated into the decorative housing to create a sleek, contemporary look.

## AVAILABLE FINISHES



### 88525-16


Brushed Aluminum | Satin Opal Glass  
 Gray Over Clear Blades  
 Light Kit uses (1) 100W T-3 78mm Halogen Lamp (Included)  
 Shown w/Optional Hugger Adapter (included)



### 88525-8

Studio White | Satin Opal Glass  
 Studio White Blades  
 Light Kit uses (1) 100W T-3 78mm Halogen Lamp (included)

### HEIGHT CHART



### FAN HEIGHT

Using 3.5" Downrod  
 ● Distance of 18"  
 ○ Distance of 13.5"

### GENERAL SPECS

2 Finishes Available  
 Lifetime Motor Warranty  
 Five Blades  
 52" Blade Sweep  
 15-Degree Blade Pitch  
 80" Lead Wire  
 3.5" and 6" Downrod Included

### MECHANICAL SPECS

172 x 20 Motor Size  
 4 Speeds-Reversible / Manual Reverse Switch  
 16 Poles  
 .69/.44/.27/.23 AMPS on H/M/L  
 83/33/13/9 WATTS on H/M/LL  
 188/119/73/60 RPMS on H/M/L  
 Triple Capacitor  
 Wall Control Included  
 Remote Control Adaptable w/Manual Reverse  
 Light Kit Uses (1) 100W T-3 78mm Halogen Bulb (Included)  
 Supplied w/Optional Hugger Adapter

### ENERGY SPECS

Energy Information at High Speed  
 Airflow: 7488 Cubic Feet/Minute  
 Electricity Use: 83 Watts (Excludes Lights)  
 Airflow Efficiency: 89 Cubic Feet/Minute/Watt

### BULB TYPE



T3 Halogen

### REMOTE CONTROL OPTIONS



Included




7-1305-0



7-3000



7-1401-0



# DRAGONFLY 60" CEILING FAN

Sleek style combined with nautical influences define the Dragonfly 60" series. Gray or white Mylar® blades contrast nicely with the futuristic decorative housing and strong metal accents. Choose the Dragonfly to add a flight of fancy (and interest) to your space.



## AVAILABLE FINISHES




**59605-65**  
Satin Nickel  
Gray Mylar® Blades



**59605-8**  
Studio White  
White Mylar® Blades

### HEIGHT CHART



### FAN HEIGHT

Using 3.5" Downrod

- Distance of 13.5"
- Distance of 10.25"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
60" Blade Sweep  
12-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

### MECHANICAL SPECS

28mm DC Motor  
3 Speeds-Reversible  
18 Poles  
.87/59/37 AMPS on H/M/L  
101/46/18 WATTS on H/M/L  
133/88/57 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 4375 Cubic Feet/Minute  
Electricity Use: 101 Watts (Excludes Lights)  
Airflow Efficiency: 43 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-3000



7-1401-0



# DRAGONFLY 72" CEILING FAN

The Dragonfly 72" series will put even more wind in your sails with its Mylar® blades and unique styling. A larger version of the Dragonfly 60", this fan is equally as comfortable in a seaside resort as a lakeside cabin.

## AVAILABLE FINISHES




**59725-65**  
Satin Nickel  
Gray Mylar® Blades



**59725-8**  
Studio White  
White Mylar® Blades

### HEIGHT CHART



### FAN HEIGHT

Using 3.5" Downrod

● Distance of 13.5"

○ Distance of 10.25"

### GENERAL SPECS

2 Finishes Available

Lifetime Motor Warranty

Five Blades

72" Blade Sweep

12-Degree Blade Pitch

80" Lead Wire

3.5" and 6" Downrod Included

### MECHANICAL SPECS

28mm DC Motor

3 Speeds-Reversible

18 Poles

.86/.59/.37 AMPS on H/M/L

100/46/18 WATTS on H/M/L

88/56/37 RPMS on H/M/L

Triple Capacitor

Remote Control Adaptable

### ENERGY SPECS

Energy Information at High Speed

Airflow: 4860 Cubic Feet/Minute

Electricity Use: 100 Watts (Excludes Lights)

Airflow Efficiency: 48 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-3000



7-1401-0



# ELICA CEILING FAN



The Elica fan contrasts mirror-bright, studded chrome with rich walnut blades, making it the perfect contemporary touch to an otherwise classically styled room.

## AVAILABLE FINISH



### 36524-14


Chrome

Walnut Blades

Light Kit uses (1) 50W GU-10 Halogen Lamp (Included)

Up-light uses (6) 15W C7 Lamps (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod

● Distance of 14.25"

○ Distance of 13.5"

#### GENERAL SPECS

Lifetime Motor Warranty

Four Blades

52" Blade Sweep

16-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

#### MECHANICAL SPECS

188 x 20 Motor Size

3 Speeds-Reversible /Manual Reverse Switch

16 Poles

.60/.38/.26 AMPS on H/M/L

62/40/18 WATTS on H/M/L

156/100/60 RPMS on H/M/L

Wall Control Included

Remote Control Adaptable w/Manual Reverse

Light Kit Uses (1) 50W GU-10 Halogen Lamp (Included)

Up-Light Uses (6) 15W C7 Lamps (Included)

#### ENERGY SPECS

Energy Information at High Speed

Airflow: 4526 Cubic Feet/Minute


Electricity Use: 62 Watts (Excludes Lights)

Airflow Efficiency: 73 Cubic Feet/Minute/Watt

#### BULB TYPE



C7 Candelabra



GU-10 Halogen

#### REMOTE CONTROL OPTIONS



Included



8-1402



# FLEX CEILING FAN


Gently curved blades give the Flex series of fans its unique look. A compact housing and industrial inspired light add to the intriguing style. Uncommon yet practical, the Flex is a shining example of modern and beautiful design. Perfect for any environment where style is key.

## AVAILABLE FINISHES



### 98604-86


Oiled Bronze | White Frost Glass  
Vintage Walnut Blades  
Light Kit uses (1) 18W Self-Ballasted GU24 2700k Lamp  
(Included)



### 98604-65

Satin Nickel | White Frost Glass  
Weathered Pine Blades  
Light Kit uses (1) 18W Self-Ballasted GU24 2700k Lamp  
(Included)

### HEIGHT CHART



### FAN HEIGHT

- Using 6" Downrod
- Distance of 15.75"
- Distance of 12.25"

### GENERAL SPECS

2 Finishes Available  
Ltd Lifetime Motor Warranty  
Four ABS Blades  
60" Blade Sweep  
14-Degree Blade Pitch  
4" and 6" Downrod Included

### MECHANICAL SPECS

125mm DC motor  
6 Speeds-Reversible w/Wall Control  
80" Lead Wire  
.44/.27/.19/.13/.09/.06 AMPS on H/M/L  
31/18/13/8/6/4 WATTS on H/M/L  
166/142/119/96/74/50 RPMS on H/M/L  
Wall Control Included  
Light Kit Uses (1) 18W Self-Ballasted GU24 Spiral Lamp (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5702 Cubic Feet/Minute  
Electricity Use: 31 Watts (Excludes Lights)  
Airflow Efficiency: 184 Cubic Feet/Minute/Watt

### BULB TYPE



Spiral GU24

### WALL CONTROL



Included



# JELLYFISH CEILING FAN

The Jellyfish is more than just a ceiling fan, it's an artistic conversation piece. With polished chrome, bold shapes and sculptural details, this fan is just as appropriate for a modern art museum as it is your ultra-contemporary home.




## AVAILABLE FINISH



### 14583-914

Polished Chrome  
Clear Acrylic Blades  
Light Kit uses (1) 50W GU-10 Halogen Lamp (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 6" cable setup  
● Distance of 20.5"  
○ Distance of 13"

#### GENERAL SPECS

Lifetime Motor Warranty  
Three Blades  
58" Blade Sweep  
12-Degree Blade Pitch  
100" Lead Wire  
8 Optional Length Cables Included:  
6", 12", 18", 24", 36", 48", 60", and 72"

#### MECHANICAL SPECS

188 x 18 Motor Size  
3 Speeds-Reversible w/Wall Control  
16 Poles  
.44/.42/.32 AMPS on H/M/L  
54/27/14 WATTS on H/M/L  
110/75/45 RPMS on H/M/L  
7-1301-0 Wall Control Included  
Remote Control Adaptable  
Light Kit Uses (1) 50W GU-10 Halogen Bulb (Included)

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 4193 Cubic Feet/Minute  
Electricity Use: 54 Watts (Excludes Lights)  
Airflow Efficiency: 77 Cubic Feet/Minute/Watt

#### BULB TYPE



GU-10 Halogen


#### REMOTE CONTROL OPTIONS



Included



8-1401




# JUBILEE CEILING FAN

Quorum International celebrated our 30th anniversary with the Jubilee ceiling fan. The slightly whimsical shape of the Jubilee's blades adds an interesting twist to traditional ceiling fans. With a gently curved housing and three metal studs on each blade, the Jubilee provides a hint of rustic charm combined with classic elegance. Available in Oiled Bronze with Distressed Vintage Walnut Blades and Satin Nickel with Distressed Weathered Pine Blades.

## AVAILABLE FINISHES




**90524-86**  
Oiled Bronze  
Distressed Vintage Walnut Blades



**90524-65**  
Satin Nickel  
Distressed Weathered Pine Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 6" Downrod
- Distance of 15.75"
- Distance of 17"

### GENERAL SPECS

- 2 Finishes Available
- Ltd Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 4.5" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 17 Motor Size
- 4 Speeds-Reversible w/Manual Reverse
- 80" Lead Wire
- 16 Poles
- .48/.36/.26/.18 AMPS on H/M/L
- 57/32/17/8 WATTS on H/M/L
- 140/104/73/47 RPMS on H/M/L
- Wall Control Included
- Triple Capacitor
- Remote Control Adaptable w/Manual Reverse
- Not Light Kit Adaptable

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4713 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-3000



# KAI CEILING FAN

The aerodynamically designed blades of the Kai ceiling fan not only provide ideal air circulation, they add a distinctively contemporary feel to any space. Choose the Satin Nickel finish for modern interiors, or opt for the Studio White or Oiled Bronze for a more traditional look.

## AVAILABLE FINISHES



**50524-86**  
Oiled Bronze  
Walnut Blades




**50524-65**  
Satin Nickel  
Satin Nickel Blades



**50524-8**  
Studio White  
Studio White Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 11.75"
- Distance of 10.5"

### GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 153 x 18 Motor Size
- 4 Speeds-Reversible
- 14 Poles
- .48/35/17/.09 AMPS on H/M/L
- 56/30/8/4 WATTS on H/M/L
- 180/136/65/41 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Not Light Kit Adaptable

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5521 Cubic Feet/Minute
- Electricity Use: 56 Watts (Excludes Lights)
- Airflow Efficiency: 99 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



Included



7-3000



7-1305-0



# MUSE CEILING FAN

With only two blades, the Muse series is one of our more unique styles. Bringing to mind a propeller, the Muse's design is deceptively simple. But its ability to move air is undeniable. And the sleek styling makes it appropriate for any contemporary interior.

## AVAILABLE FINISH




### 21542-14

Chrome | Satin Opal Glass

Dark Teak Blades

Light Kit uses (1) 100W JDE11 Mini-Can Halogen Lamp  
(Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod

● Distance of 17"

○ Distance of 13.5"

#### GENERAL SPECS

Lifetime Motor Warranty

Two Blades

54" Blade Sweep

18-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

#### MECHANICAL SPECS

153 x 18 Motor Size

3 Speeds-Reversible/Manual Reverse Switch

14 Poles

.41/.38/.26 AMPS on H/M/L

49/28/9 WATTS on H/M/L

137/107/55 RPMS on H/M/L

Wall Control Included

Remote Control Adaptable w/Manual Reverse

Light Kit Uses (1) 100W JDE-11 Mini-Can Halogen  
Bulb (Included)

#### ENERGY SPECS

Energy Information at High Speed

Airflow: 4563 Cubic Feet/Minute

Electricity Use: 49 Watts (Excludes Lights)

Airflow Efficiency: 94 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can

#### REMOTE CONTROL OPTIONS



Included



7-3000



# NIKKO 44" CEILING FAN

The Nikko 44" series features a striking decorative housing available in three finishes to complement a variety of decorating styles. This compact fan's disk-like light adds just the right amount of modern sensibility.



## AVAILABLE FINISHES



**70443-65**  
Satin Nickel | Satin Opal Glass  
Satin Nickel Blades  
Light Kit uses (1) 50W JDE11 Mini-Can Halogen Lamp (Included)



**70443-14**  
Chrome | Satin Opal Glass  
Dark Teak Blades  
Light Kit uses (1) 50W JDE11 Mini-Can Halogen Lamp (Included)



**70443-8**  
Studio White | Satin Opal Glass  
Studio White Blades  
Light Kit uses (1) 50W JDE11 Mini-Can Halogen Lamp (Included)

### HEIGHT CHART



### FAN HEIGHT

- Distance of 8.75"
- Distance of 7"

### GENERAL SPECS

3 Finishes Available  
Lifetime Motor Warranty  
Three Blades  
44" Blade Sweep  
13.5-Degree Blade Pitch  
8" Lead Wire

### MECHANICAL SPECS

153 x 12 Motor Size  
3 Speeds-Reversible w/Wall Control  
14 Poles  
.41/.38/.29 AMPS on H/M/L  
46/28/14 WATTS on H/M/L  
138/106/62 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable  
Light Kit Uses (1) 50W JDE-11 Mini-Can Halogen Bulb (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3395 Cubic Feet/Minute  
Electricity Use: 46 Watts (Excludes Lights)  
Airflow Efficiency: 74 Cubic Feet/Minute/Watt

### BULB TYPE



JD-E11 Mini-Can

### REMOTE CONTROL OPTIONS



Included




8-1401



# NIKKO 52" CEILING FAN

The Nikko 52" series offers a larger take on the same distinctive styling as the smaller version. Available in three finishes, choose satin nickel blades for a truly contemporary feel.

## AVAILABLE FINISHES



### 70523-65

Satin Nickel | Satin Opal Glass

Satin Nickel Blades

Light Kit uses (1) 50W JDE11 Mini-Can Halogen Lamp (Included)



### 70523-14

Chrome | Satin Opal Glass

Dark Teak Blades

Light Kit uses (1) 50W JDE11 Mini-Can Halogen Lamp (Included)



### 70523-8

Studio White | Satin Opal Glass

Studio White Blades

Light Kit uses (1) 50W JDE11 Mini-Can Halogen Lamp (Included)

#### HEIGHT CHART



#### FAN HEIGHT

- Distance of 8.75"
- Distance of 7.5"

#### GENERAL SPECS

3 Finishes Available  
 Lifetime Motor Warranty  
 Three Blades  
 52" Blade Sweep  
 13.5-Degree Blade Pitch  
 8" Lead Wire

#### MECHANICAL SPECS

153 x 18 Motor Size  
 3 Speeds-Reversible w/Wall Control  
 14 Poles  
 .47/.42/.34 AMPS on H/M/L  
 54/33/17 WATTS on H/M/L  
 172/132/93 RPMS on H/M/L  
 Wall Control Included  
 Remote Control Adaptable  
 Light Kit Uses (1) 50W JDE-11 Mini-Can Halogen Bulb (Included)

#### ENERGY SPECS

Energy Information at High Speed  
 Airflow: 4971 Cubic Feet/Minute  
 Electricity Use: 54 Watts (Excludes Lights)  
 Airflow Efficiency: 92 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can


#### REMOTE CONTROL OPTIONS



Included



8-1401



# PRIZZM CEILING FAN

The Prizzm fan unusual spelling isn't the only thing that's unique about this fan. From the clear acrylic blades to the translucent decorative housing, the Prizzm is anything but boring.

## AVAILABLE FINISH



### 400525-14


Chrome | Clear Acrylic  
Chrome | Clear Acrylic Blades



### Optional Light Kit

**2409-814** 10" (w) x 6" (h) - (4) 13W M Spiral CFL (included)  
Polished Chrome  
Light Kit is shown on 400525-14 ceiling fan

### HEIGHT CHART



### FAN HEIGHT

Using 6" Downrod

- Distance of 15.75"
- Distance of 13.25"

### GENERAL SPECS

Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
13-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

### MECHANICAL SPECS

172 x 14 Motor Size  
3 Speeds-Reversible  
16 Poles  
.55/.35/.21 AMPS on H/M/L  
63/40/26 WATTS on H/M/L  
156/100/60 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5080 Cubic Feet/Minute  
Electricity Use: 63 Watts (Excludes Lights)  
Airflow Efficiency: 80 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# PROXIMA 60" CEILING FAN

Sleek, sophisticated and sexy, this fan should have its own club. The blades are positioned at just the right angle for maximum air circulation and the gorgeous, cylindrical housing adds even more contemporary artistry to this looker. Choose Satin Nickel, Oiled Bronze or Studio White and let the gawking begin. The Proxima 60" ceiling fan is also available in a patio design for outdoor use.

## AVAILABLE FINISHES



**96608-86**  
Oiled Bronze  
Oiled Bronze Blades




**96608-65**  
Satin Nickel  
Satin Nickel Blades



**96608-8**  
Studio White  
Studio White Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" downrod
- Distance of 17.5"
- Distance of 14.5"

### GENERAL SPECS

Lifetime Motor Warranty  
Eight Blades  
60" Blade Sweep  
14 Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrods Included

### MECHANICAL SPECS

DC-165M Motor  
6 Speeds-Reversible w/Wall Control  
6 Poles  
.44/29/20/14/09/06 AMPS on H/M/L  
31/20/13/9/6/4 WATTS on H/M/L  
153/128/110/91/72/53 RPMS on H/M/L


### ENERGY SPECS

Energy Information at High Speed  
Airflow: 8219 Cubic Feet/Minute  
Electricity Use: 31 Watts (Excludes Lights)  
Airflow Efficiency: 266 Cubic Feet/Minute/Watt

### WALL CONTROL



Included



# PROXIMA 72" CEILING FAN

With all the allure of the smaller version, this 72" fan offers even more to love. A modern masterpiece, the Proxima adds an irresistible style to spaces that beg for attention. The Proxima 72" ceiling fan is also available in a patio design for outdoor use.



## AVAILABLE FINISHES



**96728-86**  
Oiled Bronze  
Oiled Bronze Blades




**96728-65**  
Satin Nickel  
Satin Nickel Blades



**96728-8**  
Studio White  
Studio White Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" downrod
- Distance of 25.75"
  - Distance of 28.5"

### GENERAL SPECS

Lifetime Motor Warranty  
Eight Blades  
72" Blade Sweep  
14 Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrods Included

### MECHANICAL SPECS

DC-165L Motor  
6 Speeds-Reversible w/Manual Reverse  
6 Poles  
.20/.14/.11/.09/.07/.05 AMPS on H/M/L  
33/19/12/7/4/3 WATTS on H/M/L  
84/73/63/53/43/33 RPMS on H/M/L

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 10393 Cubic Feet/Minute  
Electricity Use: 33 Watts (Excludes Lights)  
Airflow Efficiency: 317 Cubic Feet/Minute/Watt

### WALL CONTROL



Included



# RETRO CEILING FAN

The Retro fan is true to its name with a futuristic feel, mod-inspired touches, and clear acrylic blades that create a truly groovy effect when in motion. This fan will have any throwback-styled room back to the future in no time.

## AVAILABLE FINISH




### 93524-14

Chrome

Clear Acrylic Blades

(1) 75W Mini-Can Halogen Lamp (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 3.5" Downrod

● Distance of 23"

○ Distance of 17.5"

#### GENERAL SPECS

Lifetime Motor Warranty

Four Blades

52" Blade Sweep

12-Degree Blade Pitch

80" Lead Wire

3.5" and 6" Downrod Included

#### MECHANICAL SPECS

188 x 20 Motor Size

4 Speeds-Reversible / Manual Reverse Switch

16 Poles

.49/.42/.32/.25 AMPS on H/M/L

63/42/26/15 WATTS on H/M/L

160/130/90/76 RPMS on H/M/L

Triple Capacitor

4 Speed Wall Control Included

Remote Control Adaptable w/Manual Reverse

#### ENERGY SPECS

Energy Information at High Speed

Airflow: 6065 Cubic Feet/Minute

Electricity Use: 63 Watts (Excludes Lights)

Airflow Efficiency: 95 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can

#### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-1401-0



# TELSTAR CEILING FAN

The Telstar fan is an industrial-inspired design that works well as both a central element and as a final touch. The clean, sharp lines and bright metal make this fan ideal for that edgy, minimalistic feel.

## AVAILABLE FINISH




### 600525-16

Brushed Aluminum

Gray Blades

Light Kit uses (1) 50W GU-10 Halogen Lamp (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 6" Downrod

● Distance of 18.75"

○ Distance of 12.5"

#### GENERAL SPECS

Lifetime Motor Warranty

Five Blades

52" Blade Sweep

12-Degree Blade Pitch

80" Lead Wire

6" Downrod Included

#### MECHANICAL SPECS

172 x 14 Motor Size

3 Speeds-Reversible

16 Poles

.59/.46/.33 AMPS on H/M/L

64/47/24 WATTS on H/M/L

161/124/65 RPMS on H/M/L

Triple Capacitor

Remote Control Adaptable w/Manual Reverse

Light Kit Uses (1) 50W GU-10 Halogen Bulb (Included)

#### ENERGY SPECS

Energy Information at High Speed

Airflow: 4955 Cubic Feet/Minute

Electricity Use: 64 Watts (Excludes Lights)

Airflow Efficiency: 77 Cubic Feet/Minute/Watt

#### BULB TYPE



GU-10 Halogen

#### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



# TRIMARK CEILING FAN

The Trimark series, with its uniquely shaped blades and cylindrical decorative housing, truly makes a statement. Three blades positioned directly into the housing add to the allure of this uncommon fan.

## AVAILABLE FINISHES



### 20543-9186

Oiled Bronze | Satin Opal Glass  
Walnut Blades  
Light Kit uses (2) 40W C Bulbs (Included)



### 20543-965

Satin Nickel | Satin Opal Glass  
Satin Nickel Blades  
Light Kit uses (2) 40W C Bulbs (Included)



### 20543-914


Chrome | Satin Opal Glass  
Dark Teak Blades  
Light Kit uses (2) 40W C Bulbs (Included)



### 20543-908

Studio White | Satin Opal Glass  
Studio White Blades  
Light Kit uses (2) 40W C Bulbs (Included)

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 10.25"

### GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 54" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 145mm Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .58/.51/.33 AMPS on H/M/L
- 67/37/17 WATTS on H/M/L
- 138/106/62 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (2) 40W C Bulbs (Included)

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5560 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401







Q

# INDOOR FANS SOFT CONTEMPORARY

Comfortably walking the line between modern and traditional, our Soft Contemporary Designs offer the best of both worlds. Fans in this collection will compliment virtually any interior design.



# BRISTOL CEILING FAN



The Bristol series' sleek and modern design is highlighted by the unique placement of the light. Below that, the decorative housing seamlessly transitions into the unique blade holders. A circular detail adds even more interest to this gorgeous fan.

## AVAILABLE FINISHES



### 54543-86

Oiled Bronze | Amber Scavo Glass  
Walnut Blades  
Up-light uses (3) 40W C Bulbs (Included)



### 54543-65


Satin Nickel | Satin Opal Glass  
Maple | Walnut Blades  
Up-light uses (3) 40W C Bulbs (Included)



### Optional Light Kit

**1858-986** 11" (w) x 4.75" (h) - (3) 40W C (Included)  
Oiled Bronze | Cream Fabric  
Light Kit is shown on 54543-86 ceiling fan

### HEIGHT CHART



### FAN HEIGHT

Using 6" Downrod  
● Distance of 14"  
○ Distance of 11.5"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Three Blades  
54" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

### MECHANICAL SPECS

172 x 20 Motor Size  
4 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.62/.44/.27/.24 AMPS on H/M/L  
75/36/14/11 WATTS on H/M/L  
172/115/68/60 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Up-Light Uses (3) 40W C Bulbs (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 6165 Cubic Feet/Minute  
Electricity Use: 75 Watts (Excludes Lights)  
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-1401-0



# COLTON CEILING FAN

With its five blades designed to fit directly into the decorative housing, the Colton series design is effortless and appealing. Choose Antique Silver with Satin Opal Glass or Oiled Bronze with Amber Scavo Glass.

## AVAILABLE FINISHES



### 36525-986


Oiled Bronze | Amber Scavo Glass  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 40W C Bulbs (Included)



### 36525-992

Antique Silver | Satin Opal Glass  
Antique Silver | Walnut Blades  
Light Kit uses (3) 40W C Bulbs (Included)

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 14.75"
- Distance of 12.25"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

172 x 18 Motor Size  
4 Speeds-Reversible/Manual Reverse  
16 Poles  
.51/.35/.25/.13 AMPS on H/M/L  
65/32/18/8 WATTS on H/M/L  
162/109/80/45 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/ Manual Reverse  
Light Kit Uses (3) 40W C Bulbs (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 4745 Cubic Feet/Minute  
Electricity Use: 65 Watts (Excludes Lights)  
Airflow Efficiency: 73 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-3000



7-1401-0



# DAVENPORT CEILING FAN

Lower ceilings love the Davenport Hugger series. Since it attaches directly to your ceiling, you have plenty of room to walk underneath. Sleek blade holders and three finishes make this fan a welcome addition to any space.

## AVAILABLE FINISHES



### 65524-95

Old World | Amber Scavo Glass  
Old World | Walnut Blades  
Light Kit uses (3) 40W C Bulbs



### 65524-92


Antique Silver | Satin Opal Glass  
Antique Silver | Walnut Blades  
Light Kit uses (3) 40W C Bulbs



### 65524-8

Studio White | Satin Opal Glass  
Studio White Blades  
Light Kit uses (3) 40W C Bulbs

#### HEIGHT CHART



#### FAN HEIGHT

- Distance of 13"
- Distance of 8.75"

#### GENERAL SPECS

3 Finishes Available  
Lifetime Motor Warranty  
Four Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch

#### MECHANICAL SPECS

172 x 14 Motor Size  
4 Speeds-Reversible/Manual Reverse  
16 Poles  
.60/.32/.24/.14 AMPS on H/M/L  
67/31/19/8 WATTS on H/M/L  
160/107/82/46 RPMS on H/M/L  
Light Kit houses (3) 40W C Sockets  
Remote Control Adaptable w/Manual Reverse  
4 Speed Wall Control Included

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5286 Cubic Feet/Minute  
Electricity Use: 67 Watts (Excludes Lights)  
Airflow Efficiency: 78 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra

#### REMOTE CONTROL OPTIONS



Included



7-3000



7-1401-0



7-1305-0



# HOFFMAN CEILING FAN



The Hoffman collection's rounded triangular irons add a hint of art deco and impart some geometry on to an otherwise smooth, traditional design. This fan is ideal for bringing symmetry to a traditional space with modern touches.



## AVAILABLE FINISHES




**83525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**83525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod

● Distance of 15.25"

○ Distance of 14.25"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
12-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

153 x 17 Motor Size  
3 Speeds-Reversible  
14 Poles  
.53/.37/.20 AMPS on H/M/L  
65/30/9 WATTS on H/M/L  
170/117/65 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5414 Cubic Feet/Minute  
Electricity Use: 65 Watts (Excludes Lights)  
Airflow Efficiency: 83 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# MENDOCINO CEILING FAN



The Mendocino series brings together Old World beauty and clean, modern lines. The double light kit with mottled glass provides plenty of illumination while staying true to the overall chic design.

## AVAILABLE FINISHES



### 61525-995

Old World | Amber Scavo Glass  
 Old World | Walnut Blades  
 Light Kit uses (3) 40C Bulbs (Included)  
 Up-light uses (4) 15W C7 Bulbs (Included)



### 61525-986


Oiled Bronze | Amber Scavo Glass  
 Oiled Bronze | Walnut Blades  
 Light Kit uses (3) 40C Bulbs (Included)  
 Up-light uses (4) 15W C7 Bulbs (Included)



### 61525-944

Toasted Sienna | Cream Mottled Scavo Glass  
 Toasted Sienna | Walnut Blades  
 Light Kit uses (3) 40C Bulbs (Included)  
 Up-light uses (4) 15W C7 Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod  
 ● Distance of 19.25"  
 ○ Distance of 14"

#### GENERAL SPECS

3 Finishes Available  
 Lifetime Motor Warranty  
 Five Blades  
 52" Blade Sweep  
 12-Degree Blade Pitch  
 80" Lead Wire  
 4" and 6" Downrod Included

#### MECHANICAL SPECS

172 x 17 Motor Size  
 3 Speeds-Reversible / Manual Reverse Switch  
 16 Poles  
 .48/40/.32 AMPS on H/M/L  
 65/21/14 WATTS on H/M/L  
 160/116/76 RPMS on H/M/L  
 Wall Control Included  
 Remote Control Adaptable w/Manual Reverse  
 Light Kit Uses (3) 40C Bulbs (Included)  
 Up-Light Uses (4) 15W C7 Bulbs (Included)

#### ENERGY SPECS

Energy Information at High Speed  
 Airflow: 5130 Cubic Feet/Minute  
 Electricity Use: 65 Watts (Excludes Lights)  
 Airflow Efficiency: 78 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra



C7 Candelabra

#### REMOTE CONTROL OPTIONS



Included



8-1402



# MERCER CEILING FAN




The quietly unconventional Mercer series of fans will no doubt add a touch of modern sophistication to any space. Choose the Walnut blades and Satin Nickel finish for a more contemporary look or Oiled Bronze with Vintage Walnut blades for a hint of rustic elegance.

## AVAILABLE FINISHES



### 94525-86


Oiled Bronze  
Vintage Walnut Blades  
Up-light uses (4) 25W C Bulbs (Included)



### 94525-65

Satin Nickel  
Satin Nickel I Walnut Blades  
Up-light uses (4) 25W C Bulbs (Included)

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod  
● Distance of 15"  
○ Distance of 11.75"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

172 x 17 Motor Size  
3 Speeds-Reversible  
16 Poles  
.61/.48/.29 AMPS on H/M/L  
71/42/15 WATTS on H/M/L  
173/137/80 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/Manual Reverse  
Light Kit Adaptable  
Up-Light Uses (4) 25W C Bulbs (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5386 Cubic Feet/Minute  
Electricity Use: 71 Watts (Excludes Lights)  
Airflow Efficiency: 76 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



7-3000



7-1305-0



7-1401-0



# METRO CEILING FAN

A large light kit and motor housing bring a touch of industrial style to this versatile fan. Choose Studio White for a more contemporary look or Oiled Bronze to complement a more rustic environment. No matter which finish you choose, the Metro is sure to become a fan favorite.

## AVAILABLE FINISHES



### 39525-86

Oiled Bronze | Satin Opal Glass  
Walnut Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)



### 39525-65

Satin Nickel | Satin Opal Glass  
Walnut Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)




### 39525-8

Studio White | Satin Opal Glass  
Studio White Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

#### HEIGHT CHART



#### FAN HEIGHT

- Using 6" Downrod
- Distance of 15"
- Distance of 10.5"

#### GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 11.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrods Included

#### MECHANICAL SPECS

- 153x18 Motor Size
- 4 Speeds-Reversible/Manual Reverse Switch
- 14 Poles
- .51/.38/.29/.18 AMPS on H/M/L
- 62/34/20/8 WATTS on H/M/L
- 190/130/101/55 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

#### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4122 Cubic Feet/Minute
- Electricity Use: 62 Watts (Excludes Lights)
- Airflow Efficiency: 66 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can

#### REMOTE CONTROL OPTIONS



Included



7-1401-0



7-1305-0



# MISSION CEILING FAN

The Mission fan takes its name from the popular style of the late 19th century. Characterized by horizontal and vertical lines, the style is recreated perfectly in this fan. Vertical accents around the decorative housing and four walnut blades give this fan its distinctively mission mindset.




## AVAILABLE FINISH



### 53524-86

Oiled Bronze | Amber Scavo Glass  
Walnut Blades  
Light Kit uses (3) 40W C Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 6" Downrod  
● Distance of 14.25"  
○ Distance of 7.5"

#### GENERAL SPECS

Lifetime Motor Warranty  
Four Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

#### MECHANICAL SPECS

153 x 22 Motor Size  
4 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.57/40/26/22 AMPS on H/M/L  
69/33/14/11 WATTS on H/M/L  
165/116/74/63 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (3) 40W C Bulbs (Included)

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5574 Cubic Feet/Minute  
Electricity Use: 69 Watts (Excludes Lights)  
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra

#### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-3000



# MODESTO 70" CEILING FAN

Clean lines with a nod to mid-century modern styling make this fan a favorite for those who desire an eye-catching design. Three finishes give this fan the versatility needed to seamlessly fit into any style in virtually any space.

## AVAILABLE FINISHES



### 84708-86

Oiled Bronze | Satin Opal Glass  
Oiled Bronze Blades  
Light kit uses (2) 50w JD-E11 Mini-Can  
(included)



### 84708-65


Satin Nickel | Satin Opal Glass  
Satin Nickel Blades  
Light kit uses (2) 50w JD-E11 Mini-Can  
(included)



### 84708-8

Studio White | Satin Opal Glass  
Studio White Blades  
Light kit uses (2) 50w JD-E11 Mini-Can  
(included)

#### HEIGHT CHART



#### FAN HEIGHT

- Using 4" Downrod
- Distance of 16.25"
- Distance of 11.5"

#### GENERAL SPECS

3 Finishes Available  
Lifetime Motor Warranty  
Eight Blades  
70" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

#### MECHANICAL SPECS

DC-165L Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.18/13/11/.08/.07/.06 AMPS on H/M/L  
12/7/7/5/4/3 WATTS on H/M/L  
80/80/60/50/40/29 RPMS on H/M/L  
Wall Control Included  
Light Kit Uses (2) 50W JD-E11 Mini-Can Halogen Bulbs (Included)

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 6155 Cubic Feet/Minute  
Electricity Use: 12 Watts (Excludes Lights)  
Airflow Efficiency: 513 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can

#### WALL CONTROL



Included



# NOVA CEILING FAN

The Nova series makes a bold, unique statement you don't find in your average fan. The combination of angular blades and curvy details is the perfect compliment to trendy contemporary styles.

## AVAILABLE FINISHES




**24563-86**  
Oiled Bronze  
Walnut Blades



**24563-65**  
Satin Nickel  
Satin Nickel Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.25"
- Distance of 12.5"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 56" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .57/.45/.24 AMPS on H/M/L
- 65/39/10 WATTS on H/M/L
- 157/124/59 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/ Manual Reverse
- Detachable Switch Cup
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4953 Cubic Feet/Minute
- Electricity Use: 65 Watts (Excludes Lights)
- Airflow Efficiency: 76 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# ROTHMAN CEILING FAN

Modern square blade holders are the perfect complement to the traditional bulb shape and rectangular blades of The Rothman series. Four finishes make this an easy choice for the traditional home.

## AVAILABLE FINISHES



### 73525-986

Oiled Bronze | Amber Scavo Glass  
Oiled Bronze | Walnut Blades  
Light Kit uses (2) 60W C Bulbs (Included)



### 73525-944

Toasted Sienna | Amber Scavo Glass  
Toasted Sienna | Walnut Blades  
Light Kit uses (2) 60W C Bulbs (Included)



### 73525-965


Satin Nickel | Satin Opal Glass  
Dark Oak | Rosewood Blades  
Light Kit uses (2) 60W C Bulbs (Included)



### 73525-908

Studio White | Satin Opal Glass  
Studio White Blades  
Light Kit uses (2) 60W C Bulbs (Included)

### HEIGHT CHART



### FAN HEIGHT

Using 3.5" Downrod

- Distance of 17.5"
- Distance of 12"

### GENERAL SPECS

4 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
12-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
14 Poles  
.56/.38/.21 AMPS on H/M/L  
57/20/9 WATTS on H/M/L  
165/115/63 RPMS on H/M/L  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (2) 60W C Bulbs (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 4718 Cubic Feet/Minute  
Electricity Use: 57 Watts (Excludes Lights)  
Airflow Efficiency: 84 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



# SOHO CEILING FAN

The Soho series features clean lines and simple appointments like slightly curved blade holders and unobtrusive decorative housing. Choose from two beautiful finishes.



## AVAILABLE FINISHES



**64525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**64525-8641**  
Oiled Bronze  
Weathered Oak Blades




**64525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**Optional Light Kit**  
**1190-865** 12.5" (w) x 3.75" (h) - (2) 13W Spiral CFL  
Satin Nickel | Faux Alabaster Glass  
Non-Dimmable CFL Bulbs (Included)  
Light Kit shown on 64525-65 ceiling fan

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 13.25"
- Distance of 11"

### GENERAL SPECS

- 3 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 14 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .51/.36/.20 AMPS on H/M/L
- 64/33/8 WATTS on H/M/L
- 160/110/62 RPMS on H/M/L
- Detachable Switch Cup
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4758 Cubic Feet/Minute
- Electricity Use: 64 Watts (Excludes Lights)
- Airflow Efficiency: 74 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# VALOR CEILING FAN

The Valor series makes a statement with its understated sophistication and minimalist style. This four-blade fan is a beautiful, yet simple example of practical craftsmanship. Choose either Satin Nickel or Oiled Bronze finish with Distressed Vintage Walnut Blades or Oiled Bronze with Weathered Oak Blades.

## AVAILABLE FINISHES



**81524-8641**  
Oiled Bronze  
Weathered Oak Blades




**81524-65**  
Satin Nickel  
Distressed Vintage Walnut Blades



**81524-86**  
Oiled Bronze  
Distressed Vintage Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 13.25"
- Distance of 9"

### GENERAL SPECS

- 3 Finish Combinations Available
- Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 80" Lead Wire
- 16 Poles
- .63/.48/.29 AMPS on H/M/L
- 75/40/15 WATTS on H/M/L
- 171/126/71 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6002 Cubic Feet/Minute
- Electricity Use: 75 Watts (Excludes Lights)
- Airflow Efficiency: 80 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# VECTOR 72" CEILING FAN

The Vector ceiling fan masters the art of combining simplicity with superior style. Three finishes and the slightest hint of industrial detailing make this fan family a welcome addition to any space - from thoroughly contemporary to comfortably traditional.

## AVAILABLE FINISHES



### 81725-86

Oiled Bronze | Satin Opal Glass  
Oiled Bronze Blades  
Light kit uses (2) 50w JD-E11 Mini-Can (included)



### 81725-65


Satin Nickel | Satin Opal Glass  
Satin Nickel Blades  
Light kit uses (2) 50w JD-E11 Mini-Can (included)



### 81725-8

Studio White | Satin Opal Glass  
Studio White Blades  
Light kit uses (2) 50w JD-E11 Mini-Can (included)

#### HEIGHT CHART



#### FAN HEIGHT

- Using 4" Downrod
- Distance of 16.25"
- Distance of 10.5"

#### GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 72" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

#### MECHANICAL SPECS

- DC-165M Motor
- 6 Speeds-Reversible w/ Wall Control
- 6 Poles
- .46/.29/.20/.14/.10/.07 AMPS on H/M/L
- 32/19/13/9/6/4 WATTS on H/M/L
- 126/110/94/80/65/50 RPMs on H/M/L
- Wall Control Included
- Light Kit Uses (2) 50W JD-E11 Mini-Can Halogen Bulbs (Included)

#### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 9873 Cubic Feet/Minute
- Electricity Use: 32 Watts (Excludes Lights)
- Airflow Efficiency: 308 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can

#### WALL CONTROL



Included





Q

# INDOOR FANS TRADITIONAL

Intricate detailing and rich walnut blades are the foundation on which our Traditional designs are built. Always appropriate, this collection will no doubt add an element of refined sophistication to your traditional home.



# LE MONDE CEILING FAN

An intricately woven filigree of vintage gold leaf or aged silver leaf provides for a stunning fan housing. Ornate, without being overbearing, this ceiling fan brings a taste of intriguing elegance to any decor. The Le Mondé ceiling fan has matching lighting fixtures available in the Quorum International lighting catalog.



## AVAILABLE FINISHES




**92623-60**  
Aged Silver Leaf  
Distressed Vintage Walnut | Weathered Oak Blades



**92623-30**  
Vintage Gold Leaf  
Distressed Vintage Walnut | Weathered Oak Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 18.75"
- Distance of 12"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 62" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 188 x 25 Motor Size
- 4 Speeds-Reversible / Manual Reverse Switch
- 16 Poles
- .65/.57/.36/.26 AMPS on H/M/L
- 67/54/21/11 WATTS on H/M/L
- 143/118/66/39 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Skirted Blade Arms
- Not Light Kit Adaptable

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5914 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 88 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-3000



Underneth view of the  
Windmill Fan

# WINDMILL 60" CEILING FAN

The Windmill series fans will add a touch of rustic Americana nostalgia to your living areas. With two finish options; Galvanized and Oiled Bronze with Weathered Oak blades, they will truly be a unique focal point.

## AVAILABLE FINISHES




**96015-86**  
Oiled Bronze  
Weathered Oak Blades



**96015-9**  
Galvanized  
Weathered Oak Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 6" Downrod
- Distance of 16.5"
- Distance of 11.5"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Fifteen Blades
- 60" Blade Sweep
- 30-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included

### MECHANICAL SPECS

- DC-165L Motor
- 6 Speeds-Reversible w/ Wall Control
- 6 Poles
- .42/.27/.21/.17/.11/.08 AMPS on H/M/L
- 30/19/14/11/7/5 WATTS on H/M/L
- 65/53/47/41/37/33 RPMS on H/M/L
- Wall Control Included
- Not Light Kit Adaptable

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5982 Cubic Feet/Minute
- Electricity Use: 30 Watts (Excludes Lights)
- Airflow Efficiency: 203 Cubic Feet/Minute/Watt

### WALL CONTROL



Included



# WINDMILL 72" CEILING FAN

The Windmill series fans will add a touch of rustic Americana nostalgia to your living areas. With two finish options; Galvanized and Oiled Bronze with Weathered Oak blades, they will truly be a unique focal point.

## AVAILABLE FINISHES




**97215-86**  
Oiled Bronze  
Weathered Oak Blades



**97215-9**  
Galvanized  
Weathered Oak Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 6" Downrod
- Distance of 16.5"
- Distance of 11.5"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Fifteen Blades
- 72" Blade Sweep
- 30-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included

### MECHANICAL SPECS

- DC-165L Motor
- 6 Speeds-Reversible w/ Wall Control
- 6 Poles
- .47/33/24/17/11/07 AMPS on H/M/L
- 34/25/16/12/8/5 WATTS on H/M/L
- 43/38/35/31/27/23 RPMS on H/M/L
- Wall Control Included
- Not Light Kit Adaptable

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6486 Cubic Feet/Minute
- Electricity Use: 34 Watts (Excludes Lights)
- Airflow Efficiency: 192 Cubic Feet/Minute/Watt

### WALL CONTROL



Included



# ALTON 60" CEILING FAN

The Alton 60" series exudes elegance and sophistication. Like a fine antique, the Alton's timeless beauty is here to stay and is enhanced by three lovely finishes and a variety of light kits.

## AVAILABLE FINISHES



**42605-95**  
Old World  
Old World | Walnut Blades



**42605-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades




**42605-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades



**42605-22**  
Antique Flemish  
Antique Flemish | Pecan Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.25"
- Distance of 12"

### GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 60" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 188 x 25 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .75/48/37 AMPS on H/M/L
- 90/38/23 WATTS on H/M/L
- 130/100/60 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5955 Cubic Feet/Minute
- Electricity Use: 90 Watts (Excludes Lights)
- Airflow Efficiency: 86 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401



ALTON  
60" LIGHT KIT OPTIONS



## AVAILABLE LIGHT KIT OPTIONS



### Optional Light Kit

#### 2389-9122

11"(w) x 6.5"(h) - (3) 40W C (Included)  
Antique Flemish | Amber Scavo Glass  
Light Kit shown on 42605-22 ceiling fan



#### 2389-9122

11"(w) x 6.5"(h) - (3) 40W C (Included)  
Antique Flemish | Amber Scavo



#### 2383-9095

8"(w) x 4.75"(h) - (3) 40W C (Included)



#### 2388-9186

11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
Oiled Bronze | Amber Scavo



#### 2386-9144

11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
Toasted Sienna | Indian Scavo

## LIGHT KITS

item #	glass	dimensions	lights
<b>antique flemish</b>			
2383-9022	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2389-9122	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>toasted sienna</b>			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>oiled bronze</b>			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
<b>old world</b>			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

\*\*All light kits comply with 2005 Energy Policy Act.\*\*



# ALTON 70" CEILING FAN

The Alton 70" series is ideal for larger spaces and offers the same stunning design as the smaller version, including four finishes and several light kits.

## AVAILABLE FINISHES



**42705-95**  
Old World  
Old World | Walnut Blades



**42705-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades




**42705-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades



**42705-22**  
Antique Flemish  
Antique Flemish | Pecan Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.25"
- Distance of 12"

### GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 70" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 212 x 25 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 20 Poles
- .71/59/39 AMPS on H/M/L
- 74/50/25 WATTS on H/M/L
- 92/70/40 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5637 Cubic Feet/Minute
- Electricity Use: 74 Watts (Excludes Lights)
- Airflow Efficiency: 76 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401



ALTON  
70" LIGHT KIT OPTIONS

## AVAILABLE LIGHT KIT OPTIONS



### Optional Light Kit

#### 2389-9144

11"(w) x 6.5"(h) - (3) 40W C (Included)  
Toasted Sienna | Amber Scavo Glass  
Light Kit shown on 42705-44 ceiling fan



#### 2389-9122

11"(w) x 6.5"(h) - (3) 40W C (Included)  
Antique Flemish | Amber Scavo



#### 2388-9186

11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
Oiled Bronze | Amber Scavo



#### 2386-9144

11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
Toasted Sienna | Indian Scavo



#### 2383-9095

8"(w) x 4.75"(h) - (3) 40W C (Included)  
Old World

## LIGHT KITS

item #	glass	dimensions	lights
<b>antique flemish</b>			
2383-9022	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2389-9122	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>toasted sienna</b>			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>oiled bronze</b>			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
<b>old world</b>			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

\*\*All light kits comply with 2005 Energy Policy Act.\*\*



# ASHFIELD CEILING FAN

Relax and enjoy the subtly antique styling of the Ashfield fan. Rich walnut blades and an optional light kit featuring Amber Scavo glass give this fan its slightly masculine style.

## AVAILABLE FINISH AND ACCESSORIES



### 72565-24

Walnut I Antique Flemish  
Antique Flemish Blades



### Optional Scroll Kit 7-725-24\*

7.5" (w) x 5.75" (h)

Walnut

Scroll Kit shown on 72565-24 ceiling fan

\*must use 12" downrod or longer.



### Optional Light Kit\*


2288-9124 9.75" (w) x 6.75" (h) - (2) 60W C (Included)

Walnut I Antique Flemish

Amber Scavo Glass

\* Light kit complies with 2005 Energy Policy Act.

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod

● Distance of 14"

○ Distance of 13.75"

### GENERAL SPECS

Lifetime Motor Warranty

Five Blades

56" Blade Sweep

13.5-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

### MECHANICAL SPECS

188 x 20 Motor Size

3 Speeds-Reversible/Manual Reverse Switch

16 Poles

.66/58/43 AMPS on H/M/L

74/54/25 WATTS on H/M/L

140/103/60 RPMS on H/M/L

Wall Control Included

Skirted Blade Arms

Remote Control Adaptable w/ Manual Reverse

### ENERGY SPECS

Energy Information at High Speed

Airflow: 5356 Cubic Feet/Minute

Electricity Use: 74 Watts (Excludes Lights)

Airflow Efficiency: 72 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401



# BAKERSFIELD CEILING FAN



## **Blade Alternative Options Available.**

The fluted decorative housing on the Bakersfield series is just the beginning of this fan's interesting story. The blade holders feature curved arms and slightly curved ovals, while a band of decorative metal beads surround the fan's base.



## AVAILABLE FINISHES



**71525-95**  
Old World  
Old World | Walnut Blades




**71525-88**  
Corsican Gold  
Corsican Gold | Walnut Blades



**71525-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 11"

### GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 153 x 18 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .51/.36/.20 AMPS on H/M/L
- 66/29/9 WATTS on H/M/L
- 159/110/61 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5620 Cubic Feet/Minute
- Electricity Use: 66 Watts (Excludes Lights)
- Airflow Efficiency: 85 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



# BAKERSFIELD LIGHT KIT OPTIONS

AVAILABLE LIGHT KIT OPTION



**Optional Light Kit**

**2371-8095**

12.5"(w) x 4.5"(h) - (3) 13W M Spiral CFL (Included)  
 Old World | Optional 2843 Glass  
 Light Kit shown on 71525-95 ceiling fan

**2371-8044\***

12.5"(w) x 4.5"(h) - (3) 13W M CFL (Included)  
 Toasted Sienna

LIGHT KITS

item #	glass	dimensions	lights
<b>toasted sienna</b>			
2371-8044*	NA	12.5"(w) x 4.5"(h)	(3) 13W M CFL (Included)
<b>corsican gold</b>			
2371-8088*	NA	12.5"(w) x 4.5"(h)	(3) 13W M CFL (Included)
<b>old world</b>			
2371-8095*	NA	12.5"(w) x 4.5"(h)	(3) 13W M CFL (Included)

\*Light Kit supplied with Energy Star certified 13W, 2700k Spiral CFL lamps - non-dimmable. All light kits comply with 2005 Energy Policy Act.



# BARCLAY CEILING FAN



**Blade Alternative Options Available.**

The Barclay series is a stunning example of refined design. The uniquely shaped blade holders add distinctive style, while the walnut blades add a touch of elegance. Choose from four finishes to give any room a fresh look.

## AVAILABLE FINISHES



**76525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**76525-70**  
Persian White  
Distressed Weathered Pine Blades




**76525-65**  
Satin Nickel  
Rosewood | Walnut Blades



**76525-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 14.5"
- Distance of 11.25"

### GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 80" Lead Wire
- 4" and 6" Downrods Included
- 12-Degree Blade Pitch

### MECHANICAL SPECS

- 153x17 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .43/.35/.25 AMPS on H/M/L
- 57/29/13 WATTS on H/M/L
- 155/105/55 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4548 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 79 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



# BARCLAY HUGGER 44" CEILING FAN

The Barclay series is a stunning example of refined design. The uniquely shaped blade holders add distinctive style, while the walnut blades add a touch of elegance. Choose from four finishes to give any room a fresh look.

## AVAILABLE FINISHES



**75445-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**75445-70**  
Persian White  
Distressed Weathered Pine Blades



**75445-65**  
Satin Nickel  
Rosewood | Walnut Blades



**75445-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

- Distance of 7.75"
- Distance of 7"

### GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 44" Blade Sweep
- 8" Lead Wire
- 12-Degree Blade Pitch

### MECHANICAL SPECS

- 153x13 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .38/.36/.23 AMPS on H/M/L
- 46/30/12 WATTS on H/M/L
- 190/146/86 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 3529 Cubic Feet/Minute
- Electricity Use: 46 Watts (Excludes Lights)
- Airflow Efficiency: 77 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# BREWSTER CEILING FAN

If ever a fan was deserving of your undivided attention, it's the Brewster. With blades gently curving upward at the last moment, this fan brings a unique look to any interior. Beautifully detailed blade supports are the perfect complement to the classic styling of the housing, making this fan the perfect choice for a variety of decorating styles.



## AVAILABLE FINISHES



**27603-94**  
French Umber Finish  
Distressed Weathered Pine Blades




**27603-86**  
Oiled Bronze Finish  
Distressed Vintage Walnut Blades



**27603-70**  
Persian White Finish  
Distressed Weathered Pine Blades

### HEIGHT CHART



### FAN HEIGHT

Using 6" downrod

● Distance of 17.75"

○ Distance of 10.25"

### GENERAL SPECS

3 Finishes Available

Lifetime Motor Warranty

Three Blades

60" Blade Sweep

14-Degree Blade Pitch

80" Lead Wire

6" Downrod Included

### MECHANICAL SPECS

172 x 20 Motor Size

4 Speeds - Reversible

16 Poles

.42/.31/.23/.17 AMPS on H/M/M/L

51/28/16/7 WATTS on H/M/M/L

89/65/45/31 RPM on H/M/M/L

Triple Capacitor

4 Speed Wall Control Included

Remote Control Adaptable w/ Manual Reverse

### ENERGY SPECS

Energy Information at High Speed

Airflow: 4812 Cubic Feet/Minute

Electricity Used: 51 Watts (Excludes Lights)

Airflow Efficiency: 94° Cubic Feet/Watt

### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-3000



7-1401-0



# BREWSTER LIGHT KIT OPTIONS

## AVAILABLE LIGHT KIT OPTIONS



**Optional Light Kit**  
**2360-086** 12.75"(w) x 6"(h) - (3) 60W C (included)  
 Oiled Bronze | Optional 2819 Glass  
 Light Kit shown on 27603-86 ceiling fan



**Optional Light Kit**  
**2360-094** 12.75"(w) x 6"(h) - (3) 60W C (included)  
 French Umber | Optional 2819 Glass  
 Light Kit shown on 27603-94 ceiling fan



**Optional Light Kit**  
**2360-070** 12.75"(w) x 6"(h) - (3) 60W C (included)  
 Persian White | Optional 2801 Glass  
 Light Kit shown on 27603-70 ceiling fan

## LIGHT KITS

item #	glass	dimensions	lights
<b>persian white</b>			
2360-070	NA	12.75"(w) x 6"(h)	(3) 60W C (Included)
<b>oiled bronze</b>			
2360-086	NA	12.75"(w) x 6"(h)	(3) 60W C (Included)
<b>french umber</b>			
2360-094	NA	12.75"(w) x 6"(h)	(3) 60W C (Included)

All light kits comply with 2005 Energy Policy Act.



# CHATEAUX CEILING FAN



**Blade Alternative Options Available.**

You don't have to live in the French countryside to appreciate the Chateaux series. Its blade holders bring to mind an ornamental scepter a monarch might have at his side, while the detailing on the decorative housing is truly a work of art.

AVAILABLE FINISHES



**78525-95**  
Old World  
Rosewood | Walnut Blades



**78525-94**  
French Umber Finish  
Distressed Weathered Pine Blades



**78525-92**  
Antique Silver  
Rosewood | Walnut Blades



**78525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades

## AVAILABLE FINISHES



**78525-88**  
Corsican Gold  
Dark Oak | Walnut Blades



**78525-70**  
Persian White  
Distressed Weathered Pine Blades



**78525-67**  
Antique White  
Antique White Blades



**78525-6522**  
Satin Nickel  
Rosewood Blades



**78525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**78525-60**  
Aged Silver Leaf  
Medium Oak | Walnut Blades



**78525-58**  
Mystic Silver  
Mystic Silver | Walnut Blades



**78525-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades



**78525-30**  
Vintage Gold Leaf  
Medium Oak | Walnut Blades




**78525-22**  
Antique Flemish  
Antique Flemish | Pecan Blades



**78525-8**  
Studio White  
Studio White Blades

#### HEIGHT CHART



#### FAN HEIGHT

Using 3.5" Downrod  
● Distance of 11"  
○ Distance of 9.75"

#### GENERAL SPECS

15 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

#### MECHANICAL SPECS

188 x 15 Motor Size  
3 Speeds-Reversible  
16 Poles  
.58/.38/.24 AMPS on H/M/L  
68/29/12 WATTS on H/M/L  
179/115/68 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 6080 Cubic Feet/Minute  
Electricity Use: 68 Watts (Excludes Lights)  
Airflow Efficiency: 89 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

#### BLADE ALTERNATIVES

Use indoor blade type 4-52 - See page 344



# CHATEAUX 60" CEILING FAN



**Blade Alternative Options Available.**

You don't have to live in the French countryside to appreciate the Chateaux series. Its blade holders bring to mind an ornamental scepter a monarch might have at his side, while the detailing on the decorative housing is truly a work of art.



## AVAILABLE FINISHES



**78605-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**78605-70**  
Persian White  
Distressed Weathered Pine Blades



**78605-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**78605-60**  
Aged Silver Leaf  
Medium Oak | Walnut Blades




**78605-44**  
Tosted Sienna  
Tosted Sienna | Walnut Blades



**78605-30**  
Vintage Gold Leaf  
Medium Oak | Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

Using 3.5" Downrod  
● Distance of 13.5"  
○ Distance of 10.25"

### GENERAL SPECS

6 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
60" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

### MECHANICAL SPECS

188 x 25 Motor Size  
3 Speeds-Reversible  
16 Poles  
.59/43/26 AMPS on H/M/L  
70/37/14 WATTS on H/M/L  
117/82/45 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5633 Cubic Feet/Minute  
Electricity Use: 69 Watts (Excludes Lights)  
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 4-60 - See page 351



# CHATEAUX UNI-PACK 52" CEILING FAN



**Blade Alternative Options Available.**

You don't have to live in the French countryside to appreciate the Chateau 52" Uni-pack series. Its blade holders bring to mind an ornamental scepter a monarch might have at his side, while the detailing on the decorative housing and included light kit, is truly a work of art.

## AVAILABLE FINISHES



### **78525-1786**

Oiled Bronze | Amber Scavo  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 60W C (Included)



### **78525-1686**

Oiled Bronze | Faux Alabaster  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 60W C (Included)

## AVAILABLE FINISHES



**78525-1970**  
Persian White | Clear Seeded  
Distressed Weathered Pine Blades  
Light Kit uses (3) 60W C (Included)



**78525-1744**  
Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit uses (3) 60W C (Included)



**78525-1644**  
Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit uses (3) 60W C (Included)




**78525-1460**

Aged Silver Leaf | White Linen  
 Medium Oak | Walnut Blades  
 Light Kit uses (3) 60W C (Included)

**78525-1430**

Vintage Gold Leaf | White Linen  
 Medium Oak | Walnut Blades  
 Light Kit uses (3) 60W C (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
 ● Distance of 18.75"  
 ○ Distance of 10"

**GENERAL SPECS**

7 Finish Combinations Available  
 Lifetime Motor Warranty  
 Five Blades  
 52" Blade Sweep  
 14-Degree Blade Pitch  
 80" Lead Wire  
 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 15 Motor Size  
 3 Speeds-Reversible  
 16 Poles  
 .65/42/22 AMPS on H/M/L  
 78/33/9 WATTS on H/M/L  
 190/120/59 RPMS on H/M/L  
 Triple Capacitor  
 Remote Control Adaptable  
 Light Kit uses (3) 60W C Bulbs (Included)  
 Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 5882 Cubic Feet/Minute  
 Electricity Use: 78 Watts (Excludes Lights)  
 Airflow Efficiency: 75 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



7-1305-0



7-3000



7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 4-52 - See page 344



# CHATEAUX UNI-PACK 60" CEILING FAN

You don't have to live in the French countryside to appreciate the Chateau 60" Uni-pack series. Its blade holders bring to mind an ornamental scepter a monarch might have at his side, while the detailing on the decorative housing and included light kit, is truly a work of art.

## AVAILABLE FINISHES



### **78605-1786**

Oiled Bronze | Amber Scavo

Oiled Bronze | Walnut Blades

Light Kit uses (3) 60W C (Included)



### **78605-1686**

Oiled Bronze | Faux Alabaster

Oiled Bronze | Walnut Blades

Light Kit uses (3) 60W C (Included)

## AVAILABLE FINISHES



### **78605-1970**

Persian White | Clear Seeded  
Distressed Weathered Pine Blades  
Light Kit uses (3) 60W C (Included)



### **78605-1744**

Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit uses (3) 60W C (Included)



### **78605-1644**

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit uses (3) 60W C (Included)






**78605-1460**

Aged Silver Leaf | White Linen  
 Medium Oak | Walnut Blades  
 Light Kit uses (3) 60W C (Included)

**78605-1430**

Vintage Gold Leaf | White Linen  
 Medium Oak | Walnut Blades  
 Light Kit uses (3) 60W C (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
 ● Distance of 18.75"  
 ○ Distance of 10"

**GENERAL SPECS**

7 Finish Combinations Available  
 Lifetime Motor Warranty  
 Five Blades  
 60" Blade Sweep  
 14-Degree Blade Pitch  
 80" Lead Wire  
 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 25 Motor Size  
 3 Speeds-Reversible  
 16 Poles  
 .59/43/26 AMPS on H/M/L  
 70/37/14 WATTS on H/M/L  
 117/82/45 RPMS on H/M/L  
 Triple Capacitor  
 Remote Control Adaptable  
 Light Kit uses (3) 60W C Bulbs (Included)  
 Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 5897 Cubic Feet/Minute  
 Electricity Use: 70 Watts (Excludes Lights)  
 Airflow Efficiency: 84 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 4-60 - See page 351



# CIMARRON CEILING FAN



Up-Light



Blade Options

**Blade Alternative Options Available.**

With its gorgeous decorative housing, the elaborately adorned Cimarron series truly makes a statement. Perfect for an elegant great room, the Cimarron will surely give your guests plenty to talk about.

## AVAILABLE FINISHES



### 69525-95

Old World | Amber Scavo Glass  
Old World | Walnut Blades  
Up-light uses (6) 15W C7 Bulbs (Included)



### 69525-86

Oiled Bronze | Amber Scavo Glass  
Oiled Bronze | Walnut Blades  
Up-light uses (6) 15W C7 Bulbs (Included)



### 69525-58


Mystic Silver | Amber Scavo Glass  
Mystic Silver | Walnut Blades  
Up-light uses (6) 15W C7 Bulbs (Included)



### 69525-44

Toasted Sienna | Amber Scavo Glass  
Toasted Sienna | Walnut Blades  
Up-light uses (6) 15W C7 Bulbs (Included)

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod  
● Distance of 16.25"  
○ Distance of 12.25"

### GENERAL SPECS

4 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

172 x 20 Motor Size  
3 Speeds-Reversible / Manual Reverse Switch  
16 Poles  
.53/.43/.32 AMPS on H/M/L  
69/29/15WATTS on H/M/L  
159/100/67 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Skirted Blade Arms  
Up-light uses (6) 15W C7 Bulbs (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5427 Cubic Feet/Minute  
Electricity Use: 69 Watts (Excludes Lights)  
Airflow Efficiency: 78 Cubic Feet/Minute/Watt

### BULB TYPE



C7 Candelabra

### REMOTE CONTROL OPTIONS



Included



8-1402

### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



# CIMARRON LIGHT KIT OPTIONS

## AVAILABLE LIGHT KIT OPTIONS



**Optional Light Kit**  
**2383-9058**  
 8"(w) x 4.75"(h) - (3) 40W C (Included)  
 Mystic Silver | Optional 2842 Glass  
 Light Kit shown on 69525-58 ceiling fan



**2389-9144**  
 11"(w) x 6.5"(h) - (3) 40W C (Included)  
 Toasted Sienna | Amber Scavo



**2388-9144**  
 11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
 Toasted Sienna | Amber Scavo



**2386-9158**  
 11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
 Mystic Silver | Indian Scavo



**2383-9095**  
 8"(w) x 4.75"(h) - (3) 40W C (Included)  
 Old World

## LIGHT KITS

item #	glass	dimensions	lights
<b>mystic silver</b>			
2383-9058	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9158	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
<b>toasted sienna</b>			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>old world</b>			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

All light kits comply with 2005 Energy Policy Act.



# EMPRESS CEILING FAN



The Empress series is the ultimate statement of luxury with its intricate Victorian details and seven elegant finish options. Aristocratic yet fully functional, this fan will make you feel like a queen whether you live in a house or a palace.

AVAILABLE FINISHES



**35525-95**  
Old World  
Rosewood | Walnut Blades



**35525-92**  
Antique Silver  
Rosewood | Walnut Blades



**35525-88**  
Corsican Gold  
Corsican Gold | Walnut Blades



**35525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades

AVAILABLE FINISHES



**35525-44**  
Toasted Sienna  
Rosewood | Walnut Blades



**35525-8**  
Studio White  
Studio White Blades



**35525-4**  
Antique Brass  
Medium Oak | Rosewood Blades






**Optional Light Kit  
2303-9044**

5.5" (w) x 3" (h) - (3) 60W C (Included)  
Toasted Sienna | Optional 2840 Glass  
Light Kit shown on 35525-44 ceiling fan

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 14.25"  
○ Distance of 13.25"

**GENERAL SPECS**

7 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 15 Motor Size  
3 Speeds-Reversible  
16 Poles  
.65/.44/.23 AMPS on H/M/L  
75/33/9 WATTS on H/M/L  
154/102/57 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 6222 Cubic Feet/Minute  
Electricity Use: 75 Watts (Excludes Lights)  
Airflow Efficiency: 83 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-3000



7-1401-0



# GALLOWAY CEILING FAN



**Blade Alternative Options Available.**

The Galloway series adds an elegant touch to a room with its Victorian-esque details without looking dated. The perfect blend of classic, modern, and decorative, this fan would be beautiful in a formal living room or stately bedroom.

## AVAILABLE FINISHES



### 48525-995


Old World | Antique Flemish | Cream Mottled Scavo Glass  
Old World | Pecan Blades  
Light Kit uses (3) 40W C Bulbs (Included)



### 48525-958

Mystic Silver | Pecan | Cream Mottled Scavo Glass  
Mystic Silver | Pecan Blades  
Light Kit uses (3) 40W C Bulbs (Included)

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 19.25"
- Distance of 12.25"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
Blade Type 5-52" with Scalloped Tip  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

172 x 17 Motor Size  
3 Speeds-Reversible / Manual Reverse Switch  
16 Poles  
.58/50/.36 AMPS on H/M/L  
68/38/12 WATTS on H/M/L  
165/119/70 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (3) 40W C Bulbs (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5381 Cubic Feet/Minute  
Electricity Use: 68 Watts (Excludes Lights)  
Airflow Efficiency: 79 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401

### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



# GUSTO 32" CEILING FAN

The Gusto 32 is the ideal size for a more intimate space. Its soft contemporary style makes it the perfect choice for those desiring simple yet sophisticated design. Fan includes a dual-mount canopy for optional close-to-ceiling mounting. Choose from three appealing finishes.

## AVAILABLE FINISHES



**32323-95**  
Old World  
Walnut Blades




**32323-65**  
Satin Nickel  
Satin Nickel Blades



**32323-8**  
Studio White  
Studio White Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 16.5"
- Distance of 10"

### GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 32" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 153 x 10 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .37/32/.20 AMPS on H/M/L
- 44/33/13 WATTS on H/M/L
- 187/175/99 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Dual-Mount Canopy
- Detachable Switch Cup

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 1683 Cubic Feet/Minute
- Electricity Use: 44 Watts (Excludes Lights)
- Airflow Efficiency: 38 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# HANOVER CEILING FAN



**Blade Alternative Options Available.**

The Hanover series' hammered finish and classic shape give this fan a strong, handcrafted feel while still imparting a sense of elegance. This balance of form and decoration will help accent a room without taking away from the flow of the design.

## AVAILABLE FINISHES




**29525-95**  
Old World  
Rosewood | Walnut Blades



**29525-44**  
Toasted Sienna  
Rosewood | Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 15.5"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 20 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .54/43/23 AMPS on H/M/L
- 65/38/11 WATTS on H/M/L
- 165/115/60 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6456 Cubic Feet/Minute
- Electricity Use: 69 Watts (Excludes Lights)
- Airflow Efficiency: 94 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



# KINGSLEY 52" CEILING FAN



## **Blade Alternative Options Available.**

The Kingsley 52" series will fill the grandest of your rooms with a spring breeze no matter the season. The 52" blade sweep distributes over 5500 cubic feet of airflow per minute while filling your room with smooth lines and a touch of flowery detail.



## AVAILABLE FINISHES



**38525-95**  
Old World  
Old World | Walnut Blades



**38525-92**  
Antique Silver  
Antique Silver | Walnut Blades




**38525-58**  
Mystic Silver | Pecan  
Mystic Silver | Pecan Blades



**38525-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 13.5"
- Distance of 13"

### GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/.38/.21 AMPS on H/M/L
- 71/30/10 WATTS on H/M/L
- 164/105/57 RPMS on H/M/L
- Remote Control Adaptable

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5627 Cubic Feet/Minute
- Electricity Use: 71 Watts (Excludes Lights)
- Airflow Efficiency: 79 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



# KINGSLEY 60" CEILING FAN



**Blade Alternative Options Available.**

The Kingsley 60" series will fill the grandest of your rooms with a spring breeze no matter the season. The 60" blade sweep distributes over 5500 cubic feet of airflow per minute while filling your room with smooth lines and a touch of flowery detail.

## AVAILABLE FINISHES



**38605-95**  
Old World  
Old World | Walnut Blades



**38605-92**  
Antique Silver  
Antique Silver | Walnut Blades



**38605-58**  
Mystic Silver | Pecan  
Mystic Silver | Pecan Blades




**38605-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades



**Optional Light Kit**  
**2444-8092**  
10"(w) x 3"(h) - (4) 13W M Spiral CFL (Included)  
Antique Silver | Optional 2819 Glass  
Light Kit shown on 38605-92 ceiling fan

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 15"

### GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 60" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 188 x 25 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .74/57/38 AMPS on H/M/L
- 90/48/20 WATTS on H/M/L
- 136/103/67 RPMS on H/M/L
- Remote Control Adaptable
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5765 Cubic Feet/Minute
- Electricity Use: 90 Watts (Excludes Lights)
- Airflow Efficiency: 64 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0

7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 5-60 - See page 352



# LIBERTY CEILING FAN



**Blade Alternative Options Available.**

The Liberty series mimics the rustic, yet deliberate detail of early American handmade craftsmanship with its hammered finish and shape not unlike the Liberty Bell itself.

## AVAILABLE FINISHES




**49525-95**  
Old World  
Old World | Walnut Blades



**49525-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 14.25"
- Distance of 12.25"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/.38/.21 AMPS on H/M/L
- 67/29/9 WATTS on H/M/L
- 158/102/55 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5856 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 87 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



# LONE STAR CEILING FAN



## **Blade Alternative Options Available.**

The Lone Star fan is perfect for adding a little giddy-up to a Western - or country-themed room. The optional light kit makes the stars on the housing and irons big and bright. Living deep in the heart of Texas is not required to enjoy this fan.


## AVAILABLE FINISH



### 80525-44

Toasted Sienna | Amber Scavo Glass  
Toasted Sienna | Walnut Blades  
Up-light uses (4) 15W C7 Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod  
● Distance of 16.25"  
○ Distance of 12.5"

#### GENERAL SPECS

Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

#### MECHANICAL SPECS

172 x 20 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.56/.32/.25 AMPS on H/M/L  
62/35/16 WATTS on H/M/L  
155/112/60 RPMS on H/M/L  
Remote Control Adaptable w/Manual Reverse  
Up-Light Uses (4) 15W C7 Bulbs (Included)  
Skirted Blade Arms

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5234 Cubic Feet/Minute  
Electricity Use: 62 Watts (Excludes Lights)  
Airflow Efficiency: 84 Cubic Feet/Minute/Watt

#### BULB TYPE



C7 Candelabra

#### REMOTE CONTROL OPTIONS



Included



8-1402

#### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



# LONE STAR LIGHT KIT OPTIONS



## AVAILABLE LIGHT KIT OPTIONS



**Optional Light Kit**  
**2388-9144**  
 11.5"W x 7.5"(h) - (2) 60W C  
 Toasted Sienna | Amber Scavo Glass  
 Light Kit shown on 80525-44 ceiling fan



**2389-9144**  
 11"(w) x 6.5"(h) - (3) 40W C (Included)  
 Toasted Sienna | Amber Scavo



**2388-9144**  
 11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
 Toasted Sienna | Amber Scavo



**2386-9144**  
 11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
 Toasted Sienna | Indian Scavo



**2383-9044**  
 8"(w) x 4.75"(h) - (3) 40W C (Included)

## LIGHT KITS

item #	glass	dimensions	lights
toasted sienna			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

All light kits comply with 2005 Energy Policy Act.



# LOWELL CEILING FAN



**Blade Alternative Options Available.**

The Lowell series makes just the right statement with housing and irons that mimic the details of fashionable furniture and several different stylish light kit choices. This fan works best in a style that is classic with a slight flair for the dramatic.

## AVAILABLE FINISHES



### 56525-86


Oiled Bronze  
Oiled Bronze | Walnut Blades



### 56525-44

Toasted Sienna  
Toasted Sienna | Pecan Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 12.5"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

172 x 17 Motor Size  
3 Speeds-Reversible / Manual Reverse Switch  
16 Poles  
.58/.49/.35 AMPS on H/M/L  
73/37/17 WATTS on H/M/L  
164/119/72 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Skirted Blade Arms

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5232 Cubic Feet/Minute  
Electricity Use: 73 Watts (Excludes Lights)  
Airflow Efficiency: 71 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401

### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



LOWELL  
LIGHT KIT OPTIONS

## AVAILABLE LIGHT KIT OPTIONS



### Optional Light Kit

#### 2388-9144

11.25"(w) x 7.5"(h) - (2) 60W C (Included)  
Toasted Sienna | Amber Scavo Glass  
Light Kit shown on 56525-44 ceiling fan



#### 2389-9144

11"(w) x 6.5"(h) - (3) 40W C (Included)  
Toasted Sienna | Amber Scavo



#### 2388-9186

11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
Oiled Bronze | Amber Scavo



#### 2386-9144

11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
Toasted Sienna | Indian Scavo




#### 2383-9044

8"(w) x 4.75"(h) - (3) 40W C (Included)  
Toasted Sienna

## LIGHT KITS

item #	glass	dimensions	lights
<b>toasted sienna</b>			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>oiled bronze</b>			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)

All light kits comply with 2005 Energy Policy Act.



# MEDALLION 30" CEILING FAN



## **Blade Alternative Options Available.**

The Medallion 30" fan is an easy, sophisticated way to add air flow and ambience to tight spaces. The smaller 30" blade sweep will fit nicely in both galley-style and open-concept kitchens.

## AVAILABLE FINISH



### 51306-8

Studio White  
Studio White Blades

#### HEIGHT CHART



#### FAN HEIGHT

- Distance of 8"
- Distance of 7.75"

#### GENERAL SPECS

Lifetime Motor Warranty  
Six Blades  
30" Blade Sweep  
25-Degree Blade Pitch

#### MECHANICAL SPECS

153 x 12 Motor Size  
3 Speeds-Reversible  
14 Poles  
.44/32/19 AMPS on H/M/L  
53/26/9 WATTS on H/M/L  
209/153/89 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3350 Cubic Feet/Minute  
Electricity Use: 53 Watts (Excludes Lights)  
Airflow Efficiency: 63 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0



7-3000

#### BLADE ALTERNATIVES

Use indoor blade type 1-30 - See page 335



# MEDALLION 42" CEILING FAN



**Blade Alternative Options Available.**

The Medallion 42" series combines just the right amount of efficiency and class in a medium-sized blade sweep that is perfect for the smaller rooms of an apartment, duplex, or town home.



## AVAILABLE FINISHES



**51425-8**  
Studio White  
Studio White Blades




**51425-6**  
Gloss White  
White Blades



### Optional Light Kit **1141-806**

10" (w) x 3.5" (h) - (1) 13W M Spiral CFL (Included)  
White | Satin Opal Glass  
Light Kit shown on 51425-6 ceiling fan

#### HEIGHT CHART



#### FAN HEIGHT

- Distance of 8"
- Distance of 7.25"

#### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
42" Blade Sweep  
14-Degree Blade Pitch

#### MECHANICAL SPECS

153 x 13 Motor Size  
3 Speeds-Reversible  
14 Poles  
.42/.31/.19 AMPS on H/M/L  
54/25/10 WATTS on H/M/L  
221/160/97 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3860 Cubic Feet/Minute  
Electricity Use: 54 Watts (Excludes Lights)  
Airflow Efficiency: 71 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0

7-3000

#### BLADE ALTERNATIVES

Use indoor blade type I-42 - See page 336



# MEDALLION 52" CEILING FAN



**Blade Alternative Options Available.**

The Medallion 52" series has a classic, comfortable, and yet elevated feel. This twist on the traditional design is so versatile, it will match the atmosphere of any room in your house.

## AVAILABLE FINISHES



**51525-67**  
Antique White  
Antique White Blades



**51525-6522**  
Satin Nickel  
Dark Oak I Rosewood Blades



**51525-8**  
Studio White  
Studio White Blades




**51525-6**  
Gloss White  
White Blades



**51525-4**  
Antique Brass  
Dark Oak I Medium Oak Blades

### HEIGHT CHART



### FAN HEIGHT

- Distance of 7.5"
- Distance of 7.5"

### GENERAL SPECS

5 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
14-Degree Blade Pitch

### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.55/.39/.21 AMPS on H/M/L  
67/31/9 WATTS on H/M/L  
158/104/54 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 4850 Cubic Feet/Minute  
Electricity Use: 67 Watts (Excludes Lights)  
Airflow Efficiency: 73 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 338



The Pinnacle fan can be converted to a 56" or 60" sweep by simply purchasing a set of optional blades. See page 349 & 352 for optional blade selection.

# PINNACLE CEILING FAN

52" model only



## Blade Alternative Options Available.

The Pinnacle series combines the best attributes of traditional fans into one design. Adaptable, effective, and classy, this fan has 10 finish combinations to choose from and the option to convert to either a 56" or 60" sweep.

## AVAILABLE FINISHES



**91525-95**  
Old World  
Rosewood | Walnut Blades



**91525-92**  
Antique Silver  
Rosewood | Walnut Blades



**91525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**91525-6522**  
Satin Nickel  
Dark Oak | Rosewood Blades



**91525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**91525-58**  
Mystic Silver  
Mystic Silver | Walnut Blades

AVAILABLE FINISHES



**91525-44**  
Toasted Sienna  
Rosewood | Walnut Blades



**91525-8**  
Studio White  
Studio White Blades



**91525-6**  
Gloss White  
Washed Oak | White Blades




**91525-4**  
Antique Brass  
Medium Oak | Rosewood Blades



**Optional Light Kit  
4100-8161**

8" (w) x 6.5" (h) - (1) 13W M Spiral CFL (Included)  
White | Opal Glass  
Light kit shown on 91525-6 ceiling fan

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 12.5"  
○ Distance of 11"

**GENERAL SPECS**

10 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
16-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 22 Motor Size  
3 Speeds-Reversible  
16 Poles  
.65/.44/.23 AMPS on H/M/L  
83/36/10 WATTS on H/M/L  
162/108/64 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 7093 Cubic Feet/Minute  
Electricity Use: 83 Watts (Excludes Lights)  
Airflow Efficiency: 85 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0      7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 5-52 - See page 345  
Use indoor blade type 5-56 - See page 349  
Use indoor blade type 5-60 - See page 352



# RODERICK CEILING FAN



Up-Light



Blade Options

## **Blade Alternative Options Available.**

The Roderick series comes with stylized up lighting that provides an artful way to maintain a light/fan combination while remaining sleek and polished. In addition, the frosted glass and iron detail make this fan a classic choice.



## AVAILABLE FINISHES



### 63525-86


Oiled Bronze | Linen Glass  
Oiled Bronze | Walnut Blades  
Up-light uses (4) 15W C7 Bulbs (Included)



### 63525-44

Toasted Sienna with Golden Fawn Accents | Amber Scavo Glass  
Toasted Sienna | Walnut Blades  
Up-light uses (4) 15W C7 Bulbs (Included)

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod  
● Distance of 13.75"  
○ Distance of 12.25"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
Blade Type 5-52" with Semi-Square Tip  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

172 x 17 Motor Size  
3 Speeds-Reversible  
16 Poles  
.48/.35/.20 AMPS on H/M/L  
71/32/12 WATTS on H/M/L  
160/120/60 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/Manual Reverse  
Skirted Blade Arms  
Up-Light Uses (4) 15W C7 Bulbs (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5269 Cubic Feet/Minute  
Electricity Use: 71 Watts (Excludes Lights)  
Airflow Efficiency: 74 Cubic Feet/Minute/Watt

### BULB TYPE



C7 Candelabra

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 345



# SALON CEILING FAN



Up-Light



Blade Options

## **Blade Alternative Options Available.**

The Salon series adds a French aristocratic flair while providing superior lighting and circulation. With fleur-de-lis-like designs, various and detailed light kit options, and 56" Napoleon-tipped blades, this fan will make any room fit for the emperor himself.

## AVAILABLE FINISHES



**83565-95**  
Old World  
Rosewood | Walnut Blades  
Up-light uses (3) 60W C Bulbs



**83565-92**  
Antique Silver  
Rosewood | Walnut Blades  
Up-light uses (3) 60W C Bulbs



**83565-88**  
Corsican Gold  
Dark Oak | Walnut Blades  
Up-light uses (3) 60W C Bulbs



**83565-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades  
Up-light uses (3) 60W C Bulbs




**83565-67**  
Antique White  
Antique White Blades  
Up-light uses (3) 60W C Bulbs



**83565-44**  
Toasted Sienna  
Rosewood | Walnut Blades  
Up-light uses (3) 60W C Bulbs

### HEIGHT CHART



### FAN HEIGHT

- Using 12" Downrod
- Distance of 22.5"
- Distance of 18.75"

### GENERAL SPECS

- 6 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 56" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 12" Downrod Included

### MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds-Reversible w/Wall Control
- 16 Poles
- .68/50/28 AMPS on H/M/L
- 66/31/9 WATTS on H/M/L
- 150/90/50 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable
- Up-Light Houses (3) 60W C Sockets
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5367 Cubic Feet/Minute
- Electricity Use: 66 Watts (Excludes Lights)
- Airflow Efficiency: 81 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1402

### BLADE ALTERNATIVES

Use indoor blade type 5-56 - See page 349



SALON  
LIGHT KIT OPTIONS

## AVAILABLE LIGHT KIT OPTIONS



**2386-9144**  
11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
Toasted Sienna | Indian Scavo



**2389-9195**  
11"(w) x 6.5"(h) - (3) 40W C (Included)  
Old World | Amber Scavo



**2388-9144**  
11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
Toasted Sienna | Amber Scavo



**2383-9067**  
8"(w) x 4.75"(h) - (3) 40W C (Included)  
Antique White

## LIGHT KITS

item #	glass	dimensions	lights
<b>toasted sienna</b>			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>antique white</b>			
2383-9067	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
<b>oiled bronze</b>			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
<b>corsican gold</b>			
2383-9088	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9188	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
<b>antique silver</b>			
2383-9092	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
<b>old world</b>			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

All light kits comply with 2005 Energy Policy Act.



# TURINO CEILING FAN



## **Blade Alternative Options Available.**

The Turino series is a chic combination of style and choice of lighting. Each light kit brings its own decorative qualities to the overall fixture while providing different illuminative capabilities. The charming ironwork details of these fans pair well with the Italian countryside look.

## AVAILABLE FINISHES



### 63565-86


Oiled Bronze | Amber Scavo Glass  
Oiled Bronze | Walnut Blades  
Up-light uses (4) 40W C Sockets



### 63565-44

Toasted Sienna | Indian Scavo Glass  
Rosewood | Walnut Blades  
Up-light uses (4) 40W C Sockets

### HEIGHT CHART



### FAN HEIGHT

Using 16" Downrod  
● Distance of 29.5"  
○ Distance of 24.75"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
56" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 16" Downrod Included

### MECHANICAL SPECS

188 x 25 Motor Size  
3 Speeds-Reversible w/ Wall Control  
16 Poles  
.53/48/20 AMPS on H/M/L  
69/48/20 WATTS on H/M/L  
138/98/53 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable  
Up-Light Houses (4) 40W C Sockets  
Skirted Blade Arms

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5482 Cubic Feet/Minute  
Electricity Use: 69 Watts (Excludes Lights)  
Airflow Efficiency: 79 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1402

### BLADE ALTERNATIVES

Use indoor blade type 5-56 - See page 349



# TURINO LIGHT KIT OPTIONS



## AVAILABLE LIGHT KIT OPTIONS



### Optional Light Kit

#### 2383-9086

8"(w) x 4.75"(h) - (3) 40W C (Included)  
Oiled Bronze  
Light Kit shown on 63565-86 ceiling fan  
with 2840 glass



#### 2389-9144

11"(w) x 6.5"(h) - (3) 40W C (Included)  
Toasted Sienna | Amber Scavo



#### 2388-9144

11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
Toasted Sienna | Amber Scavo



#### 2386-9144

11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
Toasted Sienna | Indian Scavo

## LIGHT KITS

item #	glass	dimensions	lights
<b>toasted sienna</b>			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>oiled bronze</b>			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)

All light kits comply with 2005 Energy Policy Act.



# TURNER CEILING FAN

The Turner series has such an intriguing aesthetic, you'll wonder why you don't have one in every room. And if you do happen to have one in every room, we applaud your obvious sense of style. Two blades are all that's needed to make this fan a favorite of those seeking intricate detailing combined with refined vintage design. Not light kit adaptable.

## AVAILABLE FINISHES




**28682-70**  
 Persian White Finish  
 Distressed Weathered Pine Blades



**28682-86**  
 Oiled Bronze Finish  
 Distressed Vintage Walnut Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 17.5"
- Distance of 13.25"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Two Blades
- 68" Blade Sweep
- 16-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 153 x 20 Motor Size
- 4 Speeds - Reversible
- 14 Poles
- .54/40/28/19 AMPS on H/M/M/L
- 63/36/17/8 WATTS on H/M/M/L
- 132/100/66/43 RPM on H/M/M/L
- Triple Capacitor
- 4 Speed Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Not Light Kit Adaptable

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5696 Cubic Feet/Minute
- Electricity Used: 63 Watts (Excludes Lights)
- Airflow Efficiency: 91 Cubic Feet/Watt

### REMOTE CONTROL OPTIONS





# VENTURE CEILING FAN



**Blade Alternative Options Available.**

The Venture series provides a comfortable, classic way to keep a room circulated and cool. With slender housing and 6 available finish combinations, the Venture will match the style of any room without taking away from it.

AVAILABLE FINISHES



**79525-95**  
Old World  
Rosewood | Walnut Blades



**79525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**79525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**79525-6522**  
Satin Nickel  
Dark Oak | Rosewood Blades

AVAILABLE FINISHES



**79525-44**  
Toasted Sienna  
Rosewood | Walnut Blades



**79525-8**  
Studio White  
Maple | Studio White Blades




### Optional Light Kit

**1129-865** 12" (w) x 5" (h) - (2) 13W M Spiral CFL Bulbs (Included)

Satin Nickel | Faux Alabaster Glass

Light Kit is shown on 79525-6522 ceiling fan

### HEIGHT CHART



### FAN HEIGHT

Using 3.5" Downrod

● Distance of 11.5"

○ Distance of 10.25"

### GENERAL SPECS

6 Finish Combinations Available

Lifetime Motor Warranty

Five Blades

52" Blade Sweep

14-Degree Blade Pitch

80" Lead Wire

3.5" and 6" Downrod Included

### MECHANICAL SPECS

172 x 14 Motor Size

3 Speeds-Reversible

16 Poles

.57/.39/.21 AMPS on H/M/L

68/33/9 WATTS on H/M/L

156/105/56 RPMS on H/M/L

Triple Capacitor

Remote Control Adaptable

Detachable Switch Cup

Skirted Blade Arms

### ENERGY SPECS

Energy Information at High Speed

Airflow: 5566 Cubic Feet/Minute

Electricity Use: 68 Watts (Excludes Lights)

Airflow Efficiency: 82 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 2-52 - See page 342



# WINDSOR CEILING FAN



The Windsor series will bring a touch of Old World class to your home. Include the optional scroll kit to really dress up that special room, or go without to add a bit of elegance to your everyday dwellings. The Windsor series will bring a touch of Old World class to your home. Include the optional scroll kit to really dress up that special room, or go without to add a bit of elegance to your everyday dwellings.



## AVAILABLE FINISHES



**85525-95**  
Old World  
Rosewood | Walnut Blades



**85525-92**  
Antique Silver  
Rosewood | Walnut Blades



**85525-88**  
Corsican Gold  
Corsican Gold | Walnut Blades



**85525-67**  
Antique White  
Antique White Blades




**85525-44**  
Toasted Sienna  
Rosewood | Walnut Blades



**Optional Scroll Kit**  
**7-85-44** 11.5" (w) x 9.25" (h)  
Toasted Sienna  
**Also Available In:**  
7-85-88, 7-85-95

Scroll Kit shown on 85525-44 ceiling fan  
\*Must use 12" downrod or longer with 7-85-XX scroll kit

### HEIGHT CHART



#### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 13.75"

#### GENERAL SPECS

- 5 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .61/.42/.22 AMPS on H/M/L
- 83/34/9 WATTS on H/M/L
- 169/110/54 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6866 Cubic Feet/Minute
- Electricity Use: 83 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0





Q

# INDOOR FANS VALUE SELECTIONS

You don't need to spend a fortune making your space look like a million bucks. Our Value Designs combine high-quality craftsmanship with affordable pricing, making this collection one of our most popular.



# CAPRI I 42" CEILING FAN



**The original value priced ceiling fan.  
Blade Alternative Options Available.**

The Capri I series is truly the quintessential fan style. The Capri I family, with its classic blade holders and simple style, is one of our most popular collections.

**This fan is also available to order without blades and fits standard type 1-42 (88mm x 66mm) blade types.**

## AVAILABLE FINISHES



**77425-95**  
Old World  
Rosewood | Walnut Blades  
To order this fan without blades use  
77420-95



**77425-65**  
Satin Nickel  
Satin Nickel | Walnut Blades  
To order this fan without blades use  
77420-65



**77425-67**  
Antique White  
Antique White Blades  
To order this fan without blades use  
77420-67



**77425-8**  
Studio White  
Studio White Blades  
To order this fan without blades use  
77420-8




**77425-6**  
Gloss White  
White Blades  
To order this fan without blades use  
77420-6



**77425-4**  
Antique Brass  
Dark Oak | Medium Oak Blades  
To order this fan without blades use  
77420-4

### HEIGHT CHART



#### FAN HEIGHT

Using 3.5" Downrod

- Distance of 11"
- Distance of 9"

#### GENERAL SPECS

6 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
14-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

### MECHANICAL SPECS

153 x 12 Motor Size  
3 Speeds-Reversible  
14 Poles  
.51/.36/.20 AMPS on H/M/L  
50/28/10 WATTS on H/M/L  
158/104/56 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/ Manual Reverse  
Detachable Switch Cup

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3818 Cubic Feet/Minute  
Electricity Use: 50 Watts (Excludes Lights)  
Airflow Efficiency: 76 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000

### BLADE ALTERNATIVES

Use indoor blade type I-42 - See page 336



# CAPRI I 52" CEILING FAN



**The original value priced ceiling fan.  
Blade Alternative Options Available.**

The Capri I series is truly the quintessential fan style. The Capri I family, with its classic blade holders and simple style, is one of our most popular collections. This fan offers an incredible 20 finish combinations for 52" models.

**This fan is also available to order without blades and fits standard type 1-52 (100mm x 70mm) blade types.**

## AVAILABLE FINISHES



### **77525-95**

Old World

Rosewood | Walnut Blades

To order this fan without blades use 77520-95



### **77525-92**

Antique Silver

Rosewood | Walnut Blades

To order this fan without blades use 77520-92



### **77525-86**

Oiled Bronze

Oiled Bronze | Walnut Blades

To order this fan without blades use 77520-86



### **77525-67**

Antique White

Antique White Blades

To order this fan without blades use 77520-67



### **77525-656**

Satin Nickel

Maple | White Blades

To order this fan without blades use 77520-65



### **77525-6522**

Satin Nickel

Dark Oak | Rosewood Blades

To order this fan without blades use 77520-65

## AVAILABLE FINISHES



**77525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades  
To order this fan without blades use  
77520-65



**77525-60**  
Aged Silver Leaf  
Medium Oak | Walnut Blades



**77525-59**  
Matte Black  
Medium Oak | Walnut Blades  
To order this fan without blades use  
77520-59



**77525-58**  
Mystic Silver  
Mystic Silver | Walnut Blades  
To order this fan without blades use  
77520-58



**77525-44**  
Toasted Sienna  
Rosewood | Walnut Blades  
To order this fan without blades use  
77520-44



**77525-30**  
Vintage Gold Leaf  
Medium Oak | Walnut Blades



**77525-26**  
Polished Brass | Gloss White  
White Blades  
To order this fan without blades use  
77520-26



**77525-22**  
Antique Flemish  
Antique Flemish | Pecan Blades  
To order this fan without blades use  
77520-22



**77525-15**  
Gloss Black  
Black Blades  
To order this fan without blades use  
77520-15





**77525-8**

Studio White  
Studio White Blades  
To order this fan without blades use  
77520-8



**77525-6**

Gloss White  
White Blades  
To order this fan without blades use  
77520-6



**77525-4**

Antique Brass  
Dark Oak | Medium Oak Blades  
To order this fan without blades use  
77520-4



**77525-2**


Polished Brass  
Dark Oak | Medium Oak Blades  
To order this fan without blades use  
77520-2



**Optional Light Kit**

**1504-865**  
10" (w) x 4.5" (h) - (2) 13W M Spiral CFL (Included)  
Satin Nickel | Satin Opal Glass  
Light Kit is shown on 77525-6522 ceiling fan

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
● Distance of 11.25"  
○ Distance of 8.5"

**GENERAL SPECS**

20 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
11.5-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.52/.37/.21 AMPS on H/M/L  
67/29/10 WATTS on H/M/L  
173/117/60 RPMS on H/M/L  
Triple Capacitor  
Detachable Switch Cup

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 5116 Cubic Feet/Minute  
Electricity Use: 67 Watts (Excludes Lights)  
Airflow Efficiency: 76 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-3000      7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 1-52 - See page 338



# CAPRI III CEILING FAN



**Incandescent bowl light kit included.  
Blade Alternative Options Available.**

The Capri III series comes with a lovely incandescent bowl style light kit. And with 9 finishes and two bowl styles to choose from, you'll have no problem finding the right one for your space.

**This fan is also available to order without blades and fits standard type 1-52 (100mm x 70mm) blade types.**

## AVAILABLE FINISHES



### 77525-9595

Old World | Faux Alabaster  
Old World | Walnut Blades  
Light Kit Uses (2) 60W C (Included)  
To order this fan without blades use 77520-9595



### 77525-9495

Old World | Amber Scavo  
Old World | Walnut Blades  
Light Kit Uses (2) 60W C (Included)  
To order this fan without blades use 77520-9495



### 77525-9295

Old World | Faux Alabaster  
Old World | Walnut Blades  
Light Kit Uses (2) 60W C (Included)  
To order this fan without blades use 77520-9295



### 77525-9486

Oiled Bronze | Amber Scavo  
Oiled Bronze | Walnut Blades  
Light Kit Uses (2) 60W C (Included)  
To order this fan without blades use 77520-9486



### 77525-9086

Oiled Bronze | Satin Opal  
Oiled Bronze | Walnut Blades  
Light Kit Uses (2) 60W C (Included)



### 77525-9267

Antique White | Faux Alabaster  
Antique White Blades  
Light Kit Uses (2) 60W C (Included)  
To order this fan without blades use 77520-9267

## AVAILABLE FINISHES



### 77525-9565

Satin Nickel | Faux Alabaster

Dark Oak | Rosewood Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use 77520-9565



### 77525-9265

Satin Nickel | Faux Alabaster

Dark Oak | Rosewood Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use 77520-9265



### 77525-9458

Mystic Silver | Amber Scavo

Mystic Silver | Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use 77520-9458



### 77525-9544

Toasted Sienna | Faux Alabaster

Toasted Sienna | Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use 77520-9544



### 77525-9444

Toasted Sienna | Amber Scavo

Toasted Sienna | Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use 77520-9444



### 77525-9244

Toasted Sienna | Faux Alabaster

Toasted Sienna | Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use 77520-9244



**77525-9422**

Antique Flemish | Amber Scavo  
 Antique Flemish | Pecan Blades  
 Light Kit Uses (2) 60W C (Included)  
 To order this fan without blades use 77520-9422



**77525-9508**

Studio White | Faux Alabaster  
 Studio White Blades  
 Light Kit Uses (2) 60W C (Included)  
 To order this fan without blades use 77520-9508



**77525-9208**

Studio White | Faux Alabaster  
 Studio White Blades  
 Light Kit Uses (2) 60W C (Included)  
 To order this fan without blades use 77520-9208



**77525-9506**


Gloss White | Faux Alabaster  
 White Blades  
 Light Kit Uses (2) 60W C (Included)  
 To order this fan without blades use 77520-9506



**77525-9206**

Gloss White | Faux Alabaster  
 White Blades  
 Light Kit Uses (2) 60W C (Included)  
 To order this fan without blades use 77520-9206

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
 ● Distance OF 17.25"  
 ○ Distance OF 10.5"

**GENERAL SPECS**

17 Finish Combinations Available  
 Lifetime Motor Warranty  
 Five Blades  
 11.5-Degree Blade Pitch  
 80" Lead Wire  
 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 15 Motor Size  
 3 Speeds-Reversible  
 14 Poles  
 .52/.37/.21 AMPS on H/M/L  
 67/30/9 WATTS on H/M/L  
 173/117/60 RPMS on H/M/L  
 Triple Capacitor  
 Remote Control Adaptable w/Manual Reverse  
 Detachable Switch Cup  
 Light Kit Uses (2) 60W C (Included)

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 5116 Cubic Feet/Minute  
 Electricity Use: 67 Watts (Excludes Lights)  
 Airflow Efficiency: 76 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



7-1305-0 7-3000 7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 1-52 - See page 338



# CAPRI IV CEILING FAN



**Energy Star certified bowl light kit included.  
Blade Alternative Options Available.**

The Capri IV series features a fluorescent bowl that adds a bit of elegance to this classic style. This fan family offers ten finish combinations and three bowl colors.

## AVAILABLE FINISHES



**77525-2595**  
Old World | Faux Alabaster  
Old World | Walnut Blades  
Light Kit uses (2) 13W 2700K GU24 (Included)



**77525-2495**  
Old World | Amber Scavo  
Old World | Walnut Blades  
Light Kit uses (2) 13W 2700K GU24 (Included)



**77525-2686**  
Oiled Bronze | Linen  
Oiled Bronze | Walnut Blades  
Light Kit uses (2) 13W 2700K GU24 (Included)



**77525-2586**  
Oiled Bronze | Faux Alabaster  
Oiled Bronze | Walnut Blades  
Light Kit uses (2) 13W 2700K GU24 (Included)

## AVAILABLE FINISHES



### **77525-2486**

Oiled Bronze | Amber Scavo  
Oiled Bronze | Walnut Blades  
Light Kit uses (2) 13W 2700K GU24 (Included)



### **77525-2565**

Satin Nickel | Faux Alabaster Light Kit  
Dark Oak | Rosewood Blades  
Light Kit uses (2) 13W 2700K GU24 (Included)



### **77525-2544**

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit uses (2) 13W 2700K GU24 (Included)



### **77525-2444**

Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit uses (2) 13W 2700K GU24 (Included)






**77525-2508**

Studio White | Faux Alabaster  
 Studio White Blades  
 Light Kit uses (2) 13W 2700K GU24 (Included)

**77525-2506**

Gloss White | Faux Alabaster  
 White Blades  
 Light Kit uses (2) 13W 2700K GU24 (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 20.5"
- Distance of 12.75"

**GENERAL SPECS**

10 Finish Combinations Available  
 Lifetime Motor Warranty  
 Five Blades  
 52" Blade Sweep  
 Blade Type 1-52" with Pointed Tip  
 11.5-Degree Blade Pitch  
 80" Lead Wire  
 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 15 Motor Size  
 3 Speeds-Reversible  
 14 Poles  
 .50/.37/.22 AMPS on H/M/L  
 59/30/10 WATTS on H/M/L  
 222/158/83 RPMS on H/M/L  
 Triple Capacitor  
 Light Kit Uses (2) 13W 2700k GU24  
 Fluorescent Lamps (Included)  
 Not Remote Control Adaptable  
 Light Kit Non-Dimmable

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 5948 Cubic Feet/Minute  
 Electricity Use: 59 Watts (Excludes Lights)  
 Airflow Efficiency: 100 Cubic Feet/Minute/Watt

**BULB TYPE**



13W 2700K GU24

**BLADE ALTERNATIVES**

Use indoor blade type 1-52 - See page 338



# CAPRI V CEILING FAN



**Four light kit included.  
Blade Alternative Options Available.**

A 4-light CFL light kit distinguishes the Capri V series. Choose from 14 finish combinations and four glass colors.

**This fan is also available to order without blades and fits standard type 1-52 (100mm x 70mm) blade types.**

## AVAILABLE FINISHES



### **77525-8395**

Old World | Amber Scavo  
Old World | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)  
To order this fan without blades use 77520-8395



### **77525-8195**

Old World | Faux Alabaster  
Old World | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)  
To order this fan without blades use 77520-8195



### **77525-8086**

Oiled Bronze | Satin Opal  
Oiled Bronze | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)



### **77525-8286**

Oiled Bronze | Linen  
Oiled Bronze | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)  
To order this fan without blades use 77520-8286

## AVAILABLE FINISHES



### **77525-8167**

Antique White | Faux Alabaster

Antique White Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use 77520-8167



### **77525-8165**

Satin Nickel | Faux Alabaster

Satin Nickel | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use 77520-8165



**Satin Nickel | Faux Alabaster**

**Maple | White Blades**

**Light Kit uses (4) 13W M Spiral CFL (Included)**

**To order this fan without blades use 77520-8165**



### **7752581652**

Satin Nickel | Faux Alabaster

Dark Oak | Rosewood Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use 77520-8165



### **77525-8358**

Mystic Silver | Amber Scavo

Mystic Silver | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use 77520-8358



### **77525-8344**

Toasted Sienna | Amber Scavo

Toasted Sienna | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use 77520-8344



### **77525-8144**

Toasted Sienna | Faux Alabaster

Toasted Sienna | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use 77520-8144



**77525-8322**

Antique Flemish | Amber Scavo  
 Antique Flemish | Pecan Blades  
 Light Kit uses (4) 13W M Spiral CFL (Included)  
 To order this fan without blades use 77520-8322



**77525-8108**

Studio White | Faux Alabaster  
 Studio White Blades  
 Light Kit uses (4) 13W M Spiral CFL (Included)  
 To order this fan without blades use 77520-8108



**77525-8106**


Gloss White | Faux Alabaster  
 White Blades  
 Light Kit uses (4) 13W M Spiral CFL (Included)  
 To order this fan without blades use 77520-8106



**77525-8102**

Polished Brass | Faux Alabaster  
 Medium Oak | Dark Oak Blades  
 Light Kit uses (4) 13W M Spiral CFL (Included)  
 To order this fan without blades use 77520-8102

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
 ● Distance OF 19"  
 ○ Distance OF 11.5"

**GENERAL SPECS**

15 Finish Combinations Available  
 Lifetime Motor Warranty  
 Five Blades  
 11.5-Degree Blade Pitch  
 80" Lead Wire  
 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 15 Motor Size  
 3 Speeds-Reversible  
 14 Poles  
 .52/.37/.21 AMPS on H/M/L  
 67/29/10 WATTS on H/M/L  
 173/117/60 RPMS on H/M/L  
 Triple Capacitor  
 Not Remote Control Adaptable  
 Detachable Switch Cup  
 Light Kit Uses (4) 13W M 2700k Spiral CFL Bulbs (Included)  
 Light Kit Non-Dimmable

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 5116 Cubic Feet/Minute  
 Electricity Use: 67 Watts (Excludes Lights)  
 Airflow Efficiency: 76 Cubic Feet/Minute/Watt

**BULB TYPE**



Spiral CFL

**BLADE ALTERNATIVES**

Use indoor blade type I-52 - See page 338



# CAPRI VI CEILING FAN



**Three light kit included.  
Blade Alternative Options Available.**

The Capri VI series features a 3-light incandescent bulb kit that comes in three lovely colors – Linen, Amber Scavo Satin Opal, and Faux Alabaster. Choose from 15 different finish combinations sure to complement any décor.

**This fan is also available to order without blades and fits standard type 1-52 (100mm x 70mm) blade types.**

## AVAILABLE FINISHES



### **77525-1795**

Old World | Amber Scavo  
Old World | Walnut Blades  
Light Kit uses (3) 60W C (Included)  
To order this fan without blades use 77520-1795



### **77525-1695**

Old World | Faux Alabaster  
Old World | Walnut Blades  
Light Kit uses (3) 60W C (Included)  
To order this fan without blades use 77520-1695



### **77525-1886**

Oiled Bronze | Linen  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 60W C (Included)  
To order this fan without blades use 77520-1886



### **77525-1786**

Oiled Bronze | Amber Scavo  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 60W C (Included)  
To order this fan without blades use 77520-1786

## AVAILABLE FINISHES



### **77525-1686**

Oiled Bronze | Faux Alabaster

Oiled Bronze | Walnut Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use 77520-1686



### **77525-1086**

Oiled Bronze | Satin Opal

Oiled Bronze | Walnut Blades

Light Kit uses (3) 60W C (Included)



### **77525-1667**

Antique White | Faux Alabaster

Antique White | Walnut Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use 77520-1667



### **77525-1665**

Satin Nickel | Faux Alabaster

Satin Nickel | Walnut Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use 77520-1665



### **7752516656**

Satin Nickel | Faux Alabaster

Maple | White Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use 77520-1665



### **7752516652**

Satin Nickel | Faux Alabaster

Dark Oak | Rosewood Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use 77520-1665



### **77525-1758**

Mystic Silver | Amber Scavo

Mystic Silver | Walnut Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use 77520-1758





**77525-1744**

Toasted Sienna | Amber Scavo  
 Toasted Sienna | Walnut Blades  
 Light Kit uses (3) 60W C (Included)  
 To order this fan without blades use 77520-1744



**77525-1644**

Toasted Sienna | Faux Alabaster  
 Toasted Sienna | Walnut Blades  
 Light Kit uses (3) 60W C (Included)  
 To order this fan without blades use 77520-1644



**77525-1608**


Studio White | Faux Alabaster  
 Studio White Blades  
 Light Kit uses (3) 60W C (Included)  
 To order this fan without blades use 77520-1608



**77525-1606**

Gloss White | Faux Alabaster  
 White Blades  
 Light Kit uses (3) 60W C (Included)  
 To order this fan without blades use 77520-1606

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
 ● Distance OF 19.75"  
 ○ Distance OF 12.5"

**GENERAL SPECS**

15 Finish Combinations Available  
 Lifetime Motor Warranty  
 Five Blades  
 11.5-Degree Blade Pitch  
 80" Lead Wire  
 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 15 Motor Size  
 3 Speeds-Reversible  
 14 Poles  
 .52/.37/.21 AMPS on H/M/L  
 67/29/10 WATTS on H/M/L  
 173/117/60 RPMS on H/M/L  
 Triple Capacitor  
 Remote Control Adaptable w/Manual Reverse  
 Detachable Switch Cup  
 Light Kit Uses (3) 60W C Bulbs (Included)

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 5116 Cubic Feet/Minute  
 Electricity Use: 67 Watts (Excludes Lights)  
 Airflow Efficiency: 76 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



7-1305-0



7-3000



7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 1-52 - See page 338



# CAPRI VII CEILING FAN



**Energy Star certified four light kit included.  
Blade Alternative Options Available.**

There's nothing quite like a room that celebrates the traditional. Why not complement that interior with the comfortably stylish Capri series. A four-light fluorescent bulb kit adds just the right amount of ambience while five different finishes make for a seamless addition to any space.

## AVAILABLE FINISHES



### 77525-8986

Oiled Bronze | Linen  
Oiled Bronze | Walnut Blades  
Light Kit uses (4) 13W 2700K GU24  
(Included)



### 77525-8765

Satin Nickel | Faux Alabaster  
Satin Nickel | Walnut Blades  
Light Kit uses (4) 13W 2700K GU24  
(Included)



### 77525-8844

Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit uses (4) 13W 2700K GU24  
(Included)



### 77525-8744

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit uses (4) 13W 2700K GU24  
(Included)



### 77525-8708


Studio White | Faux Alabaster  
Studio White Blades  
Light Kit uses (4) 13W 2700K GU24  
(Included)



### 77525-8706

Gloss White | Faux Alabaster  
Gloss White Blades  
Light Kit uses (4) 13W 2700K GU24  
(Included)

### HEIGHT CHART



### FAN HEIGHT

Using 3.5" Downrod  
● Distance OF 17.5"  
○ Distance OF 9.75"

### GENERAL SPECS

6 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
12-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.52/.37/.21 AMPS on H/M/L  
67/29/9 WATTS on H/M/L  
190/133/69 RPMS on H/M/L  
Triple Capacitor  
Not Remote Control Adaptable  
Light Kit Uses (4) 13W 2700k GU24 Bulbs (Included)  
Light Kit Non-Dimmable

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5607 Cubic Feet/Minute  
Electricity Use: 67 Watts (Excludes Lights)  
Airflow Efficiency: 84 Cubic Feet/Minute/Watt

### BULB TYPE



13W 2700K GU24

### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 338



# CUSTOM HUGGER 42" CEILING FAN



**Blade Alternative Options Available.**

The Custom Hugger 42" series attaches directly to your ceiling and offers three finish options. The familiar design of this fan is a comforting reminder of warm summer nights spent beneath the cool breeze of gently circulating air.

## AVAILABLE FINISHES



**11425-6**  
Gloss White  
White Blades



**11425-4**  
Antique Brass  
Dark Oak | Medium Oak Blades



**11425-2**  
Polished Brass  
Dark Oak | Medium Oak Blades

### HEIGHT CHART



### FAN HEIGHT

- Distance of 7.5"
- Distance of 6"

### GENERAL SPECS

3 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
11.5-Degree Blade Pitch

### MECHANICAL SPECS

153 x 10 Motor Size  
3 Speeds-Reversible  
14 Poles  
.38/.29/.21 AMPS on H/M/L  
48/27/15 WATTS on H/M/L  
220/175/120 RPMS on H/M/L  
Single Capacitor  
Not Remote Control Adaptable  
Detachable Switch Cup

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3812 Cubic Feet/Minute  
Electricity Use: 48 Watts (Excludes Lights)  
Airflow Efficiency: 79 cubic feet/min./watt

### BLADE ALTERNATIVES

Use indoor blade type 1-42 - See page 336



# CUSTOM HUGGER 52" CEILING FAN



**Blade Alternative Options Available.**

The Custom Hugger 52" series attaches directly to your ceiling and offers four finish options. The familiar design of this fan is a comforting reminder of warm summer nights spent beneath the cool breeze of gently circulating air.

## AVAILABLE FINISHES



**11525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**11525-6**  
Gloss White  
White Blades



**11525-4**  
Antique Brass  
Dark Oak | Medium Oak Blades



**11525-2**  
Polished Brass  
Dark Oak | Medium Oak Blades

### HEIGHT CHART



### FAN HEIGHT

- Distance of 7.75"
- Distance of 6"

### GENERAL SPECS

4 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
11.5-Degree Blade Pitch

### MECHANICAL SPECS

153 x 12 Motor Size  
3 Speeds-Reversible  
14 Poles  
.40/.32/.19 AMPS on H/M/L  
71/32/14 WATTS on H/M/L  
158/121/75 RPMS on H/M/L  
Triple Capacitor  
Not Remote Control Adaptable  
Detachable Switch Cup

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5307 Cubic Feet/Minute  
Electricity Use: 71 Watts (Excludes Lights)  
Airflow Efficiency: 74 cubic feet/min./watt

### BLADE ALTERNATIVES

Use indoor blade type I-52 - See page 338



# ESTATE 30" CEILING FAN



**Blade Alternative Options Available.**

The Estate 30" collection is our smallest Estate fan, allowing you to cool and circulate air through more modest spaces without compromising on taste. The classic, yet refined design is great for brightening up a breakfast nook or a petite cottage room.



## AVAILABLE FINISHES



**43306-95**  
Old World  
Rosewood | Walnut Blades



**43306-65**  
Satin Nickel  
Satin Nickel | Walnut Blades




**43306-44**  
Toasted Sienna  
Rosewood | Walnut Blades



**43306-6**  
Gloss White  
White Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 3.5" Downrod
- Distance of 12"
- Distance of 10.75"

### GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Six Blades
- 30" Blade Sweep
- 25-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

### MECHANICAL SPECS

- 153 x 12 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .30/20/.09 AMPS on H/M/L
- 53/26/9 WATTS on H/M/L
- 240/182/100 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 3690 Cubic Feet/Minute
- Electricity Use: 53 Watts (Excludes Lights)
- Airflow Efficiency: 69 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 1-30 - See page 335



# ESTATE 42" CEILING FAN



**Blade Alternative Options Available.**

The Estate 42" series has the most versatile blade sweep of all the Estate fans. Whether you're fitting a standard-sized game room or small home office, this fan will provide adequate circulation and a touch of class without overwhelming the room.

## AVAILABLE FINISHES



**43425-95**  
Old World  
Rosewood | Walnut Blades



**43425-67**  
Antique White  
Antique White Blades



**43425-65**  
Satin Nickel  
Satin Nickel | Walnut Blades




**43425-44**  
Toasted Sienna  
Rosewood | Walnut Blades



**43425-6**  
Gloss White  
White Blades

### HEIGHT CHART



#### FAN HEIGHT

- Using 3.5" Downrod
- Distance of 12"
- Distance of 10.75"

#### GENERAL SPECS

- 5 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 42" Blade Sweep
- 14-Degree Blade Pitch
- 3.5" and 6" Downrod Included

### MECHANICAL SPECS

- 153 x 13 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .47/34/20 AMPS on H/M/L
- 55/25/9 WATTS on H/M/L
- 195/138/75 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4595 Cubic Feet/Minute
- Electricity Use: 63 Watts (Excludes Lights)
- Airflow Efficiency: 73 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type I-42 - See page 336



# ESTATE 52" CEILING FAN



**Blade Alternative Options Available.**

The Estate 52" series is the perfect way to provide the refined aesthetic of our Estate fans to the larger rooms in your house. The 52" blade sweep and 9 finish combinations will keep you cool and comfortable while providing the ideal accent to wide rooms and vaulted ceilings.

AVAILABLE FINISHES



**43525-95**  
Old World  
Rosewood | Walnut Blades



**43525-92**  
Antique Silver  
Rosewood | Walnut Blades



**43525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**43525-67**  
Antique White  
Antique White Blades

AVAILABLE FINISHES



**43525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**43525-6522**  
Satin Nickel  
Dark Oak | Rosewood Blades



**43525-44**  
Toasted Sienna  
Rosewood | Walnut Blades




**43525-8**  
Studio White  
Studio White Blades



**43525-6**  
Gloss White  
White Blades

#### HEIGHT CHART



#### FAN HEIGHT

Using 3.5" Downrod  
 ● Distance of 12"  
 ○ Distance of 10.5"

#### GENERAL SPECS

9 Finish Combinations Available  
 Lifetime Motor Warranty  
 Five Blades  
 52" Blade Sweep  
 14-Degree Blade Pitch  
 3.5" and 6" Downrod Included

#### MECHANICAL SPECS

153 x 15 Motor Size  
 3 Speeds-Reversible  
 14 Poles  
 .58/.39/.21 AMPS on H/M/L  
 66/29/9 WATTS on H/M/L  
 175/104/58 RPMS on H/M/L  
 Triple Capacitor  
 Remote Control Adaptable  
 Detachable Switch Cup  
 Skirted Blade Arms

#### ENERGY SPECS

Energy Information at High Speed  
 Airflow: 5361 Cubic Feet/Minute  
 Electricity Use: 66 Watts (Excludes Lights)  
 Airflow Efficiency: 81 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

#### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 338



# MONTICELLO CEILING FAN



## **Blade Alternative Options Available.**

Old world charm and baroque opulence have never been so intertwined. The Monticello series celebrates ornate style with intricately designed blade holders and exceptionally detailed shapes on the decorative housing. **This fan is also available to order without blades and fits standard type 1-52 (100mm x 70mm) blade types.**



AVAILABLE FINISHES



**17525-95**  
Old World  
Rosewood | Walnut Blades  
To order this fan without blades use 17520-95



**17525-92**  
Antique Silver  
Rosewood | Walnut Blades  
To order this fan without blades use 17520-92



**17525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades  
To order this fan without blades use 17520-86



**17525-70**  
Persian White  
Distressed Weathered Pine Blades

## AVAILABLE FINISHES



**17525-67**

Antique White

Antique White | Washed Oak Blades

To order this fan without blades use 17520-67



**17525-65**

Satin Nickel

Maple | Studio White Blades

To order this fan without blades use 17520-65



**17525-6522**

Satin Nickel

Dark Oak | Rosewood Blades

To order this fan without blades use 17520-65



**17525-60**

Aged Silver Leaf

Medium Oak | Walnut Blades



**17525-44**

Toasted Sienna

Rosewood | Walnut Blades

To order this fan without blades use 17520-44



**17525-30**

Vintage Gold Leaf

Medium Oak | Walnut Blades




**17525-8**

Studio White  
 Maple | Studio White Blades  
 To order this fan without blades use 17520-8

**Optional Light Kit**

**2444-8070** 10"(w) x 3"(h) - (4) 13W M Spiral CFL (Included)  
 Matte Black | Optional 2819 Glass  
 Light Kit shown on 17525-70 ceiling fan

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
 ● Distance of 13.5"  
 ○ Distance of 11"

**GENERAL SPECS**

11 Finish Combinations Available  
 Lifetime Motor Warranty  
 Five Blades  
 52" Blade Sweep  
 12-Degree Blade Pitch  
 80" Lead Wire  
 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 16 Motor Size  
 3 Speeds-Reversible  
 16 Poles  
 .56/.37/.20 AMPS on H/M/L  
 63/28/8 WATTS on H/M/L  
 156/105/50 RPMS on H/M/L  
 Dual Capacitor  
 Remote Control Adaptable  
 Detachable Switch Cup

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 5711 Cubic Feet/Minute  
 Electricity Use: 67 Watts (Excludes Lights)  
 Airflow Efficiency: 85 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-3000    7-1401-0    7-1305-0

**BLADE ALTERNATIVES**

Use indoor blade type 1-52 - See page 338





# INDOOR FAN LIGHT KITS

Nothing elevates your fan like a beautiful light kit. Whether your style is contemporary, traditional, or somewhere in between, dozens of light kit styles make it easy to find the perfect illuminating accent for your Quorum fan.



**1032-95** (shown)  
10" (w) x 4" (h) - (2) 60W C (Included)  
Old World | Amber Scavo Glass

**Additional Finishes:**



**1032-65**  
Satin Nickel  
Satin Opal Glass



**1032-8**  
Studio White  
Satin Opal Glass

---



**1129-865\*** (shown)  
12" (w) x 5" (h) - (2) 13W M Spiral CFL  
Satin Nickel | Faux Alabaster Glass

**Additional Finish:**



**1129-806\***  
Gloss White  
Faux Alabaster Glass

\*2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.



**1504-865\***  
 10" (w) x 4.5" (h) - (2) 13W M Spiral CFL  
 Satin Nickel | Satin Opal Glass  
 Light Kit is shown on 77525-6522 ceiling fan



**1190-808\*** (shown)  
 12.5" (w) x 3.75" (h) - (2) 13W M Spiral CFL  
 Studio White | Faux Alabaster Glass

**Additional Finishes:**



**1191-844\***  
 Toasted Sienna  
 White Scavo Glass



**1190-804\***  
 Antique Brass  
 Faux Alabaster Glass



**1190-865\***  
 Satin Nickel  
 Faux Alabaster Glass



**1191-895\***  
 Old World  
 White Scavo Glass



**1190-806\***  
 Gloss White  
 Faux Alabaster Glass



**1190-867\***  
 Antique White  
 Faux Alabaster Glass

\* 2700k non-dimmable bulbs included  
 All items comply with 2005 Energy Policy Act.



**1901-895\***

14" (w) x 6" (h) - (2) 13W M Spiral CFL  
Old World | Antique Amber Scavo Glass



**4100-8161\***

8" (w) x 6.5" (h) - (1) 13W M Spiral CFL  
Gloss White | Opal Glass  
Light Kit is shown on 91525-6 ceiling fan

\*2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.





**1230-888\***

13.5" (w) x 8.75" (h) - (2) 13W M Spiral CFL  
Corsican Gold | Antique Amber Scavo Glass

---



**1141-806\***

10" (w) x 3.5" (h) - (1) 13W M Spiral CFL  
Gloss White | Satin Opal Glass

\* 2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.



**2303-9060** (shown)  
 5.5" (w) x 3" (h) - (3) 60W C (Included)  
 Aged Silver Leaf

**Additional Finishes:**



**2303-9095**  
 Old World



**2303-9092**  
 Antique Silver



**2303-9088**  
 Corsican Gold



**2303-9086**  
 Oiled Bronze



**2303-9067**  
 Antique White




**2303-9065**  
 Satin Nickel




**2303-9059**  
 Matte Black



**2303-9058**  
 Mystic Silver



**2303-9044**  
 Toasted Sienna



**2303-9030**  
 Vintage Gold Leaf



**2303-9022**  
 Antique Flemish



**2303-908**  
 Studio White



**2303-906**  
 Gloss White



**2303-904**  
 Antique Brass



**2303-902**  
 Polished Brass



**2401-8044\*** (shown)  
7" (w) x 2.75" (h) - (4) 13W M Spiral CFL  
Toasted Sienna

**Additional Finishes:**



**2401-8095\***  
Old World



**2401-8086\***  
Oiled Bronze




**2401-8065\***  
Satin Nickel



**2401-808\***  
Studio White



**2401-806\***  
Gloss White



**2401-804\***  
Antique Brass



**4102-802\*** (shown)  
4.25" (w) x 2.25" (h) - (1) 13W M Spiral CFL  
Polished Brass

**Additional Finishes:**



**4102-8095\***  
Old World



**4102-8065\***  
Satin Nickel



**4102-8044\***  
Toasted Sienna



**4102-808\***  
Studio White



**4102-806\***  
Gloss White

\* 2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.



**2444-8070\*** (shown)  
 10" (w) x 3" (h) - (4) 13W M Spiral CFL  
 Persian White | Optional 2819 Glass  
 Light Kit is shown on 17525-70 ceiling fan

**Additional Finishes:**



**2444-8095\***  
 Old World



**2444-8094\***  
 French Umber



**2444-8092\***  
 Antique Silver



**2444-8088\***  
 Corsican Gold



**2444-8086\***  
 Oiled Bronze



**2444-8067\***  
 Antique White



**2444-8065\***  
 Satin Nickel



**2444-8060\***  
 Aged Silver Leaf



**2444-8059\***  
 Matte Black



**2444-8058\***  
 Mystic Silver



**2444-8044\***  
 Toasted Sienna



**2444-8030\***  
 Vintage Gold Leaf



**2444-8022\***  
 Antique Flemish



**2444-808\***  
 Studio White



**2444-806\***  
 Gloss White



**2444-804\***  
 Antique Brass




**2444-802\***  
 Polished Brass



**2371-8095\*** (shown)  
12.5"(w) x 4.5"(h) - (3) 13W M Spiral CFL  
Old World | Optional 2843 Glass  
Light Kit shown on 71525-95 ceiling fan

**Additional Finishes:**



**2371-8088\***  
Corsican Gold




**2371-8044\***  
Toasted Sienna



**2326-895\*** (shown)  
17"(w) x 6"(h) - (3) 13W M Spiral CFL  
Old World | Amber Scavo Glass

**Additional Finishes:**



**2326-865\***  
Satin Nickel  
Faux Alabaster Glass

\* 2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.



**2530-8030\*** (shown)  
 14" (w) x 5.5" (h) - (5) 13W M Spiral CFL  
 Vintage Gold Leaf

**Additional Finishes:**




**2530-8095\***  
 Old World




**2530-8094\***  
 French Umber




**2530-8092\***  
 Antique Silver



**2530-8088\***  
 Corsican Gold



**2530-8086\***  
 Oiled Bronze



**2530-8070\***  
 Persian White




**2530-8067\***  
 Antique White




**2530-8065\***  
 Satin Nickel



**2530-8060\***  
 Aged Silver Leaf



**2530-8044\***  
 Toasted Sienna



**2530-804\***  
 Antique Brass

\*2700k non-dimmable bulbs included  
 All items comply with 2005 Energy Policy Act.



**2409-859\*** (shown)  
10" (w) x 6" (h) - (4) 13W M Spiral CFL  
Matte Black

**Additional Finishes:**



**2409-865\***  
Satin Nickel



**2409-814\***  
Chrome



**2409-806\***  
Gloss White

\* 2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.

## CUSTOM LIGHT KITS

Quorum International offers a variety of Light Kits that come with an optional end cap that can be customized to fit your fan configuration. Whether you have a fan with an Old World or Toasted Sienna finish the Custom Light Kits allows you to choose your style.



**1101-811\***  
13" (w) x 6" (h) - (2) 13W M Spiral CFL  
Satin Nickel | Gloss White  
Clear | Frost Glass



**1120-801A\***  
12.75" (w) x 8.5" (h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Etruscan Glass with Amber Accents



**1120-811A1\***  
12.75" (w) x 8.5" (h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Indian Scavo Glass



**1120-801D\***  
12.75" (w) x 8.5" (h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Tea-Stained Scavo Glass



**1120-801H\***  
12.75" (w) x 8.5" (h) - (2) 13W M Spiral CFL  
Satin Nickel | Gloss White  
Satin Opal Glass



**1120-801P\***  
12.75" (w) x 8.5" (h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Amber Stone Glass



**1120-801U\***  
12.75" (w) x 8.5" (h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Iced Etruscan Glass



**1133-801\***  
13.25" (w) x 9" (h) - (2) 13W M Spiral CFL  
Satin Nickel | Gloss White  
Faux Alabaster Glass





**1147-801\***  
12.75" (w) x 8.5" (h) - (2) 13W M Spiral CFL  
Satin Nickel | Oiled Bronze  
Silver Mercury Glass



**1158-801\***  
10.75" (w) x 6.5" (h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Linen Glass



**1166-801\***  
13" (w) x 7.5" (h) - (2) 13W M Spiral CFL  
Satin Nickel | Gloss White  
Faux Alabaster Glass




**1228-801\***  
12.75" (w) x 7" (h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Linen Glass




**1231-801\***  
12.75" (w) x 7" (h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Amber Linen Glass



**1232-801\***  
12.75" (w) x 7" (h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Amber Scavo Glass



**1858-965**  
11" (w) x 4.75" (h) - (3) 40W C (Included)  
Satin Nickel  
Cream Fabric Shade



**1858-986**  
11" (w) x 4.75" (h) - (3) 40W C (Included)  
Oiled Bronze  
Cream Fabric Shade

\* 2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.





Q

PATIO FANS  
CONTEMPORARY

Contemporary doesn't get any cooler than Quorum's Patio Contemporary Designs. Outdoor spaces deserve a pick me up and nothing perks up a patio like the modern, sleek and sophisticated style of these fans.



# PROXIMA 60" PATIO FAN

Sleek, sophisticated and sexy, this fan should have its own club. The upturned blades are positioned at just the right angle for maximum air circulation and the gorgeous, cylindrical housing adds even more contemporary artistry to this looker. Choose Satin Nickel, Oiled Bronze or Studio White and let the gawking begin. The Proxima 60" patio fan is also available in an indoor version.

## AVAILABLE FINISHES



**196608-86**  
Oiled Bronze  
Oiled Bronze Blades




**196608-65**  
Satin Nickel  
Satin Nickel Blades



**196608-8**  
Studio White  
Studio White Blades

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod

- Distance of 18"
- Distance of 15"

### GENERAL SPECS

3 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Eight Blades  
60" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

DC-165M Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.45/30/21/14/10/07 AMPS on H/M/L  
32/20/14/9/6/4 WATTS on H/M/L  
147/125/109/91/73/53 RPMS on H/M/L  
UL Wet Listed  
Not Light Kit Adaptable

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 8327 Cubic Feet/Minute  
Electricity Use: 32 Watts (Excludes Lights)  
Airflow Efficiency: 260 Cubic Feet/Minute/Watt

### WALL CONTROL



Included



# PROXIMA 72" PATIO FAN

Sleek, sophisticated and sexy, this fan should have its own club. The upturned blades are positioned at just the right angle for maximum air circulation and the gorgeous, cylindrical housing adds even more contemporary artistry to this looker. Choose Satin Nickel, Oiled Bronze or Studio White and let the gawking begin. The Proxima 72" patio fan is also available in an indoor version.

## AVAILABLE FINISHES



**196728-86**  
Oiled Bronze  
Oiled Bronze Blades




**196728-65**  
Satin Nickel  
Satin Nickel Blades



**196728-8**  
Studio White  
Studio White Blades

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod

- Distance of 18"
- Distance of 15"

### GENERAL SPECS

3 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Eight Blades  
72" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

DC-165L Motor  
6 Speeds-Reversible  
6 Poles  
.23/14/10/08/05/03 AMPS on H/M/L  
30/19/12/8/6/4 WATTS on H/M/L  
93/79/68/55/43/33 RPMS on H/M/L  
UL Wet Listed  
Not Light Kit Adaptable


### ENERGY SPECS

Energy Information at High Speed  
Airflow: 6373 Cubic Feet/Minute  
Electricity Use: 30 Watts (Excludes Lights)  
Airflow Efficiency: 211 Cubic Feet/Minute/Watt

### WALL CONTROL



Included



# BRONX PATIO FAN



The Bronx Patio series offers contemporary style with blades anchored directly to the decorative housing. With two finishes to choose from, the Bronx Patio is destined to add a refined casualness to any outdoor setting.



## AVAILABLE FINISHES



### 142523-86


Oiled Bronze  
Walnut ABS Blades  
Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp  
(Included)



### 142523-65

Satin Nickel  
Walnut ABS Blades  
Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp  
(Included)

### HEIGHT CHART



### FAN HEIGHT

Using 4.5" Downrod

- Distance of 15"
- Distance of 12"

### GENERAL SPECS

2 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Three ABS Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4.5" Downrod Included

### MECHANICAL SPECS

172 x 17 Motor Size  
4 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.55/42/27/23 AMPS on H/M/L  
66/37/16/12 WATTS on H/M/L  
207/150/91/78 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (1) 75W JD-E11 Mini-Can  
Halogen Bulb (Included)  
UL Wet Listed

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 6514 Cubic Feet/Minute  
Electricity Use: 66 Watts (Excludes Lights)  
Airflow Efficiency: 99 Cubic Feet/Minute/Watt

### BULB TYPE



JD-E11 Mini-Can

### REMOTE CONTROL OPTIONS



Included




7-1305-0



7-3000



7-1401-0



# DRAGONFLY 60" PATIO FAN

Sleek style combined with nautical influences define the Dragonfly patio 60". Water-resistant canvas blades contrast nicely with the futuristic decorative housing and strong metal accents. Choose the Dragonfly to add a flight of fancy (and interest) to covered decks and boathouses.

## AVAILABLE FINISHES




**159605-65**  
Satin Nickel  
Gray Water Resistant Canvas Blades



**159605-8**  
Studio White  
White Water Resistant Canvas Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 3.5" Downrod
- Distance of 13.5"
- Distance of 10.25"

### GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five Water-Resistant Canvas Blades
- 60" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

### MECHANICAL SPECS

- 28mm DC Motor
- 3 Speeds-Reversible
- 18 Poles
- .87/59/.37 AMPS on H/M/L
- 101/46/18 WATTS on H/M/L
- 133/88/57 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- UL Damp Listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5630 Cubic Feet/Minute
- Electricity Use: 101 Watts (Excludes Lights)
- Airflow Efficiency: 55 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-3000



7-1401-0



# DRAGONFLY 72" PATIO FAN

The Dragonfly patio 72" will put even more wind in your sails with its water-resistant canvas blades and unique styling. A larger version of the Dragonfly 60", this fan is equally as comfortable in a beach-front resort as a lake-side cabin.

## AVAILABLE FINISHES




**159725-65**  
Satin Nickel  
Gray Canvas Water Resistant Blades



**159725-8**  
Studio White  
White Water Resistant Canvas Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 3.5" Downrod
- Distance of 13.5"
- Distance of 10.25"

### GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five Water-Resistant Canvas Blades
- 72" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

### MECHANICAL SPECS

- 28mm DC Motor
- 3 Speeds-Reversible
- 18 Poles
- .86/.59/.37 AMPS on H/M/L
- 100/46/18 WATTS on H/M/L
- 88/56/37 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- UL Damp Listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4690 Cubic Feet/Minute
- Electricity Use: 100 Watts (Excludes Lights)
- Airflow Efficiency: 46 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-3000



7-1401-0





Q

PATIO FANS  
SOFT CONTEMPORARY

The softer side of contemporary comes through in this collection designed to bring a modern yet traditional feel to outdoor spaces. Interesting shapes and appealing finishes provide the perfect balance of poise and panache.



# HANOVER PATIO FAN



**Blade Alternative Options Available.**

Understated style defines the Hanover patio series of fans. A substantial decorative housing with slightly distressed finish and hammered blade holders make this fan a favorite of patios everywhere.



## AVAILABLE FINISHES




**129525-95**  
Old World  
Walnut ABS Blades



**129525-44**  
Toasted Sienna  
Walnut ABS Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 15.5"

### GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 20 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .55/.41/.21 AMPS on H/M/L
- 67/36/11 WATTS on H/M/L
- 180/130/67 RPMS on H/M/L
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- UL Wet Listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6323 Cubic Feet/Minute
- Electricity Use: 68 Watts (Excludes Lights)
- Airflow Efficiency: 94 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use outdoor blade type 5-52 - See page 357



# HUDSON PATIO FAN



The Hudson patio series combines rugged details with interesting shapes to create a look that truly makes a statement. The studs on the decorative housing are repeated on the blade holders to create a rustic feel.

## AVAILABLE FINISHES



**137525-95**  
Old World  
Walnut ABS Blades



**137525-44**  
Toasted Sienna  
Walnut ABS Blades



**137525-9**  
Galvanized  
Medium Oak ABS Blades




**137525-924**  
Galvanized  
Walnut ABS Blades



**Optional Black ABS Blades**  
**5251515314**  
Shown on 137525-9 Ceiling Fan

### HEIGHT CHART



### FAN HEIGHT

- Using 6" Downrod
- Distance of 16.5"
- Distance of 14.75"

### GENERAL SPECS

- 4 Finish Combinations Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included

### MECHANICAL SPECS

- 172 x 14 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .57/.39/.21 AMPS on H/M/L
- 68/30/9 WATTS on H/M/L
- 163/110/65 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- UL Wet Listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5647 Cubic Feet/Minute
- Electricity Use: 68 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# ORBIT PATIO FAN



The Orbit Patio will bring a polished look to any outdoor space. Clean lines accentuate the modern style and offer an interesting esthetic for those wanting to add a contemporary element to their patio.

## AVAILABLE FINISHES




**18524-86**  
Oiled Bronze | Satin Opal Glass  
Walnut ABS Blades  
Light Kit uses (3) 40W C Bulbs (Included)



**18524-65**  
Satin Nickel | Satin Opal Glass  
Maple ABS Blades  
Light Kit uses (3) 40W C Bulbs (Included)

### HEIGHT CHART



#### FAN HEIGHT

- Using 4" Downrod
- Distance of 15.5"
- Distance of 9.75"

#### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Four ABS Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .54/.47/.25 AMPS on H/M/L
- 59/46/12 WATTS on H/M/L
- 163/142/66 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/ manual reverse
- Light Kit Uses (3) 40C Bulbs (Included)
- UL Wet Listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5499 Cubic Feet/Minute
- Electricity Use: 59 Watts (Excludes Lights)
- Airflow Efficiency: 93 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# PORTSIDE PATIO FAN



**Blade Alternative Options Available.**  
It's likely the unique decorative housing of the Portside patio collection will draw your attention first. Then your eye will inevitably wind up on the unique blade holders that add a certain amount of rustic elegance to this popular fan.


## AVAILABLE FINISH



### 144525-86

Oiled Bronze  
Walnut ABS Blades

#### HEIGHT CHART



#### FAN HEIGHT

- Using 4" Downrod
- Distance of 16.25"
  - Distance of 14"

#### GENERAL SPECS

Powder Coated Finish  
Lifetime Motor Warranty  
Five ABS Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

#### MECHANICAL SPECS

172 x 17 Motor Size  
3 Speeds-Reversible  
16 Poles  
.53/.38/.21 AMPS on H/M/L  
64/31/9 WATTS on H/M/L  
160/110/50 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Skirted Blade Arms  
UL Wet Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5692 Cubic Feet/Minute  
Electricity Use: 64 Watts (Excludes Lights)  
Airflow Efficiency: 89 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

#### BLADE ALTERNATIVES

Use outdoor blade type 5-52 - See page 357



# ROCKWELL PATIO FAN



Slightly curved blades and uniquely shaped blade holders set the Rockwell Patio series apart. Choose the Satin Nickel or Oiled Bronze finish for a modern look or the Studio White for a fresh, clean feel.



## AVAILABLE FINISHES



### 19525-86


Oiled Bronze | Satin Opal Glass  
Walnut ABS Blades  
Light Kit uses (2) 13W M Non-Dimmable Spiral CFL Bulbs  
(Included)



### 19525-65

Satin Nickel | Satin Opal Glass  
Satin Nickel ABS Blades  
Light Kit uses (2) 13W M Non-Dimmable Spiral CFL Bulbs  
(Included)

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod  
● Distance of 16.5"  
○ Distance of 10"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Five ABS Blades  
52" Blade Sweep  
12-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

153 x 18 Motor Size  
3 Speeds-Reversible  
14 Poles  
.44/.35/.21 AMPS on H/M/L  
53/33/12 WATTS on H/M/L  
194/148/81 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (2) 13W M Spiral CFL Bulbs (Included)  
UL Wet Listed

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 4955 Cubic Feet/Minute  
Electricity Use: 53 Watts (Excludes Lights)  
Airflow Efficiency: 92 Cubic Feet/Minute/Watt

### BULB TYPE



Spiral CFL

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0





Q

PATIO FANS  
TRADITIONAL

Nothing soothes the soul like the gentle breeze of a ceiling fan on a warm summer night.  
Our Patio Traditional designs will warm your heart while cooling your outdoor space.



# ADIRONDACKS PATIO FAN



**Blade Alternative Options Available.**

The Adirondacks series takes the concept of simple style to a new level. Subtle details like metal plugs and vertical bands on the decorative housing add just the right amount of adornment to this classic, easy-going fan.

## AVAILABLE FINISHES




**138525-95**  
Old World  
Walnut ABS Blades



**138525-44**  
Toasted Sienna  
Walnut ABS Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 14.25"
- Distance of 12.5"

### GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 14 Motor Size
- 3 Speeds-Reversible
- 80" Lead Wire
- 16 Poles
- .47/.34/.25 AMPS on H/M/L
- 57/30/10 WATTS on H/M/L
- 170/128/59 RPMs on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup/Skirted Blade Arms
- UL Wet Listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5245 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 92 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use outdoor blade type 5-52 - See page 357



# ALLURE PATIO FAN



**Blade Alternative Options Available.**

The Allure is minimalism at its best. Nothing distracts from the semi-circle fan holders and five solid blades that give this fan its timeless style. But don't let its simplicity fool you. Built with an ABS motor housing, switch cup, and blades, the Allure can handle most any condition. With its unobtrusive design and its all weather durability, this fan is a welcome addition to any patio.


## AVAILABLE FINISH



### **136525-6**

Gloss White  
White ABS Blades  
all plastic ABS housing

#### HEIGHT CHART



#### FAN HEIGHT

- Using 4" Downrod
- Distance of 13.75"
  - Distance of 12.75"

#### GENERAL SPECS

Powder Coated Finish  
Lifetime Motor Warranty  
Five ABS Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

#### MECHANICAL SPECS

153 x 16 Motor Size  
3 Speeds-Reversible  
14 Poles  
.53/.37/.21 AMPS on H/M/L  
64/33/12 WATTS on H/M/L  
160/110/60 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/Manual Reverse  
UL Wet Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5266 Cubic Feet/Minute  
Electricity Use: 64 Watts (Excludes Lights)  
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# ALLURE ALL-WEATHER PATIO FAN



**Blade Alternative Options Available.**

Like a favorite pair of slippers, the all-weather Allure patio series is comfortable in just about any environment. These fans are the dependable workhorse you can count on to get the job done. Featuring an ABS motor housing, switch cup, ceiling canopy and blades and supplied with Aluminum Downrods, the all-weather Allure patio can handle most any condition. Nothing fancy, just solid styling and reliable performance.



## AVAILABLE FINISHES



**146525-86**  
Oiled Bronze  
Walnut ABS Blades




**146525-44**  
Toasted Sienna  
Rosewood ABS Blades



**146525-6**  
Gloss White  
White ABS Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 13.75"
- Distance of 12.75"

### GENERAL SPECS

- 3 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 80" Lead Wire
- 13.5-Degree Blade Pitch
- 4" and 6" Aluminum Downrods Included

### MECHANICAL SPECS

- 153x16 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .53/.37/.21 AMPS on H/M/L
- 64/33/12 WATTS on H/M/L
- 160/110/60 RPMS on H/M/L
- Remote Control Adaptable w/Manual Reverse
- UL Wet listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5266 Cubic Feet/Minute
- Electricity Use: 64 Watts (Excludes Lights)
- Airflow Efficiency: 82 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 356



# AUBURN PATIO FAN



The Auburn patio fan's distinctive style is sure to elicit compliments from everyone who happens to look up. Hammered glass on the decorative housing as well as the light kit gives this fan a unique, mid-century modern esthetic few can resist.


## AVAILABLE FINISH



### 12525-995

Old World I Clear Hammered Glass  
Walnut ABS Blades  
Light Kit uses (3) 40W C Bulbs (Included)  
Motor Housing uses (6) 7W C7 Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 7" Downrod  
● Distance of 19"  
○ Distance of 14.25"

#### GENERAL SPECS

Powder Coated Finish  
Lifetime Motor Warranty  
Five ABS Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
7" Downrod Included

#### MECHANICAL SPECS

172 x 20 Motor Size  
3 Speeds-Reversible  
16 Poles  
.64/.43/.23 AMPS on H/M/L  
71/34/10 WATTS on H/M/L  
187/122/60 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/ Manual Reverse  
Light Kit Uses (3) 40W C Bulbs (Included)  
Housing Light Uses (6) 7W C7 Bulbs (Included)  
UL Wet Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5998 Cubic Feet/Minute  
Electricity Use: 71 Watts (Excludes Lights)  
Airflow Efficiency: 84 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra



C7 Candelabra

#### REMOTE CONTROL OPTIONS



7-3000



7-1305-0



# BALTIC PATIO FAN



The beautifully appointed Baltic patio series combines Victorian-era details with modern functionality. Intriguing details like candle lights, fluted fan holders and six-sided glass housing work together to bring a classic street lamp look to this elegant and refined fan.


## AVAILABLE FINISH



### 145525-86

Oiled Bronze | Clear Seeded Glass  
Walnut ABS Blades  
Light Kit uses (3) 40W C Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod  
● Distance of 23.5"  
○ Distance of 10.75"

#### GENERAL SPECS

Lifetime Motor Warranty  
Powder Coated Finish  
Five ABS Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

#### MECHANICAL SPECS

172x17 Motor Size  
4 Speeds-Reversible /Manual Reverse Switch  
16 Poles  
.59/40/22/18 AMPS on H/M/L  
57/30/10/8 WATTS on H/M/L  
165/110/90/50 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (3) 40W C Bulbs (Included)  
UL Wet Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5685 Cubic Feet/Minute  
Electricity Use: 57 Watts (Excludes Lights)  
Airflow Efficiency: 99 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra

#### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-3000



# GALVESTON PATIO FAN



There's nothing quite like an ocean breeze. But the next best thing is the gentle, refreshing air circulation provided by the Galveston. With styling reminiscent of a lantern, thanks to its cage-like metal housing around the light, this functional fan is an outdoor accessory perfect for those laid-back, beachside days and nights.

## AVAILABLE FINISHES



**13525-86**  
Oiled Bronze  
Walnut ABS Blades



**13525-44**  
Toasted Sienna  
Walnut ABS Blades




**13525-9**  
Galvanized  
Walnut ABS Blades



**13525-8**  
Studio White  
White ABS Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 18.5"
  - Distance of 10.75"

### GENERAL SPECS

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 80" Lead Wire
- 13.5-Degree Blade Pitch
- 4" and 6" Downrods Included

### MECHANICAL SPECS

- 172x17 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .57/38/20 AMPS on H/M/L
- 63/29/8 WATTS on H/M/L
- 175/127/59 RPMS on H/M/L
- Remote Control Adaptable w/ Manual Reverse
- Light Kit uses (1) 14W M CFL Bulb (Included)
- Light Kit Non-Dimmable
- UL Wet listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5126 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 90 Cubic Feet/Minute/Watt

### BULB TYPE



14W M CFL Bulb

### REMOTE CONTROL OPTIONS



Included



7-3000



7-1401-0



7-1305-0



# GEORGIA PATIO FAN



The Georgia patio series is a timeless and beautiful example of antique styling highlighted by clear hammered glass and leaf shaped blade holders. Intricate details and three candle lights add even more style and elegance.



## AVAILABLE FINISHES



### 174525-995


Old World | Clear Hammered Glass  
Walnut ABS Blades  
Light Kit uses (3) 40W C Bulbs (Included)



### 174525-944

Toasted Sienna | Clear Hammered Glass  
Walnut ABS Blades  
Light Kit uses (3) 40W C Bulbs (Included)

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod  
● Distance of 21.75"  
○ Distance of 10"

### GENERAL SPECS

2 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Five ABS Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

172 x 17 Motor Size  
4 Speeds-Reversible / Manual Reverse  
16 Poles  
.54/.36/.26/.12 AMPS on H/M/L  
60/35/19/8 WATTS on H/M/L  
162/109/81/43 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/ Manual Reverse  
Skirted Blade Arms  
Light Kit Uses (3) 40W C Bulbs (Included)  
UL Wet Listed

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5135 Cubic Feet/Minute  
Electricity Use: 60 Watts (Excludes Lights)  
Airflow Efficiency: 85 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-3000



7-1401-0



# MARSDEN PATIO FAN



The Marsden patio fan's distinctive blades set it apart from other fans. Reminiscent of wainscoting, the blades and faux wood-grain decorative housing add a farmhouse feel to a classically simple design.

## AVAILABLE FINISHES



**139525-70**  
Persian White  
Weathered Pine Blades



**139525-8**  
Studio White  
Studio White ABS Blades




**Optional Light Kit**  
**1395-870** 12.5" (w) x 7" (h) - (2) 13W CFL  
Persian White | Linen Glass  
(non-dimmable bulbs included)  
UL Wet



**Optional Light Kit**  
**1395-808** 12.5" (w) x 7" (h) - (2) 13W CFL  
Studio White | Faux Alabaster Glass  
(non-dimmable bulbs included)  
UL Wet

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 14.5"
- Distance of 13.25"

### GENERAL SPECS

- 2 Finishes Available
- Powder Coated Finish
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/43/22 AMPS on H/M/L
- 68/39/12 WATTS on H/M/L
- 156/115/53 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- UL Wet Listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5850 Cubic Feet/Minute
- Electricity Use: 65 Watts (Excludes Lights)
- Airflow Efficiency: 90 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# MEDALLION 30" PATIO FAN



**Blade Alternative Options Available.**

The compact design of the Medallion 30" makes it the ideal fan for smaller rooms, while its six blades ensure that plenty of air is circulating, no matter where this fan finds its home.

## AVAILABLE FINISH



### 151306-8

Studio White  
Studio White ABS Blades

#### HEIGHT CHART



#### FAN HEIGHT

- Distance of 8"
- Distance of 7.75"

#### GENERAL SPECS

Powder Coated Finish  
Lifetime Motor Warranty  
Six ABS Blades  
30" Blade Sweep  
25-Degree Blade Pitch

#### MECHANICAL SPECS

153 x 12 Motor Size  
3 Speeds-Reversible  
14 Poles  
.44/32/19 AMPS on H/M/L  
53/26/9 WATTS on H/M/L  
203/146/84 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms  
Sealed Vent Holes  
UL Damp Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3350 Cubic Feet/Minute  
Electricity Use: 53 Watts (Excludes Lights)  
Airflow Efficiency: 63 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0



7-3000

#### BLADE ALTERNATIVES

Use outdoor blade type 1-30 - See page 354



# MEDALLION 42" PATIO FAN



**Blade Alternative Options Available.**

The Medallion patio 42", with its simple lines and classic curves makes this fan the ideal choice for those seeking a fan to seamlessly blend with any décor.

## AVAILABLE FINISHES



**151425-95**  
Old World  
Walnut ABS Blades



**151425-8**  
Studio White  
Studio White ABS Blades

### HEIGHT CHART



### FAN HEIGHT

- Distance of 8"
- Distance of 7.25"

### GENERAL SPECS

2 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Five ABS Blades  
42" Blade Sweep  
14-Degree Blade Pitch

### MECHANICAL SPECS

153 x 13 Motor Size  
3 Speeds-Reversible  
14 Poles  
.42/.31/.19 AMPS on H/M/L  
54/25/9 WATTS on H/M/L  
240/179/102 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms  
Sealed Vent Holes  
UL Damp Listed

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3860 Cubic Feet/Minute  
Electricity Use: 54 Watts (Excludes Lights)  
Airflow Efficiency: 71 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0

7-3000

### BLADE ALTERNATIVES

Use outdoor blade type 1-42 - See page 355



# MEDALLION 52" PATIO FAN



**Blade Alternative Options Available.**

The Medallion patio 52" is large enough to bring comfort to an expansive space, providing subtle style and unobtrusive looks.



## AVAILABLE FINISHES



**151525-95**  
Old World  
Walnut ABS Blades



**151525-8**  
Studio White  
Studio White ABS Blades

### HEIGHT CHART



### FAN HEIGHT

- Distance of 7.5"
- Distance of 7.5"

### GENERAL SPECS

2 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Five ABS Blades  
52" Blade Sweep  
14-Degree Blade Pitch

### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.55/.39/.21 AMPS on H/M/L  
66/31/10 WATTS on H/M/L  
167/116/62 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms  
Sealed Vent Holes  
UL Damp Listed

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 4850 Cubic Feet/Minute  
Electricity Use: 66 Watts (Excludes Lights)  
Airflow Efficiency: 73 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 356



# MONACO PATIO FAN



Who doesn't love a tropical breeze blowing off the ocean? The Monaco patio series recreates this sensation with beautifully designed leaf-shaped blades and nicely detailed blade holders.

## AVAILABLE FINISHES



**135525-95**  
Old World  
Walnut ABS Blades



**135525-70**  
Persian White  
Weathered Pine ABS Blades



**135525-65**  
Satin Nickel  
Maple ABS Blades




**135525-44**  
Toasted Sienna  
Rosewood ABS Blades



**135525-8**  
Studio White  
Studio White ABS Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 16.75"
- Distance of 13.5"

### GENERAL SPECS

- 5 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds/Reversible
- 16 Poles
- .52/38/26 AMPS on H/M/L
- 67/38/18 WATTS on H/M/L
- 170/120/78 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- UL Wet Listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5055 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 75 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



The Pinnacle fan can be converted to a 56" or 60" sweep by simply purchasing a set of optional blades. See page 358 & 359 for optional blade selection.

# PINNACLE PATIO FAN

52" model only



**Blade Alternative Options Available.**

The Pinnacle patio series is surely one of the most enduring designs. It makes a statement without showing off. And with a variety of colors and finishes to choose from, it's bound to find it's way to your outdoor space.

## AVAILABLE FINISHES



**191525-95**  
Old World  
Walnut ABS Blades



**191525-86**  
Oiled Bronze  
Walnut ABS Blades




**191525-44**  
Toasted Sienna  
Rosewood ABS Blades



**191525-8**  
Studio White  
Studio White ABS Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 13"
- Distance of 11.25"

### GENERAL SPECS

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 16-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 188 x 22 Motor Size.
- 3 Speeds-Reversible
- 16 Poles
- .72/.47/.24 AMPS on H/M/L
- 83/37/10 WATTS on H/M/L
- 173/110/54 RPMS on H/M/L
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- Sealed Vent Holes
- UL Wet Listed

### ENERGY SPECS

- Energy Information at High Speed w/52" Blades
- Airflow: 7415 Cubic Feet/Minute
- Electricity Use: 83 Watts (Excludes Lights)
- Airflow Efficiency: 89 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0

7-1401-0

### BLADE ALTERNATIVES

- Use outdoor blade type 5-52 - See page 357
- Use outdoor blade type 5-56 - See page 358
- Use outdoor blade type 5-60 - See page 359



# VERANDA PATIO FAN

"Retro cool" perfectly describes the oscillating Veranda Fan. Designed for the patio, but just as comfortable in a garage, game room or guest house, the Veranda brings a refreshing vibe to an old-school function.

AVAILABLE FINISHES




**92413-86**  
Oiled Bronze  
Oiled Bronze Blades



**92413-65**  
Satin Nickel  
Satin Nickel Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Extension of 18"
- Height of 23"
- \* Diameter of 16"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Four ABS Blades  
13" Blade Sweep  
12" Lead Wire  
On/Off Switch for Oscillating Function  
Oscillates 45 Degree

**MECHANICAL SPECS**

153x16 Motor Size  
3 Speeds  
14 Poles  
.49/50/48 AMPS on H/M/L  
60/49/40 WATTS on H/M/L  
1299/1107/899 RPMS on H/M/L  
Not Remote Control Adaptable  
UL Damp listed

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 1411 Cubic Feet/Minute  
Electricity Use: 60 Watts (Excludes Lights)  
Airflow Efficiency: 24 Cubic Feet/Minute/Watt

**WALL CONTROL**



7-1094-6  
Included



# WESTBROOK PATIO FAN



The Westbrook patio fan is a study in gorgeous details. The clear hammered glass and uniquely positioned candle lights add a sophisticated touch and the substantial blade holders give this fan an upscale, elegant feel.




## AVAILABLE FINISH



### 142525-945

Baltic Granite | Clear Hammered Glass  
Walnut ABS Blades  
Light Kit uses (3) 40W C Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod  
● Distance of 20.25"  
○ Distance of 10.5"

#### GENERAL SPECS

Powder Coated Finish  
Lifetime Motor Warranty  
Five ABS Blades  
52" Blade Sweep  
13.5 Degree Blade Pitch  
4" and 6" Downrod Included

#### MECHANICAL SPECS

172 x 20 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.62/.44/.32 AMPS on H/M/L  
64/42/16 WATTS on H/M/L  
160/110/63 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable/w Manual Reverse  
Light Kit Uses (3) 40W C Bulbs (Included)  
UL Wet Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5210 Cubic Feet/Minute  
Electricity Use: 64 Watts (Excludes Lights)  
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra

#### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401





# PATIO FANS VALUE SELECTIONS

Outdoor spaces can be just as inviting as indoor ones with our Patio Value designs. This collection offers an affordable alternative to higher priced fans, without sacrificing the exceptional workmanship that Quorum fans are famous for.



# ESTATE 30" PATIO FAN



**Blade Alternative Options Available.**

The Estate patio 30" is a popular choice among those wishing to add classic comfort to their patio. This fan is ideal for smaller spaces, but with six blades, still creates a just-right breeze.

## AVAILABLE FINISHES




**143306-95**  
Old World  
Walnut ABS Blades



**143306-6**  
Gloss White  
White ABS Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 4" Downrod
- Distance of 12"
- Distance of 10.75"

### GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Six ABS Blades
- 30" Blade Sweep
- Blade Type 1-30" with Semi-Square Tip
- 25-Degree Blade Pitch
- 4" and 6" Downrod Included

### MECHANICAL SPECS

- 153 x 12 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .29/.21/.09 AMPS on H/M/L
- 53/27/9 WATTS on H/M/L
- 245/185/103 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms/Sealed Vent Holes
- UL Wet Listed

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 3690 Cubic Feet/Minute
- Electricity Use: 53 Watts (Excludes Lights)
- Airflow Efficiency: 69 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0



# ESTATE 42" PATIO FAN



Wet Location



Blade Options

**Blade Alternative Options Available.**

The Estate patio 42" has the same simple styling as the other fans in this collection and offers a solid dependability for those hot summer nights.


## AVAILABLE FINISHES



**143425-95**  
Old World  
Walnut ABS Blades



**143425-44**  
Toasted Sienna  
Rosewood ABS Blades




**143425-9**  
Galvanized  
Medium Oak ABS Blades



**143425-6**  
Gloss White  
White ABS Blades

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod

- Distance of 12"
- Distance of 10.75"

### GENERAL SPECS

4 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Five ABS Blades  
42" Blade Sweep  
14-Degree Blade Pitch  
4" and 6" Downrod Included

### MECHANICAL SPECS

153 x 13 Motor Size  
3 Speeds-Reversible  
14 Poles  
.42/.31/.18 AMPS on H/M/L  
61/26/9 WATTS on H/M/L  
214/156/52 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms/Sealed Vent Holes  
UL Wet Listed

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 4583 Cubic Feet/Minute  
Electricity Use: 61 Watts (Excludes Lights)  
Airflow Efficiency: 75 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

### BLADE ALTERNATIVES

Use outdoor blade type 1-42 - See page 355



# ESTATE 52" PATIO FAN



Wet Location



Blade Options

**Blade Alternative Options Available.**

The Estate patio 52" is perfect for larger patios. And talk about options! Choose from eight color and finish combinations.



AVAILABLE FINISHES



**143525-95**  
Old World  
Walnut ABS Blades



**143525-86**  
Oiled Bronze  
Walnut ABS Blades



**143525-67**  
Antique White  
Antique White ABS Blades



**143525-599**  
Matte Black  
Black ABS Blades

AVAILABLE FINISHES



**143525-59**  
Matte Black  
Medium Oak ABS Blades



**143525-44**  
Toasted Sienna  
Rosewood ABS Blades



**143525-9**  
Galvanized  
Medium Oak ABS Blades




**143525-924**  
Galvanized  
Walnut ABS Blades



**143525-6**  
 Gloss White  
 White ABS Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 12"
- Distance of 10.5"

**GENERAL SPECS**

8 Finish Combinations Available (Powder Coated)  
 Lifetime Motor Warranty  
 Five ABS Blades  
 52" Blade Sweep  
 14-Degree Blade Pitch  
 4" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 15 Motor Size  
 3 Speeds-Reversible  
 14 Poles  
 .57/38/21 AMPS on H/M/L  
 65/29/8 WATTS on H/M/L  
 168/112/65 RPMS on H/M/L  
 Triple Capacitor  
 Remote Control Adaptable  
 Detachable Switch Cup  
 Skirted Blade Arms/Sealed Vent Holes  
 UL Wet Listed

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 5443 Cubic Feet/Minute  
 Electricity Use: 65 Watts (Excludes Lights)  
 Airflow Efficiency: 84 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-3000



7-1401-0

**BLADE ALTERNATIVES**

Use outdoor blade type 1-52 - See page 356



# ESTATE UNI-PACK PATIO FAN



Wet Location



Blade Options

## **Blade Alternative Options Available.**

The Estate Uni-Pack series comes in so many different finishes and colors, you're bound to find one to make your outdoor space shine. Straightforward design means this fan will blend perfectly with just about any décor.

## AVAILABLE FINISHES



**1435259395**  
Old World | Amber Scavo  
Walnut ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-995**  
Old World | Satin Opal Glass  
Walnut ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-986**  
Oiled Bronze | Amber Scavo  
Walnut ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-959**  
Matte Black | Satin Opal Glass  
Medium Oak ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)

## AVAILABLE FINISHES



**143525959**

Matte Black | Satin Opal Glass  
Matte Black ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-944**

Toasted Sienna | Amber Scavo Glass  
Rosewood ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-909**

Galvanized | Satin Opal Glass  
Medium Oak ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**1435259924**


Galvanized | Satin Opal Glass  
Walnut ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-906**

Gloss White | Satin Opal Glass  
 White ABS Blades  
 Light Kit uses (2) 60W C Bulbs (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 19.25"
- Distance of 11.5"

**GENERAL SPECS**

9 Finish Combinations Available (Powder Coated)  
 Lifetime Motor Warranty  
 Five ABS Blades  
 52" Blade Sweep  
 14-Degree Blade Pitch  
 80" Lead Wire  
 4" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 15 Motor Size  
 3 Speeds - Reversible  
 14 Poles  
 .57/.39/.21 AMPS on H/M/L  
 55/30/9 WATTS on H/M/L  
 154/105/52 RPMS on H/M/L  
 Triple Capacitor  
 Remote Control Adaptable w/Manual Reverse  
 Light Kit Uses (2) 60W C Bulbs (Included)  
 Skirted Blade Arms/Sealed Vent Holes  
 UL Wet Listed

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 4710 Cubic Feet/Minute  
 Electricity Use: 55 Watts (Excludes Lights)  
 Airflow Efficiency: 86 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



7-1305-0



7-3000



7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 1-52 - See page 356







# PATIO FAN LIGHT KITS

Choose from dozens of light kit styles to compliment your Patio Ceiling Fan.  
Each is built to last and ready for whatever Mother Nature throws at it.



**1375-895\*** (shown)  
 12.75"(w) x 7"(h) - (1) 13W M Spiral CFL  
 Old World | Clear Hammered Glass  
 UL Wet

**Additional Finishes:**



**1375-886\***  
 Oiled Bronze  
 Clear Hammered Glass



**1375-859\***  
 Matte Black  
 Clear Hammered Glass



**1375-844\***  
 Toasted Sienna  
 Clear Hammered Glass



**1375-809\***  
 Galvanized  
 Clear Hammered Glass



**1375-808\***  
 Studio White  
 Clear Hammered Glass



**1374-809\*** (shown)  
 9.75"(w) x 6.5"(h) - (1) 13W M Spiral CFL  
 Galvanized | Clear Hammered Glass  
 UL Wet

**Additional Finishes:**



**1374-895\***  
 Old World  
 Clear Hammered Glass



**1374-886\***  
 Oiled Bronze  
 Clear Hammered Glass



**1374-859\***  
 Matte Black  
 Clear Hammered Glass



**1374-844\***  
 Toasted Sienna  
 Clear Hammered Glass



**1374-806\***  
 Gloss White  
 Clear Hammered Glass

\*2700k non-dimmable bulbs included  
 All items comply with 2005 Energy Policy Act.



**1376-844\*** (shown)  
13" (w) x 9.25" (h) - (1) 13W M Spiral CFL  
Toasted Sienna | Clear Hammered Glass  
UL Wet

**Additional Finishes:**



**1376-895\***  
Old World  
Clear Hammered  
Glass

\* 2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.



**1377-886\*** (shown)  
10" (w) x 6" (h) - (1) 13W M  
Oiled Bronze | Amber Scavo Glass  
UL Wet

**Additional Finishes:**



**1377-895\***  
Old World  
Satin Opal Glass



**1377-867\***  
Antique White  
Satin Opal Glass



**1377-859\***  
Matte Black  
Satin Opal Glass



**1377-844\***  
Tosted Sienna  
Amber Scavo Glass



**1377-806\***  
Gloss White  
Satin Opal Glass



**1395-808\*** (shown)  
13.75" (w) x 5.5" (h) - (2) 13W M Spiral CFL  
Studio White | Faux Alabaster Glass  
Light Kit is shown on 139525-8 patio fan  
UL Wet

**Additional Finishes:**



**1395-870\***  
Persian White  
Linen Glass

\*2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.



**2313-8044\***  
6" (w) x 4" (h) - (3) 13W M Spiral CFL  
Toasted Sienna  
UL Wet



**4106-806\*** (shown)  
4.25" (w) x 2.25" (h) - (1) 13W M Spiral CFL  
Gloss White  
UL Wet

**Additional Finishes:**



**4106-8095\***  
Old Word



**4106-8044\***  
Toasted Sienna

\* 2700k non-dimmable bulbs included  
All items comply with 2005 Energy Policy Act.





# GLASS

The right glass can make all the difference when choosing a light for your ceiling fan. That's why we offer many varieties of glass colors, shapes and sizes designed to enhance the beauty and style of your Quorum ceiling fan.



LIGHT KIT  
GLASS





**2104**  
5"(w) x 4.75"(h)  
Clear Hammered



**2156**  
5.75"(w) x 4.25"(h)  
Frost



**2291**  
4.5"(w) x 4.75"(h)  
Clear Ribbed



**2292**  
4.5"(w) x 4.75"(h)  
Frost Ribbed



**2469G**  
5"(w) x 4.75"(h)  
Amber Frost



**2520H**  
5"(w) x 5"(h)  
Satin Opal



**2520**  
5"(w) x 5"(h)  
Opal



**2531**  
4.25"(w) x 4.75"(h)  
Clear Ribbed



**2532**  
4.25"(w) x 5"(h)  
Frost Ribbed



**2747**  
4.25" (w) x 5" (h)  
Silver Mercury



**2801**  
5" (w) x 5.25" (h)  
Clear Seeded



**2807**  
4.75" (w) x 4.5" (h)  
Clear Crackle



**2812**  
5.5" (w) x 5" (h)  
Faux Alabaster



**2812A**  
5.5" (w) x 5" (h)  
Etruscan w/Amber Accent



**2812A1**  
5.5" (w) x 5" (h)  
Amber Indian Scavo



**2812E**  
5.5" (w) x 5" (h)  
Cream Mottled Scavo



**2812G**  
5.5" (w) x 5" (h)  
Amber Frost



**2812P**  
5.5" (w) x 5" (h)  
Amber Stone



**2812U**  
5.5"(w) x 5"(h)  
Iced Etruscan



**2813**  
6"(w) x 4.5"(h)  
Faux Alabaster



**2814**  
5.5"(w) x 5"(h)  
Faux Brown Alabaster



**2819**  
5.5"(w) x 4.75"(h)  
Linen



**2831**  
5.5"(w) x 4.75"(h)  
Amber Linen



**2833**  
5.5"(w) x 5"(h)  
Amber Linen



**2840**  
5.5"(w) x 4.75"(h)  
Amber Scavo



**2842**  
5.5"(w) x 5"(h)  
Amber Scavo



**2843**  
4.25"(w) x 5.25"(h)  
Amber Scavo



**2847**  
5.5"(w) x 4.75"(h)  
Silver Mercury



**2915**  
5.5"(w) x 5.25"(h)  
Faux Alabaster



**2915A**  
5.5"(w) x 5.25"(h)  
Etruscan w/Amber Accent



**2915E**  
5.5"(w) x 5.25"(h)  
Cream Mottled Scavo



**2915U**  
5.5"(w) x 5.25"(h)  
Iced Etruscan



**2943**  
4.25"(w) x 5.25"(h)  
Faux Alabaster



**2943A**  
4.25" (w) x 5.25" (h)  
Etruscan w/Amber Accent



**2943A3**  
4.25" (w) x 5.25" (h)  
Antique Amber Scavo



**2943E**  
4.25" (w) x 5.25" (h)  
Cream Mottled Scavo



**2943H**  
4.25" (w) x 5.25" (h)  
Satin Opal



**2947**  
5.5" (w) x 5.25" (h)  
Silver Mercury



**4100**  
8" (w) x 6" (h)  
Opal





# ACCESSORIES

Remote controls, down rods, conversion kits, ceiling adapters, wall controls and custom blade options are just a few of the fan accessories you can choose from for your Quorum ceiling fan. Our accessories are designed to make installing and using your fan as easy and convenient as possible.



## Customize Your New Quorum Fan:

**Step 1:** Find the blade type for the fan you have selected.


NOTE: Blade type is found in your fan's specifications table under "Blade Alternative".  
Not all fans offer blade alternatives.

**Step 2:** Select your new blade set from those available for your fan.

**Step 3:** Order your fan WITH the alternative blade item number.

Example: 43525-86 w/ 5252020721

## How Blade Numbers Work (in general):



## CONTENTS

### Indoor Blade Types.....334

Blade Type 1 - 30 .....	335
Blade Type 1 - 42 .....	336
Blade Type 1 - 52 .....	338
Blade Type 2 - 52 .....	342
Blade Type 4 - 52 .....	344
Blade Type 5 - 52 .....	345
Blade Type 5 - 56 .....	349
Blade Type 4 - 60 .....	351
Blade Type 5 - 60 .....	352

### Outdoor Blade Types....354

Blade Type 1 - 30 .....	354
Blade Type 1 - 42 .....	355
Blade Type 1 - 52 .....	356
Blade Type 5 - 52 .....	357
Blade Type 5 - 56 .....	358
Blade Type 5 - 60 .....	359

# BLADE ALTERNATIVES



## BLADE TYPE 1 - 30 INDOOR

Blade type 1 - 30 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 6 count with a 30" sweep.

### Alternative Blades For:



Estate 30 - 43306-XX



Medallion 30 - 51306-XX



**3060606121**  
White | White  
Blade Tip - Semi-Square



**3066524121**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**3060808121**  
Studio White | Studio White  
Blade Tip - Semi-Square



**3066565121**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**3062222121**  
Cherry | Cherry  
Blade Tip - Semi-Square



**3066767121**  
Antique White | Antique White  
Blade Tip - Semi-Square



**3064608121**  
Maple | Studio White  
Blade Tip - Semi-Square



**3068383121**  
Teak | Teak  
Blade Tip - Semi-Square



**3065524121**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**3068324121**  
Teak | Walnut  
Blade Tip - Semi-Square

## BLADE TYPE 1 - 42 INDOOR

Blade type 1 - 42 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 42" sweep.

### Alternative Blades For:



Capri I 42 - 77425-XX



Custom Hugger 42 - 11425-XX



Estate 42 - 43425-XX



Medallion 42 - 51425-XX



**4250606111**  
White | White  
Blade Tip - Pointed



**4250606121**  
White | White  
Blade Tip - Semi-Square



**4252222121**  
Cherry | Cherry  
Blade Tip - Semi-Square



**4254545111**  
Old Pine | Old Pine  
Blade Tip - Pointed



**4254545121**  
Old Pine | Old Pine  
Blade Tip - Semi-Square



**4254608111**  
Maple | Studio White  
Blade Tip - Pointed



**4254608121**  
Maple | Studio White  
Blade Tip - Semi-Square



**4255524111**  
Rosewood | Walnut  
Blade Tip - Pointed



**4255524121**  
Rosewood | Walnut  
Blade Tip - Semi-Square




**4255650111**  
Dark Oak | Medium Oak  
Blade Tip - Pointed



**4255650121**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square



**4256767111**  
Antique White | Antique White  
Blade Tip - Pointed



**4255655121**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**4256767121**  
Antique White | Antique White  
Blade Tip - Semi-Square



**4256524111**  
Satin Nickel | Walnut  
Blade Tip - Pointed



**4258383121**  
Teak | Teak  
Blade Tip - Semi-Square



**4256524121**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**4258324121**  
Teak | Walnut  
Blade Tip - Semi-Square



**4256565121**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square

## BLADE TYPE 1 - 52 INDOOR

Blade type 1 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



Capri I - 77525-XX



Capri III - 77525-92XX/94XX/95XX



Capri IV - 77525-85XX/86XX



Capri V - 77525-81XX/82XX/83XX



Capri VI - 77525-16XX/17XX/18XX



Capri VII - 77525-87XX/88XX/89XX



Custom Hugger 52 - 11525-XX



Estate 52 - 43525-XX



Medallion 52 - 51525-XX



Monticello - 17525-XX



**5202222181**  
Antique Flemish | Antique Flemish  
With Patina Edge  
Blade Tip - Muted



**5202525181**  
Pecan | Pecan  
With Patina Edge  
Blade Tip - Muted



**5202424181**  
Walnut | Walnut  
With Patina Edge  
Blade Tip - Muted



**5205555181**  
Rosewood | Rosewood  
With Patina Edge  
Blade Tip - Muted



**5250606111**  
White | White  
Blade Tip - Pointed



**5250606121**  
White | White  
Blade Tip - Semi-Square



**5250808111**  
Studio White | Studio White  
Blade Tip - Pointed



**525222121**  
Cherry | Cherry  
Blade Tip - Semi-Square



**5250808121**  
Studio White | Studio White  
Blade Tip - Semi-Square



**5252225111**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Pointed



**5251515111**  
Black | Black  
Blade Tip - Pointed



**5252225121**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**5252020721**  
Vintage Walnut | Vintage Walnut  
Scrapped  
Blade Tip - Semi-Square



**5253345111**  
Cobblestone | Old Pine  
Blade Tip - Pointed



**5252020821**  
Vintage Walnut | Vintage Walnut  
Distressed  
Blade Tip - Semi-Square



**5254424111**  
Toasted Sienna | Walnut  
Blade Tip - Pointed



**5252020961**  
Vintage Walnut  
Distressed with Trim  
Blade Tip - Scalloped



**5254545111**  
Old Pine | Old Pine  
Blade Tip - Pointed



**5252222111**  
Cherry | Cherry  
Blade Tip - Pointed




**5254545121**  
Old Pine | Old Pine  
Blade Tip - Semi-Square

1 - 52 indoor continued on following page

## BLADE TYPE 1 - 52 INDOOR (CONTINUED)

Blade type 1 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.



**5254608111**  
Maple | Studio White  
Blade Tip - Pointed



**5255455121**  
Pine | Rosewood  
Blade Tip - Semi-Square



**5254608121**  
Maple | Studio White  
Blade Tip - Semi-Square



**5255524111**  
Rosewood | Walnut  
Blade Tip - Pointed



**5254747821**  
Weathered Pine | Weathered Pine  
Distressed  
Blade Tip - Semi-Square




**5255524121**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**5255024111**  
Medium Oak | Walnut  
Blade Tip - Pointed



**5255624111**  
Dark Oak | Walnut  
Blade Tip - Pointed



**5255024121**  
Medium Oak | Walnut  
Blade Tip - Semi-Square



**5255624121**  
Dark Oak | Walnut  
Blade Tip - Semi-Square



**5255050221**  
Medium Oak | Medium Oak  
Hi Gloss  
Blade Tip - Semi-Square




**5255650111**  
Dark Oak | Medium Oak  
Blade Tip - Pointed



**5255055111**  
Medium Oak | Rosewood  
Blade Tip - Pointed



**5255650121**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square



**525565511**  
Dark Oak | Rosewood  
Blade Tip - Pointed



**5256767121**  
Antique White | Antique White  
Blade Tip - Semi-Square



**5255655121**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square




**5258324121**  
Teak | Walnut  
Blade Tip - Semi-Square



**5255858621**  
Ash | Ash  
Unfinished  
Blade Tip - Semi-Square




**5258383111**  
Teak | Teak  
Blade Tip - Pointed



**5256524111**  
Satin Nickel | Walnut  
Blade Tip - Pointed



**5258383121**  
Teak | Teak  
Blade Tip - Semi-Square



**5256524121**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**5258524111**  
Mystic Silver | Walnut  
Blade Tip - Pointed



**5256565121**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**5258624111**  
Oiled Bronze | Walnut  
Blade Tip - Pointed



**5256752121**  
Antique White | Washed Oak  
Blade Tip - Semi-Square



**5258624121**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square



**5256767111**  
Antique White | Antique White  
Blade Tip - Pointed



**5259524111**  
Old World | Walnut  
Blade Tip - Pointed

## BLADE TYPE 2 - 52 INDOOR

Blade type 2 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



Venture - 79525-XX



**5250606122**  
White | White  
Blade Tip - Semi-Square



**5252222122**  
Cherry | Cherry  
Blade Tip - Semi-Square



**5252225122**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**5254545122**  
Old Pine | Old Pine  
Blade Tip - Semi-Square



**5254608122**  
Maple | Studio White  
Blade Tip - Semi-Square



**5255024122**  
Medium Oak | Walnut  
Blade Tip - Semi-Square



**5255524122**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**5255650122**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square



**5255655122**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**5255858622**  
Ash | Ash  
Unfinished  
Blade Tip - Semi-Square





**5256524122**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**5258624122**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square



**5256565122**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**5402424182**  
Walnut | Walnut  
With Patina Edge  
Blade Tip - Muted



**5256752122**  
Antique White | Washed Oak  
Blade Tip - Semi-Square



**5402525182**  
Pecan | Pecan  
With Patina Edge  
Blade Tip - Muted



**5258383122**  
Teak | Teak  
Blade Tip - Semi-Square



**5405555182**  
Rosewood | Rosewood  
With Patina Edge  
Blade Tip - Muted

## BLADE TYPE 4 - 52 INDOOR

Blade type 4 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



Chateaux - 78525-XX




**5250808164**  
Studio White | Studio White  
Blade Tip - Scalloped



**5252020964**  
Vintage Walnut  
Distressed with Trim  
Blade Tip - Scalloped



**5252225164**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Scalloped



**5254424164**  
Toasted Sienna | Walnut  
Blade Tip - Scalloped



**5255024164**  
Medium Oak | Walnut  
Blade Tip - Scalloped



**5255624164**  
Dark Oak | Walnut  
Blade Tip - Scalloped



**5255655164**  
Dark Oak | Rosewood  
Blade Tip - Scalloped



**5256524164**  
Satin Nickel | Walnut  
Blade Tip - Scalloped




**5256752164**  
Antique White | Washed Oak  
Blade Tip - Scalloped



**5258524164**  
Mystic Silver | Walnut  
Blade Tip - Scalloped



**5258624164**  
Oiled Bronze | Walnut  
Blade Tip - Scalloped



**8-78525-44**  
Rosewood | Walnut  
Blade Tip - Scalloped



**8-78525-70**  
Weathered Pine | Weathered Pine  
Distressed  
Blade Tip - Scalloped

## BLADE TYPE 5 - 52 INDOOR

Blade type 5 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



**Bakersfield - 71525-XX**



**Barclay - 76525-XX**



**Cimarron - 69525-XX**



**Galloway - 48525-XX**



**Hanover - 29525-XX**




**Kingsley 52" - 38525-XX**



**Liberty - 49525-XX**



**Lone Star - 80525-XX**



**Lowell - 56525-XX**




**Pinnacle - 91525-XX**



**Roderick - 63525-XX**



**5202424185**  
Walnut | Walnut  
With Patina Edge  
Blade Tip - Muted



**5250808125**  
Studio White | Studio White  
Blade Tip - Semi-Square



**5202525185**  
Pecan | Pecan  
With Patina Edge  
Blade Tip - Muted




**5252020125**  
Vintage Walnut | Vintage Walnut  
Blade Tip - Semi-Square



**5205555185**  
Rosewood | Rosewood  
With Patina Edge  
Blade Tip - Muted



**5252020725**  
Vintage Walnut | Vintage Walnut  
Scrapped  
Blade Tip - Semi-Square



**5250606125**  
White | White  
Blade Tip - Semi-Square

5 - 52 indoor continued on following page

## BLADE TYPE 5 - 52 INDOOR (CONTINUED)

Blade type 5 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.



**5252020825**  
Vintage Walnut | Vintage Walnut  
Distressed  
Blade Tip - Semi-Square



**5254424125**  
Toasted Sienna | Walnut  
Blade Tip - Semi-Square



**5252020965**  
Vintage Walnut  
Distressed with Trim  
Blade Tip - Scalloped



**5254424155**  
Toasted Sienna | Walnut  
Blade Tip - Napoleon



**5252222125**  
Cherry | Cherry  
Blade Tip - Semi-Square



**5254424165**  
Toasted Sienna | Walnut  
Blade Tip - Scalloped



**5252225125**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**5254608125**  
Maple | Studio White  
Blade Tip - Semi-Square



**5252225155**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Napoleon




**5254747825**  
Weathered Pine | Weathered Pine  
Distressed  
Blade Tip - Semi-Square



**5252525125**  
Pecan | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**5254747125**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**5252544125**  
Pecan | Toasted Sienna  
Blade Tip - Semi-Square



**5255055125**  
Medium Oak | Rosewood  
Blade Tip - Semi-Square



**5255206125**  
Washed Oak | White  
Blade Tip - Semi-Square



**5258324165**  
Teak | Walnut  
Blade Tip - Scalloped



**5255524125**  
Rosewood | Walnut  
Blade Tip - Semi-Square




**5258383125**  
Teak | Teak  
Blade Tip - Semi-Square



**5255624125**  
Dark Oak | Walnut  
Blade Tip - Semi-Square



**5258524125**  
Mystic Silver | Walnut  
Blade Tip - Semi-Square




**5255655125**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**5258524165**  
Mystic Silver | Walnut  
Blade Tip - Scalloped



**5256524125**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**5258525155**  
Mystic Silver | Pecan  
Blade Tip - Napoleon



**5256565125**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**5258525165**  
Mystic Silver | Pecan  
Blade Tip - Scalloped



**5258324125**  
Teak | Walnut  
Blade Tip - Semi-Square



**5258624125**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square


5 - 52 indoor continued on following page

## BLADE TYPE 5 - 52 INDOOR (CONTINUED)

Blade type 5 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.




**5258624165**  
Oiled Bronze | Walnut  
Blade Tip - Scalloped



**5259224165**  
Antique Silver | Walnut  
Blade Tip - Scalloped




**5258824125**  
Corsican Gold | Walnut  
Blade Tip - Semi-Square




**5259524125**  
Old World | Walnut  
Blade Tip - Semi-Square



**5258824165**  
Corsican Gold | Walnut  
Blade Tip - Scalloped




**5259524155**  
Old World | Walnut  
Blade Tip - Napoleon




**5259224125**  
Antique Silver | Walnut  
Blade Tip - Semi-Square



**5259524165**  
Old World | Walnut  
Blade Tip - Scalloped



**5259224155**  
Antique Silver | Walnut  
Blade Tip - Napoleon



**5259525125**  
Old World | Pecan  
Blade Tip - Semi-Square



**5259525165**  
Old World | Pecan  
Blade Tip - Scalloped

## BLADE TYPE 5 - 56 INDOOR

Blade type 5 - 56 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 56" sweep.

### Alternative Blades For:



**Pinnacle - 91525-XX**



**Salon - 83565-XX**



**Turino - 63565-XX**



**5650808125**  
Studio White | Studio White  
Blade Tip - Semi-Square



**5654747125**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**5652222125**  
Cherry | Cherry  
Blade Tip - Semi-Square



**5655055125**  
Medium Oak | Rosewood  
Blade Tip - Semi-Square



**5652225125**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**5655206125**  
Washed Oak | White  
Blade Tip - Semi-Square



**5654424125**  
Toasted Sienna | Walnut  
Blade Tip - Semi-Square



**5655524125**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**5654608125**  
Maple | Studio White  
Blade Tip - Semi-Square



**5655524165**  
Rosewood | Walnut  
Blade Tip - Napoleon

5 - 56 indoor continued on following page

## BLADE TYPE 5 - 56 INDOOR (CONTINUED)

Blade type 5 - 56 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 56" sweep.




**5655624125**  
Dark Oak | Walnut  
Blade Tip - Semi-Square



**5658383125**  
Teak | Teak  
Blade Tip - Semi-Square



**5655624165**  
Dark Oak | Walnut  
Blade Tip - Napoleon




**5658524125**  
Mystic Silver | Walnut  
Blade Tip - Semi-Square



**5655650125**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square




**5658524165**  
Mystic Silver | Walnut  
Blade Tip - Napoleon



**5655655125**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**5658624125**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square




**5656524125**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**5658624165**  
Oiled Bronze | Walnut  
Blade Tip - Scalloped



**5656565125**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**5659224125**  
Antique Silver | Walnut  
Blade Tip - Semi-Square



**5656767165**  
Antique White | Antique White  
Blade Tip - Napoleon



## BLADE TYPE 4 - 60 INDOOR

Blade type 4 - 60 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.

### Alternative Blades For:



Chateaux 60 Uni-pack - 78605-XXXX



Chateaux 60 - 78605-XX



**6054424164**  
Toasted Sienna | Walnut  
Blade Tip - Scalloped



**6058624164**  
Oiled Bronze | Walnut  
Blade Tip - Scalloped



**6055024164**  
Medium Oak | Walnut  
Blade Tip - Scalloped



**8-78605-70**  
Weathered Pine | Weathered Pine  
Distressed  
Blade Tip - Scalloped



**6056524164**  
Satin | Walnut  
Blade Tip - Scalloped

## BLADE TYPE 5 - 60 INDOOR

Blade type 5 - 60 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.


### Alternative Blades For:




**Kingsley 60 - 38605-XX**



**Pinnacle - 91525-XX**



**6050606125**  
White | White  
Blade Tip - Semi-Square



**6050808125**  
Studio White | Studio White  
Blade Tip - Semi-Square



**6052222125**  
Cherry | Cherry  
Blade Tip - Semi-Square




**6052225125**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**6052225155**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Napoleon



**6052525125**  
Pecan | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**6054424125**  
Toasted Sienna | Walnut  
Blade Tip - Semi-Square




**6054424155**  
Toasted Sienna | Walnut  
Blade Tip - Napoleon




**6054608125**  
Maple | Studio White  
Blade Tip - Semi-Square



**6054747125**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**6055055125**  
Medium Oak | Rosewood  
Blade Tip - Semi-Square



**6055655125**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**6055206125**  
Washed Oak | White  
Blade Tip - Semi-Square




**6056524125**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square




**6055524125**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**6056656125**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square




**6055650125**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square



**6056767125**  
Antique White | Antique White  
Blade Tip - Semi-Square



**6058383125**  
Teak | Teak  
Blade Tip - Semi-Square



**6059224125**  
Antique Silver | Walnut  
Blade Tip - Semi-Square



**6058524125**  
Mystic Silver | Walnut  
Blade Tip - Semi-Square



**6059224155**  
Antique Silver | Walnut  
Blade Tip - Napoleon



**6058525155**  
Mystic Silver | Pecan  
Blade Tip - Napoleon



**6059524155**  
Old World | Walnut  
Blade Tip - Napoleon



**6058624125**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square

## BLADE TYPE 1 - 30 OUTDOOR

Blade type 1 - 30 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 6 count with a 30" sweep.


### Alternative Blades For:



Estate 30 Patio - 143306-XX



Medallion 30 Patio - 151306-XX



**3060606321**  
White | White  
Blade Tip - Semi-Square



**3062424321**  
Walnut | Walnut  
Blade Tip - Semi-Square



**3061515321**  
Black | Black  
Blade Tip - Semi-Square



**3064747321**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square

## BLADE TYPE 1 - 42 OUTDOOR

Blade type 1 - 42 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 42" sweep.


### Alternative Blades For:



Estate 42 Patio - 143425-XX



Medallion 42 Patio - 151425-XX



**4250606321**  
White | White  
Blade Tip - Semi-Square



**4254747321**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**4251515321**  
Black | Black  
Blade Tip - Semi-Square



**4255050321**  
Medium Oak | Medium Oak  
Blade Tip - Semi-Square



**4252424321**  
Walnut | Walnut  
Blade Tip - Semi-Square



**4255555321**  
Rosewood | Rosewood  
Blade Tip - Semi-Square

## BLADE TYPE 1 - 52 OUTDOOR

Blade type 1 - 52 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



All-Weather Allure Patio - 146525-XX



Allure Patio - 136525-XX



Estate 52 Patio - 143525-XX



Estate Uni-Pack Patio - 143525-9XX




Medallion Patio - 151525-XX



**5254747321**

Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**5250606321**

White | White  
Blade Tip - Semi-Square



**5255050321**

Medium Oak | Medium Oak  
Blade Tip - Semi-Square



**5251313321**

Brown | Brown  
Blade Tip - Semi-Square



**5255555321**

Rosewood | Rosewood  
Blade Tip - Semi-Square



**5251515321**

Black | Black  
Blade Tip - Semi-Square




**5255656321**

Dark Oak | Dark Oak  
Blade Tip - Semi-Square



**5252424321**

Walnut | Walnut  
Blade Tip - Semi-Square



**5256767321**

Antique White | Antique White  
Blade Tip - Semi-Square

## BLADE TYPE 5 - 52 OUTDOOR

Blade type 5 - 52 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



Adirondacks Patio - 138525-XX



Hanover Patio - 129525-XX



Pinnacle Patio - 191525-XX



Portside Patio - 144525-XX



**5250808325**  
Studio White | Studio White  
Blade Tip - Semi-Square



**5254747325**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**5251515325**  
Black | Black  
Blade Tip - Semi-Square



**5255555325**  
Rosewood | Rosewood  
Blade Tip - Semi-Square



**5252424325**  
Walnut | Walnut  
Blade Tip - Semi-Square



**5255656325**  
Dark Oak | Dark Oak  
Blade Tip - Semi-Square

## BLADE TYPE 5 - 56 OUTDOOR

Blade type 5 - 56 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 56" sweep.

### Alternative Blades For:



Pinnacle Patio - 191525-XX



**5650808325**  
Studio White | Studio White  
Blade Tip - Semi-Square



**5654747325**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**5651515325**  
Black | Black  
Blade Tip - Semi-Square



**565555325**  
Rosewood | Rosewood  
Blade Tip - Semi-Square



**5652424325**  
Walnut | Walnut  
Blade Tip - Semi-Square



## BLADE TYPE 5 - 60 OUTDOOR

Blade type 5 - 60 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.

### Alternative Blades For:



Pinnacle Patio - 191525-XX



**6050808325**  
Studio White | Studio White  
Blade Tip - Semi-Square



**6054747325**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**6051515325**  
Black | Black  
Blade Tip - Semi-Square



**6055555325**  
Rosewood | Rosewood  
Blade Tip - Semi-Square



**6052424325**  
Walnut | Walnut  
Blade Tip - Semi-Square

## OPTIONAL 1/2" DOWNRODS

These downrods allow you to choose how far your fan will hang from the ceiling. We offer a complete line of extension rods to match Quorum finishes. For odd lengths or extra long drops, use our Downrod Coupler to join two downrods together. Remember, your fan should always hang at least 7 feet above the floor.

<b>Downrod Finish</b>	<b>6"</b>	<b>12"</b>	<b>18"</b>	<b>24"</b>	<b>36"</b>	<b>48"</b>	<b>60"</b>	<b>72"</b>
Polished Brass	6-062	6-122	6-182	6-242	6-362	6-482	6-602	6-722
Antique Brass	6-064	6-124	6-184	6-244	6-364	6-484	6-604	6-724
White	6-066	6-126	6-186	6-246	6-366	6-486	6-606	6-726
Studio White	6-0608	6-128	6-188	6-248	6-368	6-488	6-608	6-728
Galvanized	6-069	6-129	6-189	6-249	6-369	6-489	6-609	6-729
Chrome	6-0614	6-1214	6-1814	6-2414	6-3614	6-4814	6-6014	6-7214
Black	6-0615	6-1215	6-1815	6-2415	6-3615	6-4815	6-6015	6-7215
Brushed Aluminum	NA	6-1216	6-1816	6-2416	6-3616	NA	NA	NA
Antique Flemish	NA	6-1222	6-1822	6-2422	6-3622	6-4822	6-6022	6-7222
Walnut	NA	6-1224	6-1824	6-2424	6-3624	6-4824	6-6024	6-7224
Pecan	NA	6-1225	6-1825	6-2425	6-3625	6-4825	6-6025	6-7225
Toasted Sienna	6-0644	6-1244	6-1844	6-2444	6-3644	6-4844	6-6044	6-7244
Baltic Granite	NA	6-1245	6-1845	6-2445	6-3645	6-4845	6-6045	6-7245
Mystic Silver	NA	6-1258	6-1858	6-2458	6-3658	6-4858	6-6058	6-7258
Aged Silver Leaf	NA	6-1260	6-1860	6-2460	6-3660	6-4860	6-6060	6-7260
Matte Black	6-0659	6-1259	6-1859	6-2459	6-3659	6-4859	6-6059	6-7259
Satin Nickel	6-0665	6-1265	6-1865	6-2465	6-3665	6-4865	6-6065	6-7265
Antique White	6-0667	6-1267	6-1867	6-2467	6-3667	6-4867	6-6067	6-7267
Persian White	NA	6-1270	6-1870	6-2470	6-3670	6-4870	6-6070	6-7270
Oiled Bronze	NA	6-1286	6-1886	6-2486	6-3686	6-4886	6-6086	6-7286
Corsican Gold	NA	6-1288	6-1888	6-2488	6-3688	6-4888	6-6088	6-7288
Antique Silver	6-0692	6-1292	6-1892	6-2492	6-3692	6-4892	6-6092	6-7292
French Umber	NA	6-12094	6-18094	6-24094	6-36094	6-48094	6-60094	6-72094
Old World	6-0695	6-1295	6-1895	6-2495	6-3695	6-4895	6-6095	6-7295
Vintage Gold Leaf	NA	6-12030	6-18030	6-24030	6-36030	6-48030	6-60030	6-72030

## DOWNROD COUPLERS

When it is necessary to hang your fan from a non-standard size downrod, use our downrod couplers to join 2 of our 1/2" downrods together to form the perfect length. Strong, safe and easy to install.



### STANDARD COUPLER


Finish	Item#	Finish	Item#	Finish	Item#
Polished Brass	6-002	Black	6-015	Antique White	6-0067
Antique Brass	6-004	Antique Flemish	6-022	Oiled Bronze	6-086
White	6-006	Toasted Sienna	6-044	Corsican Gold	6-088
Studio White	6-008	Mystic Silver	6-058	Antique Silver	6-092
Galvanized	6-009	Matte Black	6-059	Old World	6-095
Chrome	6-014	Satin Nickel	6-0065		

## 30 DEGREE CEILING FAN ADAPTER FOR JELLYFISH™

When you have a ceiling with a slope up to 30 degrees, use this adapter to hang your Jellyfish™ fan.

### 12" DOWNROD SUPPLIED WITH ADAPTER KIT.

Item#	Finish
7-1450-14	Chrome



## CEILING FAN SPARE PARTS

We stock a complete line of replacement parts for all our ceiling fans. Contact your local Quorum dealer for help in locating any part you require.

## 45 DEGREE CEILING ADAPTER

When you have a ceiling with a slope up to 45 degrees, use this adapter to hang your ceiling fan. 6"(w) x 3.25"(h).

<b>Item#</b>	<b>Finish</b>	<b>Item#</b>	<b>Finish</b>
7-1745-2	Polished Brass	7-1745-59	Matte Black
7-1745-4	Antique Brass	7-1745-60	Aged Silver Leaf
7-1745-6	White	7-1745-65	Satin Nickel
7-1745-8	Studio White	7-1745-67	Antique White
7-1745-9	Galvanized	7-1745-70	Persian White
7-1745-14	Chrome	7-1745-86	Oiled Bronze
7-1745-15	Black	7-1745-88	Corsican Gold
7-1745-22	Antique Flemish	7-1745-92	Antique Silver
7-1745-44	Toasted Sienna	7-1745-94	French Umber
7-1745-58	Mystic Silver	7-1745-95	Old World
		7-1745-030	Vintage Gold Leaf

## HUGGER ADAPTER

Use a Hugger Adapter to mount your fan flush to the ceiling. This easy to install unit fits all standard body Quorum ceiling fans. 5"(w) x 2"(h). Includes hanging bracket and canopy.

<b>Item#</b>	<b>Finish</b>	<b>Item#</b>	<b>Finish</b>
7-1600-2	Polished Brass	7-1600-60	Aged Silver Leaf
7-1600-4	Antique Brass	7-1600-65	Satin Nickel
7-1600-6	White	7-1600-67	Antique White
7-1600-8	Studio White	7-1600-70	Persian White
7-1600-15	Black	7-1600-86	Oiled Bronze
7-1600-22	Antique Flemish	7-1600-88	Corsican Gold
7-1600-44	Toasted Sienna	7-1600-92	Antique Silver
7-1600-58	Mystic Silver	7-1600-94	French Umber
7-1600-59	Matte Black	7-1600-95	Old World
		7-1600-030	Vintage Gold Leaf

## BOWL KIT END CAPS

Personalize your decor with one of the many optional finishes of end caps for bowl style light kits. Caps are drilled for fan speed and light pull chains.

Item#	Finish	Item#	Finish
7-1100-02	Polished Brass	7-1100-065	Satin Nickel
7-1100-04	Antique Brass	7-1100-067	Antique White
7-1100-06	White	7-1100-070	Persian White
7-1100-08	Studio White	7-1100-086	Oiled Bronze
7-1100-022	Antique Flemish	7-1100-088	Corsican Gold
7-1100-044	Toasted Sienna	7-1100-092	Antique Silver
7-1100-058	Mystic Silver	7-1100-094	French Umber
7-1100-059	Matte Black	7-1100-095	Old World
7-1100-060	Aged Silver Leaf	7-1100-30	Vintage Gold Leaf

## STANDARD REMOTE CONTROLS

### 2-Wire Canopy LCD Remote Control Kit

#### a. 7-3000

On/Off Fan Function, 3 fan speed settings, infinite light dimmer control, low battery indicator. Receiver fits in ceiling canopy and uses existing 2 wires. Can be used with halogen light kits, 250 watt bulb max.

### 2-Wire Canopy Remote Control Kit with Reverse Function

#### b. 7-1401-0

Controls 3 speeds and forward/reverse functions on one fan and light dimmer. Also features a temperature sensor. Receiver fits in ceiling canopy and uses 2 existing wires. Can be used with halogen light kits, 100W bulb max.



## 2-WIRE CANOPY CONTROLS

Canopy controls provide additional convenience when operating your ceiling fan. Imagine the ease of controlling a fan without having to use the fan's pull chains. This is also another way to control ceiling fans hanging on high, hard-to-reach ceilings and in applications where running a 3rd wire for a ceiling fan is prohibitive. Canopy controls are easy to install and will control the fan speed functions and the light functions.



### a. 2-Wire Canopy Wall Control with Reverse Function

**7-1301-0**

Controls 3 speeds and forward/reverse functions on one fan and light dimmer. Receiver fits in ceiling canopy cup and uses 2 existing wires. Can be used with halogen light kits, 100W bulb max. Will work with all models compatible with the 7-1401-0 as listed for assorted models throughout the fan section.

### b. Battery Operated Wall Control with Reverse Function

**7-1305-0**

Controls 3 speeds and forward/reverse functions for one ceiling fan. Light on/off with dimmer for incandescent lamp. Light on/off only for fluorescent or LED lamps. 300W light max (no halogen). Receiver fits inside ceiling canopy and uses two existing wires. This control is supplied with removable white and ivory face plates. 12 volt battery included. Compatible with specified models as noted in the fan general specifications.


### c. 2-Wire Canopy Wall Control Kit

**7-3001-6**

Add the convenience of a light dimmer without running a third wire to the ceiling fan. Controls 3 speeds of one fan and 5 light dimmer positions. Can be used with halogen light, 300W bulb max. Receiver fits inside the ceiling canopy. Wall plate included. Will work with all models compatible with the 7-3000 as listed for assorted models in the fan general specifications.

## WALL CONTROLS

Quorum offers a full line of slider and rotary style fan and light kit wall controls. They are guaranteed not to cause humming or noise when used with Quorum ceiling fans.



**d. 7-1191-6**


**Also Available:  
7-1191-10**

**e. 7-1192-6**

**Also Available:  
7-1192-10**

**f. 7-1199-6**

**g. 7-1190-6**



**h. 7-1196-0**  
3 speeds

**h. 7-1197-0**  
4 speeds

### **d. Slider Wall Control (fan only)**

Controls a single ceiling fan's 3 speeds and the power on/off.

**7-1191-6\*** - White

**7-1191-10\*** - Almond

\*faceplate is included

### **e. Slider Wall Control (fan/light kit)**

Controls the 3 speeds, power on/off and the light kit settings for one fan.

**7-1192-6\*** - White

**7-1192-10\*** - Almond

\*faceplate is included

### **f. 2 Amp Slider Wall Control (fan only)**

Controls the 3 speeds and the power on/off for 2 ceiling fans.

**7-1199-6\*** - White

\*faceplate is included

### **g. 5 Amp Slider Wall Control (fan only)**

Controls the 3 speeds and the power on/off for 4-5 ceiling fans.

**7-1190-6\*** - White

\*faceplate is included

### **h. Rotary Wall Control (fan only)**

Controls a single ceiling fan's speeds and the power on/off. Clear knob will blend with any existing faceplate.

**7-1196-0\*** 3 Speeds

**7-1197-0\*** 4 Speeds

\*Supplied with gold and silver rotary knobs













































# VISUAL FINISH INDEX

If you prefer to shop by finish then you're in the right place. Organized by available finish and sorted by product number, this index is a simple way to locate the ceiling fans and light kits that fit your style.

# INDOOR FANS FINISH INDEX

 				 	
<p>11425-2 Page 219</p>	<p>11525-2 Page 221</p>	<p>77525-2 Page 199</p>	<p>77525-8102 Page 211</p>	<p>11425-4 Page 219</p>	<p>11525-4 Page 221</p>
					 
<p>35525-4 Page 142</p>	<p>51525-4 Page 169</p>	<p>77425-4 Page 195</p>	<p>77525-4 Page 199</p>	<p>91525-4 Page 172</p>	<p>11425-6 Page 219</p>
					
<p>11525-6 Page 221</p>	<p>43306-6 Page 223</p>	<p>43425-6 Page 225</p>	<p>43525-6 Page 229</p>	<p>51425-6 Page 167</p>	<p>51525-6 Page 169</p>
					
<p>77425-6 Page 195</p>	<p>77525-1606 Page 215</p>	<p>77525-2506 Page 207</p>	<p>77525-6 Page 199</p>	<p>77525-8106 Page 211</p>	<p>77525-8706 Page 217</p>
			 		
<p>77525-9206 Page 203</p>	<p>77525-9506 Page 203</p>	<p>91525-6 Page 172</p>	<p>17525-8 Page 233</p>	<p>20543-908 Page 061</p>	<p>32323-8 Page 147</p>
					
<p>35525-8 Page 142</p>	<p>39525-8 Page 077</p>	<p>43525-8 Page 228</p>	<p>50524-8 Page 043</p>	<p>51306-8 Page 165</p>	<p>51425-8 Page 167</p>



51525-8  
Page 169



59605-8  
Page 031



59725-8  
Page 033



65524-8  
Page 069



70443-8  
Page 047



70523-8  
Page 049



73525-908  
Page 085



77425-8  
Page 195



77525-1608  
Page 215



77525-2508  
Page 207



77525-8  
Page 199



77525-8108  
Page 211



77525-8708  
Page 217



77525-9208  
Page 203



77525-9508  
Page 203



78525-8  
Page 125



79525-8  
Page 188



81725-8  
Page 091



84708-8  
Page 081



88525-8  
Page 029



91525-8  
Page 172



96608-8  
Page 053



96728-8  
Page 055



97003-08  
Page 015, 017




Galvanized

96015-9  
Page 097




97215-9  
Page 099



Chrome


14583-914  
Page 039



20543-914  
Page 061



21542-14  
Page 045




36524-14  
Page 035



400525-14  
Page 051



70443-14  
Page 047



70523-14  
Page 049



93524-14  
Page 057



97003-014  
Page 015, 019



Gloss Black

77525-15  
Page 198

# INDOOR FANS FINISH INDEX

Brushed Aluminum



30603-16  
Page 021



600525-16  
Page 059



88525-16  
Page 029



42605-22  
Page 101



42705-22  
Page 105



77525-22  
Page 198

Antique Flemish



77525-8322  
Page 211



77525-9422  
Page 203



78525-22  
Page 125



72565-24  
Page 109



77525-26  
Page 198



17525-30  
Page 232

Walnut

White & Brass

Vintage Gold Leaf




77525-30  
Page 198



78525-1430  
Page 131



78525-30  
Page 125



78605-1430  
Page 135



78605-30  
Page 127



92623-30  
Page 095

Toasted Sienna



17525-44  
Page 232



29525-44  
Page 149



35525-44  
Page 142



38525-44  
Page 151



38605-44  
Page 153



42605-44  
Page 101



42705-44  
Page 105




43306-44  
Page 223



43425-44  
Page 225




43525-44  
Page 228



49525-44  
Page 155



56525-44  
Page 161



61525-944  
Page 073




63525-44  
Page 175



63565-44  
Page 181



69525-44  
Page 137



71525-44  
Page 111



73525-944  
Page 085




75445-44  
Page 117



76525-44  
Page 115



77525-1644  
Page 215



77525-1744  
Page 215



77525-2444  
Page 206



77525-2544  
Page 206



77525-44  
Page 198



77525-8144  
Page 210



77525-8344  
Page 210



77525-8744  
Page 217



77525-8844  
Page 217



77525-9244  
Page 202



77525-9444  
Page 202



77525-9544  
Page 202



78525-1644  
Page 130



78525-1744  
Page 130



78525-44  
Page 125



78605-1644  
Page 134



78605-1744  
Page 134



78605-44  
Page 127



79525-44  
Page 188



80525-44  
Page 157



83565-44  
Page 177



85525-44  
Page 191



91525-44  
Page 172



Brushed Nickel

26424-155  
Page 023



Mystic Silver

38525-58  
Page 151




38605-58  
Page 153



48525-958  
Page 145



69525-58  
Page 137



77525-1758  
Page 214



77525-58  
Page 198




77525-8358  
Page 210



77525-9458  
Page 202



78525-58  
Page 125



91525-58  
Page 171

# INDOOR FANS FINISH INDEX

Matte Black



77525-59  
Page 198

Aged Silver Leaf



17525-60  
Page 232



77525-60  
Page 198



78525-1460  
Page 131



78525-60  
Page 124



78605-1460  
Page 135



78605-60  
Page 127



92623-60  
Page 095



11525-65  
Page 221

Satin Nickel



17525-65  
Page 232



17525-6522  
Page 232



20543-965  
Page 061



24563-65  
Page 083



32323-65  
Page 147



39525-65  
Page 077



42523-65  
Page 027



43306-65  
Page 223



43425-65  
Page 225



43525-65  
Page 228



43525-6522  
Page 228



50524-65  
Page 043



51525-6522  
Page 169



54543-65  
Page 065



59605-65  
Page 031




59725-65  
Page 033



64525-65  
Page 087



70443-65  
Page 047



70523-65  
Page 049



73525-965  
Page 085



75445-65  
Page 117




76525-65  
Page 115



77425-65  
Page 195



77525-1665  
Page 214



77525-2565  
Page 206



77525-65  
Page 198



77525-6522  
Page 197



77525-656  
Page 197



77525-8165  
Page 210



77525-8765  
Page 217



77525-9265  
Page 202



77525-9565  
Page 202



7752516652  
Page 214



7752516656  
Page 214



7752581652  
Page 210



7752581656  
Page 210



78525-65  
Page 124



78525-6522  
Page 124



78605-65  
Page 127



79525-65  
Page 187



79525-6522  
Page 187



81524-65  
Page 089



81725-65  
Page 091



82524-65  
Page 025



83525-65  
Page 071



84708-65  
Page 081



90524-65  
Page 041



91525-65  
Page 171



91525-6522  
Page 171



94525-65  
Page 075




96608-65  
Page 053



96728-65  
Page 055



97003-065  
Page 015, 018



98604-65  
Page 037



Antique White

17525-67  
Page 232



43425-67  
Page 225



43525-67  
Page 227



51525-67  
Page 169



77425-67  
Page 195



77525-1667  
Page 214



77525-67  
Page 197



77525-8167  
Page 210



77525-9267  
Page 201

# INDOOR FANS FINISH INDEX



78525-67  
Page 124



83565-67  
Page 177



85525-67  
Page 191



Persian White

17525-70  
Page 231



27603-70  
Page 119



28682-70  
Page 185



75445-70  
Page 117




76525-70  
Page 115



78525-1970  
Page 130



78525-70  
Page 124



78605-1970  
Page 134



78605-70  
Page 127



Oiled Bronze

17525-86  
Page 231



20543-9186  
Page 061



24563-86  
Page 083



27603-86  
Page 119



28682-86  
Page 185



35525-86  
Page 141



36525-986  
Page 067



39525-86  
Page 077



42523-86  
Page 027



42605-86  
Page 101




42705-86  
Page 105




43525-86  
Page 227




50524-86  
Page 043



53524-86  
Page 079



54543-86  
Page 065



56525-86  
Page 161



61525-986  
Page 073



63525-86  
Page 175




63565-86  
Page 181



64525-86  
Page 087



64525-8641  
Page 087



69525-86  
Page 137



73525-986  
Page 085



75445-86  
Page 117





76525-86  
Page 115



77525-1086  
Page 214



77525-1686  
Page 214



77525-1786  
Page 213



77525-1886  
Page 213



77525-2486  
Page 206



77525-2586  
Page 205



77525-2686  
Page 205



77525-8086  
Page 209



77525-8286  
Page 209



77525-86  
Page 197



77525-8986  
Page 217



77525-9086  
Page 201



77525-9486  
Page 201



78525-1686  
Page 129




78525-1786  
Page 129



78525-86  
Page 123



78605-1686  
Page 133



78605-1786  
Page 133




78605-86  
Page 127



79525-86  
Page 187



81524-86  
Page 089



81524-8641  
Page 089



81725-86  
Page 091



82524-86  
Page 025



83525-86  
Page 071



83565-86  
Page 177



84708-86  
Page 081



90524-86  
Page 041



91525-86  
Page 171



94525-86  
Page 075



96015-86  
Page 097



96608-86  
Page 053



96728-86  
Page 055



97003-086  
Page 015, 018



97215-86  
Page 099

# INDOOR FANS FINISH INDEX



98604-86  
Page 037

35525-88  
Page 141

71525-88  
Page 111

78525-88  
Page 124

83565-88  
Page 177

85525-88  
Page 191



17525-92  
Page 231

35525-92  
Page 141

36525-992  
Page 067

38525-92  
Page 151

38605-92  
Page 153

43525-92  
Page 227



65524-92  
Page 069



77525-92  
Page 197

78525-92  
Page 123

83565-92  
Page 177

85525-92  
Page 191

91525-92  
Page 171



27603-94  
Page 119


78525-94  
Page 123

17525-95  
Page 231

29525-95  
Page 149

32323-95  
Page 147

35525-95  
Page 141



38525-95  
Page 151



38605-95  
Page 153

42605-95  
Page 101

42705-95  
Page 105

43306-95  
Page 223

43425-95  
Page 225



43525-95  
Page 227

48525-995  
Page 145

49525-95  
Page 155

61525-995  
Page 073

65524-95  
Page 069

69525-95  
Page 137



71525-95  
Page 111



77425-95  
Page 195



77525-1695  
Page 213



77525-1795  
Page 213




77525-2495  
Page 205



77525-2595  
Page 205




77525-8195  
Page 209



77525-8395  
Page 209



77525-9295  
Page 201



77525-9495  
Page 201



77525-95  
Page 197



77525-9595  
Page 201



78525-95  
Page 123



79525-95  
Page 187



83565-95  
Page 177



85525-95  
Page 191



91525-95  
Page 171

## PATIO FANS FINISH INDEX



Gloss White

136525-6  
Page 277



143306-6  
Page 307



143425-6  
Page 309



143525-6  
Page 313



143525-906  
Page 317



146525-6  
Page 279



Studio White

13525-8  
Page 285



135525-8  
Page 297



139525-8  
Page 289



151306-8  
Page 291



151425-8  
Page 293



151525-8  
Page 295

# PATIO FANS FINISH INDEX



159605-8  
Page 257



159725-8  
Page 259



191525-8  
Page 299



196608-8  
Page 251



196728-8  
Page 253



Galvanized

13525-9  
Page 285



137525-9  
Page 265



143425-9  
Page 309



143525-9  
Page 312



143525-909  
Page 316



137525-924  
Page 265



143525-924  
Page 312



1435259924  
Page 316



Toasted Sienna

129525-44  
Page 263



13525-44  
Page 285



135525-44  
Page 297



137525-44  
Page 265



138525-44  
Page 275



143425-44  
Page 309



143525-44  
Page 312



143525-944  
Page 316



146525-44  
Page 279



174525-944  
Page 287



191525-44  
Page 299



142525-945  
Page 303



Matte Black

143525-59  
Page 312



143525-959  
Page 315



1435255959  
Page 316



Satin Nickel

135525-65  
Page 297



142523-65  
Page 255



159605-65  
Page 257



159725-65  
Page 259



18524-65  
Page 267



19525-65  
Page 271



196608-65  
Page 251



196728-65  
Page 253



Antique White



Persian White



Oiled Bronze



92413-65  
Page 301

143525-67  
Page 311

135525-70  
Page 297

139525-70  
Page 289

13525-86  
Page 285

142523-86  
Page 255



143525-86  
Page 311



143525-986  
Page 315



144525-86  
Page 269



145525-86  
Page 283



146525-86  
Page 279



18524-86  
Page 267



191525-86  
Page 299



19525-86  
Page 271



196608-86  
Page 251



196728-86  
Page 253



92413-86  
Page 301

Old World



12525-995  
Page 281




129525-95  
Page 263



135525-95  
Page 297



137525-95  
Page 265



138525-95  
Page 275



143306-95  
Page 307




143425-95  
Page 309



143525-95  
Page 311




143525-995  
Page 315



1435259395  
Page 315



151425-95  
Page 293



151525-95  
Page 295



174525-995  
Page 287




































191525-95  
Page 299



143525-599  
Page 311

# INDOOR FAN LIGHT KITS FINISH INDEX

Polished Brass				Antique Brass			
	2303-902 Page 240	2444-802 Page 242	4102-802 Page 241		1190-804 Page 237	2303-904 Page 240	2401-804 Page 241
		Gloss White					
2444-804 Page 242	2530-804 Page 244		1101-811 Page 246	1129-806 Page 236	1133-801 Page 246	1141-806 Page 239	
							
1190-806 Page 237	2303-906 Page 240	2401-806 Page 241	2409-806 Page 245	2444-806 Page 242	4100-8161 Page 238		
Studio White							
	4102-806 Page 241	1032-8 Page 236	2303-908 Page 240	2401-808 Page 241	2444-808 Page 242	4102-808 Page 241	
Chrome	Antique Flemish				Walnut		
		2409-814 Page 245	2303-9022 Page 240	2383-9022 Page 103		2389-9122 Page 103	2444-8022 Page 242
Vintage Gold Leaf			Toasted Sienna				
	2303-9030 Page 240	2444-8030 Page 242		2530-8030 Page 244	1120-801A Page 246	1120-801D Page 246	1120-801P Page 246



1120-801U  
Page 246



1120-811A1  
Page 246



1191-844  
Page 237



1228-801  
Page 247



1231-801  
Page 247



2303-9044  
Page 240



2371-8044  
Page 243



2383-9044  
Page 103



2386-9144  
Page 103



2388-9144  
Page 103



2389-9144  
Page 103



2401-8044  
Page 241



2444-8044  
Page 242



2530-8044  
Page 244



4102-8044  
Page 241



Mystic Silver

2303-9058  
Page 240



2383-9058  
Page 139



2386-9158  
Page 139



2444-8058  
Page 242



Matte Black

2303-9059  
Page 240




2409-859  
Page 245



Aged Silver Leaf

2444-8059  
Page 242



2303-9060  
Page 240



2444-8060  
Page 242



2530-8060  
Page 244



Satin Nickel

1032-65  
Page 236



1120-801H  
Page 246



1129-865  
Page 236



1166-801  
Page 247



1190-865  
Page 237




1504-865  
Page 237



1858-965  
Page 247



2303-9065  
Page 240



2326-865  
Page 243



2401-8065  
Page 241



2409-865  
Page 245

# INDOOR FAN LIGHT KITS FINISH INDEX



2444-8065  
Page 242



2530-8065  
Page 244



4102-8065  
Page 241

Antique White



1190-867  
Page 237



2303-9067  
Page 240



2383-9067  
Page 179



2444-8067  
Page 242



2530-8067  
Page 244

Persian White



2360-070  
Page 121



2444-8070  
Page 242



2530-8070  
Page 244

Oiled Bronze



1147-801  
Page 247



1858-986  
Page 247



2303-9086  
Page 240



2360-086  
Page 121



2383-9086  
Page 103




2388-9186  
Page 103



2401-8086  
Page 241




2444-8086  
Page 242



2530-8086  
Page 244


Corsican Gold



1230-888  
Page 239



2303-9088  
Page 240



2371-8088  
Page 243



2383-9088  
Page 179



2386-9188  
Page 179



2444-8088  
Page 242



2530-8088  
Page 244

Antique Silver



2303-9092  
Page 240



2383-9092  
Page 179



2444-8092  
Page 242



2530-8092  
Page 244

French Umber



2360-094  
Page 121



2444-8094  
Page 242



2530-8094  
Page 244

Old World



1032-95  
Page 236



1158-801  
Page 247





1191-895  
Page 237



1232-801  
Page 247



1901-895  
Page 238



2303-9095  
Page 240



2326-895  
Page 243



2371-8095  
Page 243



2383-9095  
Page 103



2388-9195  
Page 103



2389-9195  
Page 103



2401-8095  
Page 241



2444-8095  
Page 242



2530-8095  
Page 244



4102-8095  
Page 241

# PATIO FAN LIGHT KITS FINISH INDEX

Gloss White



1374-806  
Page 320



1377-806  
Page 322



4106-806  
Page 323

Studio White



1375-808  
Page 320



1395-808  
Page 322

Galvanized




1374-809  
Page 320



1375-809  
Page 320

Toasted Sienna



1374-844  
Page 320



1375-844  
Page 320



1376-844  
Page 321



1377-844  
Page 322



2313-8044  
Page 323

# PATIO FAN LIGHT KITS FINISH INDEX



Matte Black

4106-8044  
Page 323



1374-859  
Page 320



1375-859  
Page 320



1377-859  
Page 322

Antique White



1377-867  
Page 322

Persian White



1395-870  
Page 322

Oiled Bronze



1374-886  
Page 320



1375-886  
Page 320



1377-886  
Page 322

Old World



1374-895  
Page 320



1375-895  
Page 320



1376-895  
Page 321



1377-895  
Page 322



4106-8095  
Page 323



1032-65 .....	236	135525-8 .....	297	143525-6 .....	313
1032-8 .....	236	135525-95 .....	297	143525-67 .....	311
1032-95 .....	236	136525-6 .....	277	143525-86 .....	311
1101-811 .....	246	1374-806 .....	320	143525-9 .....	312
1120-801A.....	246	1374-809 .....	320	143525-906 .....	317
1120-801D.....	246	1374-844 .....	320	143525-909 .....	316
1120-801H.....	246	1374-859 .....	320	143525-924 .....	312
1120-801P .....	246	1374-886 .....	320	143525-944 .....	316
1120-801U.....	246	1374-895 .....	320	143525-95 .....	311
1120-811A1 .....	246	1375-808 .....	320	143525-959 .....	315
1129-806 .....	236	1375-809 .....	320	143525-986 .....	315
1129-865 .....	189, 236	1375-844 .....	320	143525-995 .....	315
1133-801 .....	246	1375-859 .....	320	1435255959.....	316
1141-806 .....	167, 239	1375-886 .....	320	1435259395.....	315
11425-2 .....	219	1375-895 .....	320	1435259924.....	316
11425-4 .....	219	137525-44 .....	265	144525-86 .....	269
11425-6 .....	219	137525-9 .....	265	145525-86 .....	283
1147-801 .....	247	137525-924 .....	265	14583-914 .....	039
11525-2 .....	221	137525-95 .....	265	146525-44 .....	279
11525-4 .....	221	1376-844 .....	321	146525-6 .....	279
11525-6 .....	221	1376-895 .....	321	146525-86 .....	279
11525-65 .....	221	1377-806 .....	322	1504-865 .....	199, 237
1158-801 .....	247	1377-844 .....	322	151306-8 .....	291
1166-801 .....	247	1377-859 .....	322	151425-8 .....	293
1190-804 .....	237	1377-867 .....	322	151425-95 .....	293
1190-806 .....	237	1377-886 .....	322	151525-8 .....	295
1190-808 .....	237	1377-895 .....	322	151525-95 .....	295
1190-865 .....	087, 237	138525-44 .....	275	159605-65 .....	257
1190-867 .....	237	138525-95 .....	275	159605-8 .....	257
1191-844 .....	237	1395-808 .....	289, 322	159725-65 .....	259
1191-895 .....	237	1395-870 .....	289, 322	159725-8 .....	259
1228-801 .....	247	139525-70 .....	289	174525-944 .....	287
1230-888 .....	239	139525-8 .....	289	174525-995 .....	287
1231-801 .....	247	142523-65 .....	255	17520-44 .....	232
1232-801 .....	247	142523-86 .....	255	17520-65 .....	232
12525-995 .....	281	142525-945 .....	303	17520-67 .....	232
129525-44 .....	263	143306-6 .....	307	17520-8 .....	233
129525-95 .....	263	143306-95 .....	307	17520-86 .....	231
13525-44 .....	285	143425-44 .....	309	17520-92 .....	231
13525-8 .....	285	143425-6 .....	309	17520-95 .....	231
13525-86 .....	285	143425-9 .....	309	17525-30 .....	232
13525-9 .....	285	143425-95 .....	309	17525-44 .....	232
135525-44 .....	297	143525-44 .....	312	17525-60 .....	232
135525-65 .....	297	143525-59 .....	312	17525-65 .....	232
135525-70 .....	297	143525-599 .....	311	17525-6522 .....	232

PRODUCT#	PAGE#	PRODUCT#	PAGE#	PRODUCT#	PAGE#
17525-67	232	2303-9086	240	2444-8044	242
17525-70	231	2303-9088	240	2444-8058	242
17525-8	233	2303-9092	240	2444-8059	242
17525-86	231	2303-9095	240	2444-806	242
17525-92	231	2313-8044	323	2444-8060	242
17525-95	231	2326-865	243	2444-8065	242
18524-65	267	2326-895	243	2444-8067	242
18524-86	267	2360-070	121	2444-8070	233, 242
1858-965	247	2360-086	121	2444-808	242
1858-986	065, 247	2360-094	121	2444-8086	242
1901-895	238	2371-8044	113, 243	2444-8088	242
191525-44	299	2371-8088	113, 243	2444-8092	153, 242
191525-8	299	2371-8095	113, 243	2444-8094	242
191525-86	299	2383-9022	103, 107	2444-8095	242
191525-95	299	2383-9044	103, 107, 139, 159, 163, 179, 183	24563-65	083
19525-65	271	2383-9058	139	24563-86	083
19525-86	271	2383-9067	179	2469G	327
196608-65	251	2383-9086	103, 107, 163, 179, 183	2520	327
196608-8	251	2383-9088	179	2520H	327
196608-86	251	2383-9092	179	2530-8030	244
196728-65	253	2383-9095	103, 107, 139, 179	2530-804	244
196728-8	253	2386-9144	103, 107, 139, 159, 163, 179, 183	2530-8044	244
196728-86	253	2386-9158	139	2530-8060	244
20543-908	061	2386-9188	179	2530-8065	244
20543-914	061	2388-9144	103, 107, 139, 159, 163, 179, 183	2530-8067	244
20543-9186	061	2388-9186	103, 107, 163, 179, 183	2530-8070	244
20543-965	061	2388-9195	103, 107, 139, 179	2530-8086	244
2104	327	2389-9122	103, 107	2530-8088	244
21542-14	045	2389-9144	103, 107, 139, 159, 163, 179, 183	2530-8092	244
2156	327	2389-9195	103, 107, 139, 179	2530-8094	244
2288-9124	109	2401-804	241	2530-8095	244
2291	327	2401-8044	241	2531	327
2292	327	2401-806	241	2532	327
2303-902	240	2401-8065	241	26424-155	023
2303-9022	240	2401-808	241	2747	328
2303-9030	240	2401-8086	241	27603-70	119
2303-904	240	2401-8095	241	27603-86	119
2303-9044	143, 240	2409-806	245	27603-94	119
2303-9058	240	2409-814	051, 245	2801	328
2303-9059	240	2409-859	245	2807	328
2303-906	240	2409-865	245	2812	328
2303-9060	240	2444-802	242	2812A	328
2303-9065	240	2444-8022	242	2812A1	328
2303-9067	240	2444-8030	242	2812E	328
2303-908	240	2444-804	242	2812G	328

2812P .....	328	35525-8 .....	142	4255524111.....	336
2812U .....	329	35525-86 .....	141	4255524121.....	336
2813.....	329	35525-88 .....	141	4255555321.....	355
2814.....	329	35525-92 .....	141	4255650111.....	336
2819.....	329	35525-95 .....	141	4255650121.....	337
2831.....	329	36524-14 .....	035	4255655121.....	337
2833.....	329	36525-986 .....	067	4256524111.....	337
2840.....	329	36525-992 .....	067	4256524121.....	337
2842.....	329	38525-44 .....	151	4256565121.....	337
2843.....	329	38525-58 .....	151	4256767111.....	337
2847.....	330	38525-92 .....	151	4256767121.....	337
28682-70 .....	185	38525-95 .....	151	4258324121.....	337
28682-86 .....	185	38605-44 .....	153	4258383121.....	337
2915.....	330	38605-58 .....	153	42605-22 .....	101
2915A.....	330	38605-92 .....	153	42605-44 .....	101
2915E .....	330	38605-95 .....	153	42605-86 .....	101
2915U .....	330	39525-65 .....	077	42605-95 .....	101
2943.....	330	39525-8 .....	077	42705-22 .....	105
2943A .....	331	39525-86 .....	077	42705-44 .....	105
2943A3 .....	331	400525-14 .....	051	42705-86 .....	105
2943E .....	331	4100.....	331	42705-95 .....	105
2943H.....	331	4100-8161 .....	173, 238	43306-44 .....	223
2947.....	331	4102-802 .....	241	43306-6 .....	223
29525-44 .....	149	4102-8044 .....	241	43306-65 .....	223
29525-95 .....	149	4102-806 .....	241	43306-95 .....	223
30603-16 .....	021	4102-8065 .....	241	43425-44 .....	225
3060606121.....	335	4102-808 .....	241	43425-6 .....	225
3060606321.....	354	4102-8095 .....	241	43425-65 .....	225
3060808121.....	335	4106-8044 .....	323	43425-67 .....	225
3061515321.....	354	4106-806 .....	323	43425-95 .....	225
3062222121.....	335	4106-8095 .....	323	43525-44 .....	228
3062424321.....	354	4250606111.....	336	43525-6 .....	229
3064608121.....	335	4250606121.....	336	43525-65 .....	228
3064747321.....	354	4250606321.....	355	43525-6522 .....	228
3065524121.....	335	4251515321.....	355	43525-67 .....	227
3066524121.....	335	4252222121.....	336	43525-8 .....	228
3066565121.....	335	42523-65 .....	027	43525-86 .....	227
3066767121.....	335	42523-86 .....	027	43525-92 .....	227
3068324121.....	335	4252424321.....	355	43525-95 .....	227
3068383121.....	335	4254545111.....	336	48525-958 .....	145
32323-65 .....	147	4254545121.....	336	48525-995 .....	145
32323-8 .....	147	4254608111.....	336	49525-44 .....	155
32323-95 .....	147	4254608121.....	336	49525-95 .....	155
35525-4 .....	142	4254747321.....	355	50524-65 .....	043
35525-44 .....	142	4255050321.....	355	50524-8 .....	043

50524-86 .....	043	5252222125.....	346	5255624111.....	340
51306-8 .....	165	5252225111.....	339	5255624121.....	340
51425-6 .....	167	5252225121.....	339	5255624125.....	347
51425-8 .....	167	5252225122.....	342	5255624164.....	344
51525-4 .....	169	5252225125.....	346	5255650111.....	340
51525-6 .....	169	5252225155.....	346	5255650121.....	340
51525-6522 .....	169	5252225164.....	344	5255650122.....	342
51525-67 .....	169	5252424321.....	356	5255655111.....	341
51525-8 .....	169	5252424325.....	357	5255655121.....	341
5202222181.....	338	5252525125.....	346	5255655122.....	342
5202424181.....	338	5252544125.....	346	5255655125.....	347
5202424185.....	345	5253345111.....	339	5255655164.....	344
5202525181.....	338	5254424111.....	339	5255656321.....	356
5202525185.....	345	5254424125.....	346	5255656325.....	357
5205555181.....	338	5254424155.....	346	5255858621.....	341
5205555185.....	345	5254424164.....	344	5255858622.....	342
5230000124.....	015	5254424165.....	346	5256524111.....	341
5230808124.....	015	5254545111.....	339	5256524121.....	341
5232424124.....	015	5254545121.....	339	5256524122.....	343
5236565124.....	015	5254545122.....	342	5256524125.....	347
5250606111.....	338	5254608111.....	340	5256524164.....	344
5250606121.....	338	5254608121.....	340	5256565121.....	341
5250606122.....	342	5254608122.....	342	5256565122.....	343
5250606125.....	345	5254608125.....	346	5256565125.....	347
5250606321.....	356	5254747125.....	346	5256752121.....	341
5250808111.....	339	5254747321.....	356	5256752122.....	343
5250808121.....	339	5254747325.....	357	5256752164.....	344
5250808125.....	345	5254747821.....	340	5256767111.....	341
5250808164.....	344	5254747825.....	346	5256767121.....	341
5250808325.....	357	5255024111.....	340	5256767321.....	356
5251313321.....	356	5255024121.....	340	5258324121.....	341
5251515111.....	339	5255024122.....	342	5258324125.....	347
5251515321.....	356	5255024164.....	344, 351	5258324165.....	347
5251515325.....	357	5255050221.....	340	5258383111.....	341
5252020125.....	345	5255050321.....	356	5258383121.....	341
5252020721.....	339	5255055111.....	340	5258383122.....	343
5252020725.....	345	5255055125.....	346	5258383125.....	347
5252020821.....	339	5255206125.....	347	5258524111.....	341
5252020825.....	346	5255455121.....	340	5258524125.....	347
5252020961.....	339	5255524111.....	340	5258524164.....	344
5252020964.....	344	5255524121.....	340	5258524165.....	347
5252020965.....	346	5255524122.....	342	5258525155.....	347
5252222111.....	339	5255524125.....	347	5258525165.....	347
5252222121.....	339	5255555321.....	356	5258624111.....	341
5252222122.....	342	5255555325.....	357	5258624121.....	341

5258624122.....	343	5658383125.....	350	6-122 .....	360
5258624125.....	347	5658524125.....	350	6-1222 .....	360
5258624164.....	344	5658524165.....	350	6-1224 .....	360
5258624165.....	348	5658624125.....	350	6-1225 .....	360
5258824125.....	348	5658624165.....	350	6-124 .....	360
5258824165.....	348	5659224125.....	350	6-1244 .....	360
5259224125.....	348	59605-65 .....	031	6-1245 .....	360
5259224155.....	348	59605-8 .....	031	6-1258 .....	360
5259224165.....	348	59725-65 .....	033	6-1259 .....	360
5259524111.....	341	59725-8 .....	033	6-126 .....	360
5259524125.....	348	6-002 .....	361	6-1260 .....	360
5259524155.....	348	6-004 .....	361	6-1265 .....	360
5259524165.....	348	6-006 .....	361	6-1267 .....	360
5259525125.....	348	6-0065 .....	361	6-1270 .....	360
5259525165.....	348	6-0067 .....	361	6-128 .....	360
53524-86 .....	079	6-008 .....	361	6-1286 .....	360
5402424182.....	343	6-009 .....	361	6-1288 .....	360
5402525182.....	343	6-014 .....	361	6-129 .....	360
5405555182.....	343	6-015 .....	361	6-1292 .....	360
54543-65 .....	065	6-022 .....	361	6-1295 .....	360
54543-86 .....	065	6-044 .....	361	6-18030 .....	360
5650808125.....	349	6-058 .....	361	6-18094 .....	360
5650808325.....	358	6-059 .....	361	6-1814 .....	360
5651515325.....	358	6-0608 .....	360	6-1815 .....	360
5652222125.....	349	6-0614 .....	360	6-1816 .....	360
5652225125.....	349	6-0615 .....	360	6-182 .....	360
5652424325.....	358	6-062 .....	360	6-1822 .....	360
56525-44 .....	161	6-064 .....	360	6-1824 .....	360
56525-86 .....	161	6-0644 .....	360	6-1825 .....	360
5654424125.....	349	6-0659 .....	360	6-184 .....	360
5654608125.....	349	6-066 .....	360	6-1844 .....	360
5654747125.....	349	6-0665 .....	360	6-1845 .....	360
5654747325.....	358	6-0667 .....	360	6-1858 .....	360
5655055125.....	349	6-069 .....	360	6-1859 .....	360
5655206125.....	349	6-0692 .....	360	6-186 .....	360
5655524125.....	349	6-0695 .....	360	6-1860 .....	360
5655524165.....	349	6-086 .....	361	6-1865 .....	360
5655555325.....	358	6-088 .....	361	6-1867 .....	360
5655624125.....	350	6-092 .....	361	6-1870 .....	360
5655624165.....	350	6-095 .....	361	6-188 .....	360
5655650125.....	350	6-12030 .....	360	6-1886 .....	360
5655655125.....	350	6-12094 .....	360	6-1888 .....	360
5656524125.....	350	6-1214 .....	360	6-189 .....	360
5656565125.....	350	6-1215 .....	360	6-1892 .....	360
5656767165.....	350	6-1216 .....	360	6-1895 .....	360



6-24030	360	6-3686	360	6-6067	360
6-24094	360	6-3688	360	6-6070	360
6-2414	360	6-369	360	6-608	360
6-2415	360	6-3692	360	6-6086	360
6-2416	360	6-3695	360	6-6088	360
6-242	360	6-48030	360	6-609	360
6-2422	360	6-48094	360	6-6092	360
6-2424	360	6-4814	360	6-6095	360
6-2425	360	6-4815	360	6-72030	360
6-244	360	6-482	360	6-72094	360
6-2444	360	6-4822	360	6-7214	360
6-2445	360	6-4824	360	6-7215	360
6-2458	360	6-4825	360	6-722	360
6-2459	360	6-484	360	6-7222	360
6-246	360	6-4844	360	6-7224	360
6-2460	360	6-4845	360	6-7225	360
6-2465	360	6-4858	360	6-724	360
6-2467	360	6-4859	360	6-7244	360
6-2470	360	6-486	360	6-7245	360
6-248	360	6-4860	360	6-7258	360
6-2486	360	6-4865	360	6-7259	360
6-2488	360	6-4867	360	6-726	360
6-249	360	6-4870	360	6-7260	360
6-2492	360	6-488	360	6-7265	360
6-2495	360	6-4886	360	6-7267	360
6-36030	360	6-4888	360	6-7270	360
6-36094	360	6-489	360	6-728	360
6-3614	360	6-4892	360	6-7286	360
6-3615	360	6-4895	360	6-7288	360
6-3616	360	6-60030	360	6-729	360
6-362	360	6-60094	360	6-7292	360
6-3622	360	6-6014	360	6-7295	360
6-3624	360	6-6015	360	600525-16	059
6-3625	360	6-602	360	6030000124	019
6-364	360	6-6022	360	6030000174	019
6-3644	360	6-6024	360	6030808124	017, 019
6-3645	360	6-6025	360	6030808174	017, 019
6-3658	360	6-604	360	6032424124	017, 018
6-3659	360	6-6044	360	6032424174	017, 018
6-366	360	6-6045	360	6036565124	018
6-3660	360	6-6058	360	6036565174	018
6-3665	360	6-6059	360	6050606125	352
6-3667	360	6-606	360	6050808125	352
6-3670	360	6-6060	360	6050808325	359
6-368	360	6-6065	360	6051515325	359

6052222125.....	352	69525-86 .....	137	7-1600-8 .....	362
6052225125.....	352	69525-95 .....	137	7-1600-86 .....	362
6052225155.....	352	7-1100-02 .....	363	7-1600-88 .....	362
6052424325.....	359	7-1100-022 .....	363	7-1600-92 .....	362
6052525125.....	352	7-1100-04 .....	363	7-1600-94 .....	362
6054424125.....	352	7-1100-044 .....	363	7-1600-95 .....	362
6054424155.....	352	7-1100-058 .....	363	7-1745-030 .....	362
6054424164.....	351	7-1100-059 .....	363	7-1745-14 .....	362
6054608125.....	352	7-1100-06 .....	363	7-1745-15 .....	362
6054747125.....	352	7-1100-060 .....	363	7-1745-2 .....	362
6054747325.....	359	7-1100-065 .....	363	7-1745-22 .....	362
6055024164.....	351	7-1100-067 .....	363	7-1745-4 .....	362
6055055125.....	353	7-1100-070 .....	363	7-1745-44 .....	362
6055206125.....	353	7-1100-08 .....	363	7-1745-58 .....	362
6055524125.....	353	7-1100-086 .....	363	7-1745-59 .....	362
6055555325.....	359	7-1100-088 .....	363	7-1745-6 .....	362
6055650125.....	353	7-1100-092 .....	363	7-1745-60 .....	362
6055655125.....	353	7-1100-094 .....	363	7-1745-65 .....	362
6056524125.....	353	7-1100-095 .....	363	7-1745-67 .....	362
6056524164.....	351	7-1100-30 .....	363	7-1745-70 .....	362
6056565125.....	353	7-1190-6 .....	365	7-1745-8 .....	362
6056767125.....	353	7-1191-10 .....	365	7-1745-86 .....	362
6058383125.....	353	7-1191-6 .....	365	7-1745-88 .....	362
6058524125.....	353	7-1192-10 .....	365	7-1745-9 .....	362
6058525155.....	353	7-1192-6 .....	365	7-1745-92 .....	362
6058624125.....	353	7-1196-0 .....	365	7-1745-94 .....	362
6058624164.....	351	7-1197-0 .....	365	7-1745-95 .....	362
6059224125.....	353	7-1199-6 .....	365	7-2642-55 .....	023
6059224155.....	353	7-1301-0 .....	364	7-3000 .....	363
6059524155.....	353	7-1305-0 .....	364	7-3001-6 .....	364
61525-944 .....	073	7-1401-0 .....	363	7-725-24 .....	109
61525-986 .....	073	7-1450-14 .....	361	7-85-44 .....	191
61525-995 .....	073	7-1600-030 .....	362	7-85-88 .....	191
63525-44 .....	175	7-1600-15 .....	362	7-85-95 .....	191
63525-86 .....	175	7-1600-2 .....	362	70443-14 .....	047
63565-44 .....	181	7-1600-22 .....	362	70443-65 .....	047
63565-86 .....	181	7-1600-4 .....	362	70443-8 .....	047
64525-65 .....	087	7-1600-44 .....	362	70523-14 .....	049
64525-86 .....	087	7-1600-58 .....	362	70523-65 .....	049
64525-8641 .....	087	7-1600-59 .....	362	70523-8 .....	049
65524-8 .....	069	7-1600-6 .....	362	71525-44 .....	111
65524-92 .....	069	7-1600-60 .....	362	71525-88 .....	111
65524-95 .....	069	7-1600-65 .....	362	71525-95 .....	111
69525-44 .....	137	7-1600-67 .....	362	72565-24 .....	109
69525-58 .....	137	7-1600-70 .....	362	73525-908 .....	085

PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#
73525-944 .....	085	77520-67 .....	197	77525-1795 .....	213
73525-965 .....	085	77520-8 .....	199	77525-1886 .....	213
73525-986 .....	085	77520-8102 .....	211	77525-2 .....	199
75445-44 .....	117	77520-8106 .....	211	77525-22 .....	198
75445-65 .....	117	77520-8108 .....	211	77525-2444 .....	206
75445-70 .....	117	77520-8144 .....	210	77525-2486 .....	206
75445-86 .....	117	77520-8165 .....	210	77525-2495 .....	205
76525-44 .....	115	77520-8167 .....	210	77525-2506 .....	207
76525-65 .....	115	77520-8195 .....	209	77525-2508 .....	207
76525-70 .....	115	77520-8286 .....	209	77525-2544 .....	206
76525-86 .....	115	77520-8322 .....	211	77525-2565 .....	206
77420-4 .....	195	77520-8344 .....	210	77525-2586 .....	205
77420-6 .....	195	77520-8358 .....	210	77525-2595 .....	205
77420-65 .....	195	77520-8395 .....	209	77525-26 .....	198
77420-67 .....	195	77520-86 .....	197	77525-2686 .....	205
77420-8 .....	195	77520-92 .....	197	77525-30 .....	198
77420-95 .....	195	77520-9206 .....	203	77525-4 .....	199
77425-4 .....	195	77520-9208 .....	203	77525-44 .....	198
77425-6 .....	195	77520-9244 .....	202	77525-58 .....	198
77425-65 .....	195	77520-9265 .....	202	77525-59 .....	198
77425-67 .....	195	77520-9267 .....	201	77525-6 .....	199
77425-8 .....	195	77520-9295 .....	201	77525-60 .....	198
77425-95 .....	195	77520-9422 .....	203	77525-65 .....	198
77520-15 .....	198	77520-9444 .....	202	77525-6522 .....	197
77520-1606 .....	215	77520-9458 .....	202	77525-656 .....	197
77520-1608 .....	215	77520-9486 .....	201	77525-67 .....	197
77520-1644 .....	215	77520-9495 .....	201	77525-8 .....	199
77520-1665 .....	214	77520-95 .....	197	77525-8086 .....	209
77520-1667 .....	214	77520-9506 .....	203	77525-8102 .....	211
77520-1686 .....	214	77520-9508 .....	203	77525-8106 .....	211
77520-1695 .....	213	77520-9544 .....	202	77525-8108 .....	211
77520-1744 .....	215	77520-9565 .....	202	77525-8144 .....	210
77520-1758 .....	214	77520-9595 .....	201	77525-8165 .....	210
77520-1786 .....	213	77525-1086 .....	214	77525-8167 .....	210
77520-1795 .....	213	77525-15 .....	198	77525-8195 .....	209
77520-1886 .....	213	77525-1606 .....	215	77525-8286 .....	209
77520-2 .....	199	77525-1608 .....	215	77525-8322 .....	211
77520-22 .....	198	77525-1644 .....	215	77525-8344 .....	210
77520-26 .....	198	77525-1665 .....	214	77525-8358 .....	210
77520-4 .....	199	77525-1667 .....	214	77525-8395 .....	209
77520-44 .....	198	77525-1686 .....	214	77525-86 .....	197
77520-58 .....	198	77525-1695 .....	213	77525-8706 .....	217
77520-59 .....	198	77525-1744 .....	215	77525-8708 .....	217
77520-6 .....	199	77525-1758 .....	214	77525-8744 .....	217
77520-65 .....	198	77525-1786 .....	213	77525-8765 .....	217

77525-8844	217	78525-94	123	85525-67	191
77525-8986	217	78525-95	123	85525-88	191
77525-9086	201	78605-1430	135	85525-92	191
77525-92	197	78605-1460	135	85525-95	191
77525-9206	203	78605-1644	134	88525-16	029
77525-9208	203	78605-1686	133	88525-8	029
77525-9244	202	78605-1744	134	90524-65	041
77525-9265	202	78605-1786	133	90524-86	041
77525-9267	201	78605-1970	134	91525-4	172
77525-9295	201	78605-30	127	91525-44	172
77525-9422	203	78605-44	127	91525-58	171
77525-9444	202	78605-60	127	91525-6	172
77525-9458	202	78605-65	127	91525-65	171
77525-9486	201	78605-70	127	91525-6522	171
77525-9495	201	78605-86	127	91525-8	172
77525-95	197	79525-44	188	91525-86	171
77525-9506	203	79525-65	187	91525-92	171
77525-9508	203	79525-6522	187	91525-95	171
77525-9544	202	79525-8	188	92413-65	301
77525-9565	202	79525-86	187	92413-86	301
77525-9595	201	79525-95	187	92623-30	095
7752516652	214	8-78525-44	344	92623-60	095
7752516656	214	8-78525-70	344	93524-14	057
7752581652	210	8-78605-70	351	94525-65	075
7752581656	210	80525-44	157	94525-86	075
78525-1430	131	81524-65	089	96015-86	097
78525-1460	131	81524-86	089	96015-9	097
78525-1644	130	81524-8641	089	96608-65	053
78525-1686	129	81725-65	091	96608-8	053
78525-1744	130	81725-8	091	96608-86	053
78525-1786	129	81725-86	091	96728-65	055
78525-1970	130	82524-65	025	96728-8	055
78525-22	125	82524-86	025	96728-86	055
78525-30	125	83525-65	071	97003-014	015, 019
78525-44	125	83525-86	071	97003-065	015, 018
78525-58	125	83565-44	177	97003-08	015, 017
78525-60	124	83565-67	177	97003-086	015, 018
78525-65	124	83565-86	177	97215-86	099
78525-6522	124	83565-88	177	97215-9	099
78525-67	124	83565-92	177	98604-65	037
78525-70	124	83565-95	177	98604-86	037
78525-8	125	84708-65	081		
78525-86	123	84708-8	081		
78525-88	124	84708-86	081		
78525-92	123	85525-44	191		





**BE SURE TO PICK UP THE NEW 2016-2017 QUORUM LIGHTING CATALOG!**

You'll find hundreds of fresh new designs for both indoor and outdoor lighting fixtures.

With Quorum's enormous selection of styles ranging from traditional to contemporary, you're sure to find your perfect fixture in the pages of our new catalog. You can also view all of our lighting and ceiling fans online at: [QuorumInternational.com](http://QuorumInternational.com)

**QUORUM INTERNATIONAL** - 201 Railhead Road | Fort Worth, Texas 76106  
817.626.5483 p | 800.934.8176 f | [QuorumInternational.com](http://QuorumInternational.com)

JANUARY 2016 QUORUM INTERNATIONAL | ALL RIGHTS RESERVED. CATFANQ16