



NATIONAL
SAFETY APPAREL®

CARBON ARMOUR AV Base Layer Shirt



Specs

Product Code BSTAVLS_ _

Sizes SM-4X

Stock Colors 

Fabric / Material 6 oz. CARBON ARMOUR AV

Compliance

Arc Rating 12 cal/cm²

CAT Level CAT 2

Standards

- NFPA 70E
- ASTM F1506
- ASTM F1959
- CSA Z462
- OSHA 1910.269
- ASTM F955
- ASTM 2700

Features

Features

- FR fabric will not melt, drip, or ignite
- Mock turtleneck collar
- Exceptionally soft, breathable, and lightweight
- Unmatched comfort and protection
- Moisture wicking and fast drying
- Rib knit cuffs
- Made in the USA

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use bleach, chlorine, or hydrogen peroxide. DO NOT use fabric softeners.
- Turn garment inside out prior to laundering. Machine wash cold with like colors (Max. 105°F / 41°C) Tumble dry low (Max. 140°F / 60°C)
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

CARBON ARMOUR™ Base Layer Tees (BST)

Size	Chest	Center Back Length	Sleeve Length (LS only)
SM	32" - 35"	30"	19.5"
MD	36" - 39"	30.5"	20"
LG	40" - 43"	31"	20.5"
XL	44" - 47"	31.5"	21"
2X	48" - 51"	32"	21.5"
3X	52" - 55"	32.5"	22"

