



NATIONAL
SAFETY APPAREL®

9 Cal 6 oz. TECGEN FR Work Shirt



Specs

Product Code	<ul style="list-style-type: none">• SHR-DWWS02-GE_ _ _ _ (Grey)• SHR-DWWS02-LB_ _ _ _ (Light Blue)• SHR-DWWS02-NB_ _ _ _ (Navy)• SHR-DWWS02-RB_ _ _ _ (Royal Blue)• SHR-DWWS02-TN_ _ _ _ (Tan)
--------------	--

Sizes	SM-3X, RG MD-3X, LN
-------	-----------------------

Stock Colors	
--------------	---

Fabric / Material	6.2 oz. TECGEN CC™ OPF Blend Twill
-------------------	------------------------------------

Compliance

Arc Rating	9.3 cal/cm ²
------------	-------------------------

CAT Level	CAT 2
-----------	-------

Standards	<ul style="list-style-type: none">• NFPA 70E• NFPA 2112• ASTM F1506• CSA Z462• OSHA 1910.269
-----------	--

Features

Features	<ul style="list-style-type: none">• Features OPF, the latest carbon fabric technology• Inherently flame resistant, FR protection will not wash/wear out• Dual certified to protect against flash fire and arc flash hazards• Excellent layering piece for added protection and comfort• Unsurpassed moisture wicking and drying rate• Lightweight, breathable fabric• Two front chest pockets with button closure• Button down collar• Adjustable two-button cuff closure• FR fabric will not melt, drip, or ignite• Home laundry• Unique heathered color options• Imported
----------	---

Product Care

- READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners.
- Wash/Laundering Instructions: Dry Cleanable. Turn garment inside out prior to laundering. Machine wash warm (Max. 140°F / 60°C). Tumble dry warm.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

