



Effective Date: January 1, 2019

Air and Grease Filters


Dealer Parts List

All Items Shipped Within 24 Hours Except Where Otherwise Noted¹

P.O. Box 1467 • Madison, WI 53701-1467 • Phone: 800/334-6011 • Fax: 608/257-4357

¹ See the following pages where exceptions apply

RP EZ Kleen[®] Air Filters & Mist Eliminators



RP 1" Aluminum EZ Kleen[®] Air Filters & Mist Eliminators

MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
9801	20"X25"X1" EZ Kleen Cleanable Filter	21 lbs/carton	20	1
9802	20"X20"X1" EZ Kleen Cleanable Filter	18 lbs/carton	20	1
9803	16"X25"X1" EZ Kleen Cleanable Filter	18 lbs/carton	20	1
9804	16"X20"X1" EZ Kleen Cleanable Filter	15 lbs/carton	20	1
9805	15"X20"X1" EZ Kleen Cleanable Filter	15 lbs/carton	20	1
9806	10"X20"X1" EZ Kleen Cleanable Filter	11 lbs/carton	20	1

Rated Velocity 150-650 FPM and Optimum Velocity 350-520 FPM

RP 2" Aluminum EZ Kleen[®] Air Filters & Mist Eliminators

MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
9151	20"X25"X2" Industrial EZ Kleen Cleanable Filter	22 lbs/carton	10	1
9152	20"X20"X2" Industrial EZ Kleen Cleanable Filter	18 lbs/carton	10	1
9153	16"X25"X2" Industrial EZ Kleen Cleanable Filter	18 lbs/carton	10	1
9154	16"X20"X2" Industrial EZ Kleen Cleanable Filter	15 lbs/carton	10	1
9155	15"X20"X2" Industrial EZ Kleen Cleanable Filter	15 lbs/carton	10	1
9156	10"X20"X2" Industrial EZ Kleen Cleanable Filter	11 lbs/carton	10	1
9157	24"X24"X2" Industrial EZ Kleen Cleanable Filter	25 lbs/carton	10	1

Rated Velocity 150-650 FPM and Optimum Velocity 350-520 FPM

RP Trim-To-Size® Aluminum EZ Kleen® Air Filters



MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
9200	15"X24"X1/4" EZ Kleen Trim-To-Size Filter in Poly Bag	10 lbs/carton	30	1
920040	15"X24"X1/4" EZ Kleen Trim-To-Size Filter w/o Poly Bag ¹	23 lbs/carton	90	1
920041	15"X24"X1/4" EZ Kleen Trim-To-Size Filter w/o Poly Bag ¹	162 lbs/carton	600	1
9250	40"X64"X1/4" EZ Kleen Trim-To-Size Folded Filter	28 lbs/carton	12	1
925040	40"X64"X1/4" EZ Kleen Trim-To-Size Unfolded Filter ¹	58 lbs/carton	30	1
9251	40"X64"X5/8" EZ Kleen Trim-To-Size Folded Filter	26 lbs/carton	6	1
925140	40"X64"X5/8" EZ Kleen Trim-To-Size Unfolded Filter ¹	58 lbs/carton	14	1

MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
9260	40"X50"X1/4" EZ Kleen Trim-To-Size Media Roll	20 lbs/carton	1	1
9261	40"X50"X5/8" EZ Kleen Trim-To-Size Media Roll	38 lbs/carton	1	1

RP Channel Stock

MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
9280	3/8" X 8' Long Filter Frame Stock	6 lbs/carton	25	1
9281	1" X 8' Long Filter Frame Stock	14 lbs/carton	25	1
9282	2" X 8' Long Filter Frame Stock	21 lbs/carton	25	1
9283	3/8" X 16' Long Filter Frame Stock	11 lbs/carton	25	1
9284	1" X 16' Long Filter Frame Stock	29 lbs/carton	25	1
9285	2" X 16' Long Filter Frame Stock	41 lbs/carton	25	1

Orders of Channel Stock Over 100 Pieces Per Size Require a 10 Working Day Lead Time

¹10 Day Lead Time

RP Industrial Aluminum EZ Kleen® Air Filters & Mist Eliminators



MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
901	20"X25"X2" Industrial Air Filter - Mist Eliminator	28 lbs/carton	10	1
902	20"X20"X2" Industrial Air Filter - Mist Eliminator	22 lbs/carton	10	1
903	16"X25"X2" Industrial Air Filter - Mist Eliminator	22 lbs/carton	10	1
904	16"X20"X2" Industrial Air Filter - Mist Eliminator	19 lbs/carton	10	1
905	15"X20"X2" Industrial Air Filter - Mist Eliminator	18 lbs/carton	10	1
906	10"X20"X2" Industrial Air Filter - Mist Eliminator	13 lbs/carton	10	1

Rated Velocity 150-900 FPM and Optimum Velocity 350-520 FPM

RP Handles for Industrial & Grease Filters

MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
994	Snap-In Handles	1 lb/carton	2	2
995	Handle-Lock	1 lb/carton	2	2

RP Kleen-Gard® Grease Filters (Baffle Type)²



RP Aluminum Kleen-Gard® Grease Filters (Baffle Type)

Without Handles¹

MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
951	20"X25"X2" Kleen-Gard Aluminum Baffle Grease Filter	34 lbs/carton	10	1
952	20"X20"X2" Kleen-Gard Aluminum Baffle Grease Filter	28 lbs/carton	10	1
953	16"X25"X2" Kleen-Gard Aluminum Baffle Grease Filter	29 lbs/carton	10	1
954	16"X20"X2" Kleen-Gard Aluminum Baffle Grease Filter	25 lbs/carton	10	1
956	10"X20"X2" Kleen-Gard Aluminum Baffle Grease Filter	16 lbs/carton	10	1
957	16"X16"X2" Kleen-Gard Aluminum Baffle Grease Filter	19 lbs/carton	10	1
958	25"X20"X2" Kleen-Gard Aluminum Baffle Grease Filter	34 lbs/carton	10	1

Rated Velocity 150-400 FPM and Optimum Velocity 300 FPM

With Model No. 994 (Snap-In Handles are Installed)

MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
9511	20"X25"X2" Kleen-Gard Aluminum Baffle Grease Filter with Handles	37 lbs/carton	10	1
9522	20"X20"X2" Kleen-Gard Aluminum Baffle Grease Filter with Handles	31 lbs/carton	10	1
9533	16"X25"X2" Kleen-Gard Aluminum Baffle Grease Filter with Handles	31 lbs/carton	10	1
9544	16"X20"X2" Kleen-Gard Aluminum Baffle Grease Filter with Handles	26 lbs/carton	10	1
9566	10"X20"X2" Kleen-Gard Aluminum Baffle Grease Filter with Handles	18 lbs/carton	10	1
9577	16"X16"X2" Kleen-Gard Aluminum Baffle Grease Filter with Handles	21 lbs/carton	10	1
9588	25"X20"X2" Kleen-Gard Aluminum Baffle Grease Filter with Handles	37 lbs/carton	10	1

Rated Velocity 150-400 FPM and Optimum Velocity 300 FPM

RP Stainless Steel Kleen-Gard® Grease Filters (Baffle Type)

Without Handles¹

MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
961	20"X25"X2" Kleen-Gard Stainless Steel Baffle Grease Filter	36 lbs/carton	5	1
962	20"X20"X2" Kleen-Gard Stainless Steel Baffle Grease Filter	29 lbs/carton	5	1
963	16"X25"X2" Kleen-Gard Stainless Steel Baffle Grease Filter	30 lbs/carton	5	1
964	16"X20"X2" Kleen-Gard Stainless Steel Baffle Grease Filter	24 lbs/carton	5	1
966	10"X20"X2" Kleen-Gard Stainless Steel Baffle Grease Filter	17 lbs/carton	5	1
967	16"X16"X2" Kleen-Gard Stainless Steel Baffle Grease Filter	19 lbs/carton	5	1
968	25"X20"X2" Kleen-Gard Stainless Steel Baffle Grease Filter	36 lbs/carton	5	1

Rated Velocity 150-400 FPM and Optimum Velocity 300 FPM

With Model No. 994 (Snap-In Handles are Installed)


MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
9611	20"X25"X2" Kleen-Gard Stainless Steel Baffle Grease Filter with Handles	38 lbs/carton	5	1
9622	20"X20"X2" Kleen-Gard Stainless Steel Baffle Grease Filter with Handles	31 lbs/carton	5	1
9633	16"X25"X2" Kleen-Gard Stainless Steel Baffle Grease Filter with Handles	32 lbs/carton	5	1
9644	16"X20"X2" Kleen-Gard Stainless Steel Baffle Grease Filter with Handles	25 lbs/carton	5	1
9666	10"X20"X2" Kleen-Gard Stainless Steel Baffle Grease Filter with Handles	20 lbs/carton	5	1
9677	16"X16"X2" Kleen-Gard Stainless Steel Baffle Grease Filter with Handles	20 lbs/carton	5	1
9688	25"X20"X2" Kleen-Gard Stainless Steel Baffle Grease Filter with Handles	38 lbs/carton	5	1

Rated Velocity 150-400 FPM and Optimum Velocity 300 FPM

¹5 Day Lead Time

²Also Available in Galvanized Steel

RP Lint Screens



MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
9707	13"X16"X3/8" EZ Klean Lint Filter Screen	4 lbs/carton	10	1
9708	13"X20"X3/8" EZ Klean Lint Filter Screen	5 lbs/carton	10	1

Unique Design fits current and old style Honeywell® Electronic Air Cleaners.

Honeywell® is a Registered Trademark of Honeywell, Inc.

RP Super Filter Coat® Adhesive



MODEL	DESCRIPTION	SHIPPING WEIGHT	CARTON QUANTITY	MINIMUM ORDER QUANTITY
412	Handi-Koter® Super Filter Coat Oil Adhesive 10 Ounce Bottle / 283 Grams	16 lbs/carton	20	1
417	Super Filter Coat Oil Concentrate Adhesive 5 Gallon / 18.9 Liters	43 lbs/carton	1	1
421	Super Filter Coat Oil Adhesive Ready-to-Use 5 Gallon / 18.9 Liters	44 lbs/carton	1	1

RP Made To Order Filters¹

Filter Type	Square Inches Ordered																	
	25 - 99	100 - 124	125 - 149	150 - 174	175 - 199	200 - 224	225 - 249	250 - 274	275 - 299	300 - 324	325 - 349	350 - 374	375 - 399	400 - 449	450 - 499	500 - 549	550 - 599	
3/32, 3/8 & 1/2																		
1" E-Z Kleen																		
2" E-Z Kleen																		
1" Industrial																		
2" Industrial																		
1" Grease Mesh																		
2" Grease Mesh																		

Area in Square Inches (Height x Width)

Call Customer Service for Orders that Exceed 599 Square Inches.

Please Specify Actual Dimensions Required. Actual Thickness: 3/8" (1/32"), 1/2" (15/32"), 1" (7/8"), 2" (1 7/8").

All Special Order Filters have a Tolerance on Height and Width of + or - 1/16".



P.O. Box 1467 • Madison, WI 53701-1467 • Phone: 800/334-6011 • Fax: 608/257-4357

Form No. 19688

¹ Shipped in 10 Working Days

Printed in the U.S.A
© 2019 Division of Research Products Corporation