



# **WILDE**<sup>®</sup>

## **TOOL**

Manufactured & Assembled in Hiawatha, Kansas U.S.A.

Pliers | Pry Bars | Punches | Chisels | Screwdrivers | Wrenches | Gasket Scrapers | Sets  
Hand Tools for Plumbing, Automotive, Electrical, Industrial, Agriculture & Service Professionals.



### **WILDE TOOL CO., INC.**

2020 Product Catalog | Printed in U.S.A.



***Manufacturers of the Original Angle Nose Pliers***



# THE ORIGINAL ANGLE NOSE PLIERS


Nearly 100 years ago in Kansas City, Missouri, brothers Paul and Otto Froeschl thought of an idea for the ordinary straight-nose pliers; angle the nose 32 degrees to create greater leverage and gripping power. Thus was born the original Wilde Wrench, the first pair of angle nose pliers granted U.S. Patent #1,800,447.

During this time, the name Wilde had become synonymous with quality hand tools and was fondly trademarked *The Pliersmiths™*. The original Wilde Wrench is as practical and useful today as it was a decade ago. This is a testimony to the soundness of an idea and design which produced the first pliers of its kind. Today, the third and fourth generation of the founders continue to produce quality hand tools.

## THE WILDE LINE

Wilde Tool has been manufacturing quality hand tools in downtown Kansas City and Northeast Kansas since 1922. The founders of the company invented the original angle-nose pliers and were granted the US Patent you see below. Prior to 1928, majority of pliers were straight-nose. Otto Froeschl's idea to angle the nose for more leverage was developed while working in a scissor factory in Kansas City. His idea has been adopted by many manufacturers and is now a standard design for pliers worldwide.

Wilde Tool is committed to manufacturing the best hand tools in the world by maintaining American standards used for decades in the steel industry. Every drop forging, press straightening, hand sharpening, precision polish, and tool assembly is done by an American professional.



## **LIFETIME WARRANTY**

**WILDE®** tools are carefully forged from the finest alloy steels. They are scientifically heat treated to give long life and satisfactory service when used on the work for which they were designed and intended. **WILDE®** tools are unconditionally guaranteed against defects in material or workmanship. Any tool under warranty will be cheerfully replaced or repaired free of charge when returned to the factory for inspection, transportation charges prepaid. This guarantee does not apply if inspection shows that the tool has been worn out from use, misuse, abused by hammering, used on an over or undersized fastener, or if design has been changed by grinding or heating. Wilde Tool Co., Inc. makes no other warranties, expressed or implied.

## **QUICK INDEX w/ PAGE NUMBERS**

### **PLIERS**

Angle Nose	3
Battery	5
Belt Plier Pouch	5
Diagonal Cutters	6
Display Box	4
Electrical Stripper	14
Linesman	6
Lock Ring	6
Needle Nose	6
Pipe Wrench Pliers	4
Slip Joint	4
Retaining Ring	13-14
Tongue & Groove	4-5

### **WRENCHES**

Adjustable	15
Offset Box	16
Ratcheting Box	15-16
Refrigeration	16

### **PUNCHES CHISELS PRY BARS**

Bars	8 & 12
Brass Punches	8
Brick Set	9
Chisels	9-11
Displays	11
Floor Chisel	9
Gunsmith Punch Set	10
Handle Pry Bars	12
Mason Chisel	9
Nail Pullers	12
Punches	7-8, 10-11
Roll Spring Punches	8
Sets	10-11

### **SCREWDRIVERS**

Phillips	17
Sets	17
Slotted	17
Wooden Handle	17
6-in-1	18

### **AUTOMOTIVE, PLUMBING,**

#### **ELECTRICAL & INDUSTRIAL**

Battery Pliers	5
Cotter Key Extractor	11
Gasket Scrapers	11
Hex Keys	18
Hook & Pick Set	19
Ignition Gauges	19
Inspection Mirrors	20
Internal Pipe Wrench	15
Lock Ring Pliers	6
Magnet Pick-Up	19-20
Mechanical Finger	20
Retaining Ring Pliers	13-14
Scratch Awls	18
Screw Extractors	18
Valve Lifter	19
Wilde Wipes	18
Wire Strippers	14

 **WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## **QUALITY HAND TOOLS**




The experience and knowledge acquired in nearly 100 years of manufacturing quality hand tools is incorporated into every **WILDE®** tool. Pioneers in the use of alloy steels and exacting methods of hardening and tempering, we have produced lighter, stronger and longer-lasting tools over the years. Hand tools are the instruments with which a professional earns his or her living and when properly designed, heat-treated and finished, they are the means of better and easier work and the source of satisfaction that comes from a job well done.

**WILDE®** provides your customers fine tools at reasonable prices. They meet the desire for the best. Value and price consistent with quality has forever been our watchword. The true value of a tool is not determined by the purchase-price alone, but by its efficiency and the length of time it renders satisfactory service. Quality remaining long after price is forgotten has been the experience of **WILDE®** hand tool users and is expressed by thousands of unsolicited comments, letters, and e-mails from all over the world.

# ANGLE NOSE SLIP JOINT PLIERS

PLASTIC GRIPPED HANDLES ARE INTENDED FOR COMFORT & GRIP. THEY ARE NOT INTENDED FOR PROTECTION AGAINST ELECTRIC SHOCK.

## GRIPPED & POLISHED

	PART #	OAL	ADJ	JAW	INFORMATION	HANDLE
 G250P	<b>G250</b>	5"	3	1/2"	IGNITION	RED GRIPS
	<b>G251P</b>	6-3/4"	3	3/4"	WIRE CUTTER	RED GRIPS
 G251P	<b>G251FP</b>	6-3/4"	3	3/4"	FLUSH FASTENER	RED GRIPS
	<b>G253P</b>	10"	7	2-1/8"	WATER PUMP	RED GRIPS
 G253P	<b>G428N</b>	10"	7	2-1/8"	SMOOTH JAW	RED GRIPS
	<b>G254P</b>	11"	7	2-1/8"	NOTCHED NOSE	RED GRIPS
	<b>G256PSP</b>	3-PIECE SET W/ VINYL POUCH (G250P, G251P & G253P)				


## SETS (CLAMSHELL PACKAGING – NO POUCH)

<b>G255P</b>	2-PIECE PLIERS SET (G251P & G253P)
<b>G256P</b>	3-PIECE PLIERS SET (G250, G251P & G253P)

G256P



## KNURLED

 11S	<b>5S</b>	5"	3	1/2"	IGNITION	NO GRIPS
	<b>11S</b>	11"	7	2-1/8"	NOTCHED NOSE	KNURLED

### Angle-Nose Pliers

Jaws are milled with deep, self-gripping pipe wrench style teeth. Bolts are hardened. The 10" and 11" are equipped with a **Grip Tight Clip™** which pulls the bolt into positive alignment in its slot when pliers are under pressure. The 11" has a **Notched Nose** which fits vertical rib on basket strainer nut as well as hub caps and dust covers. The 428N has a **Smooth Jaw**, intended to prevent marring on brass, copper, chrome, nickel, PVC and other materials. The G251P, G262P, G263P, and G264P have a **Wire Cutter** in the throat of the pliers.


Note: The Flush Fastener nut and bolt is NOT guaranteed to withstand use against cutting #9 or larger gauge wire.



GRIP TIGHT CLIP™



NOTCHED NOSE



SMOOTH JAW






WIRE CUTTER



Every hand tool in this catalog is manufactured and assembled in the U.S.A. with a lifetime warranty.

# COMBINATION SLIP JOINT PLIERS GRIPPED & POLISHED


PLASTIC GRIPPED HANDLES ARE INTENDED FOR COMFORT & FIRM GRIP. THEY ARE NOT INTENDED FOR PROTECTION AGAINST ELECTRIC SHOCK.

	PART #	OAL	ADJ	INFORMATION	HANDLE
	<b>G262P</b>	6-1/2"	2	WIRE CUTTER	RED GRIPS
	<b>G262FP</b>	6-1/2"	2	FLUSH FASTENER	RED GRIPS
	<b>G263P</b>	8"	2	WIRE CUTTER	RED GRIPS
	<b>G263FP</b>	8"	2	FLUSH FASTENER	RED GRIPS
	<b>G264P</b>	10"	2	WIRE CUTTER	RED GRIPS
	<b>G264FP</b>	10"	2	FLUSH FASTENER	RED GRIPS
	<b>G258SPD</b>	3-PIECE SET W/ VINYL POUCH (G262P, G263P & G264P)			

NOTE: THE G262 & G263 PLIERS ARE AVAILABLE IN A MORE-AFFORDABLE NON-POLISHED (SATIN) VERSION.

## LOBSTER CLAW TEETH

The Lobster Claw Teeth design on Wilde Combination Slip-Joint Pliers provides two gripping sections, one extra wide and one small. The extra hardened, deep, sharply cut teeth provide greater grip and longer wear. All pliers have a hardened alloy steel bolt and shear cutter.



## PLIERS BOX DISPLAYS 12-PIECE SET 3 SKUS | 4 EACH



**DB71-3F**  
(G263FP, G262FP & G251FP)

**DB71-3P**  
(G263P, G262P & G251P)




## Flush Fastener

Counter-sunk nut and bolt fastener allows pliers to be completely flush. Adjustments can be made in the field with a hex key. Look for the Flush Fastener designation under the INFORMATION tab above.







# PIPE WRENCH PLIERS POLISHED FACE | 90° NOSE CREATES 20% MORE LEVERAGE

	PART #	OAL	ADJ	JAW	INFORMATION	HANDLE
	<b>G297P</b>	10"	7	2-1/8"	TONGUE & GROOVE	RED GRIPS
	<b>G289P</b>	12-3/4"	8	2-3/4"	SLIP-JOINT	RED GRIPS
	<b>G297PSP</b>	20-PIECE DISPLAY BOX (G297P)				



# TONGUE AND GROOVE PLIERS

GRIPPED &amp; POLISHED

	PART #	OAL	ADJ	JAW	INFORMATION	HANDLE
 G270P	<b>G270P</b>	7"	5	7/8"	BELT PLIERS	RED GRIPS
	<b>G270FP</b>	7"	5	7/8"	FLUSH FASTENER	RED GRIPS
 G272P	<b>G271P</b>	10"	5	1-1/2"	ALL PURPOSE	RED GRIPS
	<b>G271FP</b>	10"	5	1-1/2"	FLUSH FASTENER	RED GRIPS
	<b>G272P</b>	12-3/4"	7	2-5/8"	MOST POPULAR	RED GRIPS
 G274P	<b>G272FP</b>	12-3/4"	7	2-5/8"	FLUSH FASTENER	RED GRIPS
	<b>G274P</b>	16"	11	4-1/4"	SIZE NEEDED	RED GRIPS
	<b>G274FP</b>	16"	11	4-1/4"	FLUSH FASTENER	RED GRIPS
 G276P	<b>G259PSP</b>	2-PIECE SET (G271 & G262P)				

## Tongue & Groove Pliers

Jaws are milled with deep, self-gripping pipe wrench style teeth. Accurately machined tongue fits and pivots in any of the precision machined grooves eliminating strain and wear on the bolt.

**SOME PLIERS AVAILABLE IN BLACK OXIDE AND ZINC FINISH. REFERENCE PRICE SHEET FOR AVAILABILITY.**

## BATTERY PLIERS



PART #	OAL	INFORMATION	HANDLE
<b>G410P</b>	7-1/2"	3 POINTS OF PRESSURE	RED GRIPS

Fixed joint self-gripping pliers. Three sets of teeth engage the work giving additional holding power on round rods or worn battery bolts. Plastic grips. Polished jaw.

## BELT PLIERS POUCH



A67

BELT PLIERS POUCH MADE OF HEAVY DUTY TOP GRAIN LEATHER.  
TUNNEL BELT LOOP FITS 2-1/8" BELT. DOUBLE RIVET REINFORCEMENT.

## NEEDLE NOSE PLIERS

PLASTIC GRIPPED HANDLES ARE INTENDED FOR COMFORT & FIRM GRIP. THEY ARE NOT INTENDED FOR PROTECTION AGAINST ELECTRIC SHOCK.



G6160P

PART #	OAL	INFORMATION	HANDLE
G6160P	6"	WIRE CUTTER	RED GRIPS

## LINESMAN PLIERS



G6320P

G6360P	8"	SQUARE NOSE	RED GRIPS
--------	----	-------------	-----------

## DIAGONAL CUTTING PLIERS



G6540P

G6540P	6"	STANDARD DESIGN	RED GRIPS
G6580P	7"	HEAVY DUTY	RED GRIPS

### Solid-Joint Pliers

Jaws are milled with sharp, accurate teeth. Induction hardened cutting edges are equally aligned for precision cut. All cutting pliers are designed with near-flush cutting action. Accurately machined joints assembled with a permanent rivet for strength and precision movement. Pliers with teeth on inside joint are milled parallel with plier halves for perpendicular grab while pulling wire, fish tape, etc.

## LOCK RING PLIERS



G705.B

PART #	OAL	JAW	FEATURE	HANDLE
G407	9"	1-1/2"	STRAIGHT TIP	RED GRIPS
G408	9"	1-1/2"	THIN ANGLE TIP	RED GRIPS
G409	9"	1-1/2"	ANGLE TIP W/ DIMPLE	RED GRIPS
G705	10"	1-1/8"	PARALLEL OPENING	RED GRIPS

NOTE: POINTS & TIPS ARE NOT GUARANTEED UNDER WARRANTY

### Lock Ring Pliers

Spreads, removes, and installs ring without holes. Deep knurled jaws hold rings securely. Spring action closes jaw used on brakes, transmissions, pedal shifts, clutch shafts, farm equipment, and machine tools. Can also be used to spread piston rings. **POINTS ARE NOT GUARANTEED.** G407P and G409P designs available with both Polished and Black Oxide coating finishes.



G407 TIP



G408 TIP



G409 TIP



G705 TIP

# PUNCHES

INDIVIDUALLY HEAT-TREATED BY ELECTROMAGNET INDUCTION

PART #	POINT	LENGTH	STOCK SIZE
--------	-------	--------	------------

## PIN PUNCHES



PP 232	1/16	4-1/4	1/4
PP 564	5/64	4-1/2	1/4
PP 332	3/32	4-3/4	1/4
PP 432	1/8	5	5/16
PP 532	5/32	5-1/4	5/16
PP 632	3/16	5-1/2	5/16
PP 732	7/32	7	3/8
PP 832	1/4	7	3/8
PP1032	5/16	7	1/2
PP1232	3/8	7	1/2

### Pin Punches

Pin punches are designed to drive a work piece out only after the work piece has been started with a solid or long taper punch; avoid side pressure. Wilde Pin Punches are also designed with a reverse-taper shaft to avoid becoming lodged in the work-piece.

## LONG PIN PUNCHES



PPL 632	3/16	9	5/16
PPL 832	1/4	9	3/8
PPL1032	5/16	9	1/2

## LONG TAPER PUNCHES



PLT 432	1/8	8	3/8
PLT 532	5/32	8-1/2	1/2
PLT 632	3/16	9	1/2
PLT 732	7/32	9-1/2	1/2
PLT 832	1/4	11	5/8
PLT1032	5/16	11	5/8
PLT1232	3/8	11	3/4

## CENTER PUNCHES



PC 832	3/32	4-1/4	1/4
PC1032	1/8	4-1/2	5/16
PC1232	5/32	5	3/8
PC1432	3/16	5-1/2	7/16
PC1632	1/4	6	1/2

### Center Punches

Center Punches are designed to mark the starting point in the workplace, usually for drill bits.

## PRICK PUNCHES




PR 832	3/32	4-1/4	1/4
PR1032	1/8	4-1/2	5/16
PR1232	5/32	5	3/8
PR1632	1/4	6	1/2

### Prick Punches

Prick Punches are designed to mark a deep, fine starting point.



## SOLID PUNCHES



PART #	POINT	LENGTH	STOCK SIZE
PS 232	1/16	4-1/2	5/16
PS 332	3/32	4-1/2	5/16
PS 432	1/8	4-1/2	5/16
PS 532	5/32	5	3/8
PS 632	3/16	5	3/8
PS 732	7/32	5-1/2	1/2
PS 832	1/4	6	1/2
PS1032	5/16	7	5/8
PS1232	3/8	8	3/4

### Roll Spring Punches

Designed with a pilot point that fits into the hollow center of the roll pin, holding the driving shoulder of the punch in perfect contact position. Pins are quickly and easily removed without damage to wall of hole or pin.

## LINE UP BARS




LB 632	3/16	12	3/8
LB 732	7/32	14	1/2
LB 832	1/4	16	5/8
LB1032	5/16	18	3/4

## NAIL SETS



NS 132	1/32	4	3/8
NS 232	2/32	4	3/8
NS 332	3/32	4	3/8

## ROLL SPRING PUNCHES



PART #	POINT	LENGTH	PIN LENGTH	STOCK SIZE
RS 232	1/16	4-1/2	1.125	1/4
RS 564	5/64	4-3/4	1.5	1/4
RS 332	3/32	5	1.75	1/4
RS 432	1/8	5-1/2	2.45	5/16
RS 532	5/32	6-1/4	2.65	5/16
RS 632	3/16	6-1/2	3	5/16
RS 732	7/32	6-3/4	3	3/8
RS 832	1/4	7-1/4	3.5	3/8
RS1032	5/16	7-3/4	3.7	1/2
RS1232	3/8	8	4.1	1/2
RS1432	7/16	8-1/2	4.2	5/8
RS1632	1/2	9-1/4	5.05	5/8

## BRASS PUNCHES




PART #	POINT	LENGTH
BD2432	3/4	12
BP1232	3/8	6
BP1632	1/2	7
BP2432	3/4	8
BS 832	1/4	4
BS1232	3/8	8
BT1632	1/2	12

### Brass Punches


Designed to prevent marring, scratching or damaging on the work-piece. Brass is also non-conductive and should be used to prevent sparking around flammable items. Brass punches are often used to remove lock rings on gas tanks.

# CHISELS

INDIVIDUALLY HEAT-TREATED BY ELECTROMAGNET INDUCTION

	PART #	CUT	LENGTH	STOCK SIZE
	<b>CC 832</b>	1/4	4-3/4	1/4
	<b>CC1032</b>	5/16	5	5/16
	<b>CC1232</b>	3/8	5-1/4	5/16
	<b>CC1432</b>	7/16	5-1/2	3/8
	<b>CC1632</b>	1/2	6	3/8
	<b>CC2032</b>	5/8	6-1/2	1/2
	<b>CC2432</b>	3/4	7	5/8
	<b>CC2832</b>	7/8	7-1/2	3/4
	<b>CC3232</b>	1	8	7/8

## LONG COLD CHISELS

	<b>CCL1632</b>	1/2	12	3/8
	<b>CCL2432</b>	3/4	12	5/8
	<b>CCL3232</b>	1	12	7/8

## DIAMOND POINT CHISELS

	<b>CD 632</b>	3/16	5	3/8
---	---------------	------	---	-----

**Diamond Point**  
Designed to cut V-grooves and clean out inside corners.

## CAPE CHISELS

	<b>CP 832</b>	1/4	5-1/2	3/8
---	---------------	-----	-------	-----


**Cape**  
Designed for cutting keyways, slots, and grooves in metal.

## ROUND NOSE CHISELS

	<b>CR 832</b>	1/4	5-1/2	3/8
---	---------------	-----	-------	-----

**Round Nose**  
aka Half Round Chisels are designed for cutting grooves in metal where an oval or U-shape is desired.

## BRICK, FLOOR, MASON & TOOTH CHISELS

	PART #	TYPE	CUT	LENGTH	STOCK SIZE
	CB4816	BRICK	3	7	7/8
	CB6416	BRICK	4	7	7/8
	CF4416	FLOOR	2-3/4	12	3/4
	CM3216	MASON	2	7-1/2	3/4
CB					
CF					
CM					

# PUNCH & CHISEL SETS

## PUNCHES & CHISELS

### **K 5 | 5-PIECE PUNCH & CHISEL SET IN VINYL POUCH**

3/8" & 5/8" Cold Chisels, 3/8" Center Punch, 3/16" Pin Punch, and 3/16" Solid Punch.

### **K 8 | 8-PIECE PUNCH & CHISEL SET IN VINYL ROLL**

3/8", 5/8", & 3/4" Cold Chisels, 3/8" Center Punch, 1/8" & 3/16" Pin Punch, and 3/16" & 1/4" Long Taper Punch.

### **K12 | 12-PIECE PUNCH & CHISEL SET IN VINYL ROLL**

3/8", 1/2", & 3/4" Cold Chisels, 3/8" Center Punch, 3/32", 1/8" & 3/16" Pin Punches, 1/8", 3/16" & 7/32" Long Taper Punches, 3/8" Prick Punch, and 1/8" Solid Punch.

### **K20 | 20-PIECE PUNCH & CHISEL SET IN VINYL ROLL**

5/16", 3/8", 1/2", 3/4", & 7/8" Cold Chisels, 3/4" Long Cold Chisel, 1/4" Diamond Point Chisel, 1/4" Cape Chisel, 1/4" Round Nose Chisel, 3/8" Center Punch, 3/32", 1/8", 5/32", & 3/16" Pin Punches, 1/8", 3/16" & 1/4" Long Taper Punches, 3/8" Prick Punch, and 3/32" & 3/16" Solid Punches.

### **K36 | 36-PIECE PUNCH & CHISEL SET IN MOLDED CASE**

Includes 1 Each: 3/8", 7/16", 5/8", & 3/4" Cold Chisels, 3/4" Long Cold Chisel, 5/32" Diamond Point Chisel, 7/32" Cape Chisel, 7/32" Round Nose Chisel, 1/8", 3/16", 7/32", 1/4", & 9/32" Long Taper Punches, 3/8" Center Punch, 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", & 1/4" Pin Punches, 3/16" & 3/8" Long Pin Punches, 5/16" Prick Punch, 1/16", 3/32", 1/8", 1/4", 5/16" Solid Punches, 3/4" Rivet Buster, 1/16", 3/32", 1/8", 5/32", 3/16", & 1/4" Roll Pin Punches.

## CHISELS

### **CC 5 | 5-PIECE COLD CHISEL SET IN VINYL POUCH**

5/16", 3/8", 1/2", 5/8" & 3/4" cut sizes.

### **CC 9 | 9-PIECE COLD CHISEL SET IN VINYL ROLL**

1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8" & 1" cut sizes.

### **CCL 3 | 3-PIECE LONG COLD CHISEL SET IN VINYL POUCH**

1/2", 3/4" & 1" cut sizes.

## PUNCHES

### **PLT 5 | 5-PIECE LONG TAPER PUNCH SET IN VINYL POUCH**

1/8", 5/32", 3/16", 7/32" & 1/4" point sizes.

### **PP 5 | 5-PIECE PIN PUNCH SET IN VINYL POUCH**

3/32", 1/8", 5/32", 3/16" & 1/4" point sizes.

### **PPL 3 | 3-PIECE LONG PIN PUNCH SET IN VINYL POUCH**

3/16", 1/4" & 5/16" point sizes.

### **G 6 | 6-PIECE GUNSMITH SET IN VINYL POUCH**

1/4" Center Punch, 1/16", 5/64", 3/32" & 1/8" Pin Punches and 3/32" Solid Punch.

### **PC 3 | 3-PIECE CENTER PUNCH SET IN VINYL POUCH**

1/4", 3/8" & 1/2" stock sizes.

### **RS906 | 6-PIECE ROLL SPRING PUNCH SET IN VINYL POUCH**

1/8", 5/32", 3/16", 7/32", 1/4" & 5/16" point sizes.

### **RS912 | 12-PIECE ROLL SPRING PUNCH SET IN VINYL ROLL**

1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16" & 1/2" point sizes.

### **NS 3 | 3-PIECE NAIL SET IN VINYL POUCH**

1/32", 2/32" & 3/32" point sizes.



K20



K5



CC5



PP5

## *Punches & Chisels*

All Wilde punches and chisels are forged from high carbon molybdenum tool steel and individually heat-treated to make them the toughest striking tools on the market.

Wilde punches and chisels are hardened the entire length with a tempered striking end.

Chisel cutting edges are sharpened and re-sharpened to give the keenest points available. Pin punches have a reverse taper point which eliminates the punch from sticking in the work-place.

Chisels are designed to be re-sharpened once they become dull. Care should be taken that excessive heat is not obtained when re-sharpening. If the grinding temperature is not controlled, the hardness can be taken out of the immediate area. More importantly, a hard, brittle surface can be set which is very susceptible to fracture.

**Always wear safety goggles** when using punches and chisels.

When looking for quality punches and chisels, professionals look for **WILDE®**.

# PUNCH & CHISEL DISPLAYS

## PART #

### RS936 | 36-PIECE ROLL SPRING PUNCH DISPLAY IN MOLDED CASE

Includes 3 each of all 12 Roll Spring Punches.

RS936

### K312 | 36-PIECE PUNCH & CHISEL DISPLAY WITH 12 SKUs | 3 Each

Includes 3 Each: 3/8", 1/2", & 3/4" Cold Chisels, 3/8" Center Punch, 3/16" & 7/32" Long Taper Punches, 3/32", 1/8", 5/32", & 3/16" Pin Punches, and 1/8" & 5/16" Solid Punches.

### K345 | 135-PIECE PUNCH & CHISEL DISPLAY WITH 45 SKUs | 3 Each

Includes Cold Chisels, Long Cold Chisels, Center Punches, Pin Punches, Long Pin Punches, Long Taper Punches, Prick Punches, Roll Spring Punches & Solid Punches.

K345

# PUNCH & CHISEL HAND GUARD

PCH 7W

7" PUNCH & CHISEL HOLDER. FITS ALL WILDE STOCK SIZES.

PCH 7W

# GASKET SCRAPERS



516



516-5



516C

PART #	FACE	OAL	FEATURE	STOCK
<b>516</b>	1"	11"	POPULAR	1/4"
<b>516-1632</b>	1/2"	11"	THINNEST	1/4"
<b>516-2432</b>	3/4"	11"	THIN	1/4"
<b>516-5</b>	1"	8"	SHORT	1/4"
<b>516W-4032</b>	1-1/4"	11"	WIDER	5/16"
<b>516W</b>	1-1/2"	11"	WIDEST	5/16"
<b>516C</b>	1"	10"	CURVED	1/4"
<b>516S</b>	1"	10.5"	OFFSET	1/4"

GS 3

3-PIECE SET, INCLUDES: 1/2", 1" & 1-1/2"

# COTTER KEY EXTRACTOR (HOOK TOOL)



544

PART #	OAL	FEATURE	INFORMATION
<b>544</b>	7"	PIGTAIL	COTTER KEY
<b>544-12</b>	12"	LONG PIGTAIL	COTTER KEY

NOTE: TIPS & POINTS ARE NOT GUARANTEED UNDER WARRANTY

# PRY BARS


## HARD CAP HANDLE PRY BARS

(SQUARE STOCK BITS ARE FLUSH WITH HARD CAP)




PART #	CUT	BAR SIZE	OAL	STOCK SIZE
HPB 8-4 HC	7/16	4 "	8"	1/4
HPB12-7 HC	5/8	7 "	12"	3/8
HPB12-12 HC	5/8	12"	17"	3/8
HPB16-18 HC	11/16	18"	25"	1/2
HPB16-24 HC	11/16	24"	31"	1/2
HPB20-28 HC	7/8	28"	36"	5/8
HPB 3-SQ HC	3-PIECE SET: HPB12-7, 12-12, & 16-18			
HPB 2-RH1	3-PIECE SET: 4", 7" & 14-1/2" BARS			
BLACK OXIDE FINISH ON BARS W/ RED HANDLE				

## JIMMY BARS



PART #	OAL	STOCK SIZE	STOCK TYPE
JB1632	14"	1/2"	HEX
JB2032	16"	5/8"	HEX
JB2432-24	24"	3/4"	HEX
JB2832	30"	7/8"	HEX

## ROLLING HEAD



RH1232-9	9"	3/8"	HEX
RH1632	15"	1/2"	HEX
RH2032	18"	5/8"	HEX

# NAIL PULLERS

## FLAT BAR NAIL PULLER



PART #	OAL	STOCK SIZE	STOCK TYPE
FB14	14"	1-1/2"	FLAT

## CUP END NAIL PULLER



DNP2032	10-1/2"	5/8"	HEX
---------	---------	------	-----



# RETAINING RING PLIERS

## CONVERTIBLE | INTERNAL AND EXTERNAL



528

PART #	INT/EXT	TIP	DEGREE	OAL
527	BOTH	.038	STRAIGHT	6"
527A	BOTH	.038	45°	6"
527B	BOTH	.038	90°	6"
528	BOTH	.047	STRAIGHT	6"
528A	BOTH	.047	45°	6"
528B	BOTH	.047	90°	6"
534	BOTH	.070	STRAIGHT	7-3/4"
534A	BOTH	.070	45°	7-3/4"
534B	BOTH	.070	90°	7-3/4"
535	BOTH	.090	STRAIGHT	9-1/2"
535A	BOTH	.090	45°	9-1/2"
535B	BOTH	.090	90°	9-1/2"

NOTE: TIPS ARE NOT GUARANTEED UNDER WARRANTY

## LARGE EXTERNAL RETAINING RING PLIERS



517

PART #	INT/EXT	TIP	OAL
517	INTERNAL TIPS OPENED: 3-3/16" TIPS CLOSED: 11/16"	.120	15-11/16"
518	EXTERNAL TIPS OPENED: 3-1/8" TIPS CLOSED: 1/2"	.120	15-3/4"
517TS	REPLACEMENT TIPS – STRAIGHT		
517TS-90	REPLACEMENT TIPS - 90°		

NOTE: TIPS ARE NOT GUARANTEED UNDER WARRANTY

## RETAINING RING PLIERS SETS



444K

PART #	INT/EXT	OAL
444K	BOTH	6-1/2"
	.038 BLACK – STRAIGHT, 15°, 45° & 90°	
	.047 SILVER – STRAIGHT, 45° & 90°	
	.070 GOLD – STRAIGHT	
444T	TIPS ONLY FOR 444K	





- 537
- PROFESSIONAL DOZEN SET

COVERS INTERNAL AND EXTERNAL RINGS 1/4" TO 3-1/2"

DIAMETERS - .038, .047, .070 & .090

TIPS - STRAIGHT, 45° & 90°

INCLUDES ONE EACH: 527, 527A, 527B, 528, 528A, 528B, 534, 534A, 534B, 535, 535A & 535B



- 538
- HEAVY DUTY SET W/ TIPS

RATCHET LOCK ASSEMBLY

.108 TIPS – STRAIGHT, 15°, 45° & 90°


.120 TIPS – STRAIGHT, 15°, 45° & 90°

LENGTH: 9-1/2" EACH

CONVERTIBLE RETAINING RING PLIERS – TOGGLE



PART #	INT/EXT	OAL
1434	BOTH	8"
	EXTERNAL SIZES 1/4" TO 2"	
	INTERNAL SIZES 3/8" TO 2"	
	#1214 TIPS INCLUDED WITH #1434	



1434 Toggle Switch

- 1214
- REPLACEMENT TIPS FOR #1434

.036 BLACK – STRAIGHT & 90°

.047 SILVER – STRAIGHT & 90°

.070 COPPER – STRAIGHT



1214

ELECTRICAL WIRE STRIPPERS



540

- 540
- OVERALL LENGTH: 9-1/2"

STRIPPING FOR 22 TO 10 & .5MM TO 5.3MM

BOLT CUTTING SAE SIZES: 6/32", 8/32" & 10/32"

BOLT CUTTING ON METRIC SIZES: 3.5MM, 4MM & 5MM

AWG & METRIC, FULL 1/2" SCISSOR TYPE CUTTING BLADES

7-8MM AUTO IGNITION | AIR-CUSHIONED VINYL GRIPS

- 541
- OVERALL LENGTH: 6"

STRIPPING FOR 20 TO 10 & 0.8MM TO 2.6MM

AWG & METRIC | WIRE SIZES EMBOSSED IN METAL

AUTOMATIC RETURN SPRING WITH HANDLE LOCK



541

# WRENCHES

## INTERNAL PIPE WRENCHES

EXPANSION BLADE - LOOSENS OR TIGHTENS NIPPLES, PIPES & FITTINGS.



PART #	SIZE
380	1/2"
383	3/4"
385	1"

### *Internal Pipe Wrenches*

Often used to remove shower head pipes that break at the surface. The bits expand inside the broken pipe when the screw is tightened and allow the user to remove the broken piece with a wrench or pair of pliers.

## ADJUSTABLE WRENCHES

PRECISION PIN PREVENTS LOOSENING OF LOWER JAW | ROUND EDGES, TAPERED HEAD & FLAT NOSE



PART #	OAL	JAW OPENING
AWC 6	6"	15/16"
AWC 8	8"	1-1/8"
AWC 10	10"	1-9/32"
AWC 12	12"	1-1/2"
AWC 15	15"	1-3/4"
AWC 18	18"	2-1/8"
AWC 24	24"	2-1/2"

## RATCHETING BOX END WRENCHES (SAE)



PART #	SIZE	OAL	POINT
873	1/4" x 5/16"	4-1/8"	6
874	3/8" x 7/16"	5-1/2"	6
875B	1/2" x 7/16"	6-3/4"	6
875	1/2" x 9/16"	6-3/4"	6
876	5/8" x 11/16"	8"	12
877	5/8" x 3/4"	8"	12
878	11/16" x 13/16"	9-1/4"	12
879	3/4" x 7/8"	9-1/4"	12
880	13/16" x 15/16"	9-1/4"	12

883 3-PIECE SET W/ VINYL KIT  
INCLUDES: 874, 875 & 876

885 5-PIECE SET W/ VINYL KIT  
INCLUDES: 873, 874, 875, 876 & 879

## RATCHETING BOX END WRENCHES (METRIC)



863



870

PART #	SIZE	OAL	POINT
862	7MM X 8MM	4-1/4"	6
863	9MM X 10MM	5-1/2"	6
864	11MM X 12MM	6-7/8"	6
865	13MM X 14MM	6-7/8"	6
866	15MM X 17MM	8"	8
867	16MM X 18MM	8"	8
868	19MM X 21MM	9-1/4"	8
870	7-PIECE METRIC SET W/ VINYL KIT INCLUDES: 862-868		

## AIR CONDITIONING & REFRIGERATION RATCHETS



900

PART #	SIZE	POINT
900	3/8" X 5/16"	SQUARE
	1/4" X 3/16"	SQUARE
990	1/4" X 3/16"	SQUARE
	9/16" X 1/2"	HEX

## OFFSET RATCHET BOX END WRENCHES (SAE)



801



805

PART #	SIZE	OAL	PT
800	1/4" X 5/16"	4-1/8"	12
801	3/8" X 7/16"	5-1/4"	12
802	1/2" X 9/16"	6-1/2"	12
803	5/8" X 11/16"	7-5/8"	12
804	3/4" X 7/8"	8-3/4"	12



805	3-PIECE SET W/ VINYL KIT INCLUDES: 801, 802 & 803		
806	5-PIECE SET W/ VINYL KIT INCLUDES: 800, 801, 802, 803 & 804		

# SCREWDRIVERS

## SLOTTED (-)



PART #	OAL	STOCK	BIT LENGTH	BIT TYPE	HANDLE LENGTH
S 22	6-1/4"	1/8"	3"	ROUND	3-1/4"
S 25	3-3/4"	1/4"	1-1/2"	ROUND	2-1/4" (STUBBY)
S 42	7-1/2"	1/8"	4"	ROUND	3-1/2"
S 43	8"	3/16"	4"	ROUND	4"
S 44	8-1/2"	1/4"	4"	SQUARE	4-1/2"
S 46	10-1/2"	5/16"	6"	ROUND	4-1/2"
S 64	10-1/2"	1/4"	6"	ROUND	4-1/2"
S 83	12"	3/16"	8"	ROUND	4"
S 85	12-1/2"	5/16"	8"	SQUARE	4-1/2"
S 86	13-3/4"	3/8"	8"	SQUARE	5"
S104	16-1/2"	1/4"	12"	ROUND	4-1/2"
S126	16-3/4"	3/8"	12"	ROUND	5"

## PHILLIPS (+)

PART #	OAL	PT	SCREW SIZE	STOCK	BIT LEN	HANDLE LENGTH
P142	3-3/4"	2	5 TO 10	1/4"	1-1/2"	2-1/2" (STUBBY)
P220	6-1/2"	0	2 & < 2	1/8"	3"	3-1/4"
P331	8"	1	2 TO 5	3/16"	4"	4"
P442	8-1/2"	2	5 TO 10	1/4"	4"	4-1/2"
P653	10-1/2"	3	10 TO 16	5/16"	6-1/4"	4-1/2"


## WOODEN HANDLE SCREWDRIVERS



SW7-4

PART #	TYPE	OAL	STOCK
SW7-1	PHILLIPS #1	2-1/2"	3/16"
SW7-2	PHILLIPS #2	3"	1/4"
SW7-3	SLOTTED	3"	1/8"
SW7-4	SLOTTED	2-1/2"	3/16"
SW7-5	SLOTTED	5"	3/16"
SW7-6	SLOTTED	6"	1/4"
SW7-7	SLOTTED	7-1/2"	5/16"

## SCREWDRIVER SETS



SW 7

### PART #

SW 7

7-PIECE WOODEN HANDLE SET W/ VINYL POUCH

INCLUDES: SW7-1 – SW7-7

SW 8

7-PIECE MIXED SET W/ VINYL POUCH (5 SLOTTED &amp; 2 PHILLIPS)

INCLUDES: S43, S44, S64, S83, S85, P331 &amp; P442

SW 9

7-PIECE SLOTTED SET W/ VINYL POUCH

INCLUDES: S22, S25, S44, S46, S64, S85 &amp; S86

SW10

5-PIECE PHILLIPS SET W/ VINYL POUCH

INCLUDES: P142, P220, P331, P442 &amp; P653



## 6-IN-1 QUICK CHANGE SCREWDRIVER



<u>PART #</u>	<u>OAL</u>
SW6	7-1/2"
CONTAINS:	3/16" AND 5/16" SLOTTED BITS #1 AND #2 PHILLIPS BITS 1/4" AND 5/16" NUT DRIVER

## SCREW EXTRACTORS SQUARE STOCK



98



90

<u>PART #</u>	<u>BOLT</u>	<u>PIPE</u>	<u>DRILL</u>	<u>OAL</u>
91	1/4" TO 5/16"	1/8"	1/8"	2-7/8"
92	3/8"	1/8"	3/16"	2-5/8"
93	7/16"	1/8"	7/32"	2-7/8"
94	1/2" TO 9/16"	1/4"	5/16"	3"
95	5/8"	3/8"	3/8"	3-1/4"
96	3/4"	1/2"	15/32"	3-7/8"
97	7/8"	1/2"	9/16"	4-1/2"
98	1" TO 1-1/8"	5/8"	21/32"	4-7/8"
99	1-1/4" TO 1-3/8"	3/4"	13/16"	5-3/8"
89	4-PIECE SET W/ VINYL POUCH (LARGE SIZES) INCLUDES: 96-99			
90	5-PIECE SET W/ VINYL POUCH (SMALL SIZES) INCLUDES: 91-95			

## SCRATCH AWL



<u>PART #</u>	<u>OAL</u>	<u>BIT</u>
452	7"	1/4"

## HEX KEY SET FOLD UP STYLE



<u>PART #</u>
53R – 9-PC FOLD UP SET
INCLUDES: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" & 1/4"

# WILDE WIPES



<u>PART #</u>	<u># OF WIPES</u>	<u>SIZE OF WIPES</u>	<u>CASE</u>
13300	70	8" x 7"	12/CASE

REMOVES: DIRT, HEAVY GREASE, OILS, INKS, WAX & LUBRICANTS

USES: HANDS, WORK SURFACE, TOOLS, PLASTICS, VINYL, METAL, BOATS & CARS

# SERVICE TOOLS

## HOOK AND PICK SET

### PART #      DESCRIPTION

SHP904      4-PC HOOK & PICK SET.



## VALVE LIFTERS




### PART #      DESCRIPTION

600      SMALL ENGINE VALVE LIFTER  
FOR AIR OR WATER COOLED 4-CYCLE ENGINES, SPRING DIA. UP TO 1-1/16".

600-3A      SMALL JAW REPLACEMENT FOR #600.

600-3B      LARGE JAW REPLACEMENT FOR #600.

## IGNITION GAUGES



500



504

### PART #      DESCRIPTION

500      MASTER GAUGE. CONTAINS TWENTY-FIVE 1/2" WIDE BY 3" LONG BLADES.

501      STANDARD GAUGE. CONTAINS TEN 1/2" WIDE BY 3" LONG BLADES.

504      IGNITION GAUGE. CONTAINS TEN 1/4" WIDE BY 1-3/4" LONG BLADES.

510      MASTER IGNITION GAUGE. CONTAINS SIXTEEN 1/4" WIDE BY 1-3/4" LONG BLADES.

## PICK UP TOOLS

### PART #      DESCRIPTION



158A      MAGNETIC TELESCOPIC POCKET PICK UP TOOL.  
CLOSED LENGTH 5-1/2", EXTENDS TO 18-1/8".  
HANDLE AND HEAD MADE OF CHROME-PLATED BRASS. POCKET CLIP ATTACHED.



159A      MAGNETIC TELESCOPIC PICK UP TOOL. NEODYMIUM-IRON-BORON EXTRA  
HIGH FLUX MAGNET PICKS UP TO 1-1/2 LBS. CLOSED LENGTH 5-7/8",  
EXTENDS TO 25-9/16". POCKET CLIP ATTACHED.



162V      21-1/2" FLEXIBLE MAGNETIC PICK UP TOOL. KNURLED HANDLE. HOLDS  
FLEX. PICKS UP FERROUS METAL TO 1-1/2 LBS.





164V      17-1/2" FLEXIBLE MAGNETIC PICK UP TOOL. PLASTIC GRIPPED HANDLE.











692      8-1/2" MAGNETIC PICK UP TOOL. HEAD CONTAINS POWERFUL MAGNET.



694      27" MAGNETIC PICK UP TOOL. LENGTH IS 27" EXTENDED, 16" CLOSED.

	PART #	DESCRIPTION
	792	POCKET MAGNET PICK UP TOOL. 6" LONG. POCKET CLIP ATTACHED.
	798	FLEXIBLE MECHANICAL FINGER. CAN BE USED AS TEMPORARY CLAMP FOR SMALL PIECES. CAN BE BENT INTO A "S" SHAPE OR AT 90° WITHOUT SPRING BACK. 15" REACH. 8" FLEXIBLE SECTION. 2 CLAWS.

## MIRRORS

	PART #	DESCRIPTION
	142	INSPECTION MIRROR. TELESCOPIC HANDLE 10" TO 14" LENGTH. 2-1/4" DIAMETER MIRROR. BALL JOINT ADJUSTMENT.
	142-1	REPLACEMENT GLASS FOR #142.
	143	INSPECTION MIRROR. 8" LONG, 1-1/4" ROUND MIRROR, BALL JOINT ADJUSTMENT.
	143A	#143 WITH TELESCOPIC HANDLE. EXTENDS 4-1/2" TO 18-1/2".
	143-1	REPLACEMENT GLASS FOR #143.
	145	PLANE INSPECTION MIRROR. 7" LONG, 7/8" ROUND MIRROR, 135° FIXED POSITION, VINYL GRIP.
	147A	TELESCOPIC INSPECTION MIRROR, 4-1/2" TO 18" LONG, 7/8" ROUND MIRROR. DOUBLE BALL ADJUSTMENT HEAD WITH POCKET CLIP.
	147A-1	REPLACEMENT GLASS FOR #147A.
	151	TILTING INSPECTION MIRROR. SWINGS TO ANGLE DESIRED BY PRESSING PLUNGER, LOCKS AT ANY ANGLE AND RETURNS TO STRAIGHT POSITION BY TRIPPING LOCK. FULL 90° SWING TILT. 16-1/2" LONG, RECTANGLE MIRROR 1-11/16" X 2-9/16".
	151P	#151 WITH UNBREAKABLE PLASTIC MIRROR.
	151-1	REPLACEMENT GLASS FOR #151.
	152	TILTING INSPECTION MIRROR. SAME AS #151 EXCEPT IS 11" LONG WITH A 1-1/4" X 1-1/2" RECTANGULAR MIRROR.
	152-1	REPLACEMENT GLASS FOR #152.
	157	INSPECTION MIRROR. OVAL SHAPED. SPRING LOADED BALL SOCKET ADJUSTMENT. SPRING PRESSURE MAINTAINS ADJUSTMENT FOR ANY POSITION ON 360°. 8-1/2" LONG, 1" X 2" MIRROR.
	157A	#157 WITH A TELESCOPIC HANDLE. 4-1/2" EXPANDS TO 19-1/2".
	157-1	REPLACEMENT GLASS FOR #157.


**NUMERICAL PAGE INDEX**

5S	3	500	20	792	20	AWC24	15	G264	4
11S	3	501	20	798	20	CB4816	9	G270	5
53R	19	504	20	800	16	CB6416	9	G271	5
89	18	510	20	801	16	CC 5	10	G272	5
90	18	516	11	802	16	CC 9	10	G274	5
91	18	516-1632	11	803	16	CC 832	9	G289	4
92	18	516-2432	11	804	16	CC1032	9	G297	4
93	18	516-5	11	805	16	CC1232	9	G297PSP	4
94	18	516W	11	806	16	CC1432	9	G407	6
95	18	516W-4032	11	862	16	CC1632	9	G408	6
96	18	516C	11	863	16	CC2032	9	G409	6
97	18	516S	11	864	16	CC2432	9	G410P	5
98	18	GS 3	11	865	16	CC2832	9	G428	3
99	18	517	13	866	16	CC3232	9	G6160	6
142	20	517TS	13	867	16	CCL 3	10	G6360	6
142-1	20	517T-90	13	868	16	CCL1632	9	G6540	6
143	20	518	13	870	16	CCL2432	9	G6580	6
143A	20	527	13	873	15	CCL3232	9	G705	6
143-1	20	527A	13	874	15	CD 632	9	GS3	11
145	20	527B	13	875	15	CF4416	9	HPB 8-4	12
147A	20	528	13	875B	15	CM3206	9	HPB12-7	12
147A-1	20	528A	13	876	15	CM4016	9	HPB12-12	12
151	20	528B	13	877	15	CP 832	9	HPB16-18	12
151-1	20	534	13	878	15	CR 832	9	HPB16-24	12
151P	20	534A	13	879	15	DB71-3F	4	HPB20-28	12
152	20	534B	13	880	15	DB71-3P	4	HPB 3-SQ	12
152-1	20	535	13	883	15	DNP2032	12	HPB 2-RH1	12
157	20	535A	13	885	15	FB14	12	JB1632	12
157A	20	535B	13	900	16	G 6	10	JB2032	12
157-1	20	537	14	990	16	G250	3	JB2432-24	12
158A	19	538	14	1204	14	G251	3	JB2832	12
159A	19	540	14	1434	14	G253	3	K 5	10
162V	19	541	14	13300	18	G254	3	K 8	10
164V	19	544	11	A67	5	G255P	3	K12	10
380	15	544-12	11	AWC6	15	G256P	3	K20	10
383	15	600	19	AWC8	15	G256PSP	3	K312	11
385	15	600-3A	19	AWC10	15	G258PSP	4	K345	11
444K	13	600-3B	19	AWC12	15	G259PSP	5	LB 632	8
444T	13	692	19	AWC15	15	G262	4	LB 832	8
452	19	694	19	AWC18	15	G263	4	LB1032	8

Every hand tool in this catalog is manufactured and assembled in the U.S.A. with a lifetime warranty.

NS 132	8	PLT 732	7	PR 832	7	RS 432	8	S 64	17
NS 232	8	PLT 832	7	PR1032	7	RS 532	8	S 83	17
NS 332	8	PLT1032	7	PR1232	7	RS 632	8	S 85	17
NS 3	10	PLT1232	7	PR1632	7	RS 732	8	S 86	17
P142	17	PP 5	10	PS 232	8	RS 832	8	S104	17
P220	17	PP 232	7	PS 332	8	RS1032	8	S126	17
P331	17	PP 564	7	PS 432	8	RS1232	8	SHP904	19
P442	17	PP 332	7	PS 532	8	RS1432	8	SW 6	17
P653	17	PP 432	7	PS 632	8	RS1632	8	SW 7	17
PC 3	10	PP 532	7	PS 732	8	RS906	10	SW7-1	17
PC 832	7	PP 632	7	PS 832	8	RS912	10	SW7-2	17
PC1032	7	PP 732	7	PS1032	8	RS936	11	SW7-3	17
PC1232	7	PP 832	7	PS1232	8	S 14	17	SW7-4	17
PC1432	7	PP1032	7	RH1232-9	12	S 22	17	SW7-5	17
PC1632	7	PP1232	7	RH1632	12	S 25	17	SW7-6	17
PCH 7W	11	PPL 3	10	RH2032	12	S 42	17	SW7-7	17
PLT 5	10	PPL 632	7	RS 232	8	S 43	17	SW 8	17
PLT 432	7	PPL 832	7	RS 564	8	S 44	17	SW 9	17
PLT 532	7	PPL1032	7	RS 332	8	S 46	17	SW10	17
PLT 632	7								

## QUALITY HAND TOOLS SINCE 1922





# WILDE TOOL CO., INC.

1210 Pottawatomie Street | PO Box 30

Hiawatha, Kansas USA 66434

P: (785) 742-7171

F: (785) 742-3719




sales@wildetool.com

[www.wildetool.com](http://www.wildetool.com)



## PROFESSIONALS' U.S.A. HAND TOOLS



 **WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
 **Avertissement:** Cancer et toxique pour la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
 **Advertencia:** Peligro de cáncer y daño reproductivo - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).