



SM480V

SMAN™ Refrigerant Manifolds with Micron Gauge

SM480V, SM380V

Knowledge, power and experience are packed into the newly designed SMAN™ Refrigerant Manifolds. Years of feedback from A/C and refrigeration specialists is combined with Fieldpiece's laser focus on continuous improvement to bring you the toughest, most advanced digital refrigerant manifold on the market.



Simply Strong

- Beefy hook
- Water resistant (IP54)
- Impact resistant case
- 3 Protected thermocouple jacks
- Built-in micron gauge
- 3/8" VAC port (SM480V only)



Included

- SM380V or SM480V SMAN Refrigerant Manifold
- (2) TC24 Type K pipe clamp thermocouples
- (1) ATA1 Type K bead thermocouple w/Clip
- (1) ANC11 Padded drawstring case



SM480V



SM380V

Packed with Knowledge

The SM380V and SM480V are designed to work the way you do with advanced features to streamline your job and provide your customers with the answers they need.

Data Logging

- Stores up to 9 jobs internally
- Easy download via USB port
- Displays % free storage space before logging begins
- Logs up to 7 days (168 continuous hours)

Tightness Test


- Check for leaks after repairs or installations
- View pressure differential over time
- Timer tracks duration of test
- Temperature compensated with SL temp to avoid false positives

Customizable

- Adjust auto power off duration
- Adjust back light duration
- Set high and low vacuum alarms
- Automatically favorite your last 10 refrigerants

Wireless Integration with Job Link® System Tools

- Live pipe and air temps with Job Link probes
- Monitor refrigerant weight directly on manifolds using SRS3 scale
- View measurements on SMAN and/or in Job Link App
- Direct 350' wireless range (no transmitter needed)



SRS3 Wireless Scale



JL3RH




JL3PC




350' Wireless Readings Direct to SM380V and SM480V



Pipe Temperatures
Place pipe clamps in the perfect location and view instantaneous readings on your screen.



Refrigerant Usage
Monitor and record live refrigerant usage for precise recovery, charging and documentation.





Indoor Air Temps
View live air measurements on your SMAN while making adjustments.



Go Next Level with the Job Link System App

Streamline and simplify your call even further with the Job Link System App. See your measurements up to 350' away on your mobile device. Document your work and provide professional reports, including refrigerant weight usage, by simply connecting to the Job Link System app. Shown to increase profits and reduce call-backs.

- View measurements on SMAN and/or in Job Link App
- Monitor and record refrigerant weight directly on SMAN using SRS3 scale
- Direct 350' wireless range (no transmitter needed)






JL3KH6

Job Link® System Probes

Easy, long range, powerful

Take a full system snapshot quickly and easily with Job Link Probes. Each tool is designed for agility and speed. The pressure probe fits into tight spaces. The pipe clamp uses a new rapid rail thermocouple design delivering accuracy, speed, and agility, even on the most awkward pipe configurations. The psychrometer's flexible narrow probe and configurable magnet make it easy to measure supply plenums, ducts, or elevated registers. All probes are expandable for multi-circuit systems. Do more with Job Link!

- 350' Range
- iOS® and Android™
- Water resistant
- Email reports
- Instant and accurate pipe temps
- High/Low side switch and indicator
- Connect directly to mobile device
- Quick-access protective case



Tablet not included



Phone not included

Job Link® System Mobile App

Access a variety of Fieldpiece tools through the most advanced wireless system on the market today. Visit fieldpiecejoblink.com to sign up today!

Job Link

Quickly and easily diagnose the system correctly the first time to prevent call backs.


- Live measurements
- Advanced calculations
- System diagnostics
- Free PDF reports

Job Link Pro

\$12/mo

Everything in Job Link plus:

- Cloud storage
- Inspection checklists
- Photos and notes
- Customer and equipment history
- Build teams
- Live Look-in



Job Link Pro + Invoicing

\$29/mo

Everything in Job Link and Job Link Pro plus:

- Professional invoicing
- Customizable parts and equipment
- Customizable hourly rates
- QuickBooks online integration



JL3KR4



Phone not included

Residential & Light Commercial Refrigerant Scale

SRS1

Lightweight Refrigerant Scale

The SRS1 refrigerant scale is big enough to comfortably fit a canister, but compact and light weight enough to carry easily. It has the ruggedness needed for HVACR, with thick aluminum walls to maintain accuracy, and rubber feet and rubber pad to soften the impact of daily use.

- Charge/Recover weight alarms
- Light weight and easy to carry
- Max weight 110 lbs (50 kgs)
- 025 oz (001 kg) resolution
- Non-slip cushioned design
- Full numeric keypad for fast operation
- Strong magnetic back on handle




Wireless Refrigerant Scale

SRS3

Heavy Duty with Premium Performance

Not only is the wireless scale easy to use, it's so accurate it can sense weight as low as 0.25 oz. The remote display has a backlight and a strong magnetic hanger. The platform is made of solid aluminum with rubber corners to protect against the hazards of daily use.

- View and record refrigerant usage directly on new SMANs (models SM380V and SM480V)
- Connect to the Job Link® System mobile app
- Solid aluminum construction
- Rubber grip pad to hold refrigerant tanks
- Hands-free testing with magnetic hat
- Flat top bumpers for large tanks
- Water resistant IP55
- Measure up to 252 lb (114 kg)
- 200 hour platform battery life



Remote stores safely in platform



Included:

- Refrigerant platform
- Wireless remote display
- Nylon case with strap – ANC9