



SAFETY DATA SHEET

CS-212

Section 1. Identification

GHS product identifier : CS-212
Other means of identification : Not Available

Relevant identified uses of the substance or mixture and uses advised against

Not available

Supplier's details : Concrete Sealants, Inc.
9325 St. Rte. 201
Tipp City, Ohio 45371
Tel.: 937-845-8776
Toll-free: 800-332-7325
Fax: 937-845-3587
Email: hello@conseal.com
Website URL: www.conseal.com

Emergency telephone number (with hours of operation) : 937-845-8776 or 800-332-7325
(6am to 5pm EST)

Section 2. Hazards Identification

Since the product is in paste form, the risk of exposure to a carcinogen dust is minimum, this is why the related hazard statement are shown in this SDS.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not Classified

GHS label elements

Signal word : No signal word

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Not applicable

Response : Not applicable

Storage : Not applicable

Disposal : Not applicable

Hazards not otherwise classified : None known

Section 3. Composition/information on ingredients

Substance/mixture : Mixture
Other means of identification : Not available
CAS number/other identifiers

Section 3. Composition/information on ingredients

CAS number : Not applicable
Product code : Not available

| Ingredient name | % | CAS number |
|------------------------------------|-------|------------|
| Kaolin | 10-30 | 1332-58-7 |
| Palygorskite | 10-30 | 12174-11-7 |
| Petroleum asphalt | 5-10 | 8052-42-4 |
| Crystalline silica, quartz | 1-5 | 14808-60-7 |
| Carbon black | 0.1-1 | 1333-86-4 |
| Titanium dioxide | 0.1-1 | 13463-67-7 |
| 4-(1,1,3,3-Tetramethylbutyl)phenol | 0.1-1 | 140-66-9 |
| Hydrogen sulfide | 0-0.1 | 7783-06-4 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Not a likely route of entry.
Inhalation : Not a likely route of entry.
Skin contact : No first aid should be needed.
Ingestion : Wash mouth out with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

Protection of first-aiders

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media : Carbon dioxide, dry chemical, foam and water fog or spray.

Section 5. Firefighting measures

Unsuitable extinguishing media : None known

Specific hazards arising from the chemical : No specific fire or explosion hazard.

Hazardous thermal decomposition products : Decomposition materials may include the following materials:
carbon dioxide
carbon monoxide

Special protective actions for firefighters : No special measures are required.

Special protective equipment for firefighters : Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel."

Environmental precautions : None require if used according to recommended conditions.

Methods and materials for contaminant and cleaning up

Spill : Not applicable.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and faces before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Do not store in unlabeled containers.

Section 8. Exposure Controls / Personal Protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-----------------|--|
| Kaolin | ACGIH TLV (United States, 6/2013). TWA: 2 mg/m ³ 8 hours. Form: Respirable fraction NIOSH REL (United States, 4/2013). TWA: 5 mg/m ³ 10 hours. Form: Respirable fraction TWA: 10 mg/m ³ 10 hours. Form: Total OSHA PEL (United States, 2/2013). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Total dust |

Section 8. Exposure Controls / Personal Protection

| | |
|----------------------------|---|
| Petroleum asphalt | <p>NIOSH REL (United States, 4/2013). CEIL: 5 mg/m³ 15 minutes. Form: Fume ACGIH TLV (United States, 6/2013). TWA: 0.5 mg/m³, (as benzene soluble aerosol) 8 hours. Form: Inhalable fraction</p> |
| Crystalline silica, quartz | <p>OSHA PEL Z3 (United States, 2/2013). TWA: 10 mg/m³ 8 hours. Form: Respirable TWA: 250 mppcf 8 hours. Form: Respirable NIOSH REL (United States, 10/2013). TWA: 0.05 mg/m³ 10 hours. Form: Respirable dust ACGIH TLV (United States, 4/2014). TWA: 0.025 mg/m³ 8 hours. Form: Respirable fraction</p> |
| Carbon black | <p>ACGIH TLV (United States, 4/2014). TWA: 3 mg/m³ 8 hours. Form: Inhalable fraction. NIOSH REL (United States, 10/2013). TWA: 3.5 mg/m³ 10 hours. TWA: 0.1 mg of PAHs/cm³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 3.5 mg/m³ 8 hours..</p> |
| Titanium dioxide | <p>OSHA PEL (United States, 2/2013). TWA: 15 mg/m³ 8 hours. Form: Total dust ACGIH TLV (United States, 4/2014). TWA: 10 mg/m³ 8 hours</p> |
| Hydrogen sulphide | <p>ACGIH TLV (United States, 4/2014). STEL: 5 ppm 15 minutes. TWA: 1 ppm 8 hours. NIOSH REL (United States, 10/2013). CEIL: 15 mg/m³ 10 minutes. CEIL: 10 ppm 10 minutes. OSHA PEL Z2 (United States, 2/2013). AMP: 50 ppm 10 minutes. CEIL: 20 ppm</p> |

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating smoking and using the lavatory and at the end of the working period.
- Eye/face protection** : Not required under normal conditions of use.
- Skin protection**
- Hand protection** : Chemical- resistant, Impervious gloves complying with an approved standard should be worn at times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** :
- Other skin protection** :
- Respiratory protection** :

Section 9. Physical and Chemical Properties

Appearance

- Physical state** : solid
- Color** : black
- Odor** :

Section 9. Physical and Chemical Properties

| | |
|---|---|
| Odor threshold | : Not available |
| pH | : Not available |
| Melting point | : Not available |
| Boiling point | : Not available |
| Flash point | : Open cup: 232.22°C (450°F) [Cleveland] |
| Burning time | : Not available |
| Burning rate | : Not available |
| Evaporation rate | : Not available |
| Flammability (solid, gas) | : Not available |
| Lower and upper explosive (flammable) limits | : Not available |
| Vapor pressure | : Not available |
| Vapor density | : Not available |
| Relative density | : Not available |
| Solubility | : Insoluble in the following materials: cold water and hot water. |
| Solubility in water | : Not available |
| Partition coefficient n-octanol/water | : Not available |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| SADT | : Not available |
| Viscosity | : Not available |

Section 10. Stability and Reactivity

| | |
|---|--|
| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials. Non-reactive or compatible with the following materials: reducing materials, combustible materials, organic materials, metals, acids, alkalis, and moisture. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|------------------------------------|-----------------------|---------|-----------------------|----------|
| Petroleum asphalt | LD50 Oral | Rat | >5000mg/kg | - |
| Carbon black | LD50 Oral | Rat | >15400 mg/kg | - |
| 4-(1,1,3,3-tetramethylbutyl)phenol | LD50 Dermal | Rabbit | 1880 mg/kg | - |
| | LD50 Oral | Rat | 4600 mg/kg | - |
| Hydrogen sulphide | LC50 Inhalation Gas | Rat | 444 ppm | 4 hours |
| | LC50 Inhalation Vapor | Rat | 700 mg/m ³ | 4 hours |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------|---------|-------|----------|-------------|
|-------------------------|--------|---------|-------|----------|-------------|

Section 11. Toxicological Information

| | | | | | |
|------------------------------------|--|------------------|---|----------------------------------|--|
| Titanium dioxide | Skin- Mild irritant | Human | - | 72 hours 300 µg intermittent | |
| 4-(1,1,3,3-tetramethylbutyl)phenol | Eyes- Severe irritant Skin- Moderate irritant | Rabbit Rabbit | | 24 hours 50 µg 24 hours 20 µg | |

Sensitization

Skin : There is no data available

Respiratory : There is no data available

Mutagenicity

There is no data available

Carcinogenicity

Classification

| Product/ ingredient name | OSHA | IARC | NTP |
|----------------------------|------|------|---------------------------------|
| Palygorskite | - | 2B | Known to be a human carcinogen. |
| Petroleum asphalt | - | 2B | |
| Crystalline silica, quartz | - | 1 | |
| Carbon black | - | 2B | |
| Titanium dioxide | - | 2B | |

Reproductive toxicity

There is no data available

Teratogenicity

There is no data available

Specific target organ toxicity (single exposure)

There is no data available

Specific target organ toxicity (repeated exposure)

| NAME | Category | Route of exposure | Target organs |
|----------------------------|------------|-------------------|---|
| Kaolin | Category 2 | Inhalation | Not determined kidneys, respiratory tract and testes |
| Crystalline silica, quartz | Category 1 | Inhalation | |

Aspiration hazard

There is no data available

Information on the likely routes of exposure : Route of entry anticipated: Oral, Dermal.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Section 11. Toxicological Information

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

| Route | ATE value |
|-------|-----------|
| | |

Section 12. Ecological Information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|------------------------------------|---|--|----------|
| Titanium dioxide | Acute EC50 5.83 mg/L Fresh water | Algae- Pseudokirchneriella subcapitata- Exponential growth phase | 72 hours |
| | Acute LC50 3 mg/L Fresh water | Crustaceans- Ceriodaphnia dubia- Neonate | 48 hours |
| | Acute LC50 5.5 ppm. Fresh water | Daphnia- Daphnia magna- Juvenile (Fledgling, Hatchling, Weanling) | 48 hours |
| | Acute LC50 1000 mg/L Fresh water Chronic NOEC 0.984 mg/L Fresh water | Fish- Pimephales promelas | 96 hours |
| 4-(1,1,3,3-tetramethylbutyl)phenol | Acute EC50 140 µg/L Marine water | Algae- Pseudokirchneriella subcapitata | 72 hours |
| | Acute LC50 0.42 to 0.5 mg/L Marine water | Exponential growth phase | |
| | Acute LC50 0.011 mg/L Fresh water | Algae- Skeletonema costatum | 48 hours |
| | Acute LC50 370 µg/L Fresh water | Crustaceans-Acartia tonsa-Adult | 48 hours |
| | Chronic NOEC 12 µg/L Fresh water | Daphnia-Daphnia magna Fish- Danio rerio Fish-Danio rerio-Egg 78 days | 96 hours |
| Hydrogen sulfide | Acute EC50 62 µg/L Fresh water | Crustaceans-Gammarus | 2 days |
| | Acute LC50 2 µg/L Fresh water | Pseudokirchneriella Fish-Coregonus clupeaformis-Yolk-sac fry | 96 hours |

Persistence and degradability

There is no data available

Section 12. Ecological Information

Bioaccumulative potential

| Product/ingredient name | LogP _{ow} | BCF | Potential |
|------------------------------------|--------------------|-----|-----------|
| Titanium dioxide | - | 352 | Low |
| 4-(1,1,3,3-Tetramethylbutyl)phenol | 4.8 | 740 | high |

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal Considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Section 14. Transport Information

| | DOT Classification | IMDG | IATA |
|-----------------------------------|--------------------|---------------|---------------|
| UN number | Not regulated | Not regulated | Not regulated |
| UN proper shipping name | - | - | - |
| Transport hazard class(es) | - | - | - |
| Packing group | - | - | - |
| Environmental hazards | No. | No. | No. |
| Additional information | - | - | - |

Special precautions for user : No special precautions are required.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available

Section 15. Regulatory Information

U.S. Federal regulations : **TSCA 8(a)PAIR**: 4-(1,1,3,3-Tetramethylbutyl)phenol
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): All components are listed or exempt.
Clean Water Act (CWA) 311: Formaldehyde; Isoprene; Hydrogen sulfide

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not Listed

Clean Air Act Section 602 Class I Substances : Not listed

Section 15. Regulatory Information

Clean Air Act Section 602 : Not listed
Class II Substances
DEA List I Chemicals : Not listed
(Precursor Chemicals)
DEA List II Chemicals : Not listed
(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

| Name | % | EHS | SARA 302 TPQ | | SARA 304 RQ | |
|------------------|-------|------|--------------|-----------|-------------|-----------|
| | | | (lbs) | (gallons) | (lbs) | (gallons) |
| Hydrogen sulfide | 0-0.1 | Yes. | 500 | - | 100 | - |
| formaldehyde | 0-0.1 | Yes. | - | - | - | - |

SARA 304 RQ : 1202501.2 lbs / 545935.5 kg

SARA 311/312

Classification : Not applicable

Composition/information on ingredients

| Name | % | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|------------------------------------|-------|-------------|----------------------------|----------|---------------------------------|---------------------------------|
| Kaolin | 10-30 | No. | No. | No. | No. | Yes. |
| Palygorskite | 10-30 | No. | No. | No. | No. | Yes. |
| Petroleum asphalt | 5-10 | No. | No. | No. | No. | Yes. |
| Crystalline silica, quartz | 1-5 | No. | No. | No. | No. | Yes. |
| Carbon black | 0.1-1 | No. | No. | No. | No. | Yes. |
| Titanium dioxide | 0.1-1 | No. | No. | No. | No. | Yes. |
| 4-(1,1,3,3-Tetramethylbutyl)phenol | 0.1-1 | No. | No. | No. | Yes. | No. |
| Hydrogen sulfide | 0-0.1 | Yes. | Yes. | No. | Yes. | No. |

SARA 313

| | Product name | CAS number | % |
|--|--------------|------------|---|
| Form R – Reporting requirements | | | |
| Supplier notification | | | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: Crystalline silica, quartz; Petroleum asphalt; Talc

New York : None of the following are listed.

New Jersey : The following components are listed: Crystalline silica, quartz; Titanium dioxide; Distillates (petroleum), solvent-dewaxed heavy paraffinic; Petroleum asphalt; Talc; Carbon black

Pennsylvania : The following components are listed: Kaolin; Crystalline silica, quartz; Titanium dioxide; Petroleum asphalt; Talc; Carbon black

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

| Ingredient name | Cancer | Reproductive | No significant risk level | Maximum acceptable dosage level |
|----------------------------|--------|--------------|---------------------------|---------------------------------|
| Palygorskite | Yes. | No. | No. | No. |
| Crystalline silica, quartz | Yes. | No. | No. | No. |
| Carbon black | Yes. | No. | No. | No. |
| Titanium dioxide | Yes. | No. | No. | No. |
| Isoprene | Yes. | No. | No. | No. |
| Formaldehyde | Yes. | No. | Yes. | No. |

International regulations

- International lists** : **Australia inventory (AICS)**: Not determined.
China inventory (IECSC): All components are listed or exempted.
Japan inventory: Not determined.
Korea inventory: Not determined.
Malaysia Inventory (EHS Register): Not determined.
New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.
Philippines inventory (PICCS): All components are listed or exempted.
Taiwan inventory (CSNN): Not determined.
- Chemical Weapons Convention List Schedule I Chemicals** : Not listed
- Chemical Weapons Convention List Schedule II Chemicals** : Not listed
- Chemical Weapons Convention List Schedule III Chemicals** : Not listed

Section 16. Other Information

History

- Date of issue mm/dd/yyyy** : 08/04/2016
- Version** : 2
- Revised sections** : Section 13
- Prepared by** : Concrete Sealant Inc.
- Key to abbreviations** : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships
1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.