

WE MAKE WATER WORK



Plumbing Catalog / Price List

June 2018



Table of Contents

Page	
Mission State / Who's the Boss?	4-5
Trade Customs & Freight Program	6-7

Domestic

Square Head Plug Valve	10
Lever Handle Plug Valve	10-11
Flat / Tee Head Plug Valve	10-11
Flat Head Tamperproof	10-11
Square Head Wrenches	10-11
Square Head Plug Valve less Check	12
Square Head Plug Valve with Check	12
Throttle Gate Valves	13
Lock Lever Barrel Faucet	14
Utility Fill Cap & Vent	14
Tee Head Plug Valve	15
Stop & Drain Plug Valves	15
In-Line Dual Check Valves	15-16

No-Lead Ball Valves

Full Port Ball Valves	18-20
Press Fit Ball Valves	19
Pex Ball Valves	21
Expansion Pex Ball Valves	21
Repair Handles	22

No-Lead Hose Bibbs

Hose Bibb	24
Garden Hose Bibb	24
No-Kink Hose Bibb	24-25
Angle Sillcock	25
Boiler Drain	26
Gate Valves	26
Vacuum Breaker	27
Hose Bibb Adapters	27

No-Lead Gate & Stop Valves

Full Port Gate Valves	30
Stop Valves	30

No-Lead Stop & Angle Valve

Stop Valves	32
Angle Stop Valves	32
Repair Handles	32

No-Lead Check Valves & Strainers

	Page
Y-Pattern Swing Check Valves	34
Bronze Y-Strainer	34
Swing Check Valves	34
Iron Y-Strainer	35
In-Line Check Valves	35
Anti-Sweat Valve	35
Bronze Foot Valve	35

No-Lead Frost Proof Sillcocks

Frost Proof Sillcocks	38-39
Vacuum Breaker Repair Kits	39
Repair Handle	39

No-Lead Supply Stops

Angle Quarter Turn Supply Stops	42-43
Loose Key Supply Stops	42-45
Straight Quarter Turn Supply Stops	44-45
Expansion Pex Supply Stops	45
Transition Supply Stops	45
Dual Outlet Supply Stops	46-47
Icemaker Supply Stops	48-49
Washing Machine Valves	49
Stainless Steel Supply Hoses	50-51

No-Lead Specialty Valves / Fittings

Drop Ear Elbows	54
Pressure Relief Valves	55
Washing Machine Valves	55-56
Dielectric Union	56
Ductile Iron Meter Flange Kit	57
Meter Couplings	57

No-Lead Pressure Reducing Valves

Pressure Reducing Valves	60-61
Pressure Reducing Valves End Pieces	61

No-Lead Press Fit Fittings

General Information	64-65
Couplings, Adapters, Elbows, & Caps	66-71

No-Lead Push-Fit		Page
Couplings, Adapters,	74	
Drop Ear Elbow, Cap, Ball Valves, & Tees.....	74-75	
Supply Stops, Connectors, & Tools	75	
Copper Push-Fittings.....	76-77	

No-Lead Sump & Sewage Check Valves		
Full Flow Sump Check Valve	80	
Union Check Valve	80	
Silent Union	80-81	
Union Swing Check Ball Valve Combo.....	80-81	
Compression Swing Check.....	81	
Silent / Clear Compression	81	

No-Lead PVC / CPVC		
PVC Ball Valves	84-85	
CPVC Ball Valves	85	
PVC Unions	84	
Transition Fittings.....	85	

No-Lead Pex / Poly / Expansion		
Poly Pex Fittings.....	88-89	
Couplings, Adapters	90-91	
Plug & Tee.....	91	
Elbow / Swivel Elbow	92	
Pex Ball Valves w/Drain	92-93	
Angle Sillcock	93	
Boiler Drain.....	93	
Chrome Supply Stops.....	94	
Expansion Pex	95-99	
Pex Manifolds	100	
Pex Stub-Out Elbows.....	100	
Crimp Tools.....	101-102	
Angle Crimp Tools	101	
Crimp Tool - Composite Handle.....	102	
Crimp Tool Kit	103	
Crimp Ring Cutter.....	103	
Ratchet Tool - Oetiker Clamps	103	
Oetiker Pex Clamp.....	103	
Copper Crimp Ring	103	
Pex Tube Cutter.....	103	

No-Lead Nipples & Threaded Fittings		
125# Pipe Nipples.....	106-107	
Chrome Plated Nipples	108	
Brass Caps, Cored, & Solid Plugs.....	109	
Brass Couplings, Flanges, & Unions.....	110	
Brass Tees & Crosses.....	111	
Elbows	111-112	
Domestic Pipe Nipples	113-114	
Domestic Threaded Fittings	115-117	
Stainless Steel Pipe Nipples	118-119	
Stainless Steel Threaded Fittings	120-122	

No-Lead Tank Tees / Insert Fittings		Page
Tank Tees Packages	124	
Bronze Tank Tees.....	125-126	
Bronze Hydrant Elbow	126	
Insert x Insert.....	126	
Bronze Insert Fittings.....	127-128	
Galvanized Male Adapter	128	
Galvanized Insert Coupling.....	128	
Insert Ball Valve	128	
Pitless Adapter	128	
Stainless Steel Hose Clamp	129	

Non-Potable Valves & Fittings		
Full Port Ball Valves.....	132	
Full Port Flange Ball Valves & Kits.....	133	
Repair Handles	134	
Gate Valves Handles	134	
Gas Ball Valves.....	135	
Square Head Gas Ball Valves.....	135	
Log Lighter Valves	136	
Radiator Valves	137	
Hydronic Balancing Ball Valves	137	
Non-Potable 125# Threaded Fittings	138	
Brass Caps, Solid Plugs.....	138-139	
Brass Couplings	138	
Brass Tees, Elbows	139	

Chicago Fittings		
Flexible Anodeless Risers for Natural Gas Applications	142	
Plastic Service Fittings	143	
Flexible Anodeless Risers for Propane Gas Applications	144	
X-Riser Installation Procedures	145	

Outside Diameter Chart.....	146-147
-----------------------------	---------

A.Y. McDonald Mfg. Co. is a leading manufacturer of Water Works Brass, Plumbing Valves, Pumps and Water Systems, and High Pressure Gas Valves and Meter Bars. The Company has distinguished itself with a proud tradition of quality and reliability since its founding in 1856.

MISSION STATEMENT

The mission of A.Y. McDonald Mfg. Co., in the words of our founder, is "to make good products and sell them honestly." We, the stockholders and employees, accomplish this by extending the McDonald family culture through excellent customer service and by focusing on our customers' needs.

PEOPLE

A.Y. McDonald Mfg. Co. has a long tradition of trusted quality and dependable service, and it's thanks to the committed people who work here. Every employee is challenged to look for ways to improve our products or our processes and look to exceed our customer's expectations on a daily basis.

Customers like to buy from A.Y. McDonald Mfg. Co. because?

- * The customer is the boss, and every effort is exerted to exceed expectations.
- * Customer service is the number one priority.
- * Customers find quality products and work with outstanding people.



DEVELOPMENT

The latest design manufacturing technology and product research and development are continually at work at A.Y. McDonald Mfg. Co. Our engineers design using PRO/E 3-D modeling and CADKEY software. State-of-the art CAD/CAM equipment is used throughout our plants to produce products to the most precise specifications and tolerances. Research and development is a primary focus as we seek to not only meet and exceed our customers' current needs, but also anticipate future industry trends.

A.Y. McDonald Mfg. Co. continues to be committed to the industries it serves by investing the necessary capital expenditures to continually meet the evolving needs of our customers.

FACILITIES

A.Y. McDonald Mfg. Co. Corporate headquarters, brass foundry and main manufacturing plant are located in Dubuque, Iowa. We also have locations in Albia, IA; Elizabethton, TN; and Reno, NV.



MISSION STATEMENT

The mission of A.Y. McDonald Mfg. Co. in the words of our founder is

“To make good products and to sell them honestly.”

We, the stockholders and employees, accomplish this by extending the McDonald family culture through excellent customer service and by focusing on our customers' needs.

WHO'S THE BOSS?

Here's a question I'll bet you could ask a thousand working people and never get the right answer. The question is: **“Who's The Boss?”**

There's only one boss, and whether a person shines shoes for a living or heads up the largest corporation in the world, the boss remains the same. **It's The Customer!**

The customer is the person who pays everyone's salary and who decides whether a business is going to succeed or fail. The customer doesn't care if a business has been around a hundred years. The minute it starts treating them badly, the customer will put it out of business.

This boss, the customer, has bought and will buy everything you have or will ever have. The customer has bought all of your clothes, your home, your car, your children's education, and your vacation. They pay all of your bills and they pay them in exact proportion to the way you treat them.

The man who works deep inside a big plant on an assembly line might think he's working for the company that writes his pay check, but he is not. He's working for the person who buys the product at the end of the line, the customer. In fact, this customer can fire everyone in the company from the president on down. And they can do it by simply spending their money someplace else. This is one of the reasons why taking pride in the work we do is so important to us personally. Doing an exceptionally good job will not only bring joy and satisfaction, it will help get more customers, keep the ones we've got, and ensure that we continue to get a pay check from our bosses.

Some of the largest companies that had flourishing businesses a few years ago are no longer in existence. They couldn't - or didn't - satisfy the customer. They forgot who the boss really was!

At A.Y. McDonald we remind ourselves every day that the customer is the boss. It's one of our core values and the reason we provide the best customer service in the business.



CONTROLLING PROVISIONS: These terms and conditions supersede all previous terms and conditions and shall control any sale by A.Y. McDonald Mfg. Co. ("Seller"). No alteration or waiver of these terms and conditions shall be valid unless specifically accepted in writing by an authorized representative of Seller.

PRICES: Billing prices are those in effect at the time the order is shipped. All prices are subject to change without notice. Possession of a price sheet shall not be construed as an offer to sell. Seller reserves the right to reject any order.

TERMS: 2% 10th Prox., Net 25th (A 2% cash discount can be taken on the 10th of the month following the shipment. The month is defined as the 26th through the 25th. For example, a February 25th invoice is due 2% on March 10th, a February 26th invoice is due 2% April 10th, and all invoices are due net the 11th and considered past due on the 26th of the month). Without open credit terms, payment may be required prior to shipping. A 2% monthly service charge (or the maximum amount permitted by law) may be applied to the balance of any past-due invoice. Buyer shall pay any necessary collection fees, including reasonable attorney fees.

TAXES: Any sales tax, use tax, manufacturer tax, duty, or other cost imposed by any government entity shall, at Seller's option, be added to the purchase price and payable by buyer. Buyer must certify any tax exemption and agree to indemnify Seller against any tax imposed contrary to such certification.

FREIGHT: All prices are F.O.B. Seller's factory, with full freight allowed within the contiguous United States and Canada on the orders that qualify pursuant to the Freight Program schedule. Seller reserves the right to select the carrier and route of shipment and to ship at the most economical rate. All extra charges for special handling or delivery services will be paid for by the buyer. Terms for shipment outside the contiguous United States and Canada shall be established on a case-by-case basis.

"LIMITED WARRANTY Subject to the limitations stated herein, A.Y. McDonald Mfg. Co. ("Seller") warrants that plumbing products manufactured by Seller shall be free from defects in material and workmanship and shall perform the services for which they are intended when properly installed, under normal use, and under ordinary conditions, for a period of one (1) year from the date of shipment from Seller's factory. This Limited Warranty does not cover or apply to water service products, high pressure gas products, or pumps or pump accessories manufactured by Seller. Buyer must notify Seller in writing of a potentially defective product as soon as possible and not later than one (1) year from the date of shipment from Seller's factory. Upon receipt of such notice, Seller shall, at its option and at its expense, examine such product at Seller's factory or such other location as Seller shall determine. Should Seller agree to a return of the product, buyer shall follow in every respect the packaging and transportation instructions provided by Seller. In no case shall a product be returned without first obtaining the permission of Seller. If a product is proven to the satisfaction of Seller to be defective, then Seller shall, at its option and at its expense, repair or replace such product or reimburse buyer for the price paid by buyer for such product. The cost of shipping to buyer a repaired or replaced product shall be paid by Seller on the same shipping terms as the original shipment of such product to buyer. Except as stated herein, buyer shall assume all responsibility and expense for any dismantling, removal, reinstallation, and shipping in connection with this Limited Warranty, and no claims will be allowed for labor, shipping, materials, or other costs incident to the repair, replacement, or return of a product.

THIS LIMITED WARRANTY IS THE ONLY WARRANTY PROVIDED BY SELLER AND IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

SELLER'S LIABILITY IS LIMITED TO REPAIR, REPLACEMENT, OR REIMBURSEMENT AS PROVIDED ABOVE, AND IN NO EVENT SHALL SELLER'S LIABILITY EXCEED THE PURCHASE PRICE OF THE PRODUCT(S) INVOLVED. THIS LIMITED WARRANTY PROVIDES THE EXCLUSIVE REMEDY AGAINST SELLER FOR CLAIMS RELATING TO PRODUCTS, WHETHER IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE), OR UNDER ANY OTHER LEGAL THEORY, AND WHETHER ARISING OUT OF WARRANTIES, REPRESENTATIONS, INSTRUCTIONS, OR DEFECTS FROM ANY CAUSE. IN NO EVENT SHALL SELLER BE LIABLE FOR OR OBLIGATED TO PAY ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES OF ANY KIND.

THIS LIMITED WARRANTY EXTENDS ONLY TO BUYERS WHO PURCHASE SELLER'S PRODUCT(S) DIRECTLY FROM SELLER ("ORIGINAL PURCHASERS"), INCLUDING DISTRIBUTORS, WHOLESALERS, UTILITIES, AND CONTRACTORS. THIS LIMITED WARRANTY IS NOT ASSIGNABLE OR OTHERWISE TRANSFERABLE BY THE ORIGINAL PURCHASER TO ANY OTHER PARTY. SELLER EXTENDS NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TO "CONSUMERS," AS THAT TERM IS DEFINED IN THE MAGNUSON-MOSS WARRANTY ACT (15 U.S.C. SECTIONS 2301 ET SEQ.) AND THE REGULATIONS PROMULGATED THEREUNDER. IN NO EVENT SHALL THE DURATION OF ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BE LONGER THAN THE ONE (1) YEAR PERIOD PRESCRIBED HEREIN.

This Limited Warranty shall not apply to product failure or defect: due to a defect in the design, engineering, or installation of any water, gas, or other system; where the product has been modified without the prior written authority of Seller; caused by the failure to install or use the product in conformity with any instructions or specifications provided by Seller; caused by the improper installation, use, application, maintenance, repair, transportation, handling, or storage of the product; caused by the fault or negligence of anyone other than Seller or any other act or event beyond the control of Seller. Seller makes no warranties as to any products or product parts or components that are not manufactured by Seller. The limitations of liability contained in this Limited Warranty shall be effective without regard to Seller's performance or failure or delay of performance under any other term or condition of any trade customs, warranty, or other agreement. No employee, representative, or agent of Seller, nor any other person, has authority to assume or incur on behalf of Seller any liability, obligation, or responsibility in place of or in addition to this Limited Warranty."

CLAIMS: Inspect all shipments immediately upon receipt, examining products for damage and verifying quantity. Any claim of damage, shortage, or non-conformance must be made in writing within 5 business days of receipt of goods (any claim of damage or shortage must be noted on the Freight Carrier's signed delivery receipt).

ORDERS: Seller is not responsible for and shall not be held liable for damages resulting from delays or failures in shipment, nor shall Seller be liable for any delay or failure to provide goods where occasioned by any force majeure event, including without limitation: strikes and other labor disputes; fires; acts of God; floods, snowstorms, tornados, and other storms; unusually severe inclement weather conditions; fuel, energy, carrier, or material shortages or embargoes; war; terrorism; civil disturbances; acts of civil or military authority; court order or decree; partial or complete destruction of factory or other facility; acts of buyer; inability to obtain or retain fuel, energy, carriers, materials, facilities, or labor without litigation or the payment of penalties or unreasonable prices or the acceptance of unreasonable terms and conditions; and any other cause beyond Seller's control.

RETURNS: Goods cannot be returned without the prior written approval of Seller. Return freight must be prepaid by buyer. After inspecting the returned goods, Seller may impose upon buyer: (1) a handling and restocking charge equal to a minimum of 25% of the invoiced cost of the returned goods; and, in addition thereto, (2) any costs required to put the goods in like-new condition. All credit memos are subject to cash discount terms as defined in our standard terms.

CANCELLATION: The contract resulting from Seller's acceptance of Buyer's order cannot be cancelled, terminated, or modified by Buyer, in whole or in part, except upon Seller's prior written approval.

INVOICING: Minimum invoice charge of \$50.00 (does not apply to Plumbing Products).

NON-STOCK PRODUCTS: Non-stock products (i.e., customized or non-standard products) may require a minimum order and buyer should make prior inquiry to Seller. Once production has begun, orders for non-stock products cannot be cancelled without the prior written approval of Seller. Seller will not accept the return of non-stock products.

CONSTRUCTION: All sales, contracts, and offers to buy or sell, all rights, remedies and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Iowa.



WARNING: It is unlawful in CALIFORNIA & VERMONT (effective 1/1/2010); MARYLAND (effective 1/1/2012); LOUISIANA (effective 1/1/2013) and the UNITED STATES OF AMERICA (effective 1/4/2014) to use any product in the installation or repair of any public water system or any plumbing in a facility or system that provides water for human consumption if the wetted surface area of the product has a weighted average lead content greater than 0.25%. This prohibition does not extend to service saddles used in California, Louisiana or under USA Public Law 111-380. **WARNING:** This product can expose you to chemicals including lead, which is known to the State of CALIFORNIA to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

I. PRODUCT GROUP QUALIFICATION LEVELS

Freight will be prepaid and allowed by Seller on orders that meet or exceed the following net prices or unit qualifiers (net prices reflect list prices less applicable discounts):

1. Natural Gas (may be combined with plumbing Valves) \$2,500 Net
2. Water Service Products (may be combined with Curb Boxes, Pumps, Pump Accessories, Plumbing Valves, Frames & Covers, Natural Gas, and Yoke Boxes) \$6,000 Net
3. Pumps 12+ units
4. Plumbing Products (may be combined with Pump Accessories) \$1,300 Net
5. Tanks 24+ units (may be 24 units in combination with Jets and Submersibles)
6. Pit Setters . . .
 - 15" diameter – 144 units
 - 18" diameter – 96 units
 - 21" diameter – 72 units
 - 24" diameter – 48 units
 - 30" and 36" diameter – 24 units

II. ADDITIONS

Once an order qualifies for freight in **any** product group, other products on your order ride free (excluding Tanks and Pit Setters). However, additions to freight allowed orders will **NOT** be allowed once the original order is on board or a partial shipment has been made against the original order.

Freight qualifiers are subject to change without notice.

NON-POTABLE
USE ONLY



WARNING: It is unlawful in **CALIFORNIA & VERMONT (effective 1/1/2010); MARYLAND (effective 1/1/2012); LOUISIANA (effective 1/1/2013) and the UNITED STATES OF AMERICA (effective 1/4/2014)** to use **THIS PRODUCT** in the installation or repair of any public water system or any plumbing in a facility or system that provides water for human consumption. The wetted surface area of **THIS PRODUCT** has a weighted average lead content greater than 0.25%.



Domestic



Domestic

Plumbing Catalog / Price List - June 2018


MORE THAN A BRAND. WE'RE A FAMILY.



Domestic

10584

Square Head Plug Valve w/Check (with double stake nut)


- FNPT x FNPT
- 2 PSI (*5 PSIG 1/2" & 3/4")
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1
- CSA certified 1/2" & 3/4" 



Size	List	Carton Qty
* 1/2"	\$ 19.29	50
* 3/4"	\$ 23.67	50
1"	\$ 45.63	25
1 1/4"	\$ 65.57	15
1 1/2"	\$ 92.88	10
2"	\$ 151.67	5

10604

Square Head Plug Valve w/Check

- FNPT x FNPT
- 2 PSI (*5 PSIG 1/2" & 3/4")
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1
- CSA certified 1/2" & 3/4" 



Size	List	Carton Qty
1/4"	\$ 21.58	25
3/8"	\$ 21.58	25
* 1/2"	\$ 19.29	50
* 3/4"	\$ 23.69	50
1"	\$ 45.63	25
1 1/4"	\$ 65.57	15
1 1/2"	\$ 92.88	10
2"	\$ 151.67	5

10598

Lever Handle Plug Valve w/Check

- FNPT x FNPT
- 2 PSI (*5 PSIG 1/2" & 3/4")
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1



Size	List	Carton Qty
1/4"	\$ 22.99	25
3/8"	\$ 22.99	25
* 1/2"	\$ 21.23	50
* 3/4"	\$ 26.10	50
1"	\$ 47.76	25
1 1/4"	\$ 70.05	10
1 1/2"	\$ 102.30	10
2"	\$ 169.19	5

10552

Flat/Tee Head Plug Valve w/Top Check


- FNPT x FNPT
- 1/4"-3" (2 1/2"-3" less check)
- 25 PSI
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1



Size	List	Carton Qty
1/4"	\$ 43.13	50
3/8"	\$ 43.13	25
1/2"	\$ 45.57	50
3/4"	\$ 53.42	50
1"	\$ 76.76	25
1 1/4"	\$ 90.23	15
1 1/2"	\$ 149.81	10
2"	\$ 235.32	5
*2 1/2"	\$ 401.47	3
*3"	\$ 636.12	1

10596

Flat/Tee Head Plug Valve w/Check

- FNPT x FNPT
- 2 PSI (*5 PSIG 1/2" & 3/4")
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1
- CSA certified 1/2" & 3/4" 



Size	List	Carton Qty
1/4"	\$ 21.58	25
3/8"	\$ 21.58	25
* 1/2"	\$ 19.29	50
* 3/4"	\$ 23.69	50
1"	\$ 45.63	25
1 1/4"	\$ 65.57	15
1 1/2"	\$ 92.88	10
2"	\$ 151.67	5

10554

Square Head Plug Valve w/Top Check

- FNPT x FNPT
- 25 PSI
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1



Size	List	Carton Qty
1/2"	\$ 45.57	50
3/4"	\$ 53.42	50
1"	\$ 76.76	25
1 1/4"	\$ 90.23	15
1 1/2"	\$ 149.81	10
2"	\$ 235.32	5



10558

Lever Handle Plug Valve w/Top Check

- FNPT x FNPT
- 25 PSI
- Natural and LP Gas Only
- Threads conform to ANSI B1.20



Size	List	Carton Qty
1/4"	\$ 47.20	25
3/8"	\$ 47.20	25
1/2"	\$ 48.97	50
3/4"	\$ 58.55	25
1"	\$ 85.83	25

10687B

Flat Head Plug Valve Lockwing - Tamperproof - Black - Relubable Plug

- FNPT x FNPT
- 175 PSI



Size	List	Carton Qty
1/2"	\$ 40.46	25
3/4"	\$ 40.46	25
1"	\$ 51.03	15
1 1/4"	\$ 75.99	10
1 1/2"	\$ 116.05	5
2"	\$ 160.38	5

10621

Flat/Tee Head Plug Valve w/Lockwing - Less Check

- FNPT x FNPT
- 25 PSI



Size	List	Carton Qty
1/2"	\$ 35.43	50
3/4"	\$ 44.85	50
1"	\$ 64.45	25
1 1/4"	\$ 97.77	15
1 1/2"	\$ 122.82	10
2"	\$ 196.75	5

10687G

Flat Head Plug Valve Lockwing - Tamperproof - Black - Relubable Plug

- FNPT x FNPT
- 175 PSI



Size	List	Carton Qty
1/2"	\$ 43.15	25
3/4"	\$ 43.15	25
1"	\$ 53.87	15

10685B

Flat Head Plug Valve Tamperproof - Black

*Relubable Plug

- FNPT x FNPT
- 175 PSI



Size	List	Carton Qty
1/2"	\$ 33.55	25
3/4"	\$ 36.74	25
1"	\$ 47.03	15
*1 1/4"	\$ 62.52	10
*1 1/2"	\$ 86.88	5
*2"	\$ 123.33	5

Square Head Wrench



STOP NUMBER	STOP SIZE							
	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
10554	2S	2S	3S	4S	5S	6S	7S	8S
10584			2S	3S	3S	5S	6S	7S
10604	2S	2S	2S	3S	3S	5S	6S	7S

10685G

Flat Head Plug Valve Tamperproof - Zinc

*Relubable Plug

- FNPT x FNPT
- 175 PSI



Size	List	Carton Qty
1/2"	\$ 37.27	25
3/4"	\$ 37.27	25
1"	\$ 50.70	15

Size	List	Carton Qty
02S	\$ 21.21	1
03S	\$ 21.21	1
04S	\$ 26.39	1
05S	\$ 32.81	1
06S	\$ 32.81	1
07S	\$ 47.88	1
08S	\$ 67.63	1



9702

Square Head Plug Valve Less Check

- FNPT x FNPT
- 125 PSI Steam at 250°
- Cast Bronze Construction
- Threads conform to ANSI B1.20
- Steam Only



Size	List	Carton Qty
3/8"	\$ 35.40	25
1/2"	\$ 35.40	50
3/4"	\$ 44.02	50
1"	\$ 64.06	25
1 1/4"	\$ 86.93	15
1 1/2"	\$ 134.59	10
2"	\$ 190.97	5

9711

Square Head Plug Valve with Check - Three Port

- FNPT x FNPT x FNPT
- Steam Only
- Three Way - Three Port
- 150 PSI Steam at 250°
- Threads conform to ANSI B1.20
- Cast Bronze Construction



Size	List	Carton Qty
1/2"	\$ 61.17	24
3/4"	\$ 105.09	12
1"	\$ 126.71	10
1 1/4"	\$ 190.18	10
1 1/2"	\$ 220.42	6
2"	\$ 326.11	3

9710

Square Head Plug Valve with Check - Two Port

- FNPT x FNPT x FNPT
- Steam Only
- Three Way - Two Port
- 150 PSI Steam at 250°
- Threads conform to ANSI B1.20
- Cast Bronze Construction



Size	List	Carton Qty
3/4"	\$ 99.10	10
1"	\$ 123.96	10
1 1/4"	\$ 181.69	10

845

Quick Opening Throttle Gate Valves

- FNPT x FNPT
- 125 PSI
- Cast Bronze Construction
- (1" Bushed down from 1 1/4")
- Intended for liquid based petroleum applications



Size	List	Carton Qty
1"	\$ 213.47	1
1 1/4"	\$ 197.98	1

845 & 848 Repair Kit

Repair Kit includes: gland, cam, stem, and o-rings

- 7213-139 845RK Repair Kit



Size	List	Carton Qty
1", 1 1/4"	\$ 52.28	1

848

Self-Closing Throttle Gate Valves

- FNPT x FNPT
- 125 PSI
- Cast Bronze Construction
- (1" Bushed down from 1 1/4")
- Intended for liquid based petroleum applications
- Spring loaded self-closing handle



Size	List	Carton Qty
*1"	\$ 212.21	1

Repair Handle

- 7213-208 848R Repair Handle and grip



Size	List	Carton Qty
1 1/4"	\$ 13.36	1

- 7118-309 Spring and Gland
- Includes Spring & Spacing Gland



Size	List	Carton Qty
1 1/4"	\$ 12.69	1

848R

Self-Closing Throttle Gate Valves

- FNPT x FNPT
- 125 PSI
- Cast Bronze Construction
- Intended for liquid based petroleum applications
- Spring loaded self-closing handle



Size	List	Carton Qty
1 1/4"	\$ 212.21	1



11001

Lock Lever Barrel Faucet

- MNPT x Plain End, 25 PSI
- Brass construction with hinged lever
- Intended for gravity flow petroleum products



Size	List	Carton Qty
3/4"	\$ 48.97	25
1"	\$ 55.79	15

882M

Utility Fill Cap & Vent

- MNPT
- For above ground fill pipes
- Cast Iron
- Can be padlocked
- Intended for liquid based petroleum applications



Size	List	Carton Qty
2"	\$ 31.58	1

11002

Lock Lever Barrel Faucet

- MNPT x NPSH, 25 PSI
- Brass construction with hinged lever
- Intended for gravity flow petroleum products



Size	List	Carton Qty
3/4"	\$ 56.90	25
1"	\$ 64.33	15

882

Utility Fill Cap & Vent

- MNPT
- For above ground fill pipes
- Cast Iron
- Can be padlocked
- Intended for liquid based petroleum applications



Size	List	Carton Qty
2"	\$ 29.39	1
3"	\$ 66.33	1
4"	\$ 88.57	1

11003

Lock Lever Barrel Faucet

- MNPT x FNPT, 25 PSI
- Brass construction with hinged lever
- Intended for gravity flow petroleum products



Size	List	Carton Qty
3/4"	\$ 49.50	25
1"	\$ 63.02	15

908

Vent

- FNPT
- Double outlet design
- Iron body, brass screens
- Screen = Brass 16 mesh



Size	List	Carton Qty
3/4"	\$ 18.72	1
1"	\$ 18.72	1
1 1/4"	\$ 32.60	1
1 1/2"	\$ 33.86	1
2"	\$ 39.35	1

2915S

Square Head Plug Valve*Relubable Plug

- MNPT x FNPT, 40 PSI
- Cast Bronze Construction
- Threads conform to ANSI B1.20.1
- (1/2" has square head without handle)
- Brine Stop



Size	List	Carton Qty
1/2"	\$ 37.44	50

72892

Tee Head Stop & Drain Plug Valve with Check - No-Lead

- FNPT x FNPT
- 40 PSI
- Cast Bronze Construction
- Threads conform to ANSI B1.20.1
- Water Only
- For above ground use only

Size	List	Carton Qty
1/2"	\$ 56.93	25
3/4"	\$ 75.68	20
1"	\$ 117.11	15
1 1/4"	\$ 165.35	15
1 1/2"	\$ 261.78	10
*2"	\$ 402.49	3



72832T

Stop & Drain Plug Valve with Check, Tee Handle - No-Lead

- FNPT x FNPT
- 3/4" - 1" rated 100 PSI
- 1 1/4" rated 80 PSI
- Cast Bronze Construction
- Threads conform to ANSI B1.20.1
- Water Only
- For above ground use only

Size	List	Carton Qty
3/4"	\$ 72.59	25
1"	\$ 114.06	20
1 1/4"	\$ 204.49	10



72832

Stop & Drain Plug Valve with Check, Less Handle - No-Lead

- FNPT x FNPT
- 3/4" - 1" rated 100 PSI
- 1 1/4" rated 80 PSI
- Cast Bronze Construction
- Threads conform to ANSI B1.20.1
- Water Only
- For above ground use only

Size	List	Carton Qty
3/4"	\$ 66.44	25
1"	\$ 106.18	15
1 1/4"	\$ 189.90	10



711X3FE 33

In-Line Dual Check - No-Lead

- FNPT Union Inlet & FNPT Integral Outlet
- Lay length - 3.55"
- Pressure rated to 175 PSI
- Temperature range 34° F to 180°F
- Designed to hold 1 PSI in the direction of flow
- Cast brass components meet AWWA C800
- Designed and tested ANSI/ASSE 1024 and CSA B64.6 requirements

Size	List	Carton Qty
3/4"	\$ 39.60	16



711X3ME 33

In-Line Dual Check - No-Lead

- MNPT Union Inlet & FNPT Integral Outlet
- Lay length - 4.61"
- Pressure rated to 175 PSI
- Temperature range 34° F to 180°F
- Designed to hold 1 PSI in the direction of flow
- Cast brass components meet AWWA C800
- Designed and tested ANSI/ASSE 1024 and CSA B64.6 requirements

Size	List	Carton Qty
3/4"	\$ 43.34	16



No-Lead Domestic / Specialty Valves

Domestic

711X4FE 44

In-Line Dual Check - No-Lead

- FNPT Union Inlet & FNPT Integral Outlet
- Lay length - 4.28"
- Pressure rated to 175 PSI
- Temperature range 34° F to 180°F
- Designed to hold 1 PSI in the direction of flow
- Cast brass components meet AWWA C800
- Designed and tested ANSI/ASSE 1024 and CSA B64.6 requirements



Size	List	Carton Qty
1"	\$ 111.18	12

711X4ME 44

In-Line Dual Check - No-Lead

- MNPT Union Inlet & FNPT Integral Outlet
- Lay length - 5.36"
- Pressure rated to 175 PSI
- Temperature range 34° F to 180°F
- Designed to hold 1 PSI in the direction of flow
- Cast brass components meet AWWA C800
- Designed and tested ANSI/ASSE 1024 and CSA B64.6 requirements



Size	List	Carton Qty
1"	\$ 117.22	12

Accessories - THIS PRODUCT does not come in contact with consumable water.

618

Tee Handle for 72832

Size	List	Carton Qty
1/2" & 3/4"	\$ 6.70	25
1"	\$ 8.64	50
1" x 5/16"	\$ 8.64	50
1 1/4"	\$ 11.35	10





No-Lead Ball Valves



No-Lead Ball Valves

Plumbing Catalog / Price List - June 2018


MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Full Port / Specialty Ball Valves

72032T

Full Port Ball Valve - No-Lead

- FNPT, 600 WOG, 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 61-8 & NSF / ANSI 372
- 72032T 1/2"-2" certified to:



Size	List	Carton Qty	Master Qty
1/4"	\$ 14.81	10	180
3/8"	\$ 14.81	10	180
1/2"	\$ 11.95	10	120
3/4"	\$ 19.48	10	90
1"	\$ 28.70	6	60
1 1/4"	\$ 55.13	4	36
1 1/2"	\$ 71.05	4	24
2"	\$ 93.27	2	12
2 1/2"	\$ 344.52	2	8
3"	\$ 527.91	2	6

72117S

Full Port Ball Valve - No-Lead

- SWT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowoff proof stem
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
3/8"	\$ 10.96	10	100
1/2"	\$ 10.96	10	80
3/4"	\$ 16.43	10	60
1"	\$ 25.83	6	36
1 1/4"	\$ 44.68	6	24
1 1/2"	\$ 59.53	2	16
2"	\$ 86.13	2	12
2 1/2"	\$ 222.60	1	6
3"	\$ 306.52	1	4

72032S

Full Port Ball Valve - No-Lead

- SWT, 600 WOG, 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/8"	\$ 14.81	10	180
1/2"	\$ 11.95	10	120
3/4"	\$ 19.48	10	90
1"	\$ 28.70	6	60
1 1/4"	\$ 55.13	4	36
1 1/2"	\$ 71.05	4	24
2"	\$ 93.27	2	12
2 1/2"	\$ 344.52	2	8
3"	\$ 527.91	2	6

72117T

Full Port Ball Valve - No-Lead

- FNPT 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowoff proof stem
- NSF / ANSI 61-4
- 72117T 1/2"-2" certified to:



Size	List	Carton Qty	Master Qty
1/4"	\$ 10.96	10	120
3/8"	\$ 10.96	10	100
1/2"	\$ 10.96	10	80
3/4"	\$ 16.43	10	60
1"	\$ 25.83	6	36
1 1/4"	\$ 44.68	6	24
1 1/2"	\$ 59.53	2	16
2"	\$ 86.13	2	12
2 1/2"	\$ 222.60	1	6
3"	\$ 306.52	1	4
4"	\$ 524.70	1	2

72032TX

Full Port Ball Valve with T-Handle - No-Lead

- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.51	10	120
3/4"	\$ 20.22	10	90
1"	\$ 31.08	6	60

72032SX

Full Port Ball Valve with T-Handle - No-Lead

- SWT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.51	10	120
3/4"	\$ 20.22	10	90
1"	\$ 31.08	6	60

72032TL

Full Port Ball Valve with Locking Handle - No-Lead

- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/4"	\$ 22.29	10	180
3/8"	\$ 22.29	10	180
1/2"	\$ 22.21	10	120
3/4"	\$ 34.44	10	90
1"	\$ 45.26	6	60
1 1/4"	\$ 75.00	4	36
1 1/2"	\$ 90.04	4	24
2"	\$ 138.00	2	12

72028PF

Forged Brass Body Full Port Ball Valve with Press End - No-Lead

- 250 PSI CWP
- Conforms to NSF/ANSI 61-2012, NSF/ANSI 14-2010a, and NSF/ANSI 372-2010
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 27.89	5	75
3/4"	\$ 32.61	10	50
1"	\$ 60.05	6	12
1 1/4"	\$ 89.46	5	10
1 1/2"	\$ 129.43	4	8
2"	\$ 197.58	2	4
2 1/2"	\$ 314.56	1	1
3"	\$ 429.36	1	1
4"	\$ 712.08	1	1

72036T

Full Port Bronze Body Valve - No-Lead

- Lever Handle
- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 26.00	10	120
3/4"	\$ 40.14	10	90
1"	\$ 55.97	6	60
1 1/4"	\$ 84.43	4	36
1 1/2"	\$ 98.47	4	24
2"	\$ 157.35	2	12

72028PFD

Forged Brass Body Full Port Ball Valve with Press End with Drain - No-Lead

- 250 PSI CWP
- Conforms to NSF/ANSI 61-2012, NSF/ANSI 14-2010a, and NSF/ANSI 372-2010
- Blowout proof stem



Size	List	Carton Qty	Master Qty
3/4"	\$ 37.87	10	40

72028PFGH

Forged Brass Body Full Port Ball Valve with Press End and Removable Cap - No-Lead

- 3/4" Press x 3/4" MGHT
- 250 PSI CWP
- Conforms to NSF/ANSI 61-2012, NSF/ANSI 14-2010a, and NSF/ANSI 372-2010



Size	List	Carton Qty	Master Qty
3/4"	\$ 38.11	5	40

72036TX

Full Port Bronze Body Valve - No-Lead

- Stainless Steel Tee Handle
- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



Size	List	Carton Qty	Master Qty
3/4"	\$ 42.15	10	60
1"	\$ 58.77	6	36
1 1/4"	\$ 89.54	4	20
1 1/2"	\$ 113.84	4	16
2"	\$ 187.05	2	12

72033T

Full Port Ball Valve with Drain - No-Lead

- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 18.34	10	120
3/4"	\$ 28.79	10	60
1"	\$ 41.30	6	36

No-Lead Full Port / Specialty Ball Valves

72033S

Full Port Ball Valve with Drain - No-Lead

- SWT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 18.34	10	120
3/4"	\$ 28.79	10	60
1"	\$ 41.30	6	36

72030FP

Pex Ball Valve - No-Lead

- Pex x FNPT, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- *Lever handle only



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.04	10	120
3/4"	\$ 20.61	10	120
*1"	\$ 29.17	6	60

72030C

Standard Port Ball Valve with Drain - No-Lead

- COMP x COMP, 400 WOG
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 22.67	10	120
3/4"	\$ 32.56	10	90
1"	\$ 44.76	6	60

72030P

Pex Ball Valve - Heavy Pattern - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 13.45	10	120
3/4"	\$ 18.61	10	120
1"	\$ 34.46	6	54

72031

Full Port Ball Valve - No-Lead

- SWT x MNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



Size	List	Carton Qty	Master Qty
3/4"	\$ 24.50	10	60

72030EP

Pex Ball Valve - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 61-4
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 9.75	10	120
3/4"	\$ 14.69	10	100
1"	\$ 24.13	10	60
1 1/4"	\$ 33.78	10	40

72030MP

Pex Ball Valve - No-Lead

- Pex x MNPT, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.04	10	120
3/4"	\$ 20.61	10	120

72030PC

Pex Ball Valve - No-Lead

- SWT x Pex, 400 WOG, 150 WSP
- Pex ends conform to ASTM F1807
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 19.78	10	120
3/4"	\$ 25.90	10	120

72030DEP

Pex Ball Valve Drop Ear - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.72	8	80
3/4"	\$ 16.14	8	64

72033DEEXP

Expansion Pex Ball Valve Drop Ear w/Drain - No-Lead

- Expansion Pex x Expansion Pex
- Blowout proof stem
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.17	10	100
3/4"	\$ 22.33	10	100
1"	\$ 37.41	6	48

72030EXPX

Expansion Pex Ball w/ Tee Handle

- No-Lead
- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.72	10	100
3/4"	\$ 16.14	10	100
1"	\$ 26.56	6	48

72030EPX

Pex Ball w/ Tee Handle - No-Lead

- Pex x Pex
- Pex ends conform to ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 9.75	10	100
3/4"	\$ 14.69	10	100
1"	\$ 24.13	6	48

72033P

Pex Ball Valve with Drain - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.88	10	120
3/4"	\$ 21.24	10	120

72030TCL

Test Cock with Lever Handle - No-Lead

- 1/4" MNPT x 1/4" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/4"	\$ 7.17	50	200

72030TC

Test Cock - No-Lead

- 1/4" MNPT x 1/4" FNPT
- 1/8" MNPT x 1/4" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/4"	\$ 6.37	50	200
1/4" x 1/8"	\$ 6.37	50	200

72030EXMP

Expansion Pex Ball Valve - No-Lead

- Expansion Pex x MNPT, 400 WOG,
- Pex ends conform to ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



Size	List	Carton Qty	Master Qty
3/4"	\$ 20.61	10	100
1"	\$ 22.65	6	100

72030EXP

Full Port Expansion Pex Ball Valve - No-Lead

- Expansion Pex x Expansion Pex, 400 WOG
- Pex ends conform to ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.72	10	100
3/4"	\$ 16.14	10	100
1"	\$ 26.56	6	48

72087BV

Full Port Ball Valve Insert - No-Lead

- Insert x Insert, 600 WOG
- NSF 372 / 61



Size	List	Carton Qty	Master Qty
3/4"	\$ 21.41	10	60
1"	\$ 36.10	5	30
1 1/4"	\$ 49.08	5	20

No-Lead Full Port / Specialty Ball Valves

Accessories - THIS PRODUCT does not come in contact with consumable water.

72032EH

Extended Handles for Ball Valves - No-Lead

- For models 72032 & 72033
- 2" will work for 2 1/2" & 3" valves



Size	List	Carton Qty
1/4" - 1/2"	\$ 15.77	1
3/4" - 1"	\$ 22.54	1
1 1/4" - 1 1/2"	\$ 29.89	1
2"	\$ 73.57	1

72032TH

Tee Handles - No-Lead

- For models 72032 & 72033
- 2" will work for 2 1/2" & 3" valves



Size	List	Carton Qty
1/4" - 1/2"	\$ 3.90	1
3/4" - 1"	\$ 5.16	1
1 1/4" - 1 1/2"	\$ 8.95	1
2"	\$ 16.50	1

72032H

Repair Handles for Ball Valves - No-Lead

- For models 72032 & 72033
- 2" will work for 2 1/2" & 3" valves



Size	List	Carton Qty
1/4" - 1/2"	\$ 2.82	1
3/4" - 1"	\$ 3.90	1
1 1/4" - 1 1/2"	\$ 5.16	1
2"	\$ 11.40	1

2033CAP

Replacement Drain Cap



Size	List	Carton Qty
	\$ 0.67	1

72032SSH

Stainless Steel Handles for Ball Valves - No-Lead

- For models 72032 & 72033
- 2" will work for 2 1/2" & 3" valves



Size	List	Carton Qty
1/4" - 1/2"	\$ 6.81	1
3/4" - 1"	\$ 12.01	1
1 1/4" - 1 1/2"	\$ 18.01	1
2"	\$ 30.03	1



No-Lead Hose Bibbs



No-Lead Hose Bibbs

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Hose Bibbs

72002

Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- 1/2" is MNPT or Copper Combination*
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
* 1/2"	\$ 9.34	10	100
3/4"	\$ 10.45	10	100

72005QT

Quarter Turn Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.46	12	72
3/4"	\$ 13.80	12	72

72002HD

Hose Bibb - Heavy Duty - No-Lead

- MNPT x G.H.T., 125 WOG
- 1/2" is MNPT or Copper Combination*
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
* 1/2"	\$ 13.55	10	60
3/4"	\$ 14.94	10	60

72006

No-Kink Hose Bibb - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.09	10	80
3/4"	\$ 10.60	10	80

72002NT

Hose Bibb - No Thread - No-Lead

- MNPT x Plain End, 125 WOG
- 1/2" is MNPT or Copper Combination*
- NSF / ANSI 61



Size	List	Carton Qty	Master Qty
* 1/2"	\$ 10.39	10	100
3/4"	\$ 11.16	10	100

72006S

No-Kink Hose Bibb - No-Lead

- SWT x G.H.T., 125 WOG
- 1/2" is SWT or 3/4" CLPG x G.H.T.*
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
* 1/2" or 3/4"	\$ 14.25	10	80

72003

Garden Hose Bibb - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.53	10	60
3/4"	\$ 14.53	10	40
1"	\$ 16.15	10	40

72007

No-Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- 1/2" is MNPT or Copper Combination*
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
* 1/2"	\$ 10.02	10	80
3/4"	\$ 11.35	10	80

72005

Quarter Turn No-Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.46	25	100
3/4"	\$ 13.80	10	60

72007BV

Quarter Turn No-Kink Hose Bibb Ball Valve - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.49	25	100
3/4"	\$ 13.80	10	60

72007BL

Quarter Turn No-Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI AB1953



Size	List	Carton Qty	Master Qty
1/2"	\$ 15.93	6	36
3/4"	\$ 14.31	6	36

72014PWF

Angle Sillcock w/Wide Flange - No-Lead

- Pex x G.H.T., 125 WOG
- End conforms to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 18.74	6	60
3/4"	\$ 17.44	6	60

72007CA

Angle Sillcock - No-Lead

- Comp x G.H.T., 125 WOG
- 5/8" Comp x 3/4" MGHT
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
5/8"	\$ 11.79	10	80

72014QT

Angle Sillcock Quarter Turn - No-Lead

- SWT x G.H.T., 125 WOG
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 15.32	12	72
3/4"	\$ 18.60	12	72

72007QT

Quarter Turn No-Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 13.18	12	72
3/4"	\$ 14.00	12	72

72015

Angle Sillcock - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.60	10	60
3/4"	\$ 13.43	10	60

72014

Angle Sillcock - No-Lead

- SWT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.00	10	60
3/4"	\$ 14.17	10	60

72015F

Angle Sillcock - Heavy Duty - No-Lead

- FNPT x G.H.T., 125 WOG
- 2" Flange diameter
- Rubber coated oval handle
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.59	10	60
3/4"	\$ 17.83	10	60

72014F

Angle Sillcock - Heavy Duty - No-Lead

- SWT x G.H.T., 125 WOG
- 2" Flange diameter
- Rubber coated oval handle
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.59	10	60
3/4"	\$ 17.83	10	60

No-Lead Hose Bibbs

72015WF

Angle Sillcock w/Wide Flange - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 13.73	4	40
3/4"	\$ 15.57	4	40

72015VB

Angle Sillcock - w/Vacuum Breaker - No-Lead

- FNPT x G.H.T., 125 WOG
- 2" Flange diameter
- Rubber coated oval handle
- Vacuum Breaker is non-removable
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.39	10	40
3/4"	\$ 16.39	10	40

72015QT

Angle Sillcock Quarter Turn - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.14	12	72
3/4"	\$ 18.26	12	72

72004

Boiler Drain - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61




Size	List	Carton Qty	Master Qty
1/2"	\$ 10.55	10	80
3/4"	\$ 12.08	10	80

72004QT

Boiler Drain Quarter Turn - No-Lead

- FNPT x G.H.T.
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 13.04	12	72
3/4"	\$ 15.51	12	72

72008

Boiler Drain - No-Lead

- MNPT x G.H.T., 125 WOG
- 1/2" is MNPT or SWT Combination*
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
*1/2"	\$ 9.08	10	80
3/4"	\$ 10.76	10	80

72008P

Boiler Drain - No-Lead

- Pex or MNPT x G.H.T., 125 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.23	10	60

72008QT

Boiler Drain Quarter Turn - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.40	12	72
3/4"	\$ 15.32	12	72

72034SP

Standard Port Gate Valve - No-Lead

- Pex x Pex, 200 WOG
- Non-rising stem
- Pex ends conform to ASTM F1807
- NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 18.07	10	100
3/4"	\$ 24.02	10	60

72001

Vacuum Breaker - No-Lead

- F.G.H.T. x M.G.H.T
- ASSE 1011
- * Flat washer seat
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/4"	\$ 8.25	20	180

72009MM

Hose Bibb Adapter - No-Lead

- M.G.H.T x M.G.H.T



Size	List	Carton Qty	Master Qty
3/4"	\$ 5.07	20	200

72041

Hose Swivel Adapter - No-Lead

- FNPT x F.G.H.T Swivel
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/4"	\$ 5.33	20	200

72009FF

Hose Bibb Adapter - No-Lead

- FNPT x F.G.H.T



Size	List	Carton Qty	Master Qty
3/4"	\$ 5.33	15	150

72009

Hose Bibb Adapter - No-Lead

- MNPT x M.G.H.T
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2" x 3/4"	\$ 4.36	50	200
3/4"	\$ 5.07	50	200

72009MF

Hose Bibb Adapter - No-Lead

- MNPT x F.G.H.T



Size	List	Carton Qty	Master Qty
3/4"	\$ 5.07	20	200

72009FM

Hose Bibb Adapter - No-Lead

- FNPT x M.G.H.T



Size	List	Carton Qty	Master Qty
3/4"	\$ 5.07	20	200

No-Lead Hose Bibbs



No-Lead Gate & Stop Valves

No-Lead Gate & Stop Valves

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Gates & Stop Valves

72035T

Full Port Gate Valve - No-Lead

- FNPT x FNPT, 300 WOG
- Non-rising stem
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
3/8"	\$ 14.72	10	60
1/4"	\$ 14.72	10	60
1/2"	\$ 14.72	10	60
3/4"	\$ 19.60	10	40
1"	\$ 26.13	5	30
1 1/4"	\$ 37.16	5	20
1 1/2"	\$ 47.81	4	16
2"	\$ 72.91	2	12
2 1/2"	\$ 145.74	6	6
3"	\$ 205.21	4	4
4"	\$ 367.58	2	2

72017

Stop Valve with Drain - No-Lead

- FNPT x FNPT, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.01	10	60
3/4"	\$ 13.09	10	60

72018

Stop Valve - No-Lead

- FNPT x FNPT, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.30	10	60
3/4"	\$ 12.48	10	60

72035S

Full Port Gate Valve - No-Lead

- SWT x SWT, 300 WOG
- Non-rising stem
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.72	10	60
3/4"	\$ 19.60	10	40
1"	\$ 26.13	5	30
1 1/4"	\$ 37.16	5	20
1 1/2"	\$ 47.81	4	16
2"	\$ 72.91	2	12

72019

Stop Valve with Drain - No-Lead

- Comp x Comp, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 18.21	10	100
3/4"	\$ 23.17	10	100

72038T

Bronze Full Port Gate Valve - No-Lead

- FNPT x FNPT, 300 WOG, 125 WSP
- Non-rising stem
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 24.52	10	60
3/4"	\$ 31.39	10	40
1"	\$ 41.54	5	30
1 1/4"	\$ 60.83	5	20
1 1/2"	\$ 78.87	4	16
2"	\$ 107.37	2	8

72022

Stop Valve with Drain - No-Lead

- SWT x SWT, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 9.84	10	80
3/4"	\$ 11.85	10	60



No-Lead Stop & Angle Valves



No-Lead Stop & Angle Valves

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Stop & Angle Valves

No-Lead Stop & Angle Valves

72022P

Stop Valve with Drain - No-Lead

- Pex x Pex, 125 WOG
- Pex ends conform to ASTM F1807
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.11	10	100
3/4"	\$ 19.83	10	100

72023

Stop Valve - No-Lead

- SWT x SWT, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 9.75	10	80
3/4"	\$ 11.32	10	60

72024

Angle Stop Valve - No-Lead

- Flare x FNPT, 125 WOG
- Soft seat design
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
3/4" x 1/2"	\$ 40.17	6	36
3/4" x 3/4"	\$ 43.42	6	36
1" x 3/4"	\$ 69.02	6	24
1" x 1"	\$ 83.48	5	20

72025

Angle Stop Valve with Drain - No-Lead

- Flare x FNPT, 125 WOG
- Soft seat design
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
3/4" x 1/2"	\$ 40.71	6	36
3/4" x 3/4"	\$ 44.26	6	24
1" x 3/4"	\$ 69.99	6	24
1" x 1"	\$ 85.01	5	20

2015FH

Repair Handle

- For 72014F and 72015F



Size	List	Carton Qty
1/2" - 3/4"	\$ 1.48	1

2035CH

Cross Handles

- For 72035T, 72035S, 72038T, and 2035T Gate Valves



Size	List	Carton Qty
1/2" - 3/4"	\$ 2.73	1
1"	\$ 2.73	1
1 1/4" - 1 1/2"	\$ 2.73	1
2"	\$ 3.89	1

2035H

Repair Handles

- For Gate Valves made in Taiwan




Size	List	Carton Qty
3/4"	\$ 1.69	1
1"	\$ 2.34	1
1 1/2"	\$ 3.74	1
2"	\$ 4.59	1
2 1/2"	\$ 8.43	1
3"	\$ 14.76	1
4"	\$ 31.23	1

2035HW

Gate Valve Handwheel

- For Gate Valves made in Indonesia



Size	List	Carton Qty
3/4"	\$ 1.69	1
1"	\$ 2.34	1
1 1/2"	\$ 3.74	1
2"	\$ 4.59	1
2 1/2"	\$ 8.43	1
3"	\$ 14.76	1
4"	\$ 31.23	1



No-Lead Check Valves & Strainers



No-Lead Check Valve & Strainers

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Check Valves & Strainers

72051S

Y-Pattern Swing Check Valve - No-Lead

- SWT x SWT, 300 WOG, 125 WSP
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 34.32	10	80
3/4"	\$ 45.47	10	40
1"	\$ 60.89	10	30
1 1/4"	\$ 86.45	5	20
1 1/2"	\$ 108.33	4	16
2"	\$ 151.18	2	8

72051T

Y-Pattern Swing Check Valve - No-Lead

- FNPT x FNPT, 300 WOG, 125 WSP
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 34.32	10	60
3/4"	\$ 45.47	10	40
1"	\$ 60.89	10	30
1 1/4"	\$ 86.45	5	20
1 1/2"	\$ 108.33	4	16
2"	\$ 151.18	2	8

72052S

Bronze Y-Strainer - No-Lead

- SWT x SWT, 300 WOG, 150 WSP
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- 20 Mesh SS screen
- Closure plug included
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 35.29	12	48
3/4"	\$ 50.98	6	36
1"	\$ 67.71	8	24
1 1/4"	\$ 103.77	6	12
1 1/2"	\$ 131.27	2	12
2"	\$ 211.45	2	8

72052T

Bronze Y-Strainer - No-Lead

- FNPT x FNPT, 300 WOG, 150 WSP
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- 20 Mesh SS screen
- Closure plug included
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 35.29	12	48
3/4"	\$ 50.98	8	32
1"	\$ 67.71	8	16
1 1/4"	\$ 103.77	6	12
1 1/2"	\$ 131.27	2	12
2"	\$ 211.45	2	8

72050S

Swing Check Valve - No-Lead

- SWT x SWT, 200 WOG
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Metal to metal seat
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.66	10	100
3/4"	\$ 20.91	10	60
1"	\$ 29.28	5	40
1 1/4"	\$ 41.99	5	30
1 1/2"	\$ 57.87	5	20
2"	\$ 89.93	2	12

72050T

Swing Check Valve - No-Lead

- FNPT x FNPT, 200 WOG
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Metal to metal seat
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.66	10	100
3/4"	\$ 20.91	10	60
1"	\$ 29.28	10	40
1 1/4"	\$ 41.99	5	30
1 1/2"	\$ 57.87	5	20
2"	\$ 89.93	2	16
2 1/2"	\$ 176.70	8	8
3"	\$ 238.24	1	4
4"	\$ 393.55	1	2

2053T

Iron Y-Strainer - No-Lead

- FNPT x FNPT, 500 WOG, 250 WSP
- Threads conform to ANSI B1.20.1
- 20 Mesh SS screen
- Directional



Size	List	Carton Qty	Master Qty
1/2"	\$ 13.35	10	10
3/4"	\$ 16.98	12	12
1"	\$ 24.35	10	10
1 1/4"	\$ 36.93	12	12
1 1/2"	\$ 40.66	8	8
2"	\$ 69.10	5	5

72057T

Bronze In-Line Check Valve - No-Lead

- FNPT x FNPT, 200 WOG
- Spring loaded check
- Directional
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 28.37	10	100
3/4"	\$ 32.76	10	60
1"	\$ 40.24	10	40
1 1/4"	\$ 54.55	5	30
1 1/2"	\$ 71.76	5	20
2"	\$ 125.65	5	10
3"	\$ 470.79	4	4
4"	\$ 840.47	2	2

72054S

In-Line Check Valve - No-Lead

- SWT x SWT, 250 WOG, 125 WSP
- Spring loaded check
- Rubber seats for silent operation
- Directional



Size	List	Carton Qty	Master Qty
1/2"	\$ 38.04	34	204
3/4"	\$ 52.53	30	120
1"	\$ 72.21	18	72
1 1/4"	\$ 89.71	12	48
1 1/2"	\$ 117.83	14	28
2"	\$ 168.33	4	16

72115T

Anti-Sweat Valve - No-Lead

- MNPT, 125 WOG
- Used to mix hot and cold water supply to avoid condensation buildup on the water closet
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 64.94	1	60

72054T

In-Line Check Valve - No-Lead

- FNPT x FNPT, 250 WOG, 125 WSP
- Spring loaded check
- Rubber seats for silent operation
- Directional



Size	List	Carton Qty	Master Qty
1/2"	\$ 38.04	28	168
3/4"	\$ 52.53	18	108
1"	\$ 72.21	18	72
1 1/4"	\$ 89.71	12	48
1 1/2"	\$ 117.83	8	32
2"	\$ 168.33	6	18



No-Lead Frostproof Sillcocks



No-Lead Frostproof Sillcocks

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Frostproof Sillcocks

72010

Frostproof Sillcock - Multi-Turn Operation - No-Lead

- 1/2" MNPT or 1/2" SWT x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 30.08	1	24
1/2" x 6"	\$ 31.25	1	24
1/2" x 8"	\$ 33.00	1	24
1/2" x 10"	\$ 34.05	1	24
1/2" x 12"	\$ 35.99	1	24

72011P

Frostproof Sillcock with Vacuum Breaker - Antisiphon Multi-Turn Operation - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 39.20	1	24
1/2" x 6"	\$ 40.76	1	24
1/2" x 8"	\$ 42.27	1	24
1/2" x 10"	\$ 43.91	1	24
1/2" x 12"	\$ 45.37	1	24

72010P

Frostproof Sillcock - Multi-Turn Operation - No-Lead

- 1/2" Pex, 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12", 14"
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 31.61	1	24
1/2" x 6"	\$ 32.82	1	24
1/2" x 8"	\$ 34.66	1	24
1/2" x 10"	\$ 35.76	1	24
1/2" x 12"	\$ 37.78	1	24
1/2" x 14"	\$ 37.92	1	24

72011QT

Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Thread End - No-Lead

- 1/2" MNPT or SWT x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12", 14"
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 52.95	1	20
1/2" x 6"	\$ 54.08	1	20
1/2" x 8"	\$ 54.69	1	20
1/2" x 10"	\$ 57.89	1	20
1/2" x 12"	\$ 61.06	1	20
1/2" x 14"	\$ 62.26	1	20

72011

Frostproof Sillcock with Vacuum Breaker - Antisiphon Multi-Turn Operation - No-Lead

- 1/2" MNPT or 1/2" SWT x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 2", 4", 6", 8", 10", 12", 14"
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2" x 2"	\$ 36.40	1	24
1/2" x 4"	\$ 37.57	1	24
1/2" x 6"	\$ 39.04	1	24
1/2" x 8"	\$ 39.64	1	24
1/2" x 10"	\$ 42.06	1	24
1/2" x 12"	\$ 43.50	1	24
1/2" x 14"	\$ 45.04	1	24

72011EXP

Frostproof Sillcock with Vacuum Breaker Antisiphon Multi-Turn Operation - No-Lead

- 1/2" Expansion Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- NSF / ANSI 372
- Pex ends conforms to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 39.20	1	24
1/2" x 6"	\$ 40.76	1	24
1/2" x 8"	\$ 42.27	1	24
1/2" x 10"	\$ 43.91	1	24
1/2" x 12"	\$ 45.37	1	24

72011EXPQT

Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Expansion Pex End - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Pex ends conform to ASTM F1960
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 54.13	1	20
1/2" x 8"	\$ 55.90	1	20
1/2" x 12"	\$ 62.43	1	20

72011PQT

Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Pex End - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12", 14"
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 54.13	1	20
1/2" x 6"	\$ 55.32	1	20
1/2" x 8"	\$ 55.90	1	20
1/2" x 10"	\$ 59.20	1	20
1/2" x 12"	\$ 62.43	1	20
1/2" x 14"	\$ 63.66	1	20

72011VBKT

Vacuum Breaker Repair Kit - No-Lead

- For 2011, 72011, or 72011QT



Size	List	Carton Qty
	\$ 9.78	1

72011RK

Stem Seat Repair Kit - No-Lead



Size	List	Carton Qty
	\$ 2.11	1

72011QTC

Quarter Turn Cartridge - No-Lead

- Only fits no-lead quarter turn model 72011QT



Size	List	Carton Qty
	\$ 15.16	1

72011MS

Stem Repair Kit - No-Lead



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 11.91	1	50
1/2" x 6"	\$ 11.91	1	50
1/2" x 8"	\$ 11.91	1	50
1/2" x 10"	\$ 11.91	1	50
1/2" x 12"	\$ 11.91	1	50
1/2" x 14"	\$ 11.91	1	50

72011QTMS

Frostproof Sillcock - Quarter Turn Repair Kit - No-Lead



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 18.21	1	25
1/2" x 6"	\$ 18.21	1	25
1/2" x 8"	\$ 18.21	1	25
1/2" x 10"	\$ 18.21	1	25
1/2" x 12"	\$ 18.21	1	25
1/2" x 14"	\$ 18.21	1	25

2010H

Repair Handle for 2010 and 2011



Size	List	Carton Qty
	\$ 2.61	1

2011R & 2011HTR

Sillcock Repair Handle Repair Kit

- Bag Complete - Includes Sillcock Handle, vacuum, breaker cap, and vacuum breaker repair kit.



Size	List	Carton Qty
	\$ 9.78	1



No-Lead Supply Stops

No-Lead Supply Stops

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Quarter Turn Supply Stops

72082C

Angle Quarter Turn Supply Stop - No-Lead

- Comp x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 5/8" O.D. x 3/8" O.D.

Size	List	Carton Qty	Master Qty
5/8" x 3/8"	\$ 9.37	20	240



72082SLK

Angle Quarter Turn Supply Stop Loose Key - No-Lead

- SWT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" SWT x 3/8" O.D.

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 13.03	20	160



72082CLK

Angle Quarter Turn Supply Stop Loose Key - No-Lead

- Comp x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 5/8" O.D. x 3/8" O.D.

Size	List	Carton Qty	Master Qty
5/8" x 3/8"	\$ 12.84	20	160



72082P

Angle Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.47	20	240



72082M

Angle Quarter Turn Supply Stop - No-Lead

- FNPT x Slip Joint
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 1/2" Slip Joint

Size	List	Carton Qty	Master Qty
1/2" x 1/2"	\$ 13.98	20	240



72082PLK

Angle Quarter Turn Supply Stop Loose Key - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 12.96	20	160



72082M

Angle Quarter Turn Supply Stop - No-Lead

- Comp x Slip Joint
- NSF / ANSI 61-8 & NSF / ANSI 372
- 5/8" O.D. x 1/2" Slip Joint

Size	List	Carton Qty	Master Qty
5/8" x 1/2"	\$ 16.72	20	240



72082Q

Angle Quarter Turn Supply Stop - Push-Fit - No-Lead

- CTS x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CTS x 3/8" O.D.
- 1/2" CTS x 1/4" O.D.

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 15.98	10	100
1/2" x 1/4"	\$ 15.98	10	100



72082S

Angle Quarter Turn Supply Stop - No-Lead

- SWT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" SWT x 3/8" O.D.

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.51	20	240



72082T

Angle Quarter Turn Supply Stop - Push-Fit - No-Lead

- FNPT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 3/8" O.D.
- 3/8" FNPT x 3/8" O.D.

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 8.38	20	240
3/8" x 3/8"	\$ 9.00	20	240



72082EXP

Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp
- Pex ASTM F1960

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.47	20	240



72082TLK

Angle Quarter Turn Supply Stop Loose Key - No-Lead

- FNPT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 3/8" O.D.

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 11.49	20	160



72082EXPI

Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 1/4" Comp
- Pex ASTM F1960

Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240



72082V

Angle Quarter Turn Supply Stop - No-Lead

- CPVC x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CPVC x 3/8" O.D.

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 13.35	20	240



72082EXPD

Angle Quarter Turn Expansion Pex Supply Stop Dual Outlet - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp x 3/8" Comp
- Pex ASTM F1960

Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 15.76	20	240



72082S5

Angle Quarter Turn Supply Stop - No-Lead

- SWT x Comp
- 1/2" SWT x 3/8" O.D. - with 5" Extension

Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 20.17	10	120



72082EXPDI

Angle Quarter Turn Expansion Pex Supply Stop Dual Outlet - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp x 1/4" Comp
- Pex ASTM F1960

Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 1/4"	\$ 15.76	20	240



No-Lead Quarter Turn Supply Stops

72080C

- Straight Quarter Turn Supply Stop - No-Lead**
 - Comp x Comp
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - 5/8" O.D. x 3/8" O.D.



Size	List	Carton Qty	Master Qty
5/8" x 3/8"	\$ 9.51	20	240

72080S

- Straight Quarter Turn Supply Stop - No-Lead**
 - SWT x Comp
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - 1/2" SWT x 3/8" O.D.



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 8.75	20	240

72080CLK

- Straight Quarter Turn Supply Stop Loose Key - No-Lead**
 - Comp x Comp
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - 5/8" O.D. x 3/8" O.D.



Size	List	Carton Qty	Master Qty
5/8" x 3/8"	\$ 13.03	20	160

72080SLK

- Straight Quarter Turn Supply Stop Loose Key - No-Lead**
 - SWT x Comp
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - 1/2" SWT x 3/8" O.D.



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 11.98	20	160

72080M

- Straight Quarter Turn Supply Stop - No-Lead**
 - FNPT x Slip Joint
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - 1/2" FNPT x 1/2" Slip Joint



Size	List	Carton Qty	Master Qty
1/2" x 1/2"	\$ 12.24	20	240

72080P

- Straight Quarter Turn Supply Stop - No-Lead**
 - Pex x Comp
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - 1/2" Pex x 3/8" O.D.
 - Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.57	20	240

72080M

- Straight Quarter Turn Supply Stop - No-Lead**
 - Comp x Slip Joint
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - 5/8" O.D. x 1/2" Slip Joint



Size	List	Carton Qty	Master Qty
5/8" x 1/2"	\$ 15.07	20	240

72080PLK

- Straight Quarter Turn Supply Stop Loose Key - No-Lead**
 - Pex x Comp
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - 1/2" Pex x 3/8" O.D.
 - Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 13.11	20	160

No-Lead Supply Stops

72080Q

Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- CTS x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CTS x 3/8" O.D.



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 15.98	10	200
1/2" x 1/4"	\$ 15.98	10	200

72080V

Straight Quarter Turn Supply Stop - No-Lead

- CPVC x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CPVC x 3/8" Comp



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 14.71	20	240

72080PP

Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/2" Pex
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 1/2"	\$ 12.84	20	240

72080S5

Straight Quarter Turn Supply Stop No-Lead

- SWT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" SWT x 3/8" O.D. - with 5" Extension



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 19.48	10	120

72080T

Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- FNPT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 3/8" O.D.
- 3/8" FNPT x 3/8" O.D.



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.03	20	240
3/8" x 3/8"	\$ 8.48	20	240

72081REPL

Transition Supply Stop - No-Lead

- Female Swivel x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 3/8" Female Swivel inlet x 3/8" O.D. Comp. outlet attaches to the 3/8" outlet of any supply stop. Add this Valve instead of replacing a stop that will not positively shut off.



Size	List	Carton Qty	Master Qty
3/8"	\$ 14.52	20	240

72080TLK

Straight Quarter Turn Supply Stop Loose Key - No-Lead

- FNPT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 3/8" O.D.



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 12.90	20	160

72080EXP

Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.57	20	240

No-Lead Dual Outlet Dual Handle Supply Stops

72080DD

Straight Supply Stop

Dual Outlet Dual Handle Chrome - No-Lead

- Comp x Comp
- 5/8" O.D. x 3/8" O.D. or 1/4" O.D.



Size	List	Carton Qty	Master Qty
5/8" x 3/8" x 3/8"	\$ 20.77	10	80
5/8" x 3/8" x 1/4"	\$ 20.59	10	80

72080VDD

Straight Supply Stop CPVC

Dual Outlet Dual Handle Chrome - No-Lead

- CPVC x Comp
- 1/2" CPVC x 3/8" Comp



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 24.70	10	80

72080DDB

Straight Supply Stop

Dual Outlet Dual Handle Brass - No-Lead

- Comp x Comp
- 5/8" O.D. x 3/8" O.D. or 1/4" O.D.



Size	List	Carton Qty	Master Qty
5/8" x 3/8" x 3/8"	\$ 18.88	10	80
5/8" x 3/8" x 1/4"	\$ 18.71	10	80

72080VDDB

Straight Supply Stop CPVC

Dual Outlet Dual Handle Brass - No-Lead

- CPVC x Comp
- 1/2" CPVC x 3/8" Comp



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 22.45	10	80

72080PDD

Straight Supply Stop

Pex Dual Outlet Dual Handle Chrome - No-Lead

- Pex x Comp
- 1/2" Pex x 3/8" or 1/4" Comp
- Pex ASTM F1807




Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 29.38	10	80
1/2" x 3/8" x 1/4"	\$ 29.38	10	80

72080PDDB

Straight Supply Stop Pex

Dual Outlet Dual Handle Brass - No-Lead

- Pex x Comp
- 1/2" Pex x 3/8" or 1/4" Comp
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 26.71	10	80
1/2" x 3/8" x 1/4"	\$ 26.71	10	80

72080EXPDD

Straight Supply Stop Expansion Pex

Dual Outlet Dual Handle Chrome - No-Lead

- Expansion Pex x Comp
- 1/2" Expansion Pex x 3/8" or 1/4" Comp
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 30.59	10	80
1/2" x 3/8" x 1/4"	\$ 30.59	10	80

72080EXPDDB

Straight Supply Stop Expansion Pex

Dual Outlet Dual Handle Brass - No-Lead

- Expansion Pex x Comp
- 1/2" Expansion Pex x 3/8" or 1/4" Comp
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 26.71	10	80
1/2" x 3/8" x 1/4"	\$ 26.71	10	80

No-Lead Supply Stops

No-Lead Dual Outlet Dual Handle Supply Stops

72082DD

Angle Supply Stop
Dual Outlet Dual Handle Chrome - No-Lead
 - Comp x Comp
 - 5/8" O.D. x 3/8" O.D. or 1/4" O.D.



Size	List	Carton Qty	Master Qty
5/8" x 3/8" x 3/8"	\$ 20.77	10	80
5/8" x 3/8" x 1/4"	\$ 20.59	10	80

72082VDD

Angle Supply Stop CPVC
Dual Outlet Dual Handle Chrome - No-Lead
 - CPVC x Comp
 - 1/2" CPVC x 3/8" Comp



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 24.70	10	80

72082DDB

Angle Supply Stop
Dual Outlet Dual Handle Brass - No-Lead
 - Comp x Comp
 - 5/8" O.D. x 3/8" O.D. or 1/4" O.D.



Size	List	Carton Qty	Master Qty
5/8" x 3/8" x 3/8"	\$ 18.88	10	80
5/8" x 3/8" x 1/4"	\$ 18.71	10	80

72082VDDB

Angle Supply Stop CPVC
Dual Outlet Dual Handle Brass - No-Lead
 - CPVC x Comp
 - 1/2" CPVC x 3/8" Comp



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 22.45	10	80

72082PDD

Angle Supply Stop
Pex Dual Outlet Dual Handle Chrome - No-Lead
 - Pex x Comp
 - 1/2" Pex x 3/8" or 1/4" Comp
 - Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 29.68	10	80
1/2" x 3/8" x 1/4"	\$ 29.68	10	80

72082PDDB

Angle Supply Stop Pex
Dual Outlet Dual Handle Brass - No-Lead
 - Pex x Comp
 - 1/2" Pex x 3/8" or 1/4" Comp
 - Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 26.71	10	80
1/2" x 3/8" x 1/4"	\$ 26.71	10	80

72082EXPDD

Angle Supply Stop Expansion Pex
Dual Outlet Dual Handle Chrome - No-Lead
 - Expansion Pex x Comp
 - 1/2" Expansion Pex x 3/8" or 1/4" Comp
 - Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 30.89	10	80
1/2" x 3/8" x 1/4"	\$ 30.89	10	80

72082EXPDDB

Angle Supply Stop Expansion Pex
Dual Outlet Dual Handle Brass - No-Lead
 - Expansion Pex x Comp
 - 1/2" Expansion Pex x 3/8" or 1/4" Comp
 - Pex ASTM F1960




Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 26.71	10	80
1/2" x 3/8" x 1/4"	\$ 26.71	10	80

No-Lead Quarter Turn Supply Stops

72080EXPI

Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- 1/2" Expansion Pex x 1/4" Comp
- Pex ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372




Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240

72080PI

Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- 1/2" Pex x 1/4" Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240

72080K

Replacement Key Only - No-Lead

- 2" Key Length



Size	List	Carton Qty	Master Qty
	\$ 3.05	50	150

72082I

Angle Quarter Turn Supply Stop Icemaker - No-Lead

- FNPT x Comp
- 1/2" FNPT x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 10.82	20	240

72083D

Quarter Turn Supply Stop - Dual Outlet - No-Lead

- FNPT x Comp x Comp
- 1/2" FNPT x 3/8" O.D. x 1/4" O.D.
- 1/2" FNPT x 3/8" O.D. x 3/8" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 1/4"	\$ 15.76	20	240
1/2" x 3/8" x 3/8"	\$ 15.94	20	240

72082CI

Angle Quarter Turn Supply Stop Icemaker - No-Lead

- Comp x Comp
- 5/8" O.D. x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
5/8" x 1/4"	\$ 13.32	20	240

72082PI

Angle Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- 1/2" Pex x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240

72084D

Quarter Turn Supply Stop - Dual Outlet - No-Lead

- Comp x Comp x Comp
- 5/8" O.D. x 3/8" O.D. x 1/4" O.D.
- 5/8" O.D. x 3/8" O.D. x 3/8" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
5/8" x 3/8" x 1/4"	\$ 18.39	20	240
5/8" x 3/8" x 3/8"	\$ 17.18	20	240

72082SI

Angle Quarter Turn Supply Stop Icemaker - No-Lead

- SWT x Comp
- 1/2" SWT x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 11.30	20	240

72082VI

Angle Quarter Turn Supply Stop Icemaker - No-Lead

- CPVC x Comp
- 1/2" CPVC x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372

Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 14.85	20	240



72082WS

Quarter Turn Washing Machine Valves - No-Lead

- 1/2" MNPT or SWT x 3/4" G.H.T.
- Bag includes two stops (one red and one blue handle).
- Order in multiples of two.
- Pricing per each
- NSF / ANSI 61-8 & NSF / ANSI 372

Size	List	Carton Qty	Master Qty
1/2" x 3/4"	\$ 16.03	20	240



72082W

Washing Machine Valves - No-Lead

- FNPT x G.H.T.
- 1/2" FNPT x 3/4" G.H.T.
- Must be ordered in Quantities of 2 (One red, one blue)
- NSF / ANSI 61-8 & NSF / ANSI 372

Size	List	Carton Qty	Master Qty
1/2" x 3/4"	\$ 13.57	20	240



72082WV

Quarter Turn Washing Machine Valves - No-Lead

- 1/2" CPVC x 3/4" G.H.T.
- Bag includes two stops (one red and one blue handle).
- Order in multiples of two.
- Pricing per each
- NSF / ANSI 61-8 & NSF / ANSI 372

Size	List	Carton Qty	Master Qty
1/2" x 3/4"	\$ 19.42	20	240



72082W

Washing Machine Valves - No-Lead

- Comp x G.H.T.
- 5/8" Comp x 3/4" G.H.T.
- Must be ordered in Quantities of 2 (One red, one blue)
- Pricing per each
- NSF / ANSI 61-8 & NSF / ANSI 372

Size	List	Carton Qty	Master Qty
5/8" x 3/4"	\$ 16.03	20	240



72082WSLR

Quarter Turn Long Washing Machine Valves w/Red Handle - No-Lead

- 1/2" MNPT or 1/2" SWT x M.G.H.T.
- Plastic nut included
- NSF 61-8 & NSF 372

Size	List	Carton Qty	Master Qty
1/2" x 1/2"	\$ 19.05	1	80



72082WP

Quarter Turn Washing Machine Valves - No-Lead

- 1/2" MNPT or Pex x 3/4" G.H.T.
- Bag includes two stops (one red and one blue handle).
- Order in multiples of two.
- Pricing per each
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807

Size	List	Carton Qty	Master Qty
1/2" x 3/4"	\$ 16.03	20	240



72082WSLB

Quarter Turn Long Washing Machine Valves w/Blue Handle - No-Lead

- 1/2" MNPT or 1/2" SWT x M.G.H.T.
- Plastic nut included
- NSF 61-8 & NSF 372

Size	List	Carton Qty	Master Qty
1/2" x 1/2"	\$ 19.05	1	80



No-Lead Stainless Steel Hoses

2107FCF

Stainless Steel Faucet Hose - No-Lead

- Comp x FNPT
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



Size	List	Carton Qty	Master Qty
3/8" x 1/2" x 12"	\$ 3.45	25	100
3/8" x 1/2" x 16"	\$ 3.71	25	100
3/8" x 1/2" x 20"	\$ 4.23	25	100
3/8" x 1/2" x 30"	\$ 4.93	25	100
3/8" x 1/2" x 36"	\$ 6.25	25	50
1/2" x 1/2" x 12"	\$ 3.82	25	100
1/2" x 1/2" x 20"	\$ 4.77	25	100

2107TB

Toilet Hose - No-Lead

- Comp x Ballcock - Brass Nut
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



Size	List	Carton Qty	Master Qty
3/8" x 7/8" x 9"	\$ 3.71	25	100
3/8" x 7/8" x 12"	\$ 4.14	25	100
3/8" x 7/8" x 16"	\$ 4.42	25	100
3/8" x 7/8" x 20"	\$ 4.66	25	100

2107FFF

Stainless Steel Faucet Hose - No-Lead

- FNPT x FNPT
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



Size	List	Carton Qty	Master Qty
1/2" x 1/2" x 12"	\$ 3.64	25	100
1/2" x 1/2" x 20"	\$ 4.61	25	100

2107DW

Stainless Steel Dishwasher Hose - No-Lead

- Comp x Comp
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



Size	List	Carton Qty	Master Qty
3/8" x 3/8" x 48"	\$ 8.03	25	50
3/8" x 3/8" x 60"	\$ 9.07	25	50
3/8" x 3/8" x 72"	\$ 10.10	25	25

2107FCC

Stainless Steel Faucet Hose - No-Lead

- Comp x Comp
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



Size	List	Carton Qty	Master Qty
3/8" x 3/8" x 12"	\$ 3.29	25	100
3/8" x 3/8" x 20"	\$ 3.93	25	100

2107WM

Stainless Steel Washing Machine Hose - No-Lead

- FGHT x FGHT
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



Size	List	Carton Qty	Master Qty
3/4" x 3/4" x 48"	\$ 7.57	25	50
3/4" x 3/4" x 60"	\$ 16.53	25	50
3/4" x 3/4" x 72"	\$ 25.47	25	25

2107TP

Toilet Hose - No-Lead

- Comp x Ballcock - Plastic Nut
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



Size	List	Carton Qty	Master Qty
3/8" x 7/8" x 9"	\$ 3.03	25	100
3/8" x 7/8" x 12"	\$ 3.58	25	100
3/8" x 7/8" x 16"	\$ 3.76	25	100
3/8" x 7/8" x 20"	\$ 3.98	25	100

2107IM

Stainless Steel Icemaker Hose - No-Lead

- Comp x Comp
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



Size	List	Carton Qty	Master Qty
1/4" x 1/4" x 60"	\$ 6.46	25	50
1/4" x 1/4" x 72"	\$ 15.64	25	25
1/4" x 1/4" x 84"	\$ 24.81	25	25
1/4" x 1/4" x 120"	\$ 33.48	25	25

No-Lead Supply Stops

2107DWK

Stainless Steel Dishwasher Hose - No-Lead

- Comp x Comp w/Elbow
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



Kit Includes:

- 1 - 3/8" x 3/8" Supply Hose
- 1 - 3/8" Comp x 3/8" MNPT Dishwasher Elbow
- 1 - 3/8" Comp x 3/4" FGHT Dishwasher Swivel Elbow

Size	List	Carton Qty	Master Qty
3/8" x 3/8" x 48"	\$ 10.62	25	50
3/8" x 3/8" x 60"	\$ 19.58	25	50
3/8" x 3/8" x 72"	\$ 28.54	25	25



No-Lead Specialty Valves / Fittings



No-Lead Specialty Valves / Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Specialty Valves / Fittings

No-Lead Specialty Valves / Fittings

72101

- Drop Ear Elbow - No-Lead**
 - FNPT x SWT
 - Three Ear design
 - NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 4.87	50	300

72101P

- Drop Ear Elbow - No-Lead**
 - Pex x FNPT
 - Three Ear design
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 6.03	50	300
1/2" x 3/8"	\$ 7.42	50	200
3/4"	\$ 11.52	25	100

72101EXP

- Drop Ear Elbow - No-Lead**
 - Expansion Pex x FNPT
 - Three Ear design
 - NSF / ANSI 61-8 & NSF / ANSI 372
 - Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.61	25	200
3/4"	\$ 10.24	20	80

72101S

- Drop Ear Elbow - No-Lead**
 - SWT x SWT
 - Two Ear design
 - NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 4.02	25	250
3/4"	\$ 5.57	25	150

72330PDE

- Drop Ear Elbow - No-Lead**
 - Pex
 - Two Ear design
 - Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 4.78	15	150
3/4"	\$ 7.61	10	100

72330EXPDE

- Tee Drop Ear Expansion Pex - No-Lead**
 - Expansion Pex x Expansion Pex - Two Ear
 - Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.00	10	100
3/4"	\$ 17.66	10	80

72101BBTC

- Base Board Tee - No-Lead**
 - SWT x SWT
 - 3/4" SWT x 1/8" MNPT x 3/4" SWT
 - NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/4" x 1/8" x 3/4"	\$ 5.14	25	200

72131T

- Tee - No-Lead**
 - SWT x SWT x FNPT
 - NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.75	25	200
3/4"	\$ 13.25	25	100
3/4" x 1/2"	\$ 11.89	25	150
1" x 1/2"	\$ 16.70	8	80
1" x 3/4"	\$ 17.91	8	80

72101V

- Drop Ear Elbow - No-Lead**
 - FNPT x CPVC
 - Three Ear design
 - NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.49	50	250

72102

Bronze Drop Ear Elbow - No-Lead

- FNPT x SWT
- Two Ear design
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 5.25	25	250
3/4"	\$ 9.22	25	150

72111VF

Transition Fittings - No-Lead

- FNPT x CPVC
- Conforms to ASTM D2846
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.05	24	432
3/4"	\$ 8.71	30	360
1"	\$ 14.48	25	150
1 1/2"	\$ 22.74	10	80
1 1/4"	\$ 30.86	10	60
2"	\$ 47.45	5	20

72111VM

Transition Fittings - No-Lead

- MNPT x CPVC
- Conforms to ASTM D2846
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.05	24	432
3/4"	\$ 8.71	30	360
1"	\$ 14.48	25	150
1 1/4"	\$ 22.74	10	80
1 1/2"	\$ 30.86	10	60
2"	\$ 47.45	5	20

72048

Pressure Relief Valve - No-Lead

- MNPT x FNPT, 100 PSI
- Non-adjustable



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.71	10	100
3/4" x 1/2"	\$ 15.68	10	100

72049

Pressure Relief Valve - No-Lead

- MNPT x FNPT, 75 PSI
- Non-adjustable



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.71	10	100
3/4" x 1/2"	\$ 15.68	10	100

72016DW

Dishwasher Elbow - No-Lead

- Comp x F.G.H.T. Swivel



Size	List	Carton Qty	Master Qty
3/8" x 3/4"	\$ 5.12	1	100

2048SS

Stainless Steel Pressure Relief Valve - No-Lead

- MNPT x FNPT, 100 PSI
- Non-adjustable



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.71	10	100
3/4" x 1/2"	\$ 15.68	10	100

2049SS

Stainless Steel Pressure Relief Valve - No-Lead

- MNPT x FNPT, 75 PSI
- Non-adjustable



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.71	10	100
3/4" x 1/2"	\$ 15.68	10	100

72113T

Washing Machine Valve - No-Lead

- MNPT x G.H.T., 150 PSI
- Used to manually control hot and cold water flow and pressure to flexible hoses feeding washing machines.
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 64.85	1	30

No-Lead Specialty Valves / Fittings

No-Lead Specialty Valves / Fittings

72113S

Washing Machine Valve - No-Lead

- SWT x G.H.T., 150 PSI
- Used to manually control hot and cold water flow and pressure to flexible hoses feeding washing machines.
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 64.85	1	30

72110FFB

Dielectric Union - No-Lead

- Steel FNPT x Brass FNPT, 200 PSI at 180°F
- For use whenever dissimilar metals are used in a piping system to prevent deterioration from corrosion due to stray currents.
- For repair gaskets order 2110R



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.04	10	100
3/4"	\$ 7.04	10	80
1"	\$ 11.05	5	40

72110

Dielectric Union - No-Lead

- FNPT Union x SWT, 200 PSI at 180°F
- For use whenever dissimilar metals are used in a piping system to prevent deterioration from corrosion due to stray currents.
- For repair gaskets order 2110R



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.46	10	100
3/4"	\$ 7.46	10	100
3/4" x 1/2"	\$ 8.41	10	100
1"	\$ 11.71	10	80
1 1/2"	\$ 18.32	10	40
1 1/4"	\$ 27.74	5	30
2"	\$ 37.75	5	20

72112

Dielectric Union - No-Lead

- MNPT Union x SWT, 200 PSI at 180°F
- For use whenever dissimilar metals are used in a piping system to prevent deterioration from corrosion due to stray currents.
- For repair gaskets order 2110R



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.17	10	100
3/4"	\$ 9.37	10	80
3/4" x 1/2"	\$ 10.58	10	80

72110FF

Dielectric Union - No-Lead

- Steel FNPT x Steel FNPT, 200 PSI at 180°F
- For use whenever dissimilar metals are used in a piping system to prevent deterioration from corrosion due to stray currents.
- For repair gaskets order 2110R



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.04	10	100
3/4"	\$ 7.04	10	80
1"	\$ 11.05	5	40

2110R

Dielectric Union Gasket - No-Lead

- MNPT Union x SWT, 200 PSI at 180°F



Size	List	Carton Qty
1/2"	\$ 0.98	50
3/4"	\$ 1.03	50
1"	\$ 1.13	50
1 1/2"	\$ 1.24	50
1 1/4"	\$ 1.40	50
2"	\$ 1.67	50

72114

Brass Union - No-Lead

- SWT x SWT, 200 PSI at 180°F



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.72	20	200
3/4"	\$ 11.60	9	108
1"	\$ 19.66	5	60
1 1/4"	\$ 26.13	5	30
1 1/2"	\$ 31.96	5	30
2"	\$ 56.63	2	16

74620Z


Bronze Meter Coupling with Wire Hole & Gaskets - No-Lead

- MNPT Union x SWT, 200 PSI at 180°F

- Package includes two nuts, two tail pieces and two rubber gaskets in plastic bag.

- NSF / ANSI 372

- Conforms to AWWA Standard



Size	List	Carton Qty	Master Qty
1/2"	\$ 13.50	2	50
3/4"	\$ 10.50	2	50
1"	\$ 20.19	2	30
1 1/2"	\$ 41.00	2	24
2"	\$ 54.95	2	20

72114SM

Brass Union - No-Lead

- SWT x MNPT, 200 PSI at 180°F




Size	List	Carton Qty	Master Qty
1/2"	\$ 8.23	20	200
3/4"	\$ 11.21	9	108
1"	\$ 16.41	2	16

74620ZP

Bronze Meter Coupling with Wire Hole & Gaskets - No-Lead

- Pex x Meter Nut

- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/4"	\$ 13.64	10	100

72114SF

Brass Union - No-Lead

- SWT x FNPT, 200 PSI at 180°F



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.06	20	200
3/4"	\$ 10.81	9	108
1"	\$ 15.64	2	16

609FKIT

Ductile Iron Meter Flange Kit - No-Lead

- SWT x FNPT, 200 PSI at 180°F



Size	List	Carton Qty
1 1/2"	\$ 32.18	1
2"	\$ 36.03	1

72073

Bronze Compression Coupling - No-Lead

- 125 WOG

- Rubber Gaskets

- Used for repair applications on galvanized or copper tubing.



Part #	IPS/CTS	List	Carton Qty	Master Qty
5420-410	3/8" / 1/2"	\$ 14.38	10	60
5420-411	1/2" / 3/4"	\$ 19.01	10	40
5420-412	3/4" / 1"	\$ 44.29	5	30
5421-413	1" / 1 1/4"	\$ 45.24	5	30
5420-414	1 1/4" / 1 1/2"	\$ 46.97	3	18
5420-415	1 1/2"	\$ 52.47	3	18
5424-358	2" IPS	\$ 78.10	3	12
5424-359	2" CTS	\$ 63.68	3	18



No-Lead Pressure Reducing Valves



No-Lead Pressure Reducing Valves

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

Pressure Reducing Valves

These compact valves are designed to protect a water supply system and its components by reducing water pressure to a reasonable and safe level. With their versatility of installation and many design features, the A.Y. McDonald Water Pressure Reducing Valves can be used in numerous water system applications.

Features:

- Factory preset at 50 psi outlet pressure
- Adjustable outlet pressure range: 25 to 75 psi
- Installed vertically or horizontally
- Equipped with an Thermal Expansion Bypass
- Integral strainer
- Cold Working Pressure (CWP) - 300 PSI
- Maximum Service Temperature - 180°F

72600T

Pressure Reducing Valve - No-Lead

- FNPT x FNPT Union
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI



Size	List	Carton Qty	Master Qty
1/2"	\$ 129.77	1	16
3/4"	\$ 151.83	1	16
1"	\$ 196.08	1	12

72601T

Pressure Reducing Valve - No-Lead

- FNPT x FNPT Union Brass Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356



Size	List	Carton Qty	Master Qty
1/2"	\$ 91.71	1	24
3/4"	\$ 98.60	1	24
1"	\$ 149.98	1	16

72602T

Pressure Reducing Valve - No-Lead

- FNPT Union x FNPT Union Brass Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356



Size	List	Carton Qty	Master Qty
1/2"	\$ 98.93	1	20
3/4"	\$ 105.82	1	20
1"	\$ 157.20	1	12
1 1/4"	\$ 474.88	1	6
1 1/2"	\$ 544.84	1	6
2"	\$ 617.98	1	6

72602P

Pressure Reducing Valve - No-Lead

- Pex Union x Pex Union Brass Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/4"	\$ 105.80	1	24
1"	\$ 157.18	1	16

72601TPC

Pressure Reducing Valve - No-Lead

- FNPT x FNPT Union PVC Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356



Size	List	Carton Qty	Master Qty
1/2"	\$ 81.62	1	24
3/4"	\$ 88.21	1	24
1"	\$ 134.19	1	16

72602TPC

Pressure Reducing Valve - No-Lead

- FNPT Union x FNPT Union PVC Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356



Size	List	Carton Qty	Master Qty
3/4"	\$ 94.18	1	20
1"	\$ 139.91	1	12

72602PPC

Pressure Reducing Valve - No-Lead

- Pex Union x Pex Union PVC Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/4"	\$ 93.63	1	24
1"	\$ 139.89	1	16

72602EXPE

Pressure Reducing Valve Expansion Pex End Piece Only

- Pex ASTM F1960

Size	List	Carton Qty	Master Qty
3/4"	\$ 9.99	10	100
1"	\$ 10.29	10	100



72602EXPC

Pressure Reducing Expansion Pex Valve - No-Lead

- Expansion Pex Union x Expansion Pex Union PVC Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/4"	\$ 93.63	1	16
1"	\$ 139.89	1	10

72602CPVC

Pressure Reducing CPVC Valve with Brass Cap - No-Lead

- CPVC x CPVC Double Union



Size	List	Carton Qty	Master Qty
3/4"	\$ 105.82	1	24
1"	\$ 157.76	1	12

72602TE

Pressure Reducing Valve End Piece Only

- FNPT Thread



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.02	10	100
3/4"	\$ 10.87	10	100
1"	\$ 12.03	10	100

72602PE

Pressure Reducing Valve CPVC End Piece Only

- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/4"	\$ 10.59	10	100
1"	\$ 10.91	10	100

72602CPVCE

Pressure Reducing Valve CPVC End Piece Only

Size	List	Carton Qty	Master Qty
3/4"	\$ 0.31	10	100
1"	\$ 0.31	10	100





No-Lead Press Fit Fittings



No-Lead Press Fit Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

Press Fit Fittings

A.Y. McDonald copper press fittings are for use in plumbing or mechanical applications. Sizes range from 1/2" - 4" and the fittings are designed to join ASTM B88 (Types K, L, M) hard-drawn copper tube (1/2" - 4") and soft copper tube (1/2" - 1 1/4").

Features and Benefits

- 350 line items available, including elbows, couplings, fitting reducers, tees, adapters, unions, caps, flanges, and accessories.
- All fittings are made of either wrought copper or lead-free brass.

Applications

- All tubing must comply with the ASTM B88 standard.
- Approved for installations in above and below ground applications as allowed by local code.

Operating Parameters

- Operating pressure: 200 PSI CWP max
- Operating temperature range: -20°F - 250°F

System Benefits

- Fast and easy to use
- Flameless
- Permanent connections
- Size range from 1/2" to 4"
- Large selection of fittings
- Consistent professional appearance
- Less equipment required
- Environmentally friendly system
- Compatibility of fittings and tools

Approved Applications

- Potable water
- Hydronic heating w/ glycol
- Chilled water
- Compressed air (200 PSI max)
- Non-medical gases (140 PSI max)
- Low pressure steam (15 PSI max)
- Vacuum (24.5" mercury max @ 68°F)

Approvals & Certifications

- ASME B16.51
- IAPMO PS-117
- NSF / ANSI 61
- NSF / ANSI 372
- CSA TIL-MSE-13
- ABS



Engineering Data

Types of Service	Comments	Pressure	Temperature	Compatible with EPDM Seal
Fluids/Water Potable				
Hot and Cold Water	-	200 PSI	32°F to 250°F	•
Rainwater / Gray Water	-	200 PSI	-20°F to 250°F	•
Chilled Water	Ethylene Glycol / Propylene Glycol	200 PSI	-20°F to 250°F	•
Hydronic Heating	Ethylene Glycol / Propylene Glycol	200 PSI	-20°F to 250°F	•
Cooling Water	Up to 50% Ethylene Glycol or Propylene Glycol solution	200 PSI	-20°F to 250°F	•
Low-Pressure Steam	-	Up to 15 PSI	248°F	•
Fuel, Oil and Lubricant				
Ethanol	Pure Grain Alcohol	200 PSI		•
Gases				
Compressed Air	Less than 25mg/m ³ oil content	200 PSI	Up to 140°F	•
Oxygen - O ₂ (non medical)	Keep oil and fat free / non-liquid O ₂	140 PSI	Up to 140°F	•
Nitrogen - N ₂	-	200 PSI	Up to 140°F	•
Argon	Welding Use	200 PSI	Up to 140°F	•
Hydrogen - H ₂	-	125 PSI	Up to 140°F	•
Vacuum	-	Max 29.2 inches of Mercury	Up to 140°F	•
Carbon Dioxide - CO ₂	Dry	-	Up to 140°F	•

Contact Customer Service for information on applications not listed and applications outside the temperature and pressure ranges listed above. Fluids containing hydrocarbon-based oils are not compatible with the EPDM seal.

Press Fit Fittings

Installation Guidelines

Tube Selection

A.Y. McDonald copper press fittings are designed to be joined with ASTM B88 (Types K, L, M) hard-drawn copper tube (1/2" - 4") and soft copper tube (1/2" - 1 1/4"). Copper tubing made to ASTM B88 may contain surface imperfections, which are specifically defined and allowed by the standard. This product is handled and stored multiple times before reaching the actual point of installation, potentially leading to further scratches, nicks or dents. ASTM B88 copper tube was designed for joining with solder and braze alloys – both of which are excellent gap-fill materials. Those who specify and/or install press systems must be aware of the inherent trade-offs that accompany the decision to utilize press technology and o-ring seals. Installers should recognize surface scratches and deep incise marks (identification stamping) on the tube and avoid placing o-ring seals directly over these surface irregularities in order to reduce the risk of leaks. Sanding and cleaning the surface may or may not eliminate this concern.

Storage and Handling

A.Y. McDonald copper press fittings are packaged in polybags to keep them clean and free from debris. While unlikely to be needed, the polybag also serves to keep fittings and o-ring seals together in the event that one were to be dislodged in transit. Prior to installation, it is highly recommended that a thorough visual inspection of the fittings be performed. Fittings should be handled with care and opened just prior to use, to ensure their cleanliness. The tubing and fittings should be carefully handled during shipment and unloaded with reasonable care.

Protect the stored product from moisture and dirt. Elevation above grade and away from concrete is desirable. In the event press fittings are dropped, exercise the utmost care in visually inspecting them to assure that fittings have not been damaged or deformed.

Tools & Jaws


Installer shall be qualified and licensed within the jurisdiction, and familiar with the installation of copper press joint systems. A.Y. McDonald copper press fittings shall be installed using the proper tool, jaws, actuator, and rings as instructed by the respective press fitting and press tool manufacturer.

Minimum Distance Between A.Y. McDonald Joints

Tube Diameter	Minimum Distance Required	
	Inch	MM
1/2"	1/2"	13
3/4"	1/2"	13
1"	1/2"	13
1 1/4"	1/2"	13
1 1/2"	5/8"	16
2"	3/4"	20
2 1/2"	3/4"	20
3"	3/4"	20
4"	3/4"	20

Distance Between Joints

Mechanical joint pressing causes some degree of deformity to the tubing. To prevent leaks, minimal distances between press joints are set forth in the table.



For more information, please reference the Press Fittings Instruction Booklet.

No-Lead Press Fit Fittings

71900

Coupling - Press x Press - No-Lead

- CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.69	10	550
3/4"	\$ 5.59	10	260
1"	\$ 11.27	5	170
1 1/4"	\$ 13.98	1	80
1 1/2"	\$ 26.03	1	50
2"	\$ 33.19	1	35
2 1/2"	\$106.14	1	32
3"	\$135.16	1	18
4"	\$187.66	1	12

71900F

Adapter - Press x FNPT - No-Lead

- CTS x FNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 5.81	10	300
1/2" x 3/8"	\$ 6.00	10	300
1/2" x 3/4"	\$ 11.91	10	180
3/4"	\$ 9.43	10	150
3/4" x 1/2"	\$ 8.69	10	180
1"	\$ 17.39	10	180
1" x 1/2"	\$ 30.24	10	120
1" x 3/4"	\$ 30.67	10	200
1" x 1 1/4"	\$ 32.21	10	60
1 1/4"	\$ 39.21	1	80
1 1/4" x 1"	\$ 38.86	1	100
1 1/4" x 1 1/2"	\$ 52.47	1	70
1 1/2"	\$ 56.99	1	55
1 1/2" x 1 1/4"	\$ 54.71	1	70
2"	\$ 96.73	1	40
2 1/2"	\$ 227.64	1	36
3"	\$ 372.84	1	24

71900

Reducing Coupling - Press x Press - No-Lead

- CTS x CTS



Size	List	Carton Qty	Master Qty
3/4" x 1/2"	\$ 16.69	10	300
1" x 1/2"	\$ 29.13	10	200
1" x 3/4"	\$ 19.14	10	200
1 1/4" x 1/2"	\$ 67.76	1	100
1 1/4" x 3/4"	\$ 43.05	1	80
1 1/4" x 1"	\$ 27.77	1	80
1 1/2" x 1/2"	\$ 90.36	1	70
1 1/2" x 3/4"	\$ 51.45	1	70
1 1/2" x 1"	\$ 46.16	1	70
1 1/2" x 1 1/4"	\$ 40.90	1	60
2" x 1/2"	\$ 120.46	1	50
2" x 3/4"	\$ 48.06	1	50
2" x 1"	\$ 69.95	1	50
2" x 1 1/4"	\$ 58.21	1	40
2" x 1 1/2"	\$ 46.03	1	40
2 1/2" x 1"	\$ 198.66	1	40
2 1/2" x 1 1/4"	\$ 206.56	1	40
2 1/2" x 1 1/2"	\$ 208.71	1	40
2 1/2" x 2"	\$ 210.06	1	30
3" x 1 1/2"	\$ 230.95	1	24
3" x 2"	\$ 231.53	1	24
3" x 2 1/2"	\$ 271.45	1	24
4" x 2"	\$ 287.96	1	10
4" x 2 1/2"	\$ 317.92	1	10
4" x 3"	\$ 349.99	1	10

71900M

Adapter - Press x MNPT - No-Lead

- CTS x MNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 4.64	10	300
1/2" x 3/8"	\$ 7.28	10	300
1/2" x 3/4"	\$ 8.58	10	180
3/4"	\$ 8.69	10	160
3/4" x 1/2"	\$ 9.89	10	180
3/4" x 1"	\$ 22.13	10	200
1"	\$ 15.93	10	160
1" x 3/4"	\$ 24.82	10	180
1" x 1 1/4"	\$ 30.92	10	100
1 1/4"	\$ 34.86	1	100
1 1/4" x 1"	\$ 35.61	1	95
1 1/4" x 1 1/2"	\$ 38.02	1	75
1 1/2"	\$ 48.88	1	50
1 1/2" x 1 1/4"	\$ 47.77	1	55
1 1/2" x 2"	\$ 104.64	1	40
2"	\$ 94.09	1	35
2" x 1 1/2"	\$ 86.77	1	40
2 1/2"	\$ 213.08	1	28
3"	\$ 268.07	1	18
4"	\$ 310.30	1	12

71900FSA

Street Adapter - Fitting x FNPT - No-Lead
- Fitting x FNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 18.26	5	250
1/2" x 3/4"	\$ 19.61	5	160
3/4"	\$ 26.93	5	150
3/4" x 1/2"	\$ 22.70	5	160
1"	\$ 40.45	1	110
1" x 3/4"	\$ 38.04	5	250
1 1/4"	\$ 70.47	1	100
1 1/2"	\$ 78.58	1	55
2"	\$ 133.12	1	40

71900ROR

Seal - O-ring Leak Detection EPDM - No-Lead
- CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 1.99	3	3
3/4"	\$ 1.99	3	3
1"	\$ 2.35	3	3
1 1/4"	\$ 2.35	3	3
1 1/2"	\$ 3.32	3	3
2"	\$ 3.32	3	3
2 1/2"	\$ 5.26	3	3
3"	\$ 5.26	3	3
4"	\$ 7.02	3	3

71900MSA

Street Adapter - Fitting x MNPT - No-Lead
- Fitting x MNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.39	5	250
1/2" x 3/4"	\$ 26.13	5	200
3/4"	\$ 27.38	5	160
3/4" x 1/2"	\$ 26.40	5	200
1"	\$ 40.21	5	200
1" x 3/4"	\$ 40.45	5	200
1 1/4"	\$ 53.34	1	100
1 1/2"	\$ 79.55	1	60
2"	\$ 117.11	1	40

71900SM

Adapter - Press x Fitting - No-Lead
- CTS x Fitting



Size	List	Carton Qty	Master Qty
1/2" x 3/4"	\$ 3.97	10	400
1/2" x 1"	\$ 10.31	10	300
1/2" x 1 1/4"	\$ 12.64	5	180
1/2" x 1 1/2"	\$ 36.44	5	130
1/2" x 2"	\$ 46.42	1	50
3/4" x 1"	\$ 10.51	10	240
3/4" x 1 1/4"	\$ 12.89	5	170
3/4" x 1 1/2"	\$ 21.54	1	70
3/4" x 2"	\$ 46.88	1	50
1" x 1 1/4"	\$ 14.26	5	150
1" x 1 1/2"	\$ 20.94	1	70
1" x 2"	\$ 23.73	1	50
1" x 2 1/2"	\$ 103.18	1	40
1 1/4" x 1 1/2"	\$ 21.06	1	70
1 1/4" x 2"	\$ 29.54	1	50
1 1/4" x 2 1/2"	\$ 144.97	1	40
1 1/4" x 3"	\$ 167.87	1	25
1 1/2" x 2"	\$ 28.25	1	40
1 1/2" x 2 1/2"	\$ 145.83	1	40
1 1/2" x 3"	\$ 159.53	1	24
2" x 2 1/2"	\$ 125.39	1	35
2" x 3"	\$ 155.24	1	24
2" x 4"	\$ 178.67	1	12
2 1/2" x 3"	\$ 159.91	1	24
2 1/2" x 4"	\$ 195.22	1	10
3" x 4"	\$ 206.32	1	10

71900RC

Repair Coupling - Press x Press - No-Lead
- CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.85	10	450
3/4"	\$ 12.07	10	260
1"	\$ 14.78	5	170
1 1/4"	\$ 22.51	1	80
1 1/2"	\$ 34.67	1	50
2"	\$ 40.36	1	35
2 1/2"	\$ 105.58	1	32
3"	\$ 136.32	1	18
4"	\$ 187.40	1	12

No-Lead Press Fit Fittings

71900EC

Extending Coupling - Press x Press - No-Lead
- CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 26.02	5	250
3/4"	\$ 28.96	5	150
1"	\$ 36.59	5	100
1 1/4"	\$ 46.45	1	60
1 1/2"	\$ 68.44	1	40
2"	\$ 83.78	1	27



71915

Flange - No-Lead
- Flange x CTS



Size	List	Carton Qty	Master Qty
1"	\$ 162.10	1	14
1 1/4"	\$ 235.52	1	14
1 1/2"	\$ 259.99	1	7
2"	\$ 292.08	1	4
2 1/2"	\$ 325.90	1	4
3"	\$ 394.99	1	3
4"	\$ 441.88	1	3



71901

Cap Press - No-Lead
- CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.87	10	450
3/4"	\$ 13.27	10	450
1"	\$ 20.46	5	250
1 1/4"	\$ 23.14	1	100
1 1/2"	\$ 35.87	1	80
2"	\$ 43.59	1	55
2 1/2"	\$ 139.32	1	40
3"	\$ 176.34	1	36
4"	\$ 234.96	1	24



71920

Bronze Union - Press x Press - No-Lead
- CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 30.67	1	144
3/4"	\$ 40.19	1	60
1"	\$ 64.21	1	32
1 1/4"	\$ 91.65	1	28
1 1/2"	\$ 124.48	1	24
2"	\$ 203.22	1	16



71911

Crossover - Press x Press - No-Lead
- CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 24.01	10	200
3/4"	\$ 29.85	10	100



71920F

Union - Press x FNPT - No-Lead
- CTS x FNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 24.12	1	192
3/4"	\$ 31.54	1	90
1"	\$ 51.34	1	48
1 1/4"	\$ 64.92	1	28
1 1/2"	\$ 102.04	1	24
2"	\$ 135.19	1	16



71911SF

Crossover - Press x Fitting - No-Lead
- CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 28.89	10	250
3/4"	\$ 35.68	10	100



71920M

Union - Press x MNPT - No-Lead
- CTS x MNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 26.77	1	144
3/4"	\$ 37.05	1	60
1"	\$ 53.22	1	32
1 1/4"	\$ 78.54	1	28
1 1/2"	\$ 109.55	1	24
2"	\$ 143.25	1	16



No-Lead Press Fit Fittings

71930

Reducing Tee - Press x Press x Press - No-Lead

- CTS x CTS x CTS



Size	List	Carton Qty	Master Qty
3/4" x 1/2"	\$9.24	10	140
3/4" x 1/2" x 1/2"	\$16.94	10	150
3/4" x 1/2" x 3/4"	\$17.61	5	120
1" x 1/2"	\$22.63	5	100
1" x 1/2" x 1"	\$31.83	5	80
1" x 3/4" x 1/2"	\$33.61	5	100
1" x 3/4" x 3/4"	\$30.07	5	100
1" x 3/4" x 1"	\$34.00	5	70
1" x 3/4"	\$22.51	5	80
1 1/4" x 1/2"	\$28.06	1	60
1 1/4" x 3/4"	\$30.61	1	55
1 1/4" x 1"	\$31.82	1	50
1 1/4" x 1/2" x 1 1/4"	\$65.94	1	40
1 1/4" x 3/4" x 1/2"	\$51.45	1	50
1 1/4" x 3/4" x 3/4"	\$57.55	1	50
1 1/4" x 3/4" x 1"	\$59.84	1	50
1 1/4" x 3/4" x 1 1/4"	\$52.94	1	40
1 1/4" x 1" x 1/2"	\$41.04	1	50
1 1/4" x 1" x 3/4"	\$33.46	1	45
1 1/4" x 1" x 1"	\$36.03	1	50
1 1/4" x 1" x 1 1/4"	\$92.56	1	40
1 1/2" x 1/2"	\$69.14	1	40
1 1/2" x 3/4"	\$57.68	1	35
1 1/2" x 1"	\$58.73	1	35
1 1/2" x 1 1/4"	\$60.81	1	30
1 1/2" x 1/2" x 1 1/2"	\$82.47	1	25
1 1/2" x 3/4" x 3/4"	\$73.71	1	30
1 1/2" x 1" x 3/4"	\$82.36	1	30
1 1/2" x 1" x 1"	\$91.92	1	30
1 1/2" x 1" x 1 1/2"	\$100.85	1	25
1 1/2" x 1 1/4" x 3/4"	\$70.67	1	35
1 1/2" x 1 1/4" x 1"	\$81.92	1	30
1 1/2" x 1 1/4" x 1 1/4"	\$60.51	1	30
2" x 1/2"	\$111.13	1	25
2" x 3/4"	\$93.95	1	25
2" x 1"	\$97.04	1	23
2" x 1 1/4"	\$97.08	1	20
2" x 1 1/2"	\$72.94	1	16
2" x 1/2" x 2"	\$130.33	1	15
2" x 3/4" x 2"	\$141.37	1	15
2" x 1" x 1"	\$93.50	1	20
2" x 1" x 2"	\$133.34	1	15
2" x 1 1/4" x 1 1/4"	\$134.67	1	20
2" x 1 1/2" x 3/4"	\$115.46	1	20
2" x 1 1/2" x 1"	\$113.98	1	20
2" x 1 1/2" x 1 1/4"	\$117.74	1	20
2" x 1 1/2" x 1 1/2"	\$119.38	1	16
2" x 1 1/2" x 2"	\$111.13	1	16

Size	List	Carton Qty	Master Qty
2 1/2" x 1/2"	\$367.10	1	18
2 1/2" x 3/4"	\$367.10	1	18
2 1/2" x 1"	\$367.10	1	16
2 1/2" x 1 1/4"	\$367.10	1	15
2 1/2" x 1 1/2"	\$350.81	1	12
2 1/2" x 2"	\$309.24	1	12
2 1/2" x 3/4" x 2 1/2"	\$390.25	1	10
2 1/2" x 1" x 2 1/2"	\$402.93	1	10
2 1/2" x 1 1/4" x 2 1/2"	\$407.74	1	8
2 1/2" x 1 1/2" x 2"	\$424.08	1	10
2 1/2" x 1 1/2" x 2 1/2"	\$356.60	1	8
2 1/2" x 2" x 3/4"	\$374.94	1	15
2 1/2" x 2" x 1"	\$353.03	1	15
2 1/2" x 2" x 1 1/2"	\$331.52	1	12
2 1/2" x 2" x 2"	\$332.83	1	10
2 1/2" x 2" x 2 1/2"	\$375.15	1	10
3" x 1/2"	\$399.87	1	15
3" x 3/4"	\$386.89	1	12
3" x 1"	\$386.89	1	12
3" x 1 1/4"	\$386.89	1	12
3" x 1 1/2"	\$386.89	1	10
3" x 2"	\$378.55	1	10
3" x 2 1/2"	\$394.84	1	7
3" x 3/4" x 3"	\$393.44	1	6
3" x 1" x 3"	\$416.76	1	7
3" x 1 1/4" x 3"	\$510.71	1	6
3" x 1 1/2" x 3"	\$435.26	1	6
3" x 2" x 2"	\$416.43	1	9
3" x 2" x 2 1/2"	\$432.98	1	7
3" x 2" x 3"	\$438.61	1	6
3" x 2 1/2" x 2"	\$410.20	1	8
3" x 2 1/2" x 2 1/2"	\$453.01	1	6
3" x 2 1/2" x 3"	\$450.16	1	6
4" x 1/2"	\$ 619.78	1	8
4" x 3/4"	\$ 611.53	1	8
4" x 1"	\$ 454.36	1	8
4" x 1 1/4"	\$ 551.77	1	5
4" x 1 1/2"	\$ 524.48	1	6
4" x 2"	\$ 417.90	1	6
4" x 2 1/2"	\$ 430.69	1	4
4" x 3"	\$ 472.11	1	4
4" x 3" x 2"	\$ 641.80	1	4
4" x 3" x 3"	\$ 628.89	1	4

No-Lead Press Fit Fittings

71930

Tee - Press x Press x Press - No-Lead

- CTS x CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 6.26	10	200
1/2" x 3/4"	\$ 19.59	10	140
1/2" x 1"	\$ 29.54	5	60
3/4"	\$ 11.00	10	120
3/4" x 1"	\$ 31.15	5	60
1"	\$ 19.79	5	70
1" x 1 1/4"	\$ 57.70	1	35
1 1/4"	\$ 33.45	1	45
1 1/2"	\$ 64.95	1	25
2"	\$ 80.24	1	15
2 1/2"	\$ 263.24	1	10
3"	\$ 329.03	1	7
4"	\$ 461.68	1	4

71945

45° Elbow - Press x Press - No-Lead

- CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 4.77	10	400
3/4"	\$ 5.85	10	200
1"	\$ 18.70	5	140
1 1/4"	\$ 26.81	1	70
1 1/2"	\$ 43.45	1	40
2"	\$ 60.78	1	25
2 1/2"	\$ 140.78	1	16
3"	\$ 201.09	1	12
4"	\$ 279.26	1	6

71930F

Tee - Press x Press x FNPT - No-Lead

- CTS x CTS x FNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 20.59	5	150
3/4"	\$ 34.99	5	60
1"	\$ 80.68	5	60
1 1/4"	\$ 116.57	1	40
1 1/2"	\$ 187.16	1	
3/4" x 1/4"	\$ 28.10	5	120
3/4" x 1/2"	\$ 27.94	5	100
1" x 1/2"	\$ 35.84	5	80
1" x 3/4"	\$ 41.52	5	70
1 1/4" x 1/2"	\$ 51.21	1	60
1 1/4" x 3/4"	\$ 53.10	1	50
1 1/2" x 1/2"	\$ 60.78	1	40
1 1/2" x 3/4"	\$ 88.18	1	35
2" x 1/2"	\$ 73.87	1	25
2" x 3/4"	\$ 72.75	1	20
2 1/2" x 3/4"	\$ 295.95	1	18
3" x 3/4"	\$ 352.63	1	13
4" x 3/4"	\$ 404.59	1	8

71945SF

45° Elbow - Press x Street - No-Lead

- CTS x Fitting



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.69	10	450
3/4"	\$ 5.46	10	260
1"	\$ 17.90	5	140
1 1/4"	\$ 25.85	1	70
1 1/2"	\$ 39.54	1	40
2"	\$ 58.61	1	25
2 1/2"	\$ 162.50	1	18
3"	\$ 235.10	1	12
4"	\$ 297.00	1	6

71990

90° Elbow - Press x Press - No-Lead

- CTS x CTS



Size	List	Carton Qty	Master Qty
1/2"	\$ 4.10	10	350
3/4"	\$ 6.29	10	180
3/4" x 1/2"	\$ 9.45	15	240
1"	\$ 13.84	5	100
1 1/4"	\$ 27.90	1	55
1" x 3/4"	\$ 21.41	10	120
1 1/2"	\$ 52.78	1	35
2"	\$ 73.35	1	18
2 1/2"	\$ 213.08	1	12
3"	\$ 268.07	1	9
4"	\$ 331.64	1	4

71990F

Drop Ear Elbow - Press x FNPT - No-Lead
- CTS x FNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 20.00	1	5
3/4"	\$ 39.36	1	5

71991F

90° Elbow - Press x FNPT - No-Lead
- CTS x FNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 13.49	5	200
3/4"	\$ 21.43	5	120
1"	\$ 37.00	1	60
1 1/4"	\$ 62.81	1	45
1 1/2"	\$ 82.12	1	25
2"	\$ 130.37	1	15

71991M

90° Elbow - Press x MNPT - No-Lead
- CTS x MNPT



Size	List	Carton Qty	Master Qty
1/2"	\$ 19.42	5	200
3/4"	\$ 31.02	5	120
1"	\$ 46.73	1	65
1 1/4"	\$ 63.64	1	45
1 1/2"	\$ 87.01	1	25
2"	\$ 122.95	1	15

71991SF

90° Elbow - Press x Street - No-Lead
- CTS x Fitting



Size	List	Carton Qty	Master Qty
1/2"	\$ 4.10	10	400
3/4"	\$ 6.91	10	200
1"	\$ 15.88	5	100
1 1/4"	\$ 28.18	1	55
1 1/2"	\$ 53.76	1	35
2"	\$ 73.89	1	20
2 1/2"	\$ 221.56	1	14
3"	\$ 257.64	1	9
4"	\$ 328.12	1	4

72028PF

Forged Brass Body Full Port Ball Valve with Press Ends - No-Lead

- Press x Press, 250 PSI CWP
- Conforms to NSF / ANSI 61-2012
NSF / ANSI 14-2010a, and NSF / ANSI 372-2010
(2 1/2" - 4" works with XLC Jaws)



Size	List	Carton Qty	Master Qty
1/2"	\$27.89	5	75
3/4"	\$32.61	10	50
1"	\$60.05	6	12
1 1/4"	\$89.46	5	10
1 1/2"	\$129.43	4	8
2"	\$197.58	2	4
2 1/2"	\$ 314.56	1	1
3"	\$ 429.36	1	1
4"	\$ 712.08	1	1

72028PFGH

Forged Brass Body Full Port Ball Valve with Press End and Removable Cap - No-Lead

- Press x MGHT, 250 PSI CWP
- Conforms to NSF / ANSI 61-2012
NSF / ANSI 14-2010a, and NSF / ANSI 372-2010



Size	List	Carton Qty	Master Qty
3/4"	\$ 38.11	5	40



No-Lead Push-Fit

No-Lead Push-Fit

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Push Fit Valves & Fittings

Push-Fit Valves & Fittings are design for connecting fittings and valves to Copper, CPVC or Pex Pipe. No soldering, crimping, or solvent welding is necessary due to the special rubber o-ring and stainless steel gripper ring. Push-Fits are ideal for use on plumbing, water, and hydronic heating systems.

Performance

Maximum Working Pressure	200 PSIG (13.8 bar)
Temperature Range	0°F to 200°F (-18°C to 93.3°C)

Tubing Application

Pex Tubing	In accordance with ASTM F-876 and F-877
CTS CPVC Pipe	In accordance with ASTM D2846/2846M
Copper Pipe	In accordance with ASTM B88

Certified to NSF/ANSI 61-G (AB 1953), NSF/ANSI-14 for ASTM F877, CSA B137.5, ASSE 1061, IGC 188 and U.P. Code

72100

Coupling - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/8"	\$ 13.57	12	120
1/2"	\$ 10.81	12	120
1/2" x 3/8"	\$ 10.87	15	150
3/4"	\$ 12.37	6	60
3/4" x 1/2"	\$ 12.66	6	60
1"	\$ 26.57	6	30
1" x 3/4"	\$ 32.28	6	30

72100RC

Slip Repair Coupling - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 20.30	15	60
3/4" x 4"	\$ 24.90	15	60
1" x 4"	\$ 35.63	15	45

72100F

Female Adapter - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 9.01	12	120
1/2" x 3/4"	\$ 10.75	6	60
3/4"	\$ 10.26	6	60
1"	\$ 20.75	6	30

72101Q

Drop Ear Elbow - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.67	6	60

72103

End Cap - No-Lead

- CTS
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/8"	\$ 10.58	50	500
1/2"	\$ 9.05	12	120
3/4"	\$ 11.58	6	60
1"	\$ 26.53	6	30

72100M

Male Adapter - No-Lead

- CTS x MNPT
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.70	12	120
1/2" x 3/4"	\$ 10.47	12	60
3/4"	\$ 9.82	6	60
1"	\$ 21.57	6	30
1" x 3/4"	\$ 18.27	6	30

72130

Tee - No-Lead

- CTS x CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/8"	\$ 18.69	6	60
1/2"	\$ 15.45	12	60
3/4"	\$ 19.42	12	60
3/4" x 1/2"	\$ 19.61	12	60
3/4" x 1/2" x 1/2"	\$ 19.59	12	60
3/4" x 1/2" x 3/4"	\$ 20.50	12	60
1"	\$ 34.60	6	30
1" x 1" x 3/4"	\$ 35.33	3	24

72105

Ball Valve - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 21.98	10	80
3/4"	\$ 27.60	5	45
1"	\$ 46.00	2	30

72190

Elbow - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/8"	\$ 15.05	12	120
1/2"	\$ 11.19	12	120
3/4"	\$ 13.97	6	60
3/4" x 1/2"	\$ 14.86	6	60
1"	\$ 28.57	6	30
1" x 3/4"	\$ 28.57	6	30

72190F

Elbow - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.29	12	60
3/4"	\$ 24.02	6	60

72190M

Elbow - No-Lead

- CTS x MNPT
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.11	12	60

72082Q

Angle Quarter Turn Supply Stop - Push-Fit - No-Lead

- CTS x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CTS x 3/8" O.D.
- 1/2" CTS x 1/4" O.D.



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 15.98	10	100
1/2" x 1/4"	\$ 15.98	10	100

72080Q

Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- CTS x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CTS x 3/8" O.D.



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 15.98	10	200
1/2" x 1/4"	\$ 15.98	10	200

2106

Stainless Steel Water Heater Connector - No-Lead

- FNPT x CTS



Size	List	Carton Qty	Master Qty
3/4" x 3/4" x 12	\$ 16.38	1	60
3/4" x 3/4" x 15	\$ 17.26	1	60
3/4" x 3/4" x 18	\$ 18.16	1	60
3/4" x 3/4" x 24	\$ 19.81	1	60
1/2" x 3/4" x 12	\$ 16.86	1	50
1/2" x 3/4" x 15	\$ 17.77	1	50
1/2" x 3/4" x 18	\$ 18.71	1	50
1/2" x 3/4" x 24	\$ 20.42	1	50

2106BV

Stainless Steel Water Heater Connector - No-Lead

- FNPT x CTS



Size	List	Carton Qty	Master Qty
3/4" x 3/4" x 18	\$ 50.22	1	25
3/4" x 3/4" x 24	\$ 51.82	1	25

2100RT

Release Tool

Size	List	Carton Qty	Master Qty
3/8"	\$ 1.00	50	500
1/2"	\$ 1.00	50	500
3/4"	\$ 1.11	25	500
1"	\$ 1.36	10	250
1 1/4"	\$ 41.19	3	30
1 1/2"	\$ 46.70	3	30
2"	\$ 52.22	3	30



2100DBT

Deburring Tool

Size	List	Carton Qty	Master Qty
	\$ 13.72	24	480



No-Lead Push Fit Valves & Fittings

2100C

Copper Coupling - No-Lead

- CTS x CTS

- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.91	12	120
3/4"	\$ 10.18	12	60
3/4" x 1/2"	\$ 9.76	12	60
1"	\$ 22.07	6	30
1" x 3/4"	\$ 22.07	6	24
1" x 1 1/4"	\$ 22.11	2	30
1 1/4"	\$ 28.11	2	30
1 1/2"	\$ 55.47	9	27
1 1/2" x 1 1/4"	\$ 41.52	2	20
2"	\$ 76.25	2	20
2" x 1 1/2"	\$ 60.71	1	15

2190CM

Copper Elbow Adapter - No-Lead

- CTS x MNPT

- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.64	6	60

2190CF

Copper Elbow Adapter - No-Lead

- CTS x FNPT

- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.69	6	60

2100CRC

Copper Slip Repair Coupling - No-Lead

- CTS x CTS

- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 18.68	12	60
3/4" x 4"	\$ 22.91	12	60
1" x 4"	\$ 32.78	12	60

2100CM

Copper Adapter - No-Lead

- CTS x MNPT

- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.99	12	60
1/2" x 3/4"	\$ 9.65	12	60
3/4"	\$ 9.65	12	60
1"	\$ 18.49	6	30
1 1/4"	\$ 34.12	2	30
1 1/2"	\$ 49.30	1	25
2"	\$ 69.27	1	20

2190C

Copper Elbow - No-Lead

- CTS x CTS

- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 9.37	12	120
3/4"	\$ 11.84	6	60
3/4" x 1/2"	\$ 11.72	6	60
1"	\$ 22.56	6	30
1" x 3/4"	\$ 22.56	6	60
1 1/4"	\$ 35.75	1	20
1 1/2"	\$ 55.58	1	15
2"	\$ 72.42	1	8

2130C

Copper Tee - No-Lead

- CTS x CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.70	12	60
3/4"	\$ 15.90	12	60
1"	\$ 26.92	3	30
1 1/4"	\$ 58.15	1	15
1 1/2"	\$ 92.97	1	10
2"	\$ 131.85	1	6

2103C

Copper End Cap - No-Lead

- CTS
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.47	12	120
3/4"	\$ 9.37	6	60
1"	\$ 20.94	6	30
1 1/4"	\$ 19.29	5	40
1 1/2"	\$ 28.66	1	35
2"	\$ 39.00	1	30

2130C

Copper Reducing Tee - No-Lead

- CTS x CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2" x 1/2" x 3/4"	\$ 16.01	10	50
1/2" x 1/2" x 1"	\$ 22.55	10	50
3/4" x 1/2"	\$ 15.25	12	60
3/4" x 1/2" x 1/2"	\$ 15.45	12	60
3/4" x 1/2" x 3/4"	\$ 16.19	12	60
1" x 3/4"	\$ 27.87	2	20

2101QC

Copper Drop Ear Elbow - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 15.27	5	50

2100CF

Copper Adapter - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.91	12	60
1/2" x 3/4"	\$ 9.25	6	60
3/4"	\$ 9.25	6	60
1"	\$ 17.80	6	30
1 1/4"	\$ 38.44	2	30
1 1/2"	\$ 50.47	1	25
2"	\$ 67.96	1	20



No-Lead S&S Check Valves



No-Lead Sump & Sewage Check Valves

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Sump & Sewage Check Valves

2063

Full Flow Sump Check Valve

- ABS Thermoplastic Body
- 1 1/4" x 1 1/2" (Combo)
- 1 1/2" - 2" (Full Flow)
- Stainless Steel clamps included



Combo

Size	List	Carton Qty
1 1/4" or 1 1/2"	\$ 13.63	24

Full Flow

Size	List	Carton Qty
1 1/2"	\$ 13.63	24
2"	\$ 21.28	12

2065

Union Check Valve

- Solvent Union x Solvent Union
- ABS Thermoplastic Body



Size	List	Carton Qty
1 1/2"	\$ 23.00	9
2"	\$ 27.71	6

2065S

Silent Union Check Valve

- Solvent Union x Solvent Union
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles



Size	List	Carton Qty
1 1/2"	\$ 26.82	9
2"	\$ 33.80	6

2065LU

Check Valve Less Union

- Solvent x Solvent
- ABS Thermoplastic Body



Size	List	Carton Qty
1 1/2"	\$ 11.34	24
2"	\$ 12.67	12

2065SLU

Silent Check Valve Less Union

- Solvent x Solvent
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles



Size	List	Carton Qty
1 1/2"	\$ 16.97	24
2"	\$ 20.09	12

2066

Union Check Valve / Ball Valve Combo

- Solvent Union x Solvent
- ABS Thermoplastic Body
- Union / Removeable



Size	List	Carton Qty
1 1/2"	\$ 36.26	9
2"	\$ 48.95	6

2066S

Silent Union Check Valve / Ball Valve Combo

- Solvent Union x Solvent
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles
- Union / Removeable



Size	List	Carton Qty
1 1/2"	\$ 40.09	9
2"	\$ 52.49	6

2067

Compression Check Valve

- Comp x Comp
- ABS Thermoplastic Body



Size	List	Carton Qty
2"	\$ 27.71	6

2067S

Silent Compression Check Valve

- Comp x Comp
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles

Size	List	Carton Qty
2"	\$ 33.80	6



2069C

Clear Silent Sump Check Valve

- ABS Thermoplastic Body
- Stainless Steel clamps included
- Eliminates the typical hammering of a sump pump check valve after the pump cycles

Size	List	Carton Qty
1 1/2"	\$ 29.94	16
2"	\$ 38.11	12



2068

Compression Check Valve / Ball Valve Combo

- Comp x Solvent
- ABS Thermoplastic Body
- Union / Removeable

Size	List	Carton Qty
2"	\$ 48.95	6



2068S

Silent Compression Check Valve

- Comp x Solvent
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles
- Union / Removeable

Size	List	Carton Qty
2"	\$ 52.49	6



2069

Silent Sump Check Valve

- ABS Thermoplastic Body
- Stainless Steel clamps included
- Eliminates the typical hammering of a sump pump check valve after the pump cycles

Size	List	Carton Qty
1 1/4"	\$ 22.18	16
1 1/2"	\$ 24.93	16
2"	\$ 30.97	12





No-Lead PVC / CPVC



No-Lead PVC / CPVC

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

2060S

PVC Ball Valve - Sch. 80

- Solvent
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.61	1	120
3/4"	\$ 4.17	5	90
1"	\$ 5.83	1	60
1 1/4"	\$ 7.80	1	40
1 1/2"	\$ 12.63	1	30
2"	\$ 15.21	1	18
2 1/2"	\$ 42.43		12
3"	\$ 59.80		6
4"	\$ 112.39		4

2064ST

PVC Union Ball Valve - Sch. 80

- Solvent or FNPT
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- Valve shipped with both FNPT & Solvent connections



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.59	1	48
3/4"	\$ 15.79	1	36
1"	\$ 25.88	1	36
1 1/4"	\$ 34.51	1	12
1 1/2"	\$ 47.75	1	12
2"	\$ 66.06	1	12
2 1/2"	\$ 93.38	1	6
3"	\$ 161.88	1	4
4"	\$ 328.47	1	1

2060T

PVC Ball Valve - Sch. 80

- FNPT
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.61	10	120
3/4"	\$ 4.17	1	90
1"	\$ 5.83	1	60
1 1/4"	\$ 7.80	1	40
1 1/2"	\$ 12.63	1	30
2"	\$ 15.21	2	18
2 1/2"	\$ 42.43		12
3"	\$ 59.80		6
4"	\$ 112.39		6

2070S

PVC Union - Sch. 80

- Solvent
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.38	24	96
3/4"	\$ 3.17	24	96
1"	\$ 4.94	24	96
1 1/4"	\$ 6.46	12	48
1 1/2"	\$ 8.09	9	36
2"	\$ 12.95	6	24

2062

CPVC - Ball Valve - Sch. 80

- Solvent x Solvent
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 6.89	10	200
3/4"	\$ 8.59	1	120
1"	\$ 12.76	5	90

2070T

PVC Union - Sch. 80

- FNPT
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.38	24	96
3/4"	\$ 3.17	24	96
1"	\$ 4.94	24	96
1 1/4"	\$ 6.46	12	48
1 1/2"	\$ 8.09	9	36
2"	\$ 12.95	6	24

2070RG

Replacement Gasket for 2070T / 2070S



Size	List	Carton Qty
1/2"	\$ 4.13	50
3/4"	\$ 4.13	50
1"	\$ 4.13	50
1 1/4"	\$ 4.13	50
1 1/2"	\$ 4.13	50
2"	\$ 4.13	50

2072

PVC Compression Coupling - Sch. 80

- Comp
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- Rubber gaskets



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.29	10	200
3/4"	\$ 2.86	10	120
1"	\$ 3.77	10	120
1 1/4"	\$ 5.65	10	80
1 1/2"	\$ 6.13	10	60
2"	\$ 8.26	5	50
2 1/2"	\$ 18.07	4	4
3"	\$ 28.31	2	4
4"	\$ 38.86	2	2

72111VF

CPVC Transition Fittings - No-Lead

- FNPT x CPVC
- Conforms to ASTM D2846
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.05	24	432
3/4"	\$ 8.71	30	360
1"	\$ 14.48	25	150
1 1/4"	\$ 22.74	10	80
1 1/2"	\$ 30.86	10	60
2"	\$ 47.45	5	20

72111VM

CPVC Transition Fittings - No-Lead

- MNPT x CPVC
- Conforms to ASTM D2846
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.05	24	432
3/4"	\$ 8.71	30	360
1"	\$ 14.48	25	150
1 1/4"	\$ 22.74	10	80
1 1/2"	\$ 30.86	10	60
2"	\$ 47.45	5	20

72101V

Drop Ear Elbow - No-Lead

- FNPT x CPVC
- Three Ear Design
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.49	50	250

No-Lead PVC / CPVC



No-Lead Pex / Poly / Expansion



No-Lead Pex / Poly & Expansion

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead Poly Pex

2400

Coupling - Poly

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/8"	\$ 0.37	50	2800
1/2"	\$ 0.66	50	2000
1/2" x 3/8"	\$ 0.42	50	2400
3/4"	\$ 0.89	50	1000
3/4" x 1/2"	\$ 0.92	50	1000
1"	\$ 1.71	25	600
1" x 1/2"	\$ 1.21	25	600
1" x 3/4"	\$ 1.53	25	600

2430

Tee - Poly

- Pex x Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/8"	\$ 1.09	50	1400
1/2"	\$ 1.03	50	650
3/4"	\$ 1.67	25	400
1"	\$ 4.31	10	200

2400F

Swivel Adapter - Poly

- Pex x FNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 1.85	25	600
1"	\$ 3.68	25	300

2430

Reducing Tee - Poly

- Pex x Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 3/4"	\$ 1.67	25	550
3/4" x 1/2" x 1/2"	\$ 1.67	25	600
3/4" x 1/2" x 3/4"	\$ 1.67	25	500
3/4" x 1/2"	\$ 1.67	25	500
3/4" x 1"	\$ 3.70	10	300
1" x 1/2"	\$ 3.70	10	300
1" x 3/4"	\$ 3.70	10	300
1" x 3/4" x 3/4"	\$ 3.70	10	300
1" x 3/4" x 1"	\$ 3.70	10	250

2400M

Male Adapter - Poly

- Pex x MNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 1.29	50	800
1/2" x 3/4"	\$ 1.76	25	600
3/4"	\$ 1.82	25	500
3/4" x 1/2"	\$ 1.76	25	600
1"	\$ 4.11	25	300

2430M

Tee - Poly

- Pex x Pex x MNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 1.60	50	600

2402

Plug - Poly

- Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/8"	\$ 0.32	100	6000
1/2"	\$ 0.50	100	3000
3/4"	\$ 0.92	100	2000
1"	\$ 1.31	50	1000

2490

Elbow - Poly

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/8"	\$ 0.57	50	1800
1/2"	\$ 0.84	50	1200
3/4"	\$ 1.37	25	600
3/4" x 1/2"	\$ 1.23	25	700
1"	\$ 3.70	10	300

2490M

Male Adapter - Poly

- Pex x MNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 1.48	25	650
1/2" x 3/8"	\$ 1.17	25	750
3/4"	\$ 1.79	25	400
3/4" x 1/2"	\$ 1.65	25	400

2492

Swivel Elbow - Poly

- Pex x FNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.22	25	600

No-Lead Brass Pex

72300

Coupling - No-Lead

- Pex x Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/8"	\$ 1.09	25	2000
1/2"	\$ 1.14	50	1000
1/2" x 3/8"	\$ 1.14	50	1000
5/8"	\$ 2.13	25	600
3/4"	\$ 1.81	25	500
3/4" x 1/2"	\$ 1.77	25	500
1"	\$ 2.95	15	120
1" x 3/4"	\$ 2.95	15	120
1 1/4"	\$ 6.14	20	160
1 1/4" x 3/4"	\$ 4.39	20	240
1 1/4" x 1"	\$ 4.67	20	240
1 1/2"	\$ 8.79	20	120
1 1/2" x 3/4"	\$ 6.38	15	120
1 1/2" x 1"	\$ 6.59	15	120
1 1/2" x 1 1/4"	\$ 7.25	20	120
2"	\$ 15.53	15	60
2" x 1"	\$ 12.98	20	80
2" x 1 1/4"	\$ 14.01	20	80
2" x 1 1/2"	\$ 14.21	20	80

72300F

Female Adapter - No-Lead

- Pex x FNPT
- NSF / ANSI 61-4
- Pex ASTM F1807




Size	List	Carton Qty	Master Qty
1/2"	\$ 2.70	50	500
1/2" x 3/4"	\$ 3.74	25	250
3/4"	\$ 3.93	25	250
3/4" x 1/2"	\$ 3.74	25	250
3/4" x 1"	\$ 8.52	15	120
1"	\$ 7.42	15	120
1" x 3/4"	\$ 7.42	15	120
1 1/4"	\$ 18.95	10	40
1 1/4" x 1 1/2"	\$ 24.45	10	40
2"	\$ 24.63	10	40

72300M

Male Adapter - No-Lead

- Pex x MNPT
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/8" x 1/2"	\$ 2.32	50	500
1/2"	\$ 2.46	50	500
1/2" x 3/4"	\$ 3.47	25	250
3/4"	\$ 3.69	25	250
3/4" x 1/2"	\$ 2.32	25	250
3/4" x 1"	\$ 6.03	15	120
1"	\$ 6.44	15	120
1" x 3/4"	\$ 4.37	15	120
1 1/4"	\$ 19.13	10	60
1 1/4" x 1"	\$ 8.21	15	120
1 1/4" x 1 1/2"	\$ 17.61	10	60
2"	\$ 29.32	10	30

72300PB

PB Adapter - No-Lead

- Pex x PB
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.15	30	240
3/4"	\$ 3.00	10	80

72300SF

Female Sweat Adapter - No-Lead

- Pex x F Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 1.67	50	1000
1/2" x 3/4"	\$ 3.16	50	500
5/8" x 3/4"	\$ 5.02	50	600
3/4"	\$ 2.46	25	500
1"	\$ 4.61	15	120
1 1/4"	\$ 6.91	20	160
1 1/2"	\$ 13.26	15	60
2"	\$ 20.67	10	40

72300SFM

Combo Sweat Adapter - No-Lead

- Pex x M Coupling or F Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/4" x 3/4" x or 1/2"	\$ 5.32	15	120
1" x 1" x 3/4"	\$ 8.07	15	120

No-Lead Pex / Poly / Expansion

72300SM

Male Adapter - No-Lead

- Pex x Male Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
5/8" x 1/2"	\$ 3.71	50	500
1/2"	\$ 1.42	50	1000
1/2" x 3/4"	\$ 3.16	50	500
3/4"	\$ 2.54	25	500
1"	\$ 4.04	15	120
1 1/4"	\$ 10.10	20	120
1 1/2"	\$ 11.57	20	80
2"	\$ 20.32	10	40

72330

Tee - No-Lead

- Pex x Pex x Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/8"	\$ 1.49	50	500
1/2"	\$ 2.08	50	500
3/4"	\$ 3.24	25	250
1"	\$ 6.20	15	120
1 1/4"	\$ 15.31	10	80
1 1/2"	\$ 21.63	5	40
2"	\$ 37.80	5	30

72301

Swivel Adapter - No-Lead

- Pex x FNPT (Plastic Nut)
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.59	25	250

72330

Tee - No-Lead

- Pex x Pex x Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 3/4"	\$ 2.49	25	250
3/4" x 1/2" x 1/2"	\$ 3.19	25	250
3/4" x 1/2" x 3/4"	\$ 3.19	25	250
3/4" x 1/2"	\$ 3.19	25	250
3/4" x 1"	\$ 6.47	15	120
1" x 1/2"	\$ 5.75	15	120
1" x 3/4" x 3/4"	\$ 6.38	15	120
1" x 3/4" x 1"	\$ 7.26	20	160
1" x 3/4"	\$ 5.95	15	120
1 1/4" x 1/2"	\$ 7.77	10	120
1 1/4" x 3/4"	\$ 10.64	10	80
1 1/4" x 1"	\$ 12.94	10	80
1 1/4" x 1" x 1"	\$ 10.71	10	80
1 1/2" x 1/2"	\$ 12.71	5	80
1 1/2" x 3/4"	\$ 13.74	10	80
1 1/2" x 3/4" x 3/4"	\$ 12.04	10	80
1 1/2" x 1"	\$ 15.16	5	60
1 1/2" x 1" x 3/4"	\$ 13.09	10	80
1 1/2" x 1" x 1"	\$ 14.27	5	80
1 1/2" x 1 1/4"	\$ 17.82	5	60
1 1/2" x 1 1/4" x 3/4"	\$ 13.51	5	80
1 1/2" x 1 1/4" x 1"	\$ 15.03	5	60
1 1/2" x 1 1/4" x 1 1/4"	\$ 15.84	5	60
2" x 1/2"	\$ 17.51	5	60
2" x 3/4"	\$ 19.38	5	40
2" x 1"	\$ 23.03	5	40
2" x 1 1/4"	\$ 26.24	5	30
2" x 1 1/4" x 1 1/4"	\$ 23.29	5	40
2" x 1 1/2"	\$ 29.19	5	30
2" x 1 1/2" x 3/4"	\$ 19.51	5	60
2" x 1 1/2" x 1"	\$ 21.13	5	40
2" x 1 1/2" x 1 1/4"	\$ 24.75	5	40
2" x 1 1/2" x 1 1/2"	\$ 28.22	5	30

72301B

Swivel Adapter - No-Lead

- Pex x FNPT (Brass Nut)
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 6.85	25	250
3/4"	\$ 9.01	25	250
1"	\$ 8.79	20	120

72302

Plug Pex - No-Lead

- Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/8"	\$ 0.77	50	2000
1/2"	\$ 0.79	50	1500
3/4"	\$ 1.33	25	1000
1"	\$ 2.68	15	120
1 1/4"	\$ 5.16	40	160
1 1/2"	\$ 8.64	30	120
2"	\$ 10.89	20	80

No-Lead Brass Pex

72390

Elbow - No-Lead

- Pex x Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
3/8"	\$ 1.40	25	750
1/2"	\$ 1.61	50	750
3/4"	\$ 2.70	25	300
3/4" x 1/2"	\$ 3.16	25	300
1"	\$ 4.45	15	150
1 1/4"	\$ 11.49	10	100
1 1/2"	\$ 16.66	10	60
2"	\$ 30.88	10	40

72392F

Sweat Adapter Elbow - No-Lead

- Pex x F Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
5/8" x 3/4"	\$ 5.62	50	300
1/2"	\$ 5.70	50	300
1/2" x 3/4"	\$ 6.09	25	250
3/4"	\$ 6.44	15	120

72391

Male Adapter Elbow - No-Lead

- Pex x MNPT
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.43	50	250
1/2" x 3/4"	\$ 6.09	30	300
3/4"	\$ 6.09	25	250

72392M

Sweat Adapter Elbow - No-Lead

- Pex x M Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
5/8" x 3/4"	\$ 5.68	50	300
1/2"	\$ 5.97	50	300
3/4"	\$ 6.60	15	120

72101P

Drop Ear Elbow - No-Lead

- Pex x FNPT
- Three Ear design
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 6.03	50	300
1/2" x 3/8"	\$ 7.42	50	200
3/4"	\$ 11.52	25	100

72392

Swivel Elbow - No-Lead

- Pex x FNPT Swivel (Plastic Nut)
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.96	50	200

72392B

Swivel Elbow - No-Lead

- Pex x FNPT Swivel (Brass Nut)
- NSF / ANSI 61-4
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.05	50	200

72033P

Pex Ball Valve with Drain - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- Directional
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.88	10	120
3/4"	\$ 21.24	10	120

72030PC

Pex Ball Valve - No-Lead

- SWT x Pex, 400 WOG, 150 WSP
- Pex ends conform to ASTM F1807
- Blowout proof stem
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 19.78	10	120
3/4"	\$ 25.90	10	120

72030DEP

Pex Ball Valve Drop Ear - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.72	8	80
3/4"	\$ 16.14	8	64

72030P

Pex Ball Valve - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 13.45	10	120
3/4"	\$ 18.61	10	120
1"	\$ 34.46	6	54

72030FP

Pex Ball Valve - No-Lead

- Pex x FNPT, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- 1" comes with lever handle



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.04	10	120
3/4"	\$ 20.61	10	120
1"	\$ 29.17	6	60

72030EP

Pex Ball Valve - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 9.75	10	120
3/4"	\$ 14.69	10	100
1"	\$ 24.13	10	60
1 1/4"	\$ 33.78	10	40

72014PWF

Angle Sillcock w/Wide Flange - No-Lead

- Pex x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 17.44	6	60
3/4"	\$ 18.74	6	60

72030MP

Pex Ball Valve - No-Lead

- Pex x MNPT, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 16.04	10	120
3/4"	\$ 20.61	10	120

72008P

Boiler Drain - No-Lead

- Pex or MNPT x G.H.T., 125 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.23	10	60

72034SP

Standard Port Gate Valve - No-Lead

- Pex x Pex, 200 WOG
- Non-rising stem
- Pex ends conform to ASTM F1807



Size	List	Carton Qty	Master Qty
1/2"	\$ 18.07	10	100
3/4"	\$ 24.02	10	60

72080P

Straight Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.57	20	240

72011P

Frostproof Sillcock with Vacuum Breaker - Antisiphon

Multi-Turn Operation - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 39.20	1	24
1/2" x 6"	\$ 40.76	1	24
1/2" x 8"	\$ 42.27	1	24
1/2" x 10"	\$ 43.91	1	24
1/2" x 12"	\$ 45.37	1	24

72080PP

Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/2" Pex
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 1/2"	\$ 12.84	10	120

72011PQT

Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Pex End - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12", 14"
- NSF / ANSI 372
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 54.13	1	20
1/2" x 6"	\$ 55.32	1	20
1/2" x 8"	\$ 55.90	1	20
1/2" x 10"	\$ 59.20	1	20
1/2" x 12"	\$ 62.43	1	20
1/2" x 14"	\$ 63.66	1	20

72082PI

Angle Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/4" O.D.
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240

72082P

Angle Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.47	20	240

72080PI

Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/4" Comp
- Pex ASTM F1807




Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240

72300EXM

Male Adapter Expansion Pex - No-Lead

- Expansion Pex x MNPT
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
3/8" x 1/2"	\$ 5.36	50	400
1/2"	\$ 5.43	50	400
1/2" x 3/4"	\$ 9.45	20	200
3/4"	\$ 9.69	20	200
3/4" x 1/2"	\$ 13.25	25	250
3/4" x 1"	\$ 20.01	10	100
1"	\$ 19.47	15	120
1" x 3/4"	\$ 20.01	15	150

72300EXF

Female Adapter Expansion Pex - No-Lead

- Expansion Pex x FNPT
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.65	25	250
1/2" x 3/4"	\$ 11.99	20	200
3/4"	\$ 11.66	15	150
3/4" x 1/2"	\$ 17.06	20	200
3/4" x 1"	\$ 19.10	10	100
1"	\$ 25.15	10	100
1" x 3/4"	\$ 36.50	10	100

72300EXSM

Male Sweat Adapter Expansion Pex - No-Lead

- Expansion Pex x M Sweat
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.52	25	500
1/2" x 3/4"	\$ 8.38	20	200
3/4"	\$ 7.98	20	200
1"	\$ 14.61	10	100

72300EXSF

Female Sweat Adapter Expansion Pex - No-Lead

- Expansion Pex x F Sweat
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.57	25	500
1/2" x 3/4"	\$ 12.98	30	300
3/4"	\$ 8.12	25	250
1"	\$ 14.06	10	100

72300EX

Coupling Expansion Pex - No-Lead

- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
3/8"	\$ 4.76	40	800
1/2"	\$ 4.87	25	500
1/2" x 3/8"	\$ 4.87	25	500
3/4"	\$ 7.76	30	240
3/4" x 1/2"	\$ 8.38	30	300
1"	\$ 15.95	15	120
1" x 3/4"	\$ 13.52	10	100

72101EXP

Drop Ear Elbow Expansion Pex - No-Lead

- Expansion Pex x FNPT - Three Ear
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.61	25	200
3/4"	\$ 10.24	20	80

72330EXPDE

Drop Ear Expansion Pex - Tee - No-Lead

- Expansion Pex x Expansion Pex - Two Ear
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.00	10	100
3/4"	\$ 17.66	10	80

No-Lead Expansion Pex

72390EX

Elbow Expansion Pex - No-Lead

- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
3/8"	\$ 7.35	50	500
1/2"	\$ 7.51	40	240
3/4"	\$ 15.02	20	160
1"	\$ 20.55	20	80

72392EX

Swivel Elbow Expansion Pex - No-Lead

- Expansion Pex x FNPT (Plastic Nut)
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.24	10	200
3/4"	\$ 11.81	10	80

72330EX

Tee Expansion Pex - No-Lead

- Expansion Pex x Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.00	20	200
3/4"	\$ 16.07	25	100
1"	\$ 28.12	15	60

72392EXSM

Sweat Adapter Elbow Expansion Pex - No-Lead

- Expansion Pex x M Sweat
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.04	40	240
3/4"	\$ 8.85	20	160

72330EX

Reducing Tee Expansion Pex - No-Lead

- Expansion Pex x Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2" x 3/4"	\$ 11.42	25	100
3/4" x 1/2" x 1/2"	\$ 11.55	25	100
3/4" x 1/2" x 3/4"	\$ 13.00	25	100
3/4" x 1/2"	\$ 14.33	25	100
3/4" x 1"	\$ 33.50	15	60
1" x 1/2"	\$ 28.39	15	60
1" x 3/4" x 3/4"	\$ 28.12	15	60
1" x 3/4" x 1"	\$ 28.67	15	60
1" x 3/4"	\$ 29.47	15	60

72391EXM

Male Adapter Elbow Expansion Pex - No-Lead

- Expansion Pex x MNPT
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 9.96	30	240
1/2" x 3/4"	\$ 10.55	25	200
3/4"	\$ 11.73	10	100

72302EX

Plug Expansion Pex - No-Lead

- Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
3/8"	\$ 2.63	50	1000
1/2"	\$ 2.67	50	500
3/4"	\$ 3.93	50	400
1"	\$ 7.98	20	200
1 1/4"	\$ 7.39	20	80

72392EXSF

Sweat Adapter Elbow Expansion Pex - No-Lead

- Expansion Pex x F Sweat
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.27	30	240
1/2" x 3/4"	\$ 3.79	20	200
3/4"	\$ 8.85	15	120

2400EX

Coupling Expansion Pex - Poly - No-Lead

- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 1.65	25	1250
1/2" x 3/4"	\$ 3.50	25	600
3/4"	\$ 2.10	25	500
1"	\$ 3.30	10	250
1" x 3/4"	\$ 3.50	25	300

2402EX

Plug Expansion Pex - Poly - No-Lead

- Expansion Pex
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 1.25	50	1800
3/4"	\$ 2.00	25	900
1"	\$ 2.65	25	500

2490EX

Elbow Expansion Pex - Poly - No-Lead

- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.05	25	1000
3/4"	\$ 2.55	25	350
3/4" x 1/2"	\$ 5.25	25	550
1"	\$ 5.25	25	150

2490EXM

Elbow Expansion Pex - Poly - No-Lead

- Expansion Pex x MNPT
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.27	10	700

2492EXF

Swivel Elbow Expansion Pex - Poly - No-Lead

- Expansion Pex x FNPT
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.77	10	400

2430EX

Tee Expansion Pex - Poly - No-Lead

- Expansion Pex x Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.05	25	600
1/2" x 3/4"	\$ 3.85	25	350
3/4"	\$ 3.30	25	200
3/4" x 1/2"	\$ 2.65	25	250
3/4" x 1/2" x 1/2"	\$ 3.15	25	350
3/4" x 1/2" x 3/4"	\$ 3.15	10	300
3/4" x 1"	\$ 5.40	10	170
1"	\$ 5.95	10	120
1" x 1/2"	\$ 5.45	25	150
1" x 3/4"	\$ 6.05	25	125
1" x 3/4" x 3/4"	\$ 5.20	25	150
1" x 3/4" x 1"	\$ 6.25	10	120

2400EXM

Male Adapter Expansion Pex - Poly - No-Lead

- Expansion Pex x MNPT
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.88	25	850
1/2" x 3/4"	\$ 3.68	10	750

2400EXF

Swivel Adapter Expansion Pex - Poly - No-Lead

- Expansion Pex x FNPT
- Ends conform to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 2.90	25	400

No-Lead Pex / Expansion Pex Supply Stops

72082P

Angle Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.47	20	240

72082EXP

Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.47	20	240

72080P

Straight Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.57	20	240

72082EXPI

Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 1/4" Comp
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240

72080PP

Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/2" Pex
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 1/2"	\$ 12.84	10	120

72082EXPP

Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Expansion Pex
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.94	10	100

72082PI

Angle Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/4" O.D.
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240

72082EXPD

Angle Quarter Turn Expansion Pex Supply Stop Dual Outlet - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp x 3/8" Comp
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 3/8"	\$ 30.89	20	240

72080PI

Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/4" Comp
- Pex ASTM F1807



Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240

72082EXPDI

Angle Quarter Turn Expansion Pex Supply Stop Dual Outlet - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp x 1/4" Comp
- Pex ASTM F1960




Size	List	Carton Qty	Master Qty
1/2" x 3/8" x 1/4"	\$ 15.76	20	240

72080EXP

Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 9.57	20	240

72080EXPI

Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 1/4" Comp
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 1/4"	\$ 12.21	20	240

72080EXPP

Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Expansion Pex
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.94	10	100

72101EXP

Drop Ear Elbow Expansion Pex - No-Lead

- Expansion Pex x FNPT
- Three Ear design
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.61	25	200
3/4"	\$ 10.24	20	80

72030EXMP

Expansion Pex Ball Valve - No-Lead

- Expansion Pex x MNPT, 400 WOG
- Pex ends conform to ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem
- Pex ASTM F1960



Size	List	Carton Qty	Master Qty
3/4"	\$ 20.61	10	100
1"	\$ 22.65	6	100

72030EXP

Full Port Expansion Pex Ball Valve - No-Lead

- Expansion Pex x Expansion Pex, 400 WOG
- Blowout proof stem
- Pex ends conform to ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 10.72	10	100
3/4"	\$ 16.14	10	100
1"	\$ 26.56	6	48

72011EXP

Frostproof Sillcock with Vacuum Breaker Antisiphon Multi-Turn Operation - No-Lead

- 1/2" Expansion Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- NSF / ANSI 372
- Pex ends conforms to ASTM F1960



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 39.20	1	24
1/2" x 6"	\$ 40.76	1	24
1/2" x 8"	\$ 42.27	1	24
1/2" x 10"	\$ 43.91	1	24
1/2" x 12"	\$ 45.37	1	24

72011EXPQT

Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Expansion Pex End - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Pex ends conform to ASTM F1960
- NSF / ANSI 372 & NSF / ANSI 61



Size	List	Carton Qty	Master Qty
1/2" x 4"	\$ 54.13	1	20
1/2" x 8"	\$ 55.90	1	20
1/2" x 12"	\$ 62.43	1	20

No-Lead Pex Manifolds & Stub Outs

2504

Pex Manifold - Four branch - No-Lead

- 3/4" Pex Inlet
- 1" trunk - type L
- 1/2" Pex branches - 2" on center
- Spun closed ends
- Ends conform to ASTM F1807



Size	List	Carton Qty
3/4" x 1/2"	\$ 26.74	25

2590

Pex Stub Out Elbow - No-Lead

- Pex x SWT
- Spun closed ends
- Ends conform to ASTM F1807



Size	List	Carton Qty
1/2" x 3 1/2" x 6"	\$ 5.40	50
1/2" x 3 1/2" x 8"	\$ 6.86	50
3/4" x 4 1/2" x 8"	\$ 12.03	50

2506

Pex Manifold - Six branch - No-Lead

- 3/4" Pex Inlet
- 1" trunk - type L
- 1/2" Pex branches - 2" on center
- Spun closed ends
- Ends conform to ASTM F1807



Size	List	Carton Qty
3/4" x 1/2"	\$ 36.45	25

2591

Pex Stub Out Elbow w/Nail Flange - No-Lead

- Pex x SWT
- Spun closed ends
- Nail to backing board for rigid installation
- Ends conform to ASTM F1807



Size	List	Carton Qty
1/2" x 3 1/2" x 6"	\$ 7.44	25
1/2" x 3 1/2" x 8"	\$ 8.66	25
3/4" x 4 1/2" x 8"	\$ 13.59	25

2508

Pex Manifold - Eight branch - No-Lead

- 3/4" Pex Inlet
- 1" trunk - type L
- 1/2" Pex branches - 2" on center
- Spun closed ends
- Ends conform to ASTM F1807



Size	List	Carton Qty
3/4" x 1/2"	\$ 46.44	25

2592

Pex Stub Out Elbow - No-Lead

- Pex x SWT
- For sweat connections to standard tub shower valves
- Ends conform to ASTM F1807



Size	List	Carton Qty
1/2" x 4" x 3"	\$ 5.32	50

No-Lead Pex / Poly / Expansion

2301SCT

Pex Crimp Tool - 3/8"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



Size	List	Carton Qty
3/8" x 12"	\$ 225.91	10

2305SCT

Pex Crimp Tool - 1 1/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 19"



Size	List	Carton Qty
1 1/4" x 19"	\$ 377.44	10

2302SCT

Pex Crimp Tool - 1/2"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



Size	List	Carton Qty
1/2" x 12"	\$ 225.91	10

2301ACT

Pex Angle Crimp Tool - 1/2"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



Size	List	Carton Qty
1/2" x 12"	\$ 187.34	10

2303SCT

Pex Crimp Tool - 3/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



Size	List	Carton Qty
3/4" x 12"	\$ 225.91	10

2302ACT

Pex Angle Crimp Tool - 3/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



Size	List	Carton Qty
3/4" x 12"	\$ 187.34	10

2304SCT

Pex Crimp Tool - 1"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 16"



Size	List	Carton Qty
1" x 16"	\$ 344.37	10

2302CCT

Pex Crimp Tool - Composite Handle - 1/2"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



Size	List	Carton Qty
1/2" x 12"	\$ 206.63	10

No-Lead Pex Tools & Accessories

2303CCT

Pex Crimp Tool - Composite Handle - 3/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



Size	List	Carton Qty
3/4" x 12"	\$ 206.63	10

2306CCT

Pex Crimp Tool - Composite Handle - 1/2" or 3/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



Size	List	Carton Qty
1/2" or 3/4"	\$ 247.96	10

2300SDC

Screw Driver Crimp Kit

- Crimps conform to ASTM F1807 specifications on 3/8", 1/2", 3/4", & 1" pipe.
- The 1" and 3/4" cavities are on one side of the tool. Reversing the two halves accommodates crimps of 1/2" & 3/8" rings.
- Gage provided to inspect crimped rings



Size	List	Carton Qty
	\$ 55.10	50

2300CTK

Pex Crimp Tool Kit

- Kit includes 16" tool with 3/8", 1/2", 3/4", & 1" interchangeable inserts.
- Base tool crimps 1" pipe.
- No calibration procedure is required.
- A go/no-go gage is provided.
- Crimps conform to ASTM F1807 specifications



Size	List	Carton Qty
	\$ 482.13	7

2300CRC

Pex Crimp Ring Cutter

- This unique tool is designed for fitting recovery without damaging sealing surfaces.
- Suitable for use on 1/2" 5/8", 3/4", & 1" Pex pipe sizes
- Tool length = 8"



Size	List	Carton Qty
	\$ 63.37	25

2300RCRB

Repair Blade - Crimp Cut

Size	List	Carton Qty
	\$ 21.47	1

2300RT

Pex Ratchet Tool Oetiker Clamp

- Assembles 3/8", 1/2", 5/8", 3/4" and 1" Oetiker Pex Clamp sizes
- Crimps conform to ASTM F2098 specifications
- Tool length = 11"
- Calibration gage included



Size	List	Carton Qty
	\$ 217.65	1

2300RTTH

Pex 3-Handle Ratchet Tool - Oetiker Clamp

- Unique third handle design allows for simplified one handed ratchet engagement
- Crimps conform to ASTM F2098 specifications
- Tool length = 11"
- Calibration gage included



Size	List	Carton Qty
	\$ 253.47	16

2300TRK

Oetiker Ratchet Tool Repair Kit

- Includes Pivot Pins, retaining rings, tension spring, ratchet, ratchet lever, ratchet lever spring



Size	List	Carton Qty
	\$ 55.10	1

2300TRKZ

Oetiker Ratchet Tool Repair Kit without Ratchet

- Includes Pivot Pins with retaining rings



Size	List	Carton Qty
	\$ 21.53	1

2300PTC

Pex Tube Cutter

- Designed to cut 1/2" & 3/4" Pex pipe
- Order 2300CRGB for Replacement Blade



Size	List	Carton Qty
	\$ 19.28	50

2300ACTK

Pex Crimp Tool Kit - 1/2 & 3/4



Size	List	Carton Qty
	\$ 247.16	1

2300SSCUTTER

Stainless Steel Pex Clamp Cutter



Size	List	Carton Qty
	\$ 107.43	5

2300CCTK

Pex Crimp Tool Kit - 3/8, 1/2, 3/4, & 1



Size	List	Carton Qty
	\$ 234.21	1

2300HPTC

Pex Tube Cutter



Size	List	Carton Qty
	\$ 36.47	10

2300CR

Copper Crimp Ring

- 3/8" - 2"
- Conforms to standard 14 UPC
- Conforms to ASTM F845 & F1807
- Pure annealed blackend copper



Size	List	Carton Qty	Master Qty
3/8"	\$ 0.38	100	3000
1/2"	\$ 0.34	100	3000
5/8"	\$ 0.60	100	3000
3/4"	\$ 0.43	100	3000
1"	\$ 0.59	100	2000
1 1/4"	\$ 1.67	25	100
1 1/2"	\$ 3.33	25	100
2"	\$ 3.98	25	100

2300SSC

Stainless Steel Oetiker Pex Clamp

- 3/8" - 1"
- Oetiker stainless steel (grade 304) clamps have a maximum operating temperature of 180°F and maximum operating pressure of 100 PSI.
- Clamps do not require the use of a "go/no-go" gauge resulting in faster installation times.
- Rings & tools are compatible with F1807 & F2159 pex fittings & all ASTM 876 & 877 pex pipe
- Clamps are patented pex assembly clamps designed by ASTM F2098



Size	List	Carton Qty	Master Qty
3/8"	\$ 0.38	100	4000
1/2"	\$ 0.43	100	2000
3/4"	\$ 0.59	50	2000
1"	\$ 0.78	50	1000

No-Lead Pex / Poly / Expansion



No-Lead Nipples & Threaded Fittings

No-Lead Nipples & Threaded Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

No-Lead 125# Red Brass Pipe Nipples

2200

Red Brass Pipe Nipples - No-Lead



Size	List	Carton Qty	Master Qty
1/8" x Close (3/4")	\$ 1.70	25	450
1/8" x 1 1/2"	\$ 1.90	25	450
1/8" x 2"	\$ 2.07	25	450
1/8" x 2 1/2"	\$ 2.30	25	450
1/8" x 3"	\$ 2.50	25	450
1/8" x 3 1/2"	\$ 2.73	25	450
1/8" x 4"	\$ 3.07	25	450
1/8" x 4 1/2"	\$ 3.47	25	300
1/8" x 5"	\$ 3.77	25	300
1/8" x 5 1/2"	\$ 4.08	25	300
1/8" x 6"	\$ 4.36	25	300
1/4" x Close (7/8")	\$ 1.93	25	600
1/4" x 1 1/2"	\$ 2.25	25	600
1/4" x 2"	\$ 2.55	25	600
1/4" x 2 1/2"	\$ 2.78	25	450
1/4" x 3"	\$ 3.27	25	450
1/4" x 3 1/2"	\$ 3.58	25	300
1/4" x 4"	\$ 4.14	25	300
1/4" x 4 1/2"	\$ 4.54	25	300
1/4" x 5"	\$ 4.91	25	250
1/4" x 5 1/2"	\$ 5.33	25	200
1/4" x 6"	\$ 5.94	25	200
1/4" x 8"	\$ 7.43	25	150
1/4" x 10"	\$ 9.11	25	100
1/4" x 12"	\$ 10.74	25	100
3/8" x Close (1")	\$ 2.04	25	600
3/8" x 1 1/2"	\$ 2.42	25	600
3/8" x 2"	\$ 2.87	25	450
3/8" x 2 1/2"	\$ 3.14	25	400
3/8" x 3"	\$ 3.85	25	300
3/8" x 3 1/2"	\$ 4.14	25	250
3/8" x 4"	\$ 4.91	25	200
3/8" x 4 1/2"	\$ 5.27	25	200
3/8" x 5"	\$ 5.71	25	150
3/8" x 5 1/2"	\$ 6.26	25	150
3/8" x 6"	\$ 6.75	25	150
3/8" x 8"	\$ 9.16	25	100
3/8" x 10"	\$ 11.13	25	75
3/8" x 12"	\$ 13.01	25	50
1/2" x Close (1 1/8")	\$ 2.72	25	450
1/2" x 1 1/2"	\$ 3.09	25	300
1/2" x 2"	\$ 3.70	25	300
1/2" x 2 1/2"	\$ 4.35	25	250
1/2" x 3"	\$ 5.11	25	200
1/2" x 3 1/2"	\$ 5.76	25	150
1/2" x 4"	\$ 6.70	25	150
1/2" x 4 1/2"	\$ 7.25	25	100
1/2" x 5"	\$ 7.97	25	100
1/2" x 5 1/2"	\$ 8.69	25	100
1/2" x 6"	\$ 9.71	25	100
1/2" x 7"	\$ 11.25	25	75
1/2" x 8"	\$ 12.56	25	75
1/2" x 10"	\$ 15.45	25	50
1/2" x 12"	\$ 18.40	25	50

Size	List	Carton Qty	Master Qty
3/4" x Close (1 3/8")	\$ 3.85	25	300
3/4" x 1 1/2"	\$ 4.14	25	300
3/4" x 2"	\$ 4.91	25	200
3/4" x 2 1/2"	\$ 5.65	25	200
3/4" x 3"	\$ 6.56	25	150
3/4" x 3 1/2"	\$ 7.31	25	100
3/4" x 4"	\$ 8.48	25	100
3/4" x 4 1/2"	\$ 9.27	25	100
3/4" x 5"	\$ 10.22	25	50
3/4" x 5 1/2"	\$ 11.10	25	50
3/4" x 6"	\$ 12.42	25	75
3/4" x 6 1/2"	\$ 16.37	25	50
3/4" x 7"	\$ 17.25	25	50
3/4" x 8"	\$ 16.37	25	50
3/4" x 10"	\$ 19.97	25	25
3/4" x 12"	\$ 23.73	25	25
3/4" x 18"	\$ 37.38	20	20
3/4" x 20"	\$ 41.54	20	20
3/4" x 24"	\$ 50.30	15	15
3/4" x 30"	\$ 63.21	15	
3/4" x 36"	\$ 74.74	10	
1" x Close (1 1/2")	\$ 5.71	25	200
1" x 2"	\$ 7.05	25	150
1" x 2 1/2"	\$ 8.20	25	150
1" x 3"	\$ 9.46	25	100
1" x 3 1/2"	\$ 10.99	25	100
1" x 4"	\$ 12.32	25	50
1" x 4 1/2"	\$ 13.77	25	50
1" x 5"	\$ 15.17	25	50
1" x 5 1/2"	\$ 16.60	25	50
1" x 6"	\$ 18.11	25	50
1" x 8"	\$ 24.13	10	40
1" x 10"	\$ 29.94	10	20
1" x 12"	\$ 35.63	10	20
1" x 18"	\$ 56.94	15	15
1" x 24"	\$ 75.09	10	10
1" x 30"	\$ 94.07	10	10
1" x 36"	\$ 113.44	5	5

No-Lead Nipples & Threaded Fittings

2200

Red Brass Pipe Nipples - No-Lead



Size	List	Carton Qty	Master Qty
1 1/4" x Close (1 5/8")	\$ 8.58	5	90
1 1/4" x 2"	\$ 9.87	5	90
1 1/4" x 2 1/2"	\$ 11.10	5	90
1 1/4" x 3"	\$ 13.16	5	60
1 1/4" x 3 1/2"	\$ 15.39	5	60
1 1/4" x 4"	\$ 17.28	5	40
1 1/4" x 4 1/2"	\$ 19.17	5	40
1 1/4" x 5"	\$ 21.12	5	40
1 1/4" x 5 1/2"	\$ 23.14	5	40
1 1/4" x 6"	\$ 25.25	5	30
1 1/4" x 8"	\$ 33.74	5	20
1 1/4" x 10"	\$ 41.70	5	20
1 1/4" x 12"	\$ 49.86	5	10
1 1/2" x Close (1 3/4")	\$ 11.25	5	90
1 1/2" x 2"	\$ 12.01	5	90
1 1/2" x 2 1/2"	\$ 14.42	5	60
1 1/2" x 3"	\$ 16.56	5	60
1 1/2" x 3 1/2"	\$ 19.01	5	50
1 1/2" x 4"	\$ 21.58	5	45
1 1/2" x 4 1/2"	\$ 24.28	5	40
1 1/2" x 5"	\$ 26.82	5	30
1 1/2" x 5 1/2"	\$ 29.31	5	30
1 1/2" x 6"	\$ 31.84	5	30
1 1/2" x 8"	\$ 42.30	5	20
1 1/2" x 9"	\$ 47.33	5	20
1 1/2" x 10"	\$ 52.42	5	15
1 1/2" x 12"	\$ 62.49	5	15
1 1/2" x 18"	\$ 98.88	5	5
1 1/2" x 24"	\$ 131.86	5	5
1 1/2" x 30"	\$ 164.82	5	5
1 1/2" x 36"	\$ 196.40	4	4
2" x Close (2")	\$ 17.07	5	60
2" x 2 1/2"	\$ 18.40	5	40
2" x 3"	\$ 21.15	5	40
2" x 3 1/2"	\$ 24.43	5	40
2" x 4"	\$ 27.73	5	30
2" x 4 1/2"	\$ 30.95	5	30
2" x 5"	\$ 34.37	5	30
2" x 5 1/2"	\$ 37.66	5	20
2" x 6"	\$ 40.97	5	20
2" x 8"	\$ 54.62	5	15
2" x 10"	\$ 68.48	10	10
2" x 12"	\$ 80.70	10	10
2" x 18"	\$ 128.00	5	5
2" x 24"	\$ 170.17	5	5
2" x 30"	\$ 212.38	4	4
2" x 36"	\$ 257.36	3	3

Size	List	Carton Qty
2 1/2" x Close (2 1/2")	\$ 45.80	10
2 1/2" x 3"	\$ 47.89	10
2 1/2" x 3 1/2"	\$ 54.24	10
2 1/2" x 4"	\$ 60.31	10
2 1/2" x 4 1/2"	\$ 64.71	10
2 1/2" x 5"	\$ 71.18	10
2 1/2" x 5 1/2"	\$ 76.65	10
2 1/2" x 6"	\$ 83.94	10
2 1/2" x 8"	\$ 109.82	5
2 1/2" x 10"	\$ 134.68	5
2 1/2" x 12"	\$ 159.22	5
2 1/2" x 24"	\$ 385.16	1
3" x Close (2 5/8")	\$ 62.29	10
3" x 3"	\$ 64.72	10
3" x 4"	\$ 82.46	10
3" x 4 1/2"	\$ 90.65	10
3" x 5"	\$ 99.74	10
3" x 5 1/2"	\$ 108.38	10
3" x 6"	\$ 117.80	10
3" x 8"	\$ 156.61	5
3" x 10"	\$ 190.25	5
3" x 12"	\$ 227.87	5
4" x Close (2 5/8")	\$ 93.70	10
4" x 3"	\$ 95.17	10
4" x 3 1/2"	\$ 106.87	10
4" x 4"	\$ 121.87	10
4" x 5"	\$ 145.40	5
4" x 6"	\$ 171.20	5
4" x 8"	\$ 222.94	1
4" x 10"	\$ 275.72	1
4" x 12"	\$ 325.32	1

No-Lead Chrome Plated Pipe Nipples

2200CP

Chrome Plated Pipe Nipples - No-Lead



Size	List	Carton Qty	Master Qty
3/8" x Close (1")	\$ 3.84	25	600
3/8" x 1 1/2"	\$ 4.55	25	600
3/8" x 2"	\$ 5.52	25	450
3/8" x 2 1/2"	\$ 5.96	25	400
3/8" x 3"	\$ 7.33	25	300
3/8" x 3 1/2"	\$ 7.91	25	250
3/8" x 4"	\$ 9.40	25	200
3/8" x 4 1/2"	\$ 10.00	25	200
3/8" x 5"	\$ 10.97	25	150
3/8" x 5 1/2"	\$ 11.91	25	150
3/8" x 6"	\$ 12.87	25	150
1/2" x Close (1 1/8")	\$ 5.12	25	450
1/2" x 1 1/2"	\$ 5.92	25	300
1/2" x 2"	\$ 6.96	25	300
1/2" x 2 1/2"	\$ 8.28	25	250
1/2" x 3"	\$ 9.74	25	200
1/2" x 3 1/2"	\$ 11.11	25	300
1/2" x 4"	\$ 12.73	25	150
1/2" x 4 1/2"	\$ 13.80	25	100
1/2" x 5"	\$ 15.20	25	100
1/2" x 5 1/2"	\$ 16.67	25	100
1/2" x 6"	\$ 18.52	25	100
3/4" x Close (1 3/8")	\$ 7.68	25	300
3/4" x 2"	\$ 11.04	25	200
3/4" x 2 1/2"	\$ 11.92	25	200
3/4" x 3"	\$ 14.67	25	150
3/4" x 3 1/2"	\$ 15.80	25	100
3/4" x 4"	\$ 18.75	25	150
3/4" x 4 1/2"	\$ 20.01	25	100
3/4" x 5"	\$ 21.96	25	50
3/4" x 5 1/2"	\$ 23.82	25	100
3/4" x 6"	\$ 25.79	25	75

72201

Brass Cap - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/8"	\$ 3.29	5	1400
1/4"	\$ 3.29	5	700
3/8"	\$ 3.29	5	600
1/2"	\$ 4.47	5	300
3/4"	\$ 5.88	5	200
1"	\$ 9.15	5	150
1 1/4"	\$ 13.95	5	100
1 1/2"	\$ 18.77	5	70
2"	\$ 31.78	5	50

72202

Brass Cored Plug - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 4.70	5	500
3/4"	\$ 5.30	5	300
1"	\$ 6.91	5	200
1 1/4"	\$ 10.39	5	120
1 1/2"	\$ 13.15	5	80
2"	\$ 20.71	5	50
2 1/2"	\$ 35.54	1	40
3"	\$ 56.74	1	25
4"	\$ 110.85	1	14

72203

Brass Solid Plug - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/8"	\$ 2.92	5	1400
1/4"	\$ 2.92	5	1400
3/8"	\$ 2.92	5	700
1/2"	\$ 5.09	5	400
3/4"	\$ 7.24	5	300
1"	\$ 12.32	5	140
1 1/4"	\$ 22.12	5	80
1 1/2"	\$ 28.70	5	60
2"	\$ 45.46	5	35

72206

Brass Hex Reducing Bushing - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/4" x 1/8"	\$ 3.47	5	600
3/8" x 1/4"	\$ 3.47	5	600
3/8" x 1/8"	\$ 3.47	5	600
1/2" x 1/8"	\$ 4.13	5	450
1/2" x 1/4"	\$ 3.47	5	450
1/2" x 3/8"	\$ 3.47	5	450
3/4" x 1/8"	\$ 5.88	5	300
3/4" x 1/4"	\$ 5.88	5	300
3/4" x 3/8"	\$ 4.88	5	300
3/4" x 1/2"	\$ 4.88	5	300
1" x 1/4"	\$ 8.80	5	150
1" x 3/8"	\$ 8.80	5	150
1" x 1/2"	\$ 7.28	5	150
1" x 3/4"	\$ 7.28	5	150
1 1/4" x 1/2"	\$ 14.99	5	120
1 1/4" x 3/4"	\$ 12.44	5	120
1 1/4" x 1"	\$ 12.44	5	120
1 1/2" x 1/2"	\$ 19.48	5	120
1 1/2" x 3/4"	\$ 19.48	5	120
1 1/2" x 1"	\$ 15.90	5	100
1 1/2" x 1 1/4"	\$ 15.90	5	100
2" x 1/2"	\$ 28.38	5	90
2" x 3/4"	\$ 28.38	5	60
2" x 1"	\$ 28.38	5	70
2" x 1 1/4"	\$ 23.57	5	50
2" x 1 1/2"	\$ 23.57	5	50
2 1/2" x 1"	\$ 58.56	1	40
2 1/2" x 1 1/2"	\$ 47.16	1	40
2 1/2" x 2"	\$ 47.16	1	24
3" x 1"	\$ 92.65	1	26
3" x 1 1/2"	\$ 92.65	1	20
3" x 2"	\$ 71.24	1	20
3" x 2 1/2"	\$ 71.24	1	20
4" x 3"	\$ 194.89	2	24

72210

Brass Coupling - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/8"	\$ 4.40	5	600
1/4"	\$ 4.40	5	450
3/8"	\$ 4.40	5	300
1/2"	\$ 5.49	5	200
3/4"	\$ 7.21	5	100
1"	\$ 10.94	5	100
1 1/4"	\$ 17.15	5	75
1 1/2"	\$ 23.34	5	50
2"	\$ 38.38	5	30
2 1/2"	\$ 63.62	1	18
3"	\$ 88.24	1	12
4"	\$ 168.91	1	8

No-Lead 125# Threaded Fittings

72210

Brass Reducing Coupling - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/4" x 1/8"	\$ 4.64	5	600
3/8" x 1/8"	\$ 4.64	5	300
3/8" x 1/4"	\$ 4.64	5	300
1/2" x 1/4"	\$ 5.88	5	200
1/2" x 3/8"	\$ 5.88	5	200
3/4" x 3/8"	\$ 8.70	5	200
3/4" x 1/4"	\$ 9.62	5	200
3/4" x 1/2"	\$ 8.70	5	200
1" x 1/2"	\$ 14.43	5	100
1" x 3/4"	\$ 14.43	5	100
1 1/4" x 3/4"	\$ 23.34	5	90
1 1/4" x 1"	\$ 23.34	5	70
1 1/2" x 1/2"	\$ 33.20	5	70
1 1/2" x 3/4"	\$ 33.20	5	80
1 1/2" x 1"	\$ 29.54	5	75
1 1/2" x 1 1/4"	\$ 29.54	5	60
2" x 3/4"	\$ 49.27	5	35
2" x 1"	\$ 49.27	5	60
2" x 1 1/4"	\$ 43.83	5	50
2" x 1 1/2"	\$ 43.83	5	50
2 1/2" x 1 1/2"	\$ 77.62	1	20
2 1/2" x 2"	\$ 77.62	1	20
3" x 2"	\$ 102.17	1	12
3" x 2 1/2"	\$ 102.17	1	12

72220

Brass Union - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/8"	\$ 15.52	5	300
1/4"	\$ 15.52	5	150
3/8"	\$ 15.52	5	150
1/2"	\$ 16.98	5	75
3/4"	\$ 23.45	5	75
1"	\$ 31.09	5	40
1 1/4"	\$ 45.46	5	35
1 1/2"	\$ 53.74	5	25
2"	\$ 82.64	5	15
2 1/2"	\$ 162.66	1	10
3"	\$ 251.24	1	8
4"	\$ 556.04	1	3

72230

Brass Reducing Tee - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/4" x 1/8"	\$ 7.48	5	400
1/2" x 1/4"	\$ 9.28	5	200
1/2" x 3/8"	\$ 9.28	5	100
1/2" x 3/4"	\$ 14.57	5	100
3/4" x 1/4"	\$ 13.32	5	100
3/4" x 1/2"	\$ 13.32	5	100
3/4" x 1/2" x 1/2"	\$ 14.57	5	100
3/4" x 1/2" x 3/4"	\$ 13.32	5	100
3/4" x 1"	\$ 26.35	5	50
1" x 1/4"	\$ 24.17	5	60
1" x 1/2"	\$ 24.17	5	40
1" x 3/4"	\$ 24.19	5	40
1" x 1/2" x 1"	\$ 24.17	5	50
1" x 3/4" x 3/4"	\$ 26.34	5	50
1" x 3/4" x 1"	\$ 24.17	5	50
1 1/4" x 1/2"	\$ 34.08	5	45
1 1/4" x 3/4"	\$ 34.08	5	40
1 1/4" x 1"	\$ 34.08	5	35
1 1/2" x 3/4"	\$ 46.82	5	30
1 1/2" x 1"	\$ 46.82	5	30
1 1/2" x 1 1/4"	\$ 46.82	5	25
2" x 1/2"	\$ 54.49	5	25
2" x 3/4"	\$ 76.65	5	25
2" x 1"	\$ 76.65	5	25
2" x 1 1/4"	\$ 76.65	5	20
2" x 1 1/2"	\$ 76.65	5	20
3" x 2"	\$ 229.15	1	5

72215

Brass Threaded Std Flange - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 40.14	5	50
3/4"	\$ 53.74	5	40
1"	\$ 70.91	5	30
1 1/4"	\$ 100.50	5	20
1 1/2"	\$ 115.89	5	15
2"	\$ 186.86	5	10
2 1/2"	\$ 272.30	1	5
3"	\$ 352.63	1	4
4"	\$ 508.04	1	3

72230

Brass Tee - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/8"	\$ 6.09	5	600
1/4"	\$ 6.09	5	300
3/8"	\$ 6.09	5	200
1/2"	\$ 7.68	5	100
3/4"	\$ 11.04	5	75
1"	\$ 19.65	5	40
1 1/4"	\$ 27.55	5	35
1 1/2"	\$ 37.70	5	25
2"	\$ 62.04	5	15
2 1/2"	\$ 120.65	1	8
3"	\$ 184.45	1	4
4"	\$ 443.28	1	2

72246

45° Brass Street Elbow - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/8"	\$ 6.78	5	600
1/4"	\$ 6.77	5	450
3/8"	\$ 6.77	5	300
1/2"	\$ 8.31	5	200
3/4"	\$ 11.80	5	100
1"	\$ 19.33	5	75
1 1/4"	\$ 29.74	5	60
1 1/2"	\$ 39.71	5	45
2"	\$ 67.44	5	20

72240

Brass Cross - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/4"	\$ 11.51	5	200
3/8"	\$ 10.29	5	150
1/2"	\$ 12.44	5	75
3/4"	\$ 17.88	5	40
1"	\$ 28.40	5	40
1 1/4"	\$ 44.47	5	25
1 1/2"	\$ 56.74	5	25
2"	\$ 118.27	5	10

72290

90° Brass Elbow - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/8"	\$ 4.43	1	600
1/4"	\$ 4.43	5	300
3/8"	\$ 4.43	5	300
1/2"	\$ 6.67	5	200
3/4"	\$ 9.00	5	100
1"	\$ 13.83	5	75
1 1/4"	\$ 22.03	5	50
1 1/2"	\$ 27.55	5	35
2"	\$ 44.79	5	20
2 1/2"	\$ 87.93	1	10
3"	\$ 134.81	1	6
4"	\$ 334.89	1	4

72245

45° Brass Elbow - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/8"	\$ 4.86	5	600
1/4"	\$ 4.86	5	300
3/8"	\$ 4.86	5	300
1/2"	\$ 6.09	5	200
3/4"	\$ 9.00	5	100
1"	\$ 15.27	5	75
1 1/4"	\$ 24.31	5	50
1 1/2"	\$ 30.41	5	40
2"	\$ 49.37	5	25
2 1/2"	\$ 96.60	1	12
3"	\$ 155.19	1	8
4"	\$ 328.43	1	4

72290

90° Brass Reducing Elbow - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/4" x 1/8"	\$ 6.88	5	300
1/2" x 1/4"	\$ 7.24	5	150
1/2" x 3/8"	\$ 7.24	5	150
3/4" x 1/4"	\$ 9.86	5	200
3/4" x 3/8"	\$ 9.86	5	160
3/4" x 1/2"	\$ 9.86	5	200
1" x 1/2"	\$ 17.27	5	100
1" x 3/4"	\$ 17.27	5	100
1 1/4" x 3/4"	\$ 26.98	5	70
1 1/4" x 1"	\$ 26.98	5	60
1 1/2" x 1"	\$ 34.08	5	50
1 1/2" x 1 1/4"	\$ 34.08	5	35
2" x 1"	\$ 62.24	5	35
2" x 1 1/4"	\$ 62.81	5	30
2" x 1 1/2"	\$ 62.81	5	30
2 1/2" x 2"	\$ 106.42	1	15

No-Lead 125# Threaded Fittings

72291

90° Brass Street Elbow - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/8"	\$ 6.67	5	600
1/4"	\$ 6.67	5	600
3/8"	\$ 6.67	5	300
1/2"	\$ 8.31	5	200
3/4"	\$ 11.80	5	100
1"	\$ 19.33	5	75
1 1/4"	\$ 29.74	5	40
1 1/2"	\$ 38.64	5	35
2"	\$ 65.55	5	20

Domestic Pipe Nipples

NSF Approved



2200D

Pipe Nipples



Size	List	Carton Qty	Master Qty
1/8" x Close (3/4")	\$ 16.08	25	25
1/8" x 1 1/2"	\$ 18.14	25	25
1/8" x 2"	\$ 19.50	25	25
1/8" x 2 1/2"	\$ 22.08	25	25
1/8" x 3"	\$ 23.86	25	25
1/8" x 3 1/2"	\$ 25.76	25	25
1/8" x 4"	\$ 28.95	25	25
1/8" x 4 1/2"	\$ 32.73	25	25
1/8" x 5"	\$ 35.43	25	25
1/8" x 5 1/2"	\$ 38.26	25	25
1/8" x 6"	\$ 41.01	25	25
1/8" x 7"	\$ 48.76	25	25
1/8" x 8"	\$ 53.70	25	25
1/8" x 9"	\$ 66.07	25	25
1/8" x 10"	\$ 72.29	25	25
1/8" x 11"	\$ 78.40	25	25
1/8" x 12"	\$ 83.45	25	25
1/4" x Close (7/8")	\$ 18.80	25	25
1/4" x 1 1/2"	\$ 21.75	25	25
1/4" x 2"	\$ 24.62	25	25
1/4" x 2 1/2"	\$ 26.68	25	25
1/4" x 3"	\$ 31.31	25	25
1/4" x 3 1/2"	\$ 34.08	25	25
1/4" x 4"	\$ 40.05	25	25
1/4" x 4 1/2"	\$ 43.47	25	25
1/4" x 5"	\$ 47.40	25	25
1/4" x 5 1/2"	\$ 51.37	25	25
1/4" x 6"	\$ 57.77	25	25
1/4" x 7"	\$ 65.89	25	25
1/4" x 8"	\$ 72.17	25	25
1/4" x 9"	\$ 80.21	25	25
1/4" x 10"	\$ 88.09	25	25
1/4" x 11"	\$ 96.13	25	25
1/4" x 12"	\$ 104.02	25	25
3/8" x Close (1")	\$ 19.48	25	25
3/8" x 1 1/2"	\$ 23.06	25	25
3/8" x 2"	\$ 28.01	25	25
3/8" x 2 1/2"	\$ 30.36	25	25
3/8" x 3"	\$ 37.13	25	25
3/8" x 3 1/2"	\$ 40.05	25	25
3/8" x 4"	\$ 47.66	25	25
3/8" x 4 1/2"	\$ 50.75	25	25
3/8" x 5"	\$ 55.67	25	25
3/8" x 5 1/2"	\$ 60.51	25	25
3/8" x 6"	\$ 65.45	25	25
3/8" x 7"	\$ 79.48	25	25
3/8" x 8"	\$ 89.09	25	25
3/8" x 9"	\$ 105.40	25	25
3/8" x 10"	\$ 106.16	25	25
3/8" x 11"	\$ 115.87	25	25
3/8" x 12"	\$ 125.68	25	25

Size	List	Carton Qty	Master Qty
1/2" x Close (1 1/8")	\$ 25.98	25	25
1/2" x 1 1/2"	\$ 30.07	25	25
1/2" x 2"	\$ 35.32	25	25
1/2" x 2 1/2"	\$ 42.02	25	25
1/2" x 3"	\$ 49.32	25	25
1/2" x 3 1/2"	\$ 56.30	25	25
1/2" x 4"	\$ 64.50	25	25
1/2" x 4 1/2"	\$ 70.00	25	25
1/2" x 5"	\$ 77.13	25	25
1/2" x 5 1/2"	\$ 84.71	25	25
1/2" x 6"	\$ 93.92	25	25
1/2" x 7"	\$ 108.82	25	25
1/2" x 8"	\$ 121.92	25	25
1/2" x 9"	\$ 135.28	25	25
1/2" x 10"	\$ 149.63	25	25
1/2" x 11"	\$ 163.70	25	25
1/2" x 12"	\$ 178.02	25	25
3/4" x Close (1 3/8")	\$ 37.44	25	25
3/4" x 1 1/2"	\$ 39.91	25	25
3/4" x 2"	\$ 47.16	25	25
3/4" x 2 1/2"	\$ 54.68	25	25
3/4" x 3"	\$ 63.07	25	25
3/4" x 3 1/2"	\$ 70.79	25	25
3/4" x 4"	\$ 82.28	25	25
3/4" x 4 1/2"	\$ 89.50	25	25
3/4" x 5"	\$ 98.78	25	25
3/4" x 5 1/2"	\$ 107.94	25	25
3/4" x 6"	\$ 120.18	25	25
3/4" x 7"	\$ 140.83	25	25
3/4" x 8"	\$ 158.59	25	25
3/4" x 9"	\$ 175.63	25	25
3/4" x 10"	\$ 193.56	25	25
3/4" x 11"	\$ 211.21	25	25
3/4" x 12"	\$ 230.32	25	25
1" x Close (1 1/2")	\$ 55.21	25	25
1" x 2"	\$ 68.11	25	25
1" x 2 1/2"	\$ 79.48	25	25
1" x 3"	\$ 91.51	25	25
1" x 3 1/2"	\$ 105.94	25	25
1" x 4"	\$ 119.16	25	25
1" x 4 1/2"	\$ 132.89	25	25
1" x 5"	\$ 146.95	25	25
1" x 5 1/2"	\$ 160.95	25	25
1" x 6"	\$ 175.47	25	25
1" x 7"	\$ 204.96	25	25
1" x 8"	\$ 233.99	25	25
1" x 9"	\$ 261.10	25	25
1" x 10"	\$ 289.60	25	25
1" x 11"	\$ 312.46	25	25
1" x 12"	\$ 345.37	25	25

No-Lead Nipples & Threaded Fittings

No-Lead Domestic Nipples

Domestic Pipe Nipples

NSF Approved



2200D

Pipe Nipples



Size	List	Carton Qty	Master Qty
1 1/4" x Close (1 5/8")	\$ 83.31	10	10
1 1/4" x 2"	\$ 95.14	10	10
1 1/4" x 2 1/2"	\$ 107.60	10	10
1 1/4" x 3"	\$ 127.33	10	10
1 1/4" x 3 1/2"	\$ 148.98	10	10
1 1/4" x 4"	\$ 167.70	10	10
1 1/4" x 4 1/2"	\$ 185.69	10	10
1 1/4" x 5"	\$ 204.79	10	10
1 1/4" x 5 1/2"	\$ 224.00	10	10
1 1/4" x 6"	\$ 244.65	10	10
1 1/4" x 7"	\$ 288.62	10	10
1 1/4" x 8"	\$ 326.96	10	10
1 1/4" x 9"	\$ 387.73	10	10
1 1/4" x 10"	\$ 404.33	10	10
1 1/4" x 11"	\$ 462.84	10	10
1 1/4" x 12"	\$ 483.63	10	10
1 1/2" x Close (1 3/4")	\$ 108.32	10	10
1 1/2" x 2"	\$ 116.56	10	10
1 1/2" x 2 1/2"	\$ 139.63	10	10
1 1/2" x 3"	\$ 160.47	10	10
1 1/2" x 3 1/2"	\$ 184.26	10	10
1 1/2" x 4"	\$ 209.02	10	10
1 1/2" x 4 1/2"	\$ 234.87	10	10
1 1/2" x 5"	\$ 259.86	10	10
1 1/2" x 5 1/2"	\$ 284.32	10	10
1 1/2" x 6"	\$ 308.80	10	10
1 1/2" x 7"	\$ 360.93	10	10
1 1/2" x 8"	\$ 409.99	10	10
1 1/2" x 9"	\$ 459.00	10	10
1 1/2" x 10"	\$ 507.97	10	10
1 1/2" x 11"	\$ 557.04	10	10
1 1/2" x 12"	\$ 605.96	10	10
2" x Close (2")	\$ 164.93	10	10
2" x 2 1/2"	\$ 178.11	10	10
2" x 3"	\$ 205.55	10	10
2" x 3 1/2"	\$ 236.61	10	10
2" x 4"	\$ 268.92	10	10
2" x 4 1/2"	\$ 299.79	10	10
2" x 5"	\$ 332.43	10	10
2" x 5 1/2"	\$ 364.64	10	10
2" x 6"	\$ 397.01	10	10
2" x 7"	\$ 464.38	10	10
2" x 8"	\$ 529.57	10	10
2" x 9"	\$ 590.52	10	10
2" x 10"	\$ 655.90	10	10
2" x 11"	\$ 708.73	10	10
2" x 12"	\$ 782.29	10	10

Size	List	Carton Qty	Master Qty
2 1/2" x Close (2 1/2")	\$ 435.41	10	10
2 1/2" x 3"	\$ 455.18	10	10
2 1/2" x 3 1/2"	\$ 515.72	10	10
2 1/2" x 4"	\$ 573.30	10	10
2 1/2" x 4 1/2"	\$ 615.05	10	10
2 1/2" x 5"	\$ 676.61	10	10
2 1/2" x 5 1/2"	\$ 728.68	10	10
2 1/2" x 6"	\$ 797.83	10	10
2 1/2" x 7"	\$ 908.90	10	10
2 1/2" x 8"	\$ 1,043.85	10	10
2 1/2" x 9"	\$ 1,158.63	10	10
2 1/2" x 10"	\$ 1,280.25	10	10
2 1/2" x 11"	\$ 1,379.50	10	10
2 1/2" x 12"	\$ 1,513.49	10	10
3" x Close (2 5/8")	\$ 592.06	10	10
3" x 3"	\$ 615.23	10	10
3" x 3 1/2"	\$ 695.99	10	10
3" x 4"	\$ 783.92	10	10
3" x 4 1/2"	\$ 861.73	10	10
3" x 5"	\$ 948.15	10	10
3" x 5 1/2"	\$ 1,030.23	10	10
3" x 6"	\$ 1,119.87	10	10
3" x 7"	\$ 1,306.71	10	10
3" x 8"	\$ 1,488.69	10	10
3" x 9"	\$ 1,630.19	10	10
3" x 10"	\$ 1,808.46	10	10
3" x 11"	\$ 1,966.64	10	10
3" x 12"	\$ 2,166.16	10	10
4" x Close (2 5/8")	\$ 890.77	10	10
4" x 3"	\$ 904.75	10	10
4" x 3 1/2"	\$ 1,015.88	10	10
4" x 4"	\$ 1,158.55	10	10
4" x 4 1/2"	\$ 1,251.39	10	10
4" x 5"	\$ 1,382.15	10	10
4" x 5 1/2"	\$ 1,473.87	10	10
4" x 6"	\$ 1,627.42	10	10
4" x 7"	\$ 1,868.28	10	10
4" x 8"	\$ 2,119.27	10	10
4" x 9"	\$ 2,370.10	10	10
4" x 10"	\$ 2,620.97	10	10
4" x 11"	\$ 2,872.33	10	10
4" x 12"	\$ 3,092.44	10	10

No-Lead Nipples & Threaded Fittings

Domestic Threaded Fittings

NSF Approved



72201D

Cap - No-Lead



Size	List	Carton Qty	Master Qty
1/4"	\$ 24.06	25	25
3/8"	\$ 24.06	25	25
1/2"	\$ 24.06	25	25
3/4"	\$ 30.27	25	25
1"	\$ 54.92	25	25
1 1/4"	\$ 96.80	25	25
1 1/2"	\$ 127.10	25	25
2"	\$ 217.85	10	10
3"	\$ 418.01	5	5

72206D

Hex Reducing Bushing - No-Lead



Size	List	Carton Qty	Master Qty
1/2" x 1/8"	\$ 31.84	25	25
1/2" x 1/4"	\$ 31.84	25	25
1/2" x 3/8"	\$ 31.84	25	25
3/4" x 1/8"	\$ 37.08	25	25
3/4" x 1/4"	\$ 37.08	25	25
3/4" x 3/8"	\$ 37.08	25	25
3/4" x 1/2"	\$ 37.08	25	25
1" x 1/8"	\$ 50.65	25	25
1" x 1/4"	\$ 50.65	25	25
1" x 3/8"	\$ 50.65	25	25
1" x 1/2"	\$ 44.32	25	25
1" x 3/4"	\$ 44.32	25	25
1 1/4" x 1/8"	\$ 106.70	25	25
1 1/4" x 1/4"	\$ 106.70	25	25
1 1/4" x 3/8"	\$ 94.49	25	25
1 1/4" x 1/2"	\$ 82.67	25	25
1 1/4" x 3/4"	\$ 75.60	25	25
1 1/4" x 1"	\$ 75.60	25	25
1 1/2" x 1/8"	\$ 124.77	25	25
1 1/2" x 1/4"	\$ 107.43	25	25
1 1/2" x 3/8"	\$ 107.43	25	25
1 1/2" x 1/2"	\$ 107.43	25	25
1 1/2" x 3/4"	\$ 107.43	25	25
1 1/2" x 1"	\$ 107.43	25	25
1 1/2" x 1 1/4"	\$ 107.43	25	25
2" x 1/8"	\$ 207.95	10	10
2" x 1/4"	\$ 207.95	10	10
2" x 3/8"	\$ 207.95	10	10
2" x 1/2"	\$ 207.95	10	10
2" x 3/4"	\$ 132.55	10	10
2" x 1"	\$ 132.55	10	10
2" x 1 1/4"	\$ 132.55	10	10
2" x 1 1/2"	\$ 132.55	10	10
2 1/2" x 1/2"	\$ 334.48	5	5
2 1/2" x 3/4"	\$ 334.48	5	5
2 1/2" x 1"	\$ 334.48	5	5
2 1/2" x 1 1/4"	\$ 334.48	5	5
2 1/2" x 1 1/2"	\$ 334.48	5	5
2 1/2" x 2"	\$ 334.48	5	5
3" x 1/2"	\$ 492.39	5	5
3" x 3/4"	\$ 492.39	5	5
3" x 1"	\$ 492.39	5	5
3" x 1 1/4"	\$ 492.39	5	5
3" x 1 1/2"	\$ 492.39	5	5
3" x 2"	\$ 492.39	5	5
3" x 2 1/2"	\$ 492.39	5	5
4" x 3/4"	\$ 1,271.86	1	1
4" x 1"	\$ 1,271.86	1	1
4" x 1 1/4"	\$ 1,271.86	1	1
4" x 1 1/2"	\$ 1,271.86	1	1
4" x 2"	\$ 1,271.86	1	1
4" x 2 1/2"	\$ 1,271.86	1	1
4" x 3"	\$ 1,271.86	1	1

72202D

Cored Plug - No-Lead



Size	List	Carton Qty	Master Qty
3/8"	\$ 24.06	25	25
1/2"	\$ 24.06	25	25
3/4"	\$ 30.27	25	25
1"	\$ 48.39	25	25
1 1/4"	\$ 67.88	25	25
1 1/2"	\$ 84.75	25	25
2"	\$ 139.08	10	10
2 1/2"	\$ 235.96	5	5
3"	\$ 375.10	5	5
4"	\$ 702.01	5	5

72203D

Solid Plug - No-Lead



Size	List	Carton Qty	Master Qty
3/8"	\$ 30.27	25	25
1/2"	\$ 30.27	25	25
3/4"	\$ 36.20	25	25
1"	\$ 54.53	25	25
1 1/4"	\$ 84.75	25	25
1 1/2"	\$ 131.42	25	25
2"	\$ 193.66	10	10
2 1/2"	\$ 360.48	5	5
3"	\$ 562.95	5	5
4"	\$ 1,452.71	5	5

No-Lead Domestic Threaded Fittings

Domestic Threaded Fittings

NSF Approved



72210D

Coupling - No-Lead



Size	List	Carton Qty	Master Qty
1/4"	\$ 30.27	25	25
3/8"	\$ 30.27	25	25
1/2"	\$ 30.27	25	25
3/4"	\$ 42.50	25	25
1"	\$ 72.50	25	25
1 1/4"	\$ 121.01	10	10
1 1/2"	\$ 157.42	10	10
2"	\$ 260.26	5	5

72220D

Union - No-Lead



Size	List	Carton Qty	Master Qty
1/4"	\$ 107.44	25	25
3/8"	\$ 107.44	25	25
1/2"	\$ 107.44	25	25
3/4"	\$ 147.65	25	25
1"	\$ 222.64	10	10
1 1/4"	\$ 322.12	5	5
1 1/2"	\$ 383.68	5	5
2"	\$ 516.99	3	3
2 1/2"	\$ 1,116.83	1	1
3"	\$ 2,418.63	1	1

72210D

Reducing Coupling - No-Lead



Size	List	Carton Qty	Master Qty
3/8" x 1/4"	\$ 37.74	25	25
1/2" x 1/4"	\$ 37.74	25	25
1/2" x 3/8"	\$ 37.74	25	25
3/4" x 3/8"	\$ 50.47	25	25
3/4" x 1/4"	\$ 50.47	25	25
3/4" x 1/2"	\$ 50.47	25	25
1" x 1/2"	\$ 82.09	25	25
1" x 3/4"	\$ 82.09	25	25
1 1/4" x 1"	\$ 179.50	10	10
1 1/2" x 1"	\$ 208.32	10	10
1 1/2" x 1 1/4"	\$ 208.32	10	10

72230D

Tee - No-Lead



Size	List	Carton Qty	Master Qty
1/4"	\$ 42.50	25	25
3/8"	\$ 42.50	25	25
1/2"	\$ 42.50	25	25
3/4"	\$ 60.40	25	25
1"	\$ 108.99	10	10
1 1/4"	\$ 187.58	5	5
1 1/2"	\$ 211.85	5	5
2"	\$ 351.09	4	4

72215D

Threaded Standard Flange - No-Lead



Size	List	Carton Qty	Master Qty
1/2"	\$ 186.51	1	1
3/4"	\$ 203.77	1	1
1"	\$ 316.07	1	1
1 1/4"	\$ 345.89	1	1
1 1/2"	\$ 434.71	1	1
2"	\$ 717.65	1	1
2 1/2"	\$ 1,005.46	1	1
3"	\$ 1,173.40	1	1
3 1/2"	\$ 1,695.75	1	1
4"	\$ 1,924.11	1	1
5"	\$ 2,153.37	1	1
6"	\$ 3,016.41	1	1

72230D

Reducing Tee - No-Lead



Size	List	Carton Qty	Master Qty
1" x 1/2"	\$ 171.80	10	10
1 1/4" x 1/2" x 1 1/4"	\$ 263.61	5	5
1 1/4" x 3/4" x 1 1/4"	\$ 263.61	5	5
1 1/4" x 1 1/2"	\$ 244.42	10	10
2" x 3/4"	\$ 548.25	5	5
2" x 1"	\$ 548.25	5	5

No-Lead Nipples & Threaded Fittings

Domestic Threaded Fittings

NSF Approved



72245D

45° Elbow - No-Lead



Size	List	Carton Qty	Master Qty
2"	\$ 348.33	5	5

72290D

90° Elbow - No-Lead



Size	List	Carton Qty	Master Qty
1/4"	\$ 36.20	25	25
3/8"	\$ 36.20	25	25
1/2"	\$ 36.20	25	25
3/4"	\$ 48.39	25	25
1"	\$ 78.71	25	25
1 1/4"	\$ 127.10	10	10
1 1/2"	\$ 157.42	5	5
2"	\$ 254.06	5	5

72291D

90° Street Elbow - No-Lead



Size	List	Carton Qty	Master Qty
1/4"	\$ 48.39	25	25
3/8"	\$ 48.39	25	25
1/2"	\$ 48.39	25	25
3/4"	\$ 66.61	25	25
1"	\$ 108.99	25	25
1 1/4"	\$ 199.76	10	10
1 1/2"	\$ 217.85	5	5
2"	\$ 369.21	5	5

Stainless Steel Pipe Nipples

304 Stainless Steel Material

2200SS

Stainless Steel Pipe Nipples



Size	List	Carton Qty	Master Qty
1/8" x Close (3/4")	\$ 13.60	25	400
1/8" x 1 1/2"	\$ 17.79	25	400
1/8" x 2"	\$ 21.24	25	400
1/8" x 2 1/2"	\$ 24.56	25	400
1/8" x 3"	\$ 27.96	25	400
1/8" x 3 1/2"	\$ 31.39	25	400
1/8" x 4"	\$ 34.83	25	400
1/8" x 4 1/2"	\$ 38.24	25	400
1/8" x 5"	\$ 41.67	25	400
1/8" x 6"	\$ 48.53	25	400
1/8" x 8"	\$ 63.12	20	320
1/8" x 10"	\$ 76.83	25	200
1/8" x 12"	\$ 90.51	25	200
1/4" x Close (7/8")	\$ 15.33	25	400
1/4" x 1 1/2"	\$ 19.01	25	400
1/4" x 2"	\$ 22.83	25	400
1/4" x 2 1/2"	\$ 27.06	25	400
1/4" x 3"	\$ 31.28	25	400
1/4" x 3 1/2"	\$ 35.47	25	400
1/4" x 4"	\$ 40.03	20	320
1/4" x 4 1/2"	\$ 44.26	20	320
1/4" x 5"	\$ 48.47	20	320
1/4" x 6"	\$ 56.91	15	240
1/4" x 8"	\$ 74.87	10	160
1/4" x 10"	\$ 91.71	20	160
1/4" x 12"	\$ 108.56	15	120
3/8" x Close (1")	\$ 18.43	25	400
3/8" x 1 1/2"	\$ 22.38	25	400
3/8" x 2"	\$ 27.07	25	400
3/8" x 2 1/2"	\$ 32.24	25	400
3/8" x 3"	\$ 37.37	25	400
3/8" x 3 1/2"	\$ 42.55	20	320
3/8" x 4"	\$ 47.68	15	240
3/8" x 4 1/2"	\$ 52.86	15	240
3/8" x 5"	\$ 57.98	20	240
3/8" x 6"	\$ 68.33	15	180
3/8" x 8"	\$ 90.59	25	150
3/8" x 10"	\$ 111.18	25	100
3/8" x 12"	\$ 131.81	25	100
1/2" x Close (1 1/8")	\$ 23.77	25	400
1/2" x 2"	\$ 34.35	25	400
1/2" x 2 1/2"	\$ 41.16	25	300
1/2" x 3"	\$ 47.94	20	240
1/2" x 3 1/2"	\$ 54.76	15	180
1/2" x 4"	\$ 61.76	25	200
1/2" x 4 1/2"	\$ 68.59	20	160
1/2" x 5"	\$ 75.39	20	160
1/2" x 6"	\$ 88.99	15	120
1/2" x 8"	\$ 117.43	25	100
1/2" x 10"	\$ 144.62	20	80
1/2" x 12"	\$ 171.79	15	60

Size	List	Carton Qty	Master Qty
3/4" x Close (1 3/8")	\$ 32.05	25	400
3/4" x 2"	\$ 40.90	25	300
3/4" x 2 1/2"	\$ 49.11	20	240
3/4" x 3"	\$ 57.35	25	200
3/4" x 3 1/2"	\$ 65.59	20	160
3/4" x 4"	\$ 73.82	25	150
3/4" x 4 1/2"	\$ 82.01	20	120
3/4" x 5"	\$ 90.25	25	100
3/4" x 6"	\$ 106.72	25	100
3/4" x 8"	\$ 140.47	25	75
3/4" x 10"	\$ 173.41	25	50
3/4" x 12"	\$ 206.33	25	50
1" x Close (1 1/2")	\$ 42.14	25	200
1" x 2"	\$ 52.78	25	200
1" x 2 1/2"	\$ 62.66	25	150
1" x 3"	\$ 73.27	20	120
1" x 3 1/2"	\$ 83.87	25	100
1" x 4"	\$ 94.46	25	100
1" x 4 1/2"	\$ 105.06	20	80
1" x 5"	\$ 115.67	25	75
1" x 6"	\$ 136.88	25	50
1" x 8"	\$ 181.51	25	50
1" x 10"	\$ 223.90	20	40
1" x 12"	\$ 266.33	15	30
1 1/4" x Close (1 5/8")	\$ 56.63	25	100
1 1/4" x 3"	\$ 92.47	25	100
1 1/4" x 4"	\$ 119.35	25	50
1 1/4" x 5"	\$ 146.21	25	50
1 1/4" x 6"	\$ 173.07	25	50
1 1/4" x 8"	\$ 227.56	25	30
1 1/4" x 10"	\$ 281.29	30	
1 1/4" x 12"	\$ 335.02	25	
1 1/2" x Close (1 3/4")	\$ 69.35	25	100
1 1/2" x 3"	\$ 107.73	25	50
1 1/2" x 4"	\$ 139.47	25	50
1 1/2" x 5"	\$ 171.20	20	40
1 1/2" x 6"	\$ 202.93	20	40
1 1/2" x 8"	\$ 268.12	25	25
1 1/2" x 10"	\$ 331.59	15	15
1 1/2" x 12"	\$ 395.03	15	15

Stainless Steel Pipe Nipples

304 Stainless Steel Material

2200SS

Stainless Steel Pipe Nipples



Size	List	Carton Qty	Master Qty
2" x Close (2")	\$ 107.64	25	50
2" x 3"	\$ 138.79	50	50
2" x 4"	\$ 180.13	25	25
2" x 5"	\$ 221.48	25	25
2" x 6"	\$ 262.84	25	25
2" x 8"	\$ 349.52	18	18
2" x 10"	\$ 432.16	14	14
2" x 12"	\$ 514.84	14	14
2 1/2" x Close (2 1/2")	\$ 218.30	36	36
2 1/2" x 3"	\$ 250.75	36	36
2 1/2" x 4"	\$ 315.64	27	27
2 1/2" x 5"	\$ 376.40	18	18
2 1/2" x 6"	\$ 441.31	18	18
2 1/2" x 8"	\$ 578.50	12	12
2 1/2" x 10"	\$ 708.35	9	9
2 1/2" x 12"	\$ 838.17	9	9
3" x Close (2 5/8")	\$ 307.11	24	24
3" x 4"	\$ 315.64	12	12
3" x 5"	\$ 376.40	12	12
3" x 6"	\$ 441.31	12	12
3" x 8"	\$ 578.50	8	8
3" x 10"	\$ 708.35	6	6
3" x 12"	\$ 838.17	6	6
4" x Close (2 5/8")	\$ 392.52	15	15
4" x 5"	\$ 622.99	8	8
4" x 6"	\$ 733.75	8	8
4" x 8"	\$ 989.86	5	5
4" x 10"	\$ 1,211.44	4	4
4" x 12"	\$ 1,433.00	4	4
5" x 12"	\$ 5,718.72	2	2
6" x 12"	\$ 5,534.25	1	1

Stainless Steel Threaded Fittings

2201SS

Cap

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/8"	\$ 3.94	30	600
1/4"	\$ 5.65	30	600
3/8"	\$ 6.64	30	600
1/2"	\$ 6.89	20	400
3/4"	\$ 8.63	18	216
1"	\$ 12.97	14	112
1 1/4"	\$ 23.47	12	48
1 1/2"	\$ 30.80	10	40
2"	\$ 39.28	6	24
2 1/2"	\$ 70.83	4	16
3"	\$ 97.93	3	12
4"	\$ 165.77	2	4

2210SS

Coupling

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/4" x 1/8"	\$ 8.19	20	400
3/8" x 1/8"	\$ 9.09	20	400
3/8" x 1/4"	\$ 9.09	20	400
1/2" x 1/8"	\$ 8.68	15	180
1/2" x 1/4"	\$ 8.68	15	180
1/2" x 3/8"	\$ 8.68	15	180
3/4" x 1/8"	\$ 13.06	10	120
3/4" x 1/4"	\$ 13.06	10	120
3/4" x 3/8"	\$ 13.06	10	120
3/4" x 1/2"	\$ 13.06	10	120
1" x 1/8"	\$ 17.86	10	80
1" x 1/4"	\$ 17.86	10	80
1" x 3/8"	\$ 17.86	10	80
1" x 1/2"	\$ 17.86	10	80
1" x 3/4"	\$ 17.86	10	80
1 1/4" x 3/8"	\$ 26.05	14	28
1 1/4" x 1/2"	\$ 26.05	14	28
1 1/4" x 3/4"	\$ 26.05	20	28
1 1/4" x 1"	\$ 26.05	14	28
1 1/2" x 3/8"	\$ 37.56	18	36
1 1/2" x 1/2"	\$ 37.56	18	36
1 1/2" x 3/4"	\$ 37.56	18	36
1 1/2" x 1"	\$ 37.56	18	36
1 1/2" x 1 1/4"	\$ 37.56	18	36
2" x 1/2"	\$ 62.72	10	20
2" x 3/4"	\$ 62.72	10	20
2" x 1"	\$ 62.72	10	20
2" x 1 1/4"	\$ 62.72	10	20
2" x 1 1/2"	\$ 62.72	10	20
2 1/2" x 1"	\$ 134.45	4	8
2 1/2" x 1 1/4"	\$ 134.45	4	8
2 1/2" x 1 1/2"	\$ 134.45	4	8
2 1/2" x 2"	\$ 134.45	4	8
3" x 1"	\$ 191.48	2	4
3" x 1 1/4"	\$ 191.48	2	4
3" x 1 1/2"	\$ 191.48	2	4
3" x 2"	\$ 191.48	2	4
3" x 2 1/2"	\$ 191.48	2	4
4" x 2"	\$ 317.17	1	2
4" x 2 1/2"	\$ 317.17	1	2
4" x 3"	\$ 317.17	1	2

2202SS

Plug

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/8"	\$ 3.39	30	600
1/4"	\$ 4.00	30	600
3/8"	\$ 5.35	30	600
1/2"	\$ 7.64	20	400
3/4"	\$ 9.32	20	400
1"	\$ 11.79	16	192
1 1/4"	\$ 23.47	8	96
1 1/2"	\$ 27.99	10	80
2"	\$ 33.13	5	72
2 1/2"	\$ 63.13	4	32
3"	\$ 79.32	3	24
4"	\$ 172.15	2	8

2210SS

Coupling

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/8"	\$ 6.04	25	500
1/4"	\$ 7.17	25	500
3/8"	\$ 8.36	25	500
1/2"	\$ 11.85	24	288
3/4"	\$ 17.09	18	144
1"	\$ 25.95	8	64
1 1/4"	\$ 41.26	12	48
1 1/2"	\$ 48.98	5	20
2"	\$ 69.04	6	12
2 1/2"	\$ 151.56	4	8
3"	\$ 195.93	2	4
4"	\$ 304.56	1	2

Stainless Steel Threaded Fittings

2206SS

Hex Reducing Bushing

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/4" x 1/8"	\$ 5.11	50	1000
3/8" x 1/8"	\$ 5.58	30	600
3/8" x 1/4"	\$ 5.58	30	600
1/2" x 1/8"	\$ 7.06	30	600
1/2" x 1/4"	\$ 7.06	30	600
1/2" x 3/8"	\$ 7.06	30	600
3/4" x 1/8"	\$ 10.33	25	300
3/4" x 1/4"	\$ 10.33	25	300
3/4" x 3/8"	\$ 10.33	25	300
3/4" x 1/2"	\$ 10.33	25	300
1" x 1/8"	\$ 14.35	20	160
1" x 1/4"	\$ 14.35	20	160
1" x 3/8"	\$ 14.35	20	160
1" x 1/2"	\$ 14.35	20	160
1" x 3/4"	\$ 14.35	20	160
1 1/4" x 1/8"	\$ 25.67	12	96
1 1/4" x 1/4"	\$ 25.67	12	96
1 1/4" x 3/8"	\$ 25.67	12	96
1 1/4" x 1/2"	\$ 25.67	12	96
1 1/4" x 3/4"	\$ 25.67	12	96
1 1/2" x 1/4"	\$ 30.72	8	64
1 1/2" x 3/8"	\$ 30.72	8	64
1 1/2" x 1/2"	\$ 30.72	8	64
1 1/2" x 3/4"	\$ 30.72	8	64
1 1/2" x 1"	\$ 30.72	8	64
1 1/2" x 1 1/4"	\$ 30.72	8	64
2" x 1/4"	\$ 30.72	12	48
2" x 3/8"	\$ 46.86	12	48
2" x 1/2"	\$ 46.86	12	48
2" x 3/4"	\$ 46.86	12	48
2" x 1"	\$ 46.86	12	48
2" x 1 1/4"	\$ 46.86	12	48
2" x 1 1/2"	\$ 46.86	12	48
2 1/2" x 1/2"	\$ 80.32	8	16
2 1/2" x 3/4"	\$ 80.32	8	16
2 1/2" x 1"	\$ 80.32	8	16
2 1/2" x 1 1/4"	\$ 80.32	8	16
2 1/2" x 1 1/2"	\$ 80.32	8	16
2 1/2" x 2"	\$ 80.32	8	16
3" x 1"	\$ 123.08	4	16
3" x 1 1/4"	\$ 123.08	4	16
3" x 1 1/2"	\$ 123.08	4	16
3" x 2"	\$ 123.08	4	16
3" x 2 1/2"	\$ 123.08	4	16
4" x 1 1/4"	\$ 223.95	3	6
4" x 1 1/2"	\$ 223.95	3	6
4" x 2"	\$ 223.95	3	6
4" x 2 1/2"	\$ 223.95	3	6
4" x 3"	\$ 223.95	3	6

2220SS

Union

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/8"	\$ 26.44	16	192
1/4"	\$ 26.44	16	192
3/8"	\$ 26.95	14	112
1/2"	\$ 29.17	22	88
3/4"	\$ 36.96	12	48
1"	\$ 55.75	10	20
1 1/4"	\$ 96.69	8	16
1 1/2"	\$ 109.37	8	16
2"	\$ 130.94	6	12
2 1/2"	\$ 354.63	2	4
3"	\$ 446.60	1	2
4"	\$ 724.88	1	2

2230SS

Tee

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/8"	\$ 10.50	15	300
1/4"	\$ 10.50	15	300
3/8"	\$ 13.38	15	180
1/2"	\$ 14.05	10	120
3/4"	\$ 22.35	7	84
1"	\$ 28.46	5	40
1 1/4"	\$ 56.61	4	16
1 1/2"	\$ 70.37	3	12
2"	\$ 90.39	2	8
2 1/2"	\$ 193.87	2	4
3"	\$ 279.40	1	2
4"	\$ 504.64	1	2

2240SS

Cross

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/8"	\$ 18.28	15	300
1/4"	\$ 18.28	15	180
3/8"	\$ 21.78	10	120
1/2"	\$ 26.83	10	80
3/4"	\$ 45.91	10	40
1"	\$ 67.94	5	20
1 1/4"	\$ 80.68	3	12
1 1/2"	\$ 99.95	2	12
2"	\$ 143.08	2	8
2 1/2"	\$ 411.19	2	4
3"	\$ 444.18	1	2
4"	\$ 721.60	1	2

Stainless Steel Threaded Fittings

2245SS

45° Elbow

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/8"	\$ 9.90	20	400
1/4"	\$ 9.90	20	400
3/8"	\$ 11.63	20	240
1/2"	\$ 12.78	20	160
3/4"	\$ 18.66	10	80
1"	\$ 22.79	12	48
1 1/4"	\$ 36.49	5	20
1 1/2"	\$ 43.41	3	12
2"	\$ 61.08	2	8
2 1/2"	\$ 168.02	3	6
3"	\$ 231.57	1	2
4"	\$ 412.10	1	2

2291SS

90° Street Elbow

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/8"	\$ 11.18	20	400
1/4"	\$ 11.18	20	400
3/8"	\$ 13.46	20	240
1/2"	\$ 15.84	20	160
3/4"	\$ 21.98	10	80
1"	\$ 38.04	10	40
1 1/4"	\$ 55.25	5	20
1 1/2"	\$ 65.36	3	12
2"	\$ 88.52	2	8
2 1/2"	\$ 186.95	3	6
3"	\$ 248.00	1	2
4"	\$ 482.90	1	2

2290SS

90° Elbow

- Manufactured from 304 Stainless Steel
- 150 PSI



Size	List	Carton Qty	Master Qty
1/8"	\$ 7.83	20	400
1/4"	\$ 7.83	20	400
3/8"	\$ 9.73	20	240
1/2"	\$ 10.36	20	160
3/4"	\$ 14.86	10	80
1"	\$ 21.06	12	48
1 1/4"	\$ 36.96	5	20
1 1/2"	\$ 49.19	3	12
2"	\$ 62.37	2	8
2 1/2"	\$ 142.07	3	6
3"	\$ 181.03	1	2
4"	\$ 353.27	1	2



No-Lead Tank Tees / Insert Fittings



No-Lead Tank Tees / Insert Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

A.Y. McDonald No-Lead Tank Tee Packages


A.Y. McDonald Tank Tee packages are individually boxed with a carton label listing all the components.

*Contact Factory for Custom Tank Tee Packages

No-Lead Tank Tees / Insert Ftgs



- 1) Tank Tee - No-Lead
- 2) Pressure Gauge - No-Lead
- 3) Pressure Switch - No-Lead
- 4) 2200 Brass Nipple - No-Lead
- 5) 72008 Drain Valve - No-Lead
- 6) 72049 Pressure Valve - No-Lead
- 7) 72057T Check Valve - No-Lead



A.Y. McDonald Model No.	A.Y. McDonald Tank Tee No-Lead	A.Y. McDonald Pressure Switch No-Lead	A.Y. McDonald Pressure Gauge No-Lead	A.Y. McDonald Brass Nipple No-Lead	A.Y. McDonald Drain Valve No-Lead	A.Y. McDonald Pressure Relief Valve No-Lead	A.Y. McDonald Check Valve No-Lead	Approx. Lbs/Pkg	List Price
72044C 1X11	72044 1X11	20/40	0-100 PSI	2200 1/4X3	72008 1/2			5.06	\$ 103.35
72044D 1X11	72044 1X11	30/50	0-100 PSI	2200 1/4X3	72008 1/2			5.06	\$ 103.35
72044F 1X11	72044 1X11	20/40	0-100 PSI	2200 1/4X3		72049 1/2		4.93	\$ 104.73
72044G 1X11	72044 1X11	30/50	0-100 PSI	2200 1/4X3		72049 1/2		4.93	\$ 104.73
72044I 1X11	72044 1X11	30/50	0-100 PSI	2200 1/4X3	72008 1/2		72057T 1	5.96	\$ 125.40
72044J 1X11	72044 1X11	30/50	0-100 PSI	2200 1/4X3		72049 1/2	72057T 1	5.83	\$ 125.40
72044XC 1 1/4X14	72044 1 1/4X14	20/40	0-100 PSI	2200 1/4X3	72008 3/4			6.46	\$ 125.40
72044XD 1 1/4X14	72044 1 1/4X14	30/50	0-100 PSI	2200 1/4X3	72008 3/4			6.46	\$ 125.40
72044XE 1 1/4X14	72044 1 1/4X14	40/60	0-100 PSI	2200 1/4X3	72008 3/4			5.5	\$ 124.85
72044XF 1 1/4X14	72044 1 1/4X14	20/40	0-100 PSI	2200 1/4X3		72049 3/4X1/2		6.32	\$ 125.40
72044XG 1 1/4X14	72044 1 1/4X14	30/50	0-100 PSI	2200 1/4X3		72049 3/4X1/2		6.32	\$ 125.40
72044XI 1 1/4X14	72044 1 1/4X14	30/50	0-100 PSI	2200 1/4X3	72008 3/4		72057T 1 1/4	6.46	\$ 154.34
72044XJ 1 1/4X14	72044 1 1/4X14	30/50	0-100 PSI	2200 1/4X3		72049 3/4X1/2	72057T 1 1/4	6.32	\$ 172.25
72045CC 1X11	72045 1X11	20/40	0-100 PSI	2200 1/4X3	72008 1/2	72049 1/2		5.46	\$ 99.22
72045CD 1X11	72045 1X11	30/50	0-100 PSI	2200 1/4X3	72008 1/2	72049 1/2		5.46	\$ 99.22
72045CE 1X11	72045 1X11	40/60	0-100 PSI	2200 1/4X3	72008 1/2	72049 1/2		5	\$ 99.22
72045CJ 1X11	72045 1X11	30/50	0-100 PSI	2200 1/4X3	72008 1/2	72049 1/2	72057T 1	6.36	\$ 124.50
72045XCT 1 1/4X14	72045 1 1/4X14	30/50	0-100 PSI	2200 1/4X3	72008 3/4	72049 3/4X1/2	72057T 1	7.05	\$ 176.38
72045XK 1 1/4X16	72045 1 1/4X16	40/60	0-100 PSI	2200 1/4X3	72008 3/4	72049 3/4X1/2		6.3	\$ 122.42
72045XL 1 1/4X14	72045 1 1/4X14	40/60	0-100 PSI	2200 1/4X3	72008 3/4	72049 3/4X1/2		6.03	\$ 122.42
72045SPCSC 1X4 1/2	72045SP 1X4 1/2	20/40	0-100 PSI	2200 1/4X3	72008 1/2	72049 1/2		4.23	\$ 84.06
72045SPCSD 1X4 1/2	72045SP 1X4 1/2	30/50	0-100 PSI	2200 1/4X3	72008 1/2	72049 1/2		4.5	\$ 84.06
72045SPCS 1X4 1/2	72045SP 1X4 1/2	30/50	0-100 PSI	2200 1/4X3	72008 1/2	72049 1/2	72057T 1	5.13	\$ 103.35
72047CDL 1x11	72047 1x11	40/60 SQ D	0-100 PSI	2200 1/4X3	72008 1/2	72048 1/2		5.29	\$ 104.71
72047CDL1 1/4x14	72047 1 1/4x14	40/60 SQ D	0-100 PSI	2000 1/4X3	72008 3/4	72048 3/4X1/2		5.29	\$ 132.26
72047CJ 1X11	72047 1X11	40/60 SQ D	0-100 PSI	2200 1/4X3	72008 1/2	72049 1/2	72057T 1	5.73	\$ 142.04

72042

Tapered Bronze Drop Coupling - No-Lead

- FNPT x FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1"	\$ 18.59	12	48
1 1/4"	\$ 22.39	12	36

2042SS

Tapered Stainless Steel Drop Coupling - No-Lead

- FNPT x FNPT




Size	List	Carton Qty	Master Qty
1"	\$ 12.29	12	72
1 1/4"	\$ 15.11	12	48

72044

Tank Tee - No-Lead

- Tank Connection - 1" MNPT or 1 1/4" MNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Drain Hole (Qty/Size) - (1) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1" x 11"	\$ 41.99	2	20
1" x 14"	\$ 50.89	2	12
1 1/4" x 14"	\$ 66.26	2	12

72044SP

Tank Tee Short Patterns - No-Lead

- Tank Connection - 1 1/4" MNPT or 1" FNPT
- Lateral - 1 1/4" MNPT 1" FNPT
- Drain Hole (Qty/Size) - (1) 3/4" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1 1/4" x 4 1/2"	\$ 36.89	4	24

72045

Tank Tee - No-Lead

- Tank Connection - 1" MNPT or 1 1/4" MNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Drain Hole (Qty/Size) - (2) 1/2" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1" x 11"	\$ 40.71	2	20
1" x 14"	\$ 50.89	2	12
1 1/4" x 11"	\$ 58.51	2	12
1 1/4" x 14"	\$ 73.78	2	12
1 1/4" x 16"	\$ 87.78	2	12

72045SP

Tank Tee Short Pattern - No-Lead

- Tank Connection - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Drain Hole (Qty/Size) - (2) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1" x 4 1/2"	\$ 22.90	5	30
1 1/4" x 4 1/2"	\$ 38.16	4	24

72045QC

Quick Connect Tank Tee - No-Lead

- Tank Connection - 1" Quick Connect
- Lateral - 1" MNPT & 3/4" FNPT
- Drain Hole (Qty/Size) - (2) 1/2" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1" x 5"	\$ 34.93	2	24

72045T

Female Swivel Tank Tee - No-Lead

- Tank Connection - 1" FNPT Swivel or 1 1/4" FNPT Swivel
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Drain Hole (Qty/Size) - (2) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1" x 3 1/2"	\$ 43.47	4	24
1 1/4" x 4"	\$ 58.94	4	16

No-Lead Tank Tees / Insert Fittings

72046

Tank Tee Union - No-Lead

- Tank Connection - 1" MNPT or 1 1/4" MNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" FNPT & 1" FNPT
- Drain Hole (Qty/Size) - (1) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1" x 11"	\$ 48.35	2	12
1 1/4" x 14"	\$ 82.68	2	12

72047

Tank Tee - No-Lead

- Tank Connection - 1" MNPT or 1 1/4" MNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" FNPT & 1" FNPT
- Drain Hole (Qty/Size) - (1) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1" x 11"	\$ 48.35	2	12
1" x 14"	\$ 64.64	2	12
1 1/4" x 14"	\$ 80.15	2	8

72085

Bronze Hydrant Elbow - No-Lead

- Insert x MNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/4"	\$ 12.84	10	100
1"	\$ 15.62	10	80
1" x 3/4"	\$ 13.42	10	80
1 1/4"	\$ 24.10	5	40

72086

Bronze Rope Adapter - No-Lead

- Insert x MNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1"	\$ 15.62	10	60
1 1/4"	\$ 18.95	10	60
1" x 1 1/4"	\$ 18.32	10	60

72087

Bronze Insert Coupling - No-Lead

- Insert x Insert
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.66	10	100
3/4"	\$ 8.68	10	100
3/4" x 1"	\$ 11.44	10	100
1"	\$ 13.99	10	100
1 1/4"	\$ 20.74	10	80
1 1/2"	\$ 23.55	5	50
2"	\$ 29.98	5	40

2087SS

Stainless Steel Female Adapter - No-Lead

- Insert x Insert
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.17	10	100
3/4"	\$ 8.12	10	100
1"	\$ 13.09	10	100
1 1/4"	\$ 19.40	10	80
1 1/2"	\$ 22.03	5	50
2"	\$ 28.03	5	50

72088

Bronze Female Adapter - No-Lead

- Insert x FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.10	10	100
3/4"	\$ 9.65	10	100
1"	\$ 13.99	10	80
1 1/4"	\$ 19.28	10	60
1 1/2"	\$ 21.79	5	50
2"	\$ 35.76	5	30

72089

Bronze Insert Elbow - No-Lead

- Insert x Insert
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/4"	\$ 10.41	10	100
1"	\$ 14.96	10	80
1 1/4"	\$ 26.58	5	40

72090

Bronze Insert Elbow - No-Lead

- Insert x Insert x MNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/4"	\$ 14.08	10	100
1"	\$ 20.25	10	60
1" x 3/4"	\$ 19.28	10	80

72099

Bronze Elbow - No-Lead

- Insert x FNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1"	\$ 21.88	10	60
1 1/4"	\$ 25.87	5	40

72091

Bronze Insert Tee - No-Lead

- Insert x Insert x Insert
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/4"	\$ 13.70	10	100
1"	\$ 19.78	10	60
1" x 3/4"	\$ 27.93	10	100
1 1/4" x 1 1/4"	\$ 33.72	5	30

72093

Brass Sweat Adapter - No-Lead

- Insert x Copper



Size	List	Carton Qty	Master Qty
3/4"	\$ 6.01	10	500
1"	\$ 7.66	10	300
1" x 3/4"	\$ 7.66	10	200

72092

Bronze Male Adapter - No-Lead

- Insert x MNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/8"	\$ 4.51	25	500
1/4"	\$ 6.20	50	800
1/2"	\$ 7.72	10	200
3/4"	\$ 10.03	10	100
1"	\$ 15.42	10	100
1" x 3/4"	\$ 12.54	10	100
1" x 1 1/4"	\$ 14.54	10	80
1 1/4" x 1"	\$ 17.85	10	80
1 1/4"	\$ 16.42	10	80
1 1/2"	\$ 20.25	5	50
2"	\$ 29.89	5	50

72094

Brass Insert Couplings - No-Lead

- Insert x Insert



Size	List	Carton Qty	Master Qty
3/4"	\$ 6.94	10	500
1"	\$ 10.68	10	200
1 1/4"	\$ 12.09	10	100

2092SS

Stainless Steel Male Adapter - No-Lead

- Insert x MNPT
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.22	10	200
3/4"	\$ 9.38	10	100
1"	\$ 14.43	10	100
1" x 1 1/4"	\$ 13.60	10	80
1 1/4"	\$ 15.36	10	80
1 1/2"	\$ 18.93	5	50
2"	\$ 27.95	5	50

72095

Bronze Extra Long Male Adapter - No-Lead

- Insert x MNPT



Size	List	Carton Qty	Master Qty
1"	\$ 18.71	10	60
1" x 1 1/4"	\$ 24.36	10	100
1 1/4"	\$ 24.60	10	40
1 1/2"	\$ 33.25	5	50
2"	\$ 38.57	5	20

No-Lead Tank Tees / Insert Fittings

2095SS

Stainless Steel Extra Long Male Adapter - No-Lead

- Insert x MNPT
- NSF / ANSI 372

Size	List	Carton Qty	Master Qty
1" x 1 1/4"	\$ 19.32	10	60



72087BV

Full Port Ball Valve Insert - No-Lead

- Insert x Insert
- 600 WOG
- NSF 372



Size	List	Carton Qty	Master Qty
3/4"	\$ 21.41	10	60
1"	\$ 36.10	5	30
1 1/4"	\$ 49.08	5	20

72096

Brass Insert Couplings XL - No-Lead

- Insert x Insert
- NSF / ANSI 372

Size	List	Carton Qty	Master Qty
1 1/2"	\$ 42.78	5	50
2"	\$ 66.54	5	50



72232

Bronze Pitless Adapter - No-Lead

- FNPT x FNPT
- NSF 372



Size	List	Carton Qty	Master Qty
1"	\$ 157.06	4	12
1 1/4"	\$ 187.37	2	8

2097

Galvanized Male Adapter - No-Lead

- Insert x MNPT

Size	List	Carton Qty	Master Qty
1/2"	\$ 2.96	24	360
3/4"	\$ 3.45	20	300
1"	\$ 4.47	16	192
1 1/4"	\$ 6.97	12	108
1 1/2"	\$ 8.73	6	90
2"	\$ 10.96	5	60



72116T

Bronze Foot Valve - No-Lead

- FNPT, 200 WOG
- Stainless steel screen
- End of line applications
- NSF / ANSI 372



Size	List	Carton Qty	Master Qty
3/4"	\$ 24.25	10	80
1"	\$ 33.94	10	60
1 1/4"	\$ 49.93	5	40
1 1/2"	\$ 63.59	5	30
2"	\$ 105.51	5	10

2098

Galvanized Insert Coupling - No-Lead

- Insert x Insert

Size	List	Carton Qty	Master Qty
1/2"	\$ 2.77	30	360
3/4"	\$ 3.14	20	300
1"	\$ 3.96	20	240
1 1/4"	\$ 5.53	16	144
1 1/2"	\$ 8.37	12	108
2"	\$ 10.58	5	60



2000HC68 - All Stainless Steel Hose Clamp

- 300 Grade Stainless Steel Components
- **Screw:** 5/16" Hex Head 302 Stainless Steel w/Deep Socket
- **Housing:** 304 Stainless One Piece
- **Band:** 9/16" wide - 304 Stainless
- Sold in Box Quantity ONLY
- 100% Stainless Steel Hose Clamp for Marine or Underground Applications



Model No.	Trade Size	Min.	Max.	Ctn Qty	List Price
2000HC6808	8	7/16"	1"	10/1000	\$ 1.11
2000HC6810	10	1/2"	1 1/16"	10/1000	\$ 1.11
2000HC6812	12	1/2"	1 1/4"	10/1000	\$ 1.13
2000HC6816	16	11/16"	1 1/2"	10/1000	\$ 1.13
2000HC6820	20	3/4"	1 3/4"	10/1000	\$ 1.16
2000HC6824	24	1"	2"	10/1000	\$ 1.16
2000HC6828	28	1 1/4"	2 1/4"	10/1000	\$ 1.17
2000HC6832	32	1 1/2"	2 1/2"	10/1000	\$ 1.17
2000HC6836	36	1 3/4"	2 3/4"	10/500	\$ 1.22
2000HC6840	40	2"	3"	10/500	\$ 1.34
2000HC6844	44	2 1/4"	3 1/4"	10/500	\$ 1.56
2000HC6848	48	2 1/2"	3 1/2"	10/500	\$ 1.56
2000HC6852	52	2 3/4"	3 3/4"	10/500	\$ 1.63
2000HC6856	56	3"	4"	10/500	\$ 1.63
2000HC6860	60	3 1/4"	4 1/4"	10/500	\$ 1.79
2000HC6864	64	2 1/2"	4 1/2"	10/500	\$ 1.79
2000HC6872	72	3"	5"	10/250	\$ 1.88
2000HC6880	80	3 1/2"	5 1/2"	10/250	\$ 1.94
2000HC6888	88	4"	6"	10/250	\$ 2.08
2000HC6896	96	4 1/2"	6 1/2"	10/250	\$ 2.24
2000HC68104	104	5"	7"	10/250	\$ 2.26

2000HC62M - All Stainless Steel Hose Clamp

- **Screw:** 1/4" Hex Head 302 Stainless Steel
- **Band & Housing:** 5/16" - 304 Stainless
- Sold in Box Quantity ONLY
- 100% Stainless Steel Hose Clamp for Marine or Underground Applications



Model No.	Trade Size	Min.	Max.	Ctn Qty	List Price
2000HC62M04	4	1/4"	5/8"	10/2000	\$ 0.69
2000HC62M06	6	7/16"	3/4"	10/2000	\$ 0.72
2000HC62M08	8	1/2"	7/8"	10/2000	\$ 0.74
2000HC62M10	10	1/2"	1"	10/2000	\$ 0.80



Non-Potable Valves & Fittings



Non-Potable Valves & Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.



2032T

Full Port Ball Valve

- FNPT / FNPT - 600 WOG - 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- 1/2" - 2" certified to:



Size	List	Carton Qty	Master Qty
1/4"	\$ 11.08	10	180
1/2"	\$ 8.95	10	120
3/4"	\$ 14.59	10	90
1"	\$ 21.49	6	60
1 1/4"	\$ 41.27	4	36
1 1/2"	\$ 53.19	4	24
2"	\$ 69.82	2	12
2 1/2"	\$ 257.92	2	8
3"	\$ 395.20	2	6
4"	\$ 735.07	1	2

2032TL

Full Port Ball Valve with Locking Handle

- FNPT x FNPT - 600 WOG - 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/4"	\$ 17.83	10	180
3/8"	\$ 17.83	10	180
1/2"	\$ 17.74	10	120
3/4"	\$ 27.55	10	90
1"	\$ 36.20	6	60
1 1/4"	\$ 59.99	4	36
1 1/2"	\$ 72.03	4	24
2"	\$ 110.39	2	12

2008

Boiler Drain

- MNPT x G.H.T. - 120 WOG
- *1/2" is MNPT or Copper Combination



Size	List	Carton Qty	Master Qty
*1/2"	\$ 6.79	10	100
3/4"	\$ 8.06	10	100

2032S

Full Port Ball Valve

- SWT / SWT - 600 WOG - 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 8.95	10	120
3/4"	\$ 14.59	10	90
1"	\$ 21.49	6	60
1 1/4"	\$ 41.27	4	36
1 1/2"	\$ 53.19	4	24
2"	\$ 69.82	2	12
2 1/2"	\$ 257.92	2	8
3"	\$ 395.20	2	6

2035T

Full Port Gate Valve

- FNPT / FNPT - 600 WOG - 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- 1/2" - 2" certified to:



Size	List	Carton Qty	Master Qty
1/2"	\$ 11.02	10	60
3/4"	\$ 14.67	10	40
1"	\$ 19.56	5	30
1 1/4"	\$ 27.83	5	20
1 1/2"	\$ 35.80	4	16
2"	\$ 54.58	2	12
2 1/2"	\$ 109.11	6	
3"	\$ 153.63	4	4
4"	\$ 275.19	2	2

2029S

Full Port Flange Ball Valve

- SWT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Bolt set included
- Isolation valve for circulator pumps



Size	List	Carton Qty	Master Qty
3/4"	\$ 27.52	1	20
1"	\$ 34.94	1	20
1 1/4"	\$ 42.08	1	20
1 1/2"	\$ 58.89	1	20
2"	\$ 69.12	1	10

2029PT

Full Port Flange Ball Valve w/ Purge Port

- FNPT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Swivel flange
- Bolt set included
- Isolation valve for circulator pumps



Size	List	Carton Qty	Master Qty
3/4"	\$ 38.69	1	24
1"	\$ 48.02	1	18
1 1/4"	\$ 63.04	1	12

2029T

Full Port Flange Ball Valve

- FNPT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Bolt set included
- Isolation valve for circulator pumps




Size	List	Carton Qty	Master Qty
3/4"	\$ 27.52	1	20
1"	\$ 34.94	1	20
1 1/4"	\$ 42.08	1	20
1 1/2"	\$ 58.89	1	20
2"	\$ 69.12	1	10

2029SK

Full Port Flange Ball Valve Kit

- SWT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Bolt set included
- Isolation valve for circulator pumps
- Kit includes: (1) 2029T & (1) 2029S



Size	List	Carton Qty
3/4"	\$ 66.22	1
1"	\$ 82.96	1
1 1/4"	\$ 105.12	1

2029PS

Full Port Flange Ball Valve w/ Purge Port

- SWT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Swivel flange
- Bolt set included
- Isolation valve for circulator pumps




Size	List	Carton Qty	Master Qty
3/4"	\$ 38.69	1	24
1"	\$ 48.02	1	18
1 1/4"	\$ 63.04	1	12

2029TK

Full Port Flange Ball Valve Kit

- FNPT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Bolt set included
- Isolation valve for circulator pumps
- Kit includes: (1) 2029T & (1) 2029S



Size	List	Carton Qty
3/4"	\$ 66.22	1
1"	\$ 82.96	1
1 1/4"	\$ 105.12	1



Accessories - THIS PRODUCT does not come in contact with consumable water.

2030TH

Replacement T-Handle

- For models 2030, 2032, 2033, & 2118



Size	List	Carton Qty
1/4" - 1/2"	\$ 3.90	1
3/4" - 1"	\$ 5.16	1
1 1/4" - 1 1/2"	\$ 8.95	1
2"	\$ 16.50	1

2035CH

Cross Handle

- For models 2035T, 72035S, 72035T, & 72038T



Size	List	Carton Qty
1/2" - 3/4"	\$ 2.73	1
1"	\$ 2.73	1
1 1/4" - 1 1/2"	\$ 2.73	1
2"	\$ 3.89	1

2030H

Repair Handles for Ball Valves

- For models 2030, 2032, 2033, & 2118



Size	List	Carton Qty
1/4" - 1/2"	\$ 6.81	1
3/4" - 1"	\$ 12.01	1
1 1/4" - 1 1/2"	\$ 18.01	1
2"	\$ 30.03	1

2035H

Repair Handles

- For Gate Valves made in Taiwan

- For models 2035 & 72035



Size	List	Carton Qty
3/4"	\$ 1.69	1
1"	\$ 2.34	1
1 1/2"	\$ 3.74	1
2"	\$ 4.59	1
2 1/2"	\$ 8.43	1
3"	\$ 14.76	1
4"	\$ 31.23	1

2032EH

Extended Handles for Ball Valves

- 2" will work for 2 1/2" & 3" Valves

- For models 2030, 2032, 2033, & 2118




Size	List	Carton Qty
1/4" - 1/2"	\$ 15.77	1
3/4" - 1"	\$ 22.54	1
1 1/4" - 1 1/2"	\$ 29.89	1
2"	\$ 73.57	1

2035HW

Gate Valve Handwheel

- For Gate Valves made in Indonesia

- For models 2035 & 72035



Size	List	Carton Qty
3/4"	\$ 1.69	1
1"	\$ 2.34	1
1 1/2"	\$ 3.74	1
2"	\$ 4.59	1
2 1/2"	\$ 8.43	1
3"	\$ 14.76	1
4"	\$ 31.23	1

2032PNW

Packing Nut Wrench

- 1/4" - 2"

- For model 72032 & 2032



Size	List	Carton Qty
	\$ 10.34	1

10710

Gas Ball Valve

- FNPT x FNPT, 600 WOG - 150 WSP
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
3/8"	\$ 7.42	12	96
1/2"	\$ 7.47	12	120
3/4"	\$ 11.01	12	96
1"	\$ 23.90	6	60

10710R

Gas Ball Valve

- FNPT x FNPT, 600 WOG
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.47	12	120
3/4"	\$ 11.01	12	96
1"	\$ 23.90	6	60

10710Y

Gas Ball Valve

- FNPT x FNPT, 600 WOG
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 7.47	12	120
3/4"	\$ 11.01	12	96
1"	\$ 23.90	6	60

10710

Full Port Gas Ball Valve with Level Handle

- FNPT x FNPT, 600 WOG - 150 WSP
- 1/2 and 5 PSI
- Conforms to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1 1/4"	\$ 40.27	4	36
1 1/2"	\$ 61.22	4	24
2"	\$ 97.71	2	12

10710M

Full Port Gas Ball Valve with T-Handle

- FNPT x FNPT, 600 WOG - 150 WSP
- 1/2 and 5 PSI
- Conforms to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1 1/4"	\$ 65.44	4	36
1 1/2"	\$ 84.44	4	24
2"	\$ 114.94	2	12

10711

Square Head Gas Ball Valve

- FNPT x FNPT
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 13.99	12	144
3/4"	\$ 19.25	12	144

10712

Gas Ball Valve

- FNPT x Flare, 600 WOG
- 1/2" x 3/8" (5/8-18), 1/2" x 1/2" (3/4-16)
- 1/2" x 5/8" (15/16-16), 3/4" x 5/8" (15/16-16)
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 12.21	12	144
1/2" x 1/2"	\$ 12.61	12	144
1/2" x 5/8"	\$ 16.25	12	144
3/4" x 5/8"	\$ 17.41	12	144

10724

Gas Ball Valve with Tap

- FNPT x FNPT
- With Pilot Tap
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2"	\$ 17.57	10	120
3/4"	\$ 23.10	10	120

10714

Gas Ball Valve

- Flare x Flare
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
3/8"	\$ 14.14	12	144
1/2"	\$ 14.14	12	144

10720

Straight Log Lighter Valve - Chrome

- FNPT x FNPT
- 1/2 PSI
- Threads conform to ANSI B1.20.1



Size	List	Carton Qty	Master Qty
1/2"	\$ 27.23	10	100

10716

Gas Ball Valve

- MNPT x Flare
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
1/2" x 3/8"	\$ 13.74	12	144
1/2" x 1/2"	\$ 13.74	12	144

10722

Angle Log Lighter Valve - Chrome

- FNPT x FNPT
- 1/2 PSI
- Threads conform to ANSI B1.20.1



Size	List	Carton Qty	Master Qty
1/2"	\$ 26.05	10	100

10734

Angle Gas Ball Valve

- FNPT x Flare
- 1/2 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



Size	List	Carton Qty	Master Qty
3/4" x 5/8"	\$ 20.42	12	144

10720ETC

Chrome - Escutcheon Tube

Size	List	Carton Qty
	\$ 8.86	1



10720KC

Chrome - Operating Key

- 2" Key length

Size	List	Carton Qty
2"	\$ 3.05	1



10720KCL

Chrome - Operating Key

- 8" Key length

Size	List	Carton Qty
8"	\$ 14.85	1



4431T

Steam Angle Radiator Valve

- FNPT x MNPT Union, 15 WSP



Size	List	Carton Qty	Master Qty
1/2"	\$ 24.60	6	60
3/4"	\$ 27.11	6	48
1"	\$ 34.74	4	36
1 1/4"	\$ 43.68	4	24
1 1/2"	\$ 61.97	4	18

4437S

Bronze Hot Water Angle Radiator Valve

- SWT x MNPT Union

- 60 PSI Hot Water

- Bronze Construction

- Hole drilled in seat for hot water use



Size	List	Carton Qty	Master Qty
1/2"	\$ 32.32	8	80
3/4"	\$ 39.63	6	60

4437T

Bronze Hot Water Angle Radiator Valve

- FNPT x MNPT Union

- 60 PSI

- Bronze Construction

- Hole drilled in seat for hot water use



Size	List	Carton Qty	Master Qty
1/2"	\$ 32.32	8	80
3/4"	\$ 39.63	6	60
1"	\$ 47.34	6	36
1 1/4"	\$ 60.74	4	16

4435T

Steam Radiator Gate Valve

- FNPT x MNPT Union, 200 WOG - 125 WSP

- Bronze Construction



Size	List	Carton Qty	Master Qty
1/2"	\$ 34.39	6	60
3/4"	\$ 38.48	4	48
1"	\$ 61.99	4	24
1 1/4"	\$ 79.88	4	24

4433T

Bronze Convector Steam Angle Valve

- FNPT Union x FNPT, 15 WSP

- 60 PSI Hot Water

- Bronze Construction



Size	List	Carton Qty	Master Qty
1"	\$ 50.93	4	32
1 1/4"	\$ 67.26	4	24

4438S

Union Elbow

- SWT x MNPT Union, 15 WSP

- 60 PSI Hot Water



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.51	10	150
3/4"	\$ 19.43	10	100

4438T

Union Elbow

- FNPT x MNPT Union, 15 WSP

- 60 PSI Hot Water



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.51	10	150
3/4"	\$ 19.43	8	80
1"	\$ 30.98	5	60
1 1/4"	\$ 47.91	4	40

4439S

Hydronic Balancing Ball Valve

- SWT x SWT, 40 WOG

- Screw driver slot head



Size	List	Carton Qty	Master Qty
1/2"	\$ 14.23	1	120
3/4"	\$ 19.29	1	90
1"	\$ 29.22	1	60

4440S

Hydronic Balancing Ball Valve with Purge Port

- SWT x SWT, 40 WOG



Size	List	Carton Qty	Master Qty
3/4"	\$ 23.40	1	108

2201 Brass Cap



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.30	5	300
3/4"	\$ 4.35	5	200
1"	\$ 6.77	5	150
1 1/4"	\$ 10.34	5	100
1 1/2"	\$ 13.91	5	70
2"	\$ 23.54	5	50

2206 Brass Hex Reducing Bushings



Size	List	Carton Qty	Master Qty
1/4" x 1/8"	\$ 2.61	1	600
3/8" x 1/4"	\$ 2.61	5	600
1/2" x 1/8"	\$ 3.06	1	450
1/2" x 1/4"	\$ 2.61	5	450
1/2" x 3/8"	\$ 2.61	5	450
3/4" x 1/4"	\$ 4.35	5	300
3/4" x 1/2"	\$ 3.61	5	300
1" x 1/2"	\$ 5.39	5	150
1" x 3/4"	\$ 5.39	5	150
1 1/4" x 3/4"	\$ 9.21	5	120
1 1/4" x 1"	\$ 9.21	5	120
1 1/2" x 3/4"	\$ 14.44	5	120
1 1/2" x 1"	\$ 11.77	5	100
1 1/2" x 1 1/4"	\$ 11.77	5	100
2" x 3/4"	\$ 21.03	5	60
2" x 1"	\$ 21.03	5	70
2" x 1 1/4"	\$ 17.45	5	50
2" x 1 1/2"	\$ 17.45	5	50

2202 Brass Cored Plug



Size	List	Carton Qty	Master Qty
1/2"	\$ 3.48	5	500
3/4"	\$ 3.93	5	300
1"	\$ 5.12	5	200
1 1/4"	\$ 7.70	5	120
1 1/2"	\$ 9.74	5	80
2"	\$ 15.35	5	50

2210 Brass Coupling



Size	List	Carton Qty	Master Qty
1/4"	\$ 3.26	5	450
3/8"	\$ 3.26	5	300
1/2"	\$ 4.06	5	200
3/4"	\$ 5.34	5	100
1"	\$ 8.11	5	100
1 1/4"	\$ 12.71	5	75
1 1/2"	\$ 17.28	5	50
2"	\$ 28.43	5	30

2204RSQH Brass Clean Out Plugs - Raised Head



Size	List	Carton Qty	Master Qty
2"	\$ 5.43	100	200
2 1/2"	\$ 6.77	50	100
3"	\$ 9.32	20	100
3 1/2"	\$ 11.12	20	80
4"	\$ 13.01	10	60
5"	\$ 15.72	10	40
6"	\$ 30.28	10	20

2210 Brass Reducing Coupling



Size	List	Carton Qty	Master Qty
3/4" x 1/2"	\$ 6.45	5	200
1" x 1/2"	\$ 10.68	5	100
1" x 3/4"	\$ 10.68	5	100
1 1/4" x 3/4"	\$ 17.28	5	90
1 1/4" x 1"	\$ 17.28	5	70
1 1/2" x 3/4"	\$ 24.59	5	80
1 1/2" x 1"	\$ 21.87	5	75
1 1/2" x 1 1/4"	\$ 21.87	5	60
2" x 1"	\$ 36.49	5	60
2" x 1 1/4"	\$ 32.46	5	50
2" x 1 1/2"	\$ 32.46	5	50

2204 Brass Clean Out Plugs - Counter Sunk



Size	List	Carton Qty	Master Qty
2"	\$ 5.43	100	200
2 1/2"	\$ 6.77	50	100
3"	\$ 9.32	20	80
3 1/2"	\$ 11.12	20	80
4"	\$ 13.01	10	60
5"	\$ 15.72	10	40
6"	\$ 30.28	10	40

2220 Brass Union



Size	List	Carton Qty	Master Qty
1/2"	\$ 12.58	5	75
3/4"	\$ 17.37	5	75
1"	\$ 23.04	5	40
1 1/4"	\$ 33.67	5	35
1 1/2"	\$ 39.81	5	25
2"	\$ 61.21	5	15

2230 Brass Reducing Tee



Size	List	Carton Qty	Master Qty
3/4" x 1/2"	\$ 9.86	5	100
1" x 3/4"	\$ 17.91	5	40
2" x 1"	\$ 56.78	5	25

2230 Brass Tee



Size	List	Carton Qty	Master Qty
1/4"	\$ 4.51	5	300
3/8"	\$ 4.51	5	200
1/2"	\$ 5.68	5	100
3/4"	\$ 8.18	5	75
1"	\$ 14.56	5	40
1 1/4"	\$ 20.41	5	35
1 1/2"	\$ 28.08	5	25
2"	\$ 45.94	5	15

2245 Brass Tee



Size	List	Carton Qty	Master Qty
1/2"	\$ 4.51	5	200
3/4"	\$ 6.66	5	100
1"	\$ 11.31	5	75
1 1/4"	\$ 18.01	5	50
1 1/2"	\$ 22.53	5	40
2"	\$ 36.56	5	25

2246 45° Brass Street Elbow



Size	List	Carton Qty	Master Qty
3/4"	\$ 8.74	5	100

2290 90° Brass Elbow



Size	List	Carton Qty	Master Qty
1/4"	\$ 3.28	5	300
1/2"	\$ 4.95	5	200
3/4"	\$ 6.66	5	100
1"	\$ 10.25	5	75
1 1/4"	\$ 16.32	5	50
1 1/2"	\$ 20.41	5	35
2"	\$ 33.18	5	20

2290 90° Brass Reducing Elbow



Size	List	Carton Qty	Master Qty
3/4" x 1/2"	\$ 7.30	5	160
1" x 3/4"	\$ 12.79	5	100

2291 90° Brass Street Elbow



Size	List	Carton Qty	Master Qty
1/4"	\$ 4.95	5	600
3/8"	\$ 4.95	5	300
1/2"	\$ 6.16	5	200
3/4"	\$ 8.74	5	100
1"	\$ 14.32	5	75
1 1/4"	\$ 22.03	5	40
1 1/2"	\$ 28.62	5	35
2"	\$ 48.55	5	20

- Material conforms to ASTM B824 & ASTM B62
- Threads conform to ANSI B1.20.1
- Dimensions conform to ANSI B16.15, ANSI WWW-U-516-B, ANSI B16.24



Chicago Fittings



Chicago Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

Flexible Anodeless Risers for Natural Gas Applications



X-Riser



Features & Benefits

- No Underground Joints

One solid service line from point-to-point with above ground terminations.

- No Chamfering

A simple clean cut is all that is required.

- Bi-Directional Seal

Assembly CAN'T be installed improperly where some competitors multiple internal components MUST have proper order and orientation to function properly.

- No Torque Requirements

All X-Risers incorporate the "bottoming" or "positive stop" design. Simply tighten the compression nut until it is metal-to-metal and you are done.

- Simple Design

Can be installed with one flat jaw wrench extending the life of protective coatings commonly flawed or removed by pipe wrenches.

- Integral Barbed Stiffeners

Are permanent (not loose) for additional pull out resistance.


- Quality

Chicago Fittings products are CNC machined from solid bar stock (not castings) providing high quality product with the most precise threads and design flexibility.

Chicago Fittings

CFC Part #	Description (PE Size x Outlet x OAL)	Box Qty.	Box Wt.	List Price
XR-13B-8-36-ZDC	1/2" IPS (SDR 77.090" Wall) x 1/2" MNPT x 36"OAL	15	36	\$ 61.95
XR-18B-12-36-ZDC	1" CTS (SDR 12.5/.090" Wall) x 3/4" MNPT x 36"OAL	9	33	\$ 60.90
XR-18B-16-36-ZDC	1" CTS (SDR 12.5/.090" Wall) x 1" MNPT x 36"OAL	9	33	\$ 60.90
XR-17C-12-36-ZDC	3/4" IPS (SDR 11/.095" Wall) x 3/4" MNPT x 36" OAL	10	32	\$ 55.65
XR-21J-16-36-ZDC	1" IPS (SDR 11/.119" Wall) x 1" MNPT x 36"OAL	7	34	\$ 91.88
XR-27G-20-36-ZDC	1-1/4" IPS (SDR 11/.151" Wall) x 1-1/4" MNPT x 36"OAL	5	33	\$ 103.95
XR-27H-20-36-ZDC	1-1/4" IPS (SDR 10/.166" Wall) x 1-1/4" MNPT x 36"OAL	5	33	\$ 103.95
XR-31K-24-36-ZDC	1-1/2" IPS (SDR 11/.173" Wall) x 1-1/2" MNPT x 36"OAL	4	31	\$ 176.93
XR-38M-32-36-ZDC	2" IPS (SDR 11/.216" Wall) x 2" MNPT x 36"OAL	3	33	\$ 180.60

Plastic Service Fittings



Features & Benefits

- **Sealastic Design**
Rugged leak resistant design utilizing a molded rubber seal/ferrule assembly and integral stiffener
- **Bottom Nut (Positive Stop)**
Self-seating design eliminates the need for torque measurement
- **Bi-Directional Seal / Ferrule Assembly**
One piece design eliminates worries of "Order & Orientation" of multiple internal components
- **Solid Bar Stock Construction**
CNC machined from solid bar stock eliminates concerns associated with malleable castings
- **Ease of Assembly**
Hex construction allows for use of flat jawed wrenches and greatly reduces damage to finishes compared to that of bite-style wrenches.
- **Tube Preparation**
A clean, burr-free cut is all that's required (No chamfering tools or fusion equipment).

597 Series

Male Adapters (Plastic x MPT)

CFC Part #	Description (PE Size x Outlet)	Box Qty.	Box Wt.	List Price
M597C11S090	1/2" IPS (SDR 9.3/.090" Wall) x 1/2" MNPT	25	18	\$ 35.70
M597C12S090	1/2" IPS (SDR 9.3/.090" Wall) x 3/4" MNPT	25	19	\$ 35.70
M597C32S095	3/4" IPS (SDR 11/.095" Wall) x 3/4" MNPT	25	20	\$ 32.03
M597C53S119	1" IPS (SDR 11/.119" Wall) x 1" MNPT	15	30	\$ 46.73
M597C74S151	1-1/4" IPS (SDR 11/.151" Wall) x 1-1/4" MNPT	10	26	\$ 54.60
M597C74S166	1-1/4" IPS (SDR 10/.166" Wall) x 1-1/4" MNPT	10	26	\$ 54.60
M597C82S173	1-1/2" IPS (SDR 11/.173" Wall) x 1-1/2" MNPT	10	31	\$ 80.33
M597C96S216	2" IPS (SDR 11/.216" Wall) x 2" MNPT	6	28	\$ 93.98



750PP Series

Couplings (Plastic x Plastic)

CFC Part #	Description (PE Size)	Box Qty.	Box Wt.	List Price
M750C13	1/2" IPS (SDR 9.3/.090" Wall)	25	38	\$ 53.55
M750C17	3/4" IPS (SDR 11/.095" Wall)	20	33	\$ 51.45
M750C21	1" IPS (SDR 11/.119" Wall)	14	44	\$ 71.93
M750C27	1-1/4" IPS (SDR 11/.151" Wall)	9	36	\$ 81.90
M750C27-166	1-1/4" IPS (SDR 10/.166" Wall)	9	36	\$ 81.90
M750C31	1-1/2" IPS (SDR 11/.173" Wall)	5	32	\$ 116.03
M750C38	2" IPS (SDR 11/.216" Wall)	4	30	\$ 139.65



For fittings coated with E-coat Grey add "EF" to the end of the part number.

For underground use, uncoated fittings must be protected with an approved tape/wrap as defined by local/regional code.

⚠ Note: Sealastic products are manufactured under U.S. and foreign patents. Fittings may be reused only if new seal and ferrule is inserted. When pipe movement out of the coupling might occur as a result of forces other than that caused by internal line pressure of 125 psi maximum, proper anchorage of the pipe must be provided.

Chicago Fittings

Flexible Anodeless Risers for Propane Gas Applications



X-Riser

Features & Benefits

- No Underground Joints

One solid service line from point-to-point with above ground terminations.

- No Chamfering

A simple clean cut is all that is required.

- Bi-Directional Seal

Assembly CAN'T be installed improperly where some competitors multiple internal components MUST have proper order and orientation to function properly.

- No Torque Requirements

All X-Risers incorporate the "bottoming" or "positive stop" design. Simply tighten the compression nut until it is metal-to-metal and you are done.

- Simple Design

Can be installed with one flat jaw wrench extending the life of protective coatings commonly flawed or removed by pipe wrenches.

- Integral Barbed Stiffeners

Are permanent (not loose) for additional pull out resistance.

- Quality

Chicago Fittings products are CNC machined from solid bar stock (not castings) providing high quality product with the most precise threads and design flexibility.



CFC Part #	Description (PE Size x Outlet x OAL)	Box Qty.	Box Wt.	List Price
XR-10B-8SN-36-L-ZDC	1/2"CTS (SDR 7/.090 WALL) x 1/2" FEMALE FLARE SWIVEL x 36" OAL	20	40	\$ 34.10
XR-10B-8SN-72-L-ZDC	1/2"CTS (SDR 7/.090 WALL) x 1/2" FEMALE FLARE SWIVEL x 72" OAL	10	33	\$ 39.25
XR-10B-8-36-L-ZDC	1/2"CTS (SDR 7/.090 WALL) x 1/2" MNPT x 36" OAL	20	40	\$ 32.17
XR-10B-8-72-L-ZDC	1/2"CTS (SDR 7/.090 WALL) x 1/2" MNPT x 72" OAL	10	33	\$ 37.32
XR-10B-12-36-L-ZDC	1/2"CTS (SDR 7/.090 WALL) x 3/4" MNPT x 36" OAL	20	40	\$ 32.17
XR-10B-12-72-L-ZDC	1/2"CTS (SDR 7/.090 WALL) x 3/4" MNPT x 72" OAL	10	33	\$ 37.32
XR-17C-12-36-L-ZDC	3/4"IPS (SDR 11/.095 WALL) x 3/4" MNPT x 36" OAL	10	38	\$ 59.19
XR-17C-12-72-L-ZDC	3/4"IPS (SDR 11/.095 WALL) x 3/4" MNPT x 72" OAL	4	26	\$ 76.57
XR-17C-10SN-36-L-ZDC	3/4"IPS (SDR 11/.095 WALL) x 5/8" FEMALE FLARE SWIVEL x 36" OAL	10	38	\$ 68.20
XR-17C-10SN-72-L-ZDC	3/4"IPS (SDR 11/.095 WALL) x 5/8" FEMALE FLARE SWIVEL x 72" OAL	4	26	\$ 78.49

Chicago Fittings X-Riser Backyard Products


Solid Plastic Service From Point to Point

Total Joints = 4 (Zero Below Grade)

Total Joints = 16 (4 Below Grade)

Features & Benefits

- **NO UNDERGROUND JOINTS** - One solid service line from point-to-point with above ground terminations.
- **NO CHAMFERING** - A simple clean cut is all that is required.
- **BI-DIRECTIONAL SEAL** assembly CAN'T be installed improperly where some competitors multiple internal components MUST have proper order and orientation to function properly.
- **NO TORQUE REQUIREMENTS** - All X-Risers incorporate the "bottoming" or "positive stop" design. Simply tighten the compression nut until it is metal-to-metal and you are done.
- **SIMPLE DESIGN** can be installed with one flat jaw wrench extending the life of protective coatings commonly flawed or removed by pipe wrenches.
- **INTEGRAL BARBED STIFFENERS** are permanent (not loose) for additional pull out resistance.
- **QUALITY** - Chicago Fittings products are CNC machined from solid bar stock (not castings) providing high quality product with the most precise threads and design flexibility.



X-Riser Installation Procedures

For Outdoor Use, (Working Pressure = 125psig)

1. Remove body and install body into meter valve, regulator or piping system First.
2. Insert plastic service tube thru the riser assembly and extend the plastic a minimum of 5" past the end of swivel nut.
3. Cut the plastic tubing square and deburr O.D. and I.D. Clean exposed tubing with a clean, dry, grease free cloth making sure not to scratch the surface of the plastic tubing.
4. Mark tubing to stab depth (SEE CHART) with felt tip pen or suitable marker. Make sure not to scratch surface of plastic tubing with marker.
5. Slip seal over plastic service tube and slide seal into the swivel nut.
6. Stab plastic up into body until end of body is flush to within a 1/8" of the mark.
7. Push swivel nut towards body threads and engage threads. Tighten swivel nut and body until fitting becomes iron bound, that is, "metal to metal".

Stab Depth / Stiffener Chart

Tube Size	Stab Depth	Wall	Color
1/2" CTS	1"	0.062" 0.090"	Gold Steel
1" CTS	1"	0.090" 0.100"	Steel Gold
1/2" IPS	1"	0.090"	Steel
3/4" IPS	1"	0.095"	Steel
1" IPS	3/4"	0.119"	Steel
1 1/4" IPS	1 1/4"	0.151" 0.166"	Steel Black
1 1/2" IPS	1 1/4"	0.173"	Steel
2" IPS	1 1/4"	0.216"	Steel

NOTE: .100" is used for 0.98"-0.102" wall thicknesses

⚠ FOR OUTDOOR USE ONLY!!
Penetrations through concrete slabs (OUTDOOR ONLY) must be sleeved.

Outside Diameter Chart

Types of Pipe/Tubing for use with A.Y. McDonald Fittings (Outside Diameters listed)

	CTS	CTS*	CTS*	CTS*	PEP* Accepts Barbed Insert	PEP*
NOMINAL SIZE	TYPE K or L COPPER TUBE	POLYETHYLENE ASTM D2737 SDR 9 TUBE SIZE	PEX TUBING ASTM F876 SDR 9 CSA B137.5	POLYBUTYLENE ASTM D2666 SDR 9 TUBE SIZE CLASS 250	POLYBUTYLENE ASTM D2662 SDR 7 or POLYETHYLENE ASTM D2239 SDR 7 POLYETHYLENE PIPE SIZE	POLYETHYLENE ASTM D2239 SDR 9 POLYETHYLENE PIPE SIZE
1/2"	$\frac{.622}{.628}$ C	$\frac{.621}{.629}$ A C	$\frac{.621}{.629}$ A C	$\frac{.625}{.633}$ A C	$\frac{.79}{.85}$ B C	
5/8"						
3/4"	$\frac{.872}{.878}$	$\frac{.871}{.879}$	$\frac{.871}{.879}$	$\frac{.875}{.883}$	$\frac{1.045}{1.110 (1.089)}$	$\frac{.993}{1.058}$
1"	$\frac{1.121}{1.129}$	$\frac{1.120}{1.130}$	$\frac{1.120}{1.130}$	$\frac{1.125}{1.135}$	$\frac{1.329}{1.399 (1.384)}$	$\frac{1.263}{1.333}$
1 1/4"	$\frac{1.371}{1.379}$	$\frac{1.370}{1.380}$	$\frac{1.370}{1.380}$	$\frac{1.375}{1.385}$	$\frac{1.754}{1.832 (1.804)}$	$\frac{1.666}{1.736}$
1 1/2"	$\frac{1.621}{1.630}$	$\frac{1.619}{1.631}$	$\frac{1.619}{1.631}$	$\frac{1.625}{1.637}$	$\frac{2.050}{2.141 (2.109)}$	$\frac{1.948}{2.023}$
2"	$\frac{2.120}{2.130}$	$\frac{2.119}{2.131}$	$\frac{2.119}{2.131}$	$\frac{2.125}{2.137}$	$\frac{2.637}{2.742 (2.709)}$	$\frac{2.507}{2.598}$
Type of A.Y. Fitting	Flare, A, -22, G, Q, QA, TA or CC	-22, G, H, Q, QA, T, TA or CE	-22, G, H, Q, QA, T, TA or CE	-22, G, H, Q, QA, T, TA or CE	-33, -3G, -3H, -3Q, or -3QA	-34
A.Y. SS Stiffener	D	6131T 6133T * F	6131T 6133T * F	6131T 6133T * F	6136 *	6136

Recommended Torque Chart for Mac-Pak Compression Nuts

Tighten to the following minimum torques: "-22", "-33", "-34", "-44", "-55" Compression

For nut size: 1/2"20 ft-lbs 1"30 ft-lbs 1 1/2"40 ft-lbs
3/4"25 ft-lbs 1 1/4"35 ft-lbs 2"45 ft-lbs

For soft copper, PVC, polybutylene, and polyethylene tubing, the torques to which the clamp side screw should be tightened are as follows (NOTE CHANGE IN UNIT OF MEASURE):

For clamp screw: 1/2"70-80 in-lbs 1"90-100 in-lbs 1 1/2"160-180 in-lbs
3/4"80-90 in-lbs 1 1/4"120-140 in-lbs 2"200-220 in-lbs

For hard copper tubing, brass and steel pipe, the torques to which the clamp side screw should be tightened are as follows (NOTE CHANGE IN UNIT OF MEASURE):

For clamp screw: 1/2"70-80 in-lbs 1"65-90 in-lbs 1 1/2"160-180 in-lbs
3/4"80-90 in-lbs 1 1/4"120-140 in-lbs 2" & 2 1/2"200-220 in-lbs

Lead Mac-Pak Comp. "-66", "-67", "-68" Compression

For nut size: 1/2"20 ft-lbs 1"40 ft-lbs 1 1/2"50 ft-lbs
5/8"30 ft-lbs 1 1/4"45 ft-lbs 2"55 ft-lbs
3/4"35 ft-lbs

NOTE CHANGE IN UNIT OF MEASURE

For clamp screw: 1/2"70-80 in-lbs 1"90-100 in-lbs 1 1/2"160-180 in-lbs
5/8"75-85 in-lbs 1 1/4"120-140 in-lbs 2"160-180 in-lbs
3/4"80-90 in-lbs

Outside Diameter Chart

Types of Pipe/Tubing for use with A.Y. McDonald Fittings (Outside Diameters listed)

C903	PVC	IPS*	IP	LEAD PIPE		
C903	BRASS PIPE & PVC ASTM D1785 SCH. 40	POLYETHYLENE ASTM D3035 SDR 9 / SDR 11 OD CONTROLLED IRON PIPE SIZE	STEEL PIPE	STRONG S or A	EXTRA STRONG XS or AA	DOUBLE EXTRA STRONG XXS or AAA
	$\frac{.836}{.844}$ C		$\frac{.836}{.844}$ B C	$\frac{.783}{.813}$ B	$\frac{.861}{.891}$	$\frac{.997}{1.027}$
				$\frac{1.004}{1.034}$	$\frac{1.067}{1.097}$	$\frac{1.122}{1.152}$
$\frac{.984}{.996}$	$\frac{1.046}{1.054}$	$\frac{1.046}{1.054}$ A	$\frac{1.046}{1.054}$	$\frac{1.141}{1.171}$	$\frac{1.197}{1.227}$	$\frac{1.321}{1.351}$
$\frac{1.260}{1.272}$	$\frac{1.310}{1.320}$	$\frac{1.310}{1.320}$ A	$\frac{1.310}{1.320}$	$\frac{1.413}{1.443}$	$\frac{1.477}{1.507}$	$\frac{1.581}{1.611}$
	$\frac{1.655}{1.665}$	$\frac{1.655}{1.665}$ A	$\frac{1.655}{1.665}$	1 1/4" -44 $\frac{1.655}{1.685}$	$\frac{1.750}{1.780}$	1 1/2" -44 $\frac{1.874}{1.904}$
	$\frac{1.894}{1.906}$	$\frac{1.894}{1.906}$ A	$\frac{1.894}{1.906}$	1 1/2" -44 $\frac{1.969}{1.999}$	$\frac{2.061}{2.091}$	2" -22 $\frac{2.257}{2.287}$
	$\frac{2.369}{2.381}$	$\frac{2.369}{2.381}$	$\frac{2.369}{2.381}$	2" -44 $\frac{2.488}{2.518}$	$\frac{2.736}{2.766}$	$\frac{2.993}{3.023}$ B
K, KA	-44	-44	-44, -55	-66	-67	-68
	D	SDR 9 - 6137 SDR 11 - 6138 *	D	D	D	D

■ Shaded areas indicate where lead pipe may have to be shaved to fit Compression end shown.

- A - Need insert not available from A.Y. McDonald Mfg. Co.
- B - No fitting from A.Y. McDonald Mfg. Co. available.
- C - 1/2" only available in -22 & -44 series. Contact Factory!
- D - -Insert stiffener not required
- E - -34, -3G, -3Q, -3QA, -3H, and H only available in 3/4" and 1" sizes.
- F - 6131T Plastic Stiffener only available in 3/4" and 1" sizes.
- () - Maximum pipe O.D. that will work with A.Y. McDonald fittings.
- * - Insert Stiffeners required on all flexible connections except the Handy-Loc.

Recommended Torque Chart for 6130 Series Compression Nuts


Tighten to the following minimum torques:

- 3/4"35 to 45 ft-lbs
- 1"40 to 50 ft-lbs

Recommended Torque Chart for T Series Compression Nuts

Tighten to the following minimum torques:

- 3/4" 50 ft-lbs
- 1" 55 ft-lbs
- 1 1/4" 65 ft-lbs
- 1 1/2" 100 ft-lbs
- 2" 125 ft-lbs



MORE THAN A BRAND. WE'RE A FAMILY.

A.Y. McDonald Mfg. Co. is a leading manufacturer of Waterworks Brass, Plumbing Valves, Pumps and Water Systems, and High Pressure Gas Valves and Meter Bars. The Company has distinguished itself with a proud tradition of quality and reliability since its founding in 1856.

The mission of A.Y. McDonald Mfg. Co., in the words of our founder, is "to make good products and sell them honestly." We, the stockholders and employees, accomplish this by extending the McDonald family culture through excellent customer service and by focusing on our customers' needs.



1-800-AY-CARES | aymcdonald.com

Orders, Questions, Quote Requests:
Fax Customer Service - 800.832.9296
E-Mail: sales@aymcdonald.com

⚠ WARNING: It is unlawful in CALIFORNIA & VERMONT (effective 1/1/2010); MARYLAND (effective 1/1/2012); LOUISIANA (effective 1/1/2013) and the UNITED STATES OF AMERICA (effective 1/4/2014) to use any product in the installation or repair of any public water system or any plumbing in a facility or system that provides water for human consumption if the wetted surface area of the product has a weighted average lead content greater than 0.25%. This prohibition does not extend to service saddles used in California, Louisiana or under USA Public Law 111-380. **⚠ WARNING:** This product can expose you to chemicals including lead, which is known to the State of CALIFORNIA to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.