# *Two-Piece Elongated Bowl Toilet*

## **Product Features**

- · 1.0 GPF
- · Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- · 16-1/4" Elongated Bowl
- $\cdot\,$  Rough-in: 10"
- Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt "tank-to-bowl" installation

#### **Optional Accessories/Available Parts**

PF2312FLPKFill Valve AssemblyPF2312FVPKFlush Valve AssemblyPF5112TLCPPKChrome Flush Lever

### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA requirements when installed according to ADA guidelines






Available Colors: White (WH)

Tank	
PF2310WH	10" Rough-in Tank
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl - 16-1/4"




# *Two-Piece Elongated Bowl Toilet*





**Bowl Footprint Dimensions** 



# *Two-Piece Elongated Bowl Toilet*

## **Product Features**

- · 1.0 GPF
- · Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- · 16-1/4" Elongated Bowl
- · Rough-in: 12"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt "tank-to-bowl" installation

#### **Optional Accessories/Available Parts**

PF2312FLPKFill Valve AssemblyPF2312FVPKFlush Valve AssemblyPF5112TLCPPKChrome Flush Lever

### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA requirements when installed according to ADA guidelines






Available Colors: White (WH)

Tank	
PF2312WH	12" Rough-in Tank
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl - 16-1/4"




# *Two-Piece Elongated Bowl Toilet*





**Bowl Footprint Dimensions** 



# *Two-Piece Elongated Bowl Toilet*

## **Product Features**

- · 1.28 GPF
- $\cdot\,$  Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- $\cdot\,$  16-1/4" Elongated Bowl
- $\cdot$  Rough-in: 10"
- Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Front Mounted Color Match Trip Lever
- $\cdot\,$  Sanitary bar on bowl for easy cleaning
- $\cdot\,$  Quick connect, two-bolt "tank-to-bowl" installation

### **Optional Accessories/Available Parts**

PF5112FLPKFill Valve AssemblyPF5112FVPKFlush Valve AssemblyPF5112TLCPPKChrome Flush Lever

### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA requirements when installed according to ADA guidelines






Available Colors: White (WH)

Tank	
PF5110HEWH	10" Rough-in Tank
PF5110RHEWH	10" Rough-in Right Hand Tank
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl - 16-1/4"




# *Two-Piece Elongated Bowl Toilet*





**Bowl Footprint Dimensions** 



# *Two-Piece Elongated Bowl Toilet*

## **Product Features**

- · 1.6 GPF
- · Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- · 16-1/4" Elongated Bowl
- · Rough-in: 10"
- Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt "tank-to-bowl" installation

#### **Optional Accessories/Available Parts**

PF5112FLPKFill Valve AssemblyPF5112FVPKFlush Valve AssemblyPF5112TLCPPKChrome Flush Lever

### **Codes and Certifications**



- · IAPMO/cUPC
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA requirements when installed according to ADA guidelines






Available Colors: White (WH)

Tank	
PF5110WHM	10" Rough-in Tank
PF5110RWHM	10" Rough-in Right Hand Tank
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl-16-1/4"




# *Two-Piece Elongated Bowl Toilet*





**Bowl Footprint Dimensions** 



# *Two-Piece Elongated Bowl Toilet*

## **Product Features**

- · 1.28 GPF
- · Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- $\cdot\,$  16-1/4" Elongated Bowl
- $\cdot\,$  Rough-in: 12"
- Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Front Mounted Trip Lever (Chrome/White Available)
- · Sanitary bar on bowl for easy cleaning
- $\cdot\,$  Quick connect, two-bolt "tank-to-bowl" installation

### **Optional Accessories/Available Parts**

PF5112FLPKFill Valve AssemblyPF5112FVPKFlush Valve AssemblyPF5112TLCPPKChrome Flush Lever

### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA requirements when installed according to ADA guidelines






#### Available Colors: White (WH)

Tank	
PF5112HEWH	12" Rough-in Tank
PF5112RHEWH	12" Rough-in Right Hand Tank
PF5112UHEWH	12" Rough-in Insulated Tank
PF5112NHEWH	12" Rough-in Tank with Chrome Lever
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl-16-1/4"




# *Two-Piece Elongated Bowl Toilet*





**Bowl Footprint Dimensions** 



# *Two-Piece Elongated Bowl Toilet*

## **Product Features**

- · 1.28 GPF
- $\cdot\,$  Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- $\cdot\,$  16-1/4" Elongated Bowl
- $\cdot\,$  Rough-in: 12"
- Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- $\cdot\,$  Quick connect, two-bolt "tank-to-bowl" installation

#### **Optional Accessories/Available Parts**

PF5112FLPKFill Valve AssemblyPF5112FVPKFlush Valve AssemblyPF5112TLCPPKChrome Flush Lever

### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA requirements when installed according to ADA guidelines





Available Colors: White (WH)

Tank	
PF5112BHEWH	12" Rough-in Tank, Low Profile
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl-16-1/4"




This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. **Visit ferguson.com** for detailed warranty information.


FERGUSON.COM/PROFLO

# *Two-Piece Elongated Bowl Toilet*





**Bowl Footprint Dimensions** 



# *Two-Piece Elongated Bowl Toilet*

## **Product Features**

- · 1.6 GPF
- · Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- · 16-1/4" Elongated Bowl
- · Rough-in: 12"
- Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- $\cdot\,$  Quick connect, two-bolt "tank-to-bowl" installation

#### **Optional Accessories/Available Parts**

PF5112FLPKFill Valve AssemblyPF5112FVPKFlush Valve AssemblyPF5112TLCPPKChrome Flush Lever

### **Codes and Certifications**



- · IAPMO/cUPC
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g






Available Colors: White (WH), Biscuit (BS)

Tank	
PF5112WHM	12" Rough-in Tank - White
PF5112RWHM	Rough-in Right Hand Tank - White
PF5112BSM	12" Rough-in Tank - Biscuit
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl-16-1/4"
PF1401TBS	Elongated ADA Bowl - 17" - Biscuit




# *Two-Piece Elongated Bowl Toilet*





**Bowl Footprint Dimensions** 



# *Two-Piece Elongated Bowl Toilet*

## **Product Features**

- · 1.28 GPF
- $\cdot\,$  Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- $\cdot\,$  16-1/4" Elongated Bowl
- $\cdot$  Rough-in: 14"
- Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Front Mounted Color Match Trip Lever
- $\cdot\,$  Sanitary bar on bowl for easy cleaning
- $\cdot\,$  Quick connect, two-bolt "tank-to-bowl" installation

### **Optional Accessories/Available Parts**

PF5112FLPKFill Valve AssemblyPF5112FVPKFlush Valve AssemblyPF5112TLCPPKChrome Flush Lever

### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA requirements when installed according to ADA guidelines






Available Colors: White (WH)

Tank	
PF5114HEWH	14" Rough-in Tank
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl-16-1/4"




# *Two-Piece Elongated Bowl Toilet*





**Bowl Footprint Dimensions** 



# *Two-Piece Elongated Bowl Toilet*

## **Product Features**

- · 1.6 GPF
- · Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- · 16-1/4" Elongated Bowl
- · Rough-in: 14"
- Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Front Mounted Color Match Trip Lever
- $\cdot\,$  Sanitary bar on bowl for easy cleaning
- $\cdot\,$  Quick connect, two-bolt "tank-to-bowl" installation

#### **Optional Accessories/Available Parts**

PF5112FLPKFill Valve AssemblyPF5112FVPKFlush Valve AssemblyPF5112TLCPPKChrome Flush Lever

### **Codes and Certifications**



- · IAPMO/cUPC
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA requirements when installed according to ADA guidelines






Available Colors: White (WH)

Tank	
PF5114WHM	14" Rough-in Tank
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl-16-1/4"



# *Two-Piece Elongated Bowl Toilet*





**Bowl Footprint Dimensions** 

