Two-Piece Elongated Toilet



Product Features

- · 1.0 GPF
- · Gravity-fed Siphon Jet Flush
- · Vitreous China
- · 16-1/4" Skirted Elongated Bowl
- · Rough-in: 12"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 8" x 5-3/4"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF2312FLPK Fill Valve Assembly
PF2312FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications









- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines




Available Colors: White (WH)


Tank	
PF2312WH	12" Rough-in Tank
Bowl	
PF9002SWH	Elongated, Skirted Bowl - 16-1/4"







Bowl Footprint Dimensions



Two-Piece Elongated Toilet



Product Features

- · 1.28 GPF
- · Gravity-fed Siphon Jet Flush
- · Vitreous China
- · 16-1/4" Skirted Elongated Bowl
- · Rough-in: 10"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 8" x 5-3/4"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF5112FLPK Fill Valve Assembly
PF5112FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications









- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines




Available Colors: White (WH)


Tank	
PF5110HEWH	10" Rough-in Tank
PF5110RHEWH	10" Rough-in Right Hand Tank
Bowl	
PF9002SWH	Elongated, Skirted Bowl - 16-1/4"







Bowl Footprint Dimensions



Two-Piece Elongated Toilet



Product Features

- · 1.28 GPF
- · Gravity-fed Siphon Jet Flush
- · Vitreous China
- · 16-1/4" Skirted Elongated Bowl
- · Rough-in: 12"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 8" x 5-3/4"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF5112FLPK Fill Valve Assembly
PF5112FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications









- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines




Available Colors: White (WH)


Tank	
PF5112BHEWH	12" Rough-in Tank, Low Profile
Bowl	
PF9002SWH	Elongated, Skirted Bowl - 16-1/4"







Bowl Footprint Dimensions



Two-Piece Elongated Toilet



Product Features

- · 1.28 GPF
- · Gravity-fed Siphon Jet Flush
- · Vitreous China
- · 16-1/4" Skirted Elongated Bowl
- · Rough-in: 12"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 8" x 5-3/4"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF5112FLPK Fill Valve Assembly
PF5112FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications









- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines




Available Colors: White (WH)


Tank	
PF5112HEWH	12" Rough-in Tank
PF5112RHEWH	12" Rough-in Right Hand Tank
PF5112NHEWH	12" Rough-in Tank with Chrome Lever
PF5112UHEWH	12" Rough-in Insulated Tank
Bowl	
PF9002SWH	Elongated, Skirted Bowl - 16-1/4"







Bowl Footprint Dimensions



Two-Piece Elongated Toilet



Product Features

- · 1.6 GPF
- · Gravity-fed Siphon Jet Flush
- · Vitreous China
- · 16-1/4" Skirted Elongated Bowl
- · Rough-in: 12"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 8" x 5-3/4"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF5112FLPK Fill Valve Assembly
PF5112FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications







- · IAPMO/cUPC
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines




Available Colors: White (WH)


Tank	
PF5112WHM	12" Rough-in Tank
PF5112RWHM	12" Rough-in Right Hand Tank
PF5112UWHM	12" Rough-in Insulated Tank
Bowl	
PF9002SWH	Elongated, Skirted Bowl - 16-1/4"







Bowl Footprint Dimensions



Two-Piece Elongated Toilet



Product Features

- · 1.28 GPF
- · Gravity-fed Siphon Jet Flush
- · Vitreous China
- · 16-1/4" Skirted Elongated Bowl
- · Rough-in: 14"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 8" x 5-3/4"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF5112FLPK Fill Valve Assembly
PF5112FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications









- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines




Available Colors: White (WH)


Tank	
PF5114HEWH	14" Rough-in Tank
Bowl	
PF9002SWH	Elongated, Skirted Bowl - 16-1/4"







Bowl Footprint Dimensions



Two-Piece Elongated Toilet



Product Features

- · 1.1/1.6 GPF Dual Flush
- · Gravity-fed Siphon Jet Flush
- · Vitreous China
- · 16-1/4" Skirted Elongated Bowl
- · Rough-in: 12"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 8" x 5-3/4"
- · Side Mounted Color Match Trip Lever (Push Button Available)
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF9312FLPK Fill Valve Assembly **PF9312FVPK** Flush Valve Assembly

PF9312PFVPK Flush Valve Assembly for Push Button Tank











- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines




Available Colors: White (WH)


Tank	
PF9312WH	12" Rough-in Tank
PF9312PWH	12" Rough-in Push Button Tank
Bowl	
PF9002SWH	Elongated, Skirted Bowl - 16-1/4"







Bowl Footprint Dimensions



Two-Piece Elongated Toilet



Product Features

- · 1.6 GPF
- · Gravity-fed Siphon Jet Flush
- · Vitreous China
- · 16-1/4" Skirted Elongated Bowl
- · Rough-in: 10"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 8" x 5-3/4"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF5112FLPK Fill Valve Assembly
PF5112FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications







- · IAPMO/cUPC
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines




Available Colors: White (WH)


Tank	
PF5110WHM	10" Rough-in Tank
PF5110RWHM	10" Rough-in Right Hand Tank
Bowl	
PF9002SWH	Elongated, Skirted Bowl - 16-1/4"







Bowl Footprint Dimensions



Two-Piece Elongated Toilet



Product Features

- · 1.6 GPF
- · Gravity-fed Siphon Jet Flush
- · Vitreous China
- · 16-1/4" Skirted Elongated Bowl
- · Rough-in: 14"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 8" x 5-3/4"
- · Front Mounted Color Match Trip Lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF5112FLPK Fill Valve Assembly
PF5112FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications







- · IAPMO/cUPC
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines




Available Colors: White (WH)

Tank	
PF5114WHM	14" Rough-in Tank
Bowl	
PF9002SWH	Elongated, Skirted Bowl - 16-1/4"







Bowl Footprint Dimensions

