

VANDER

Features

- Solid brass construction
- Face plate with ADA compliant traditional cross handle
- ADA compliant traditional cross handle assembly for control valve
- Intended for use with Newport Brass rough valve(s) as specified (Required Accessory)

Shower Trim

4-2904BP

Also 3-562

Codes / Standards Compliance

Meets or exceeds the following at date of manufacture:

- ASME A112.18.1/CSA B125.1
- IAPMO/cUPC
- IPC
- ADA
- ICC/ANSI A117.1
- ASSE 1016
- All applicable US Federal and State material regulations

Colors / Finishes

- 10B: Oil Rubbed Bronze
- 15: Polished Nickel
- 15S: Satin Nickel PVD
- 26: Polished Chrome
- Other: Refer to the Newport Brass catalog for additional color/finish options.







3-562

Specified Model

| Model | Description | Colors Finishes |
|----------|----------------------------|-------------------------------|
| 4-2904BP | Shower Trim | ☐ 10B ☐ 15 ☐ 15S ☐ 26 ☐ Other |
| 3-562 | Diverter/Flow Control Trim | ☐ 10B ☐ 15 ☐ 15S ☐ 26 ☐ Other |

Required Accessory

| Application | Shower (or Tub) Valve (Choose One) | | Control Valve (Optional) |
|-------------------|------------------------------------|-----------------------|--------------------------|
| Description | Balance Pressure (BP) | Balance Pressure (BP) | Diverter (3/4 Port) |
| Inlet/Outlet Size | 1/2" | 1/2" | 1/2" |
| Part Number | 1-594 | 1-684 | 1-617 |
| Image | | | |

Product Specification Add "Color / Finish" suffix to Model number, below.

The single-control Tub or Shower Trim (less tub spout or showerhead, arm & flange) shall be made of solid brass construction. Tub or Shower Trim shall include faceplate with ADA compliant handle. Shower System Control Valve Trim(s) (Escutcheon/Handle) shall be ADA compliant when used with specified Shower System Control Valve. Tub or Shower Trim (less tub spout or showerhead, arm & flange) shall be Newport Brass Model 4-2904BP/___ and single-control Tub or Shower rough valve shall be Newport Brass Model 1-___. [Optional Shower System Control Valve Trim (Escutcheon/Handle) shall be 3-562/____ and Shower System Control Valve shall be 1-617].



4-2904BP



