








EXPECT SOLUTIONS,
NOT JUST
PRODUCTS

Expect... **AVK**

TABLE OF CONTENTS

IN DIGITAL VERSION, PAGE NUMBERS ARE LINKED TO PAGES -
CLICK ON ANY "Expect AVK" LOGO TO RETURN TO TABLE OF CONTENTS

2 TABLE OF CONTENTS

3 RESILIENT WEDGE GATE VALVES FOR FIRE PROTECTION

- 145/FFN - FLxFL - NRS
- 145/FFO - FLxFL - OS&Y
- 145/GFN - GRxFL - NRS
- 145/GFO - GRxFL - OS&Y
- 145/GGN - GRxGR - NRS

4 145/GGO - GRxGR - OS&Y

4 SERIES 5190 SPRING LOADED GROOVED END CHECK VALVES

- 5190/SCV - GRVxGRV

4 SERIES 815 GROOVED END BUTTERFLY VALVES

- 815/BFV - GRVxGRV

5 BRONZE ANCILLARY/TRIM VALVES

- 96/BV - NPTxNPT - BALL
- 96/CV - NPTxNPT - CHECK
- 96/GLBV - NPTxNPT - GLOBE
- 96/OS&Y - NPTxNPT - OS&Y

6 RESILIENT WEDGE GATE VALVES FOR TELESCOPING INDICATOR POSTS

- 45/FFN/FP - FLxFL - NRS
- 45/MFN/FP - MJxFL - NRS
- 45/MMN/FP - MJxMJ - NRS

6 RESILIENT WEDGE GATE VALVES GROOVED - NRS

- 45/GFN/FP - GVxFL - NRS
- 45/GGN/FP - GVxGV - NRS

7 RESILIENT WEDGE GATE VALVES GROOVED - OS&Y

- 45/FFO/FP - FLxFL - OS&Y
- 45/GFO/FP - GVxFL - OS&Y
- 45/GGO/FP - GVxGV - OS&Y

8 SERIES 34 INDICATOR POSTS

- 340X/TIP - TELESCOPING POST
- 348X/WIP - WALL POST

9 SERIES 45 & 145 WARRANTY

10 SERIES 5190 WARRANTY


11 SERIES 815 WARRANTY

12 SERIES 970 WARRANTY

13 SERIES 34 WARRANTY

Type

Series 45/FFP/FP
FL X FL, PIV,
Full wall ductile iron
125 lb. Flange
 to AWWA C509/C515
 UL listed and
 FM approved
 Flanged ends
 to ASME B 16.42
 Class 150
 NRS
 250 PSI
 Size 4"-12"



AVK Ref. #


Size

Weight
kg lb

Price
US \$

45-100-FFP-FP	4"	38	84	1,421
45-150-FFP-FP	6"	63	139	1,811
45-200-FFP-FP	8"	82	181	2,685
45-250-FFP-FP	10"	121	267	4,111
45-300-FFP-FP	12"	174	391	4,911


Series 45/MFP/FP
MJ X FL, PIV,
Full wall ductile iron
 to AWWA C509/C515
 UL listed and
 FM approved
 Mechanical joint end X Flanged
 end
 ASME B 16.42
 Class 150
 NRS
 250 PSI
 Size 4"-12"



less MJ accessories

45-100-MFP-FP	4"	28	62	1,431
45-150-MFP-FP	6"	47	103	1,755
45-200-MFP-FP	8"	71	155	2,639
45-250-MFP-FP	10"	109	240	3,969
45-300-MFP-FP	12"	153	337	4,953


Series 45/MMP/FP
FMJ X MJ, PIV,
Full wall ductile iron
 to AWWA C509/C515
 UL listed and
 FM approved
 Mechanical joint ends
 NRS
 250 PSI
 Size 4"-12"



less MJ accessories


45-100-MMP-FP	4"	28	62	1,431
45-150-MMP-FP	6"	47	103	1,755
45-200-MMP-FP	8"	71	155	2,639
45-250-MMP-FP	10"	109	240	3,969
45-300-MMP-FP	12"	153	337	4,953

Series 45/GFN/FP
IPS GR X FL
Ductile iron body
 UL listed and
 FM approved
 to AWWA C606
 Grooved ends (IPS)
 Flanged ends
 to ASME B 16.42
 Class 150
 NRS
 250 PSI
 Size 2½"-10"



45-065-GFN-FP	2½"	15	33	1,054
45-080-GFN-FP	3"	16	35	1,247
45-100-GFN-FP	4"	21	46	1,393
45-150-GFN-FP	6"	40	87	1,863
45-200-GFN-FP	8"	61	133	2,908
45-250-GFN-FP	10"	94	206	4,640

Series 45/GGN
IPS GR X GR
Ductile iron body
 UL listed and
 FM approved
 to AWWA C606
 Grooved ends (IPS)
 NRS
 250 PSI
 Size 2½"-10"



45-065-GGN-FP	2½"	14	30	1,054
45-080-GGN-FP	3"	16	35	1,247
45-100-GGN-FP	4"	21	46	1,393
45-150-GGN-FP	6"	40	87	1,863
45-200-GGN-FP	8"	61	133	2,908
45-250-GGN-FP	10"	83	182	4,640