



Description

Tork Premium Bath Tissue Roll with OptiCore® features patented two-part core technology and offers a unique combination of capacity, waste reduction, and quality. This premium tissue is designed for those customers who demand the maximum in strength, brightness and softness. This tissue is ideal for office buildings, hotels and restaurants.

- OptiCore® technology reduces waste and cost by ensuring maximum use of each roll.
- High capacity: less maintenance and reduced risk of paper shortage
- Attractive décor: designed to make a great impression
- Tork bath tissue has rapid breakup, ideal for all plumbing systems
- High capacity
- Premium
- Embossing

Product Certifications



Tork Premium

Product Details

System	T11
---------------	-----

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286639288	10073286639285	-
Packaging Material	Roll	Carton	-
Pieces	1	36 (36 CON)	1728 (48 TRP)
Height	5.59 in	12.01 in	96 in
Length	3.82 in	22.8 in	51.94 in
Width	5.59 in	17.32 in	45.63 in
Gross Weight		19.89 lb	954.83 lb
Net Weight		18.4 lb	883.2 lb
Volume	0.07 ft	2.74 ft	131.65 ft
Layers Per Pallet	-	-	8
TRP Per Layer	-	-	6

Compatible Products



DISP T11 TWIN SS BT BLK 1/CS
565728



DISP T11 3 ROL BT BLK 1/CS
565828



PRLNKE DSPT11 RLBTHTS(80300)BLK1/CS
WP80390

Environmental Information

Content

The product is made from

Virgin pulp

The packaging material is made from paper or plastic.

Material

Virgin fibers

There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Virgin pulp fibers are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibers are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibers and the aim is to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For colored papers dyes and fixatives (to secure perfect fastness of the color) are added
- For printing products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

Tork Premium Bath Tissue Roll with OptiCore®

106390

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 19-04-2019 Revision date: 22-01-2025
Production	This product is produced at Harrodsburg - US mill.
Destruction	This product is suitable to be taken care of in the normal sewage system of the community.

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA