



Think ahead.

# Tork Universal Hand Towel Roll

7171300



## Description

Tork Universal Hand Towel Roll satisfies those seeking to achieve green status for their facility and purchase toweling produced with methods less harmful to the environment. This roll towel is 100% recycled and contains a minimum of 50% post-consumer waste, and Green Seal™ certified, which exceeds EPA guidelines. Controlled roll towels provide added value and benefits such as usage control and cost savings when combined with controlled roll towel dispensers. 7.5 inch width, extended length for heavy traffic areas. This quality roll towel is high-capacity is ideal for schools, universities, stadiums, and other high-traffic areas

- Provides added value of waste reduction and cost savings
- Environmental Label
- Universal
- Tork Easy Handling ® Packaging
- 100 % Recycled

## Product Certifications



Tork  
Universal

## Product Details

System	H71
--------	-----

## Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286646187	10073286646184	7322540925739
Packaging Material	Roll	Carton	-
Pieces	1	6 (6 CON)	330 (55 TRP)
Height	7.8 in	8.19 in	90.06 in
Length	7.4 in	23.27 in	46.69 in
Width	7.8 in	15.55 in	38.81 in
Gross Weight		25.03 lb	1,376.6 lb
Net Weight		23.8 lb	1,309.11 lb
Volume	0.26 ft	1.71 ft	94.45 ft
Layers Per Pallet	-	-	11
TRP Per Layer	-	-	5

## Compatible Products



DISP H71 AUTO BLK 1/CS  
771728



PROLINK EL DISP H71 AUTO BLK 1/CS  
77179



DISP H71 HWRT BLK 1/CS  
772728

## Environmental Information

Content	<p>The product is made from</p> <p>Recycled fibers Chemicals</p> <p>The packaging material is made from paper or plastic.</p>
Material	<p>Recycled fibers</p> <p>Recycling of paper is an efficient use of resources as the wood fibers are used more than once.</p> <p>High demands are put on quality and purity of recovered fibers, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products.</p> <p>Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.</p> <p>Bleaching is a cleaning process of the fibers that is often used. The aim is then to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.</p> <p>Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite). Except for Natural Napkins that are unbleached.</p> <p>For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).</p>
Chemicals	<p>All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.</p> <p>To control product performance we use additives:</p> <ul style="list-style-type: none"><li>• Wet strength agents (for Wipers and Hand Towels)</li><li>• Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)</li><li>• For colored papers dyes and fixatives (to secure perfect fastness of the color) are added</li><li>• For printed products printing inks (pigments with carriers and fixatives) are applied</li><li>• For multi ply products we often use water soluble glue to secure the integrity of the product</li></ul>

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilize recovered fibers we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 19-04-2019 Revision date: 22-01-2025
Production	This product is produced at Harrodsburg - US mill.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA