

Oxivir[®] 1

General Virucide, Bactericide, Tuberculocide, Fungicide, Sanitizer

Next generation ready-to-use disinfectant cleaner based on proprietary AHP® technology. Oxivir® 1 is formulated to deliver broad spectrum disinfection in ONE minute or less, the shortest contact time in our portfolio.

Features & Benefits

- Broad spectrum, multi-surface cleaner/disinfectant and sanitizer. Harnesses the cleaning power of hydrogen peroxide. Specially designed to penetrate the toughest soils
- Fast, Effective, Responsible and Sustainable formulation Environmentallyresponsible with no VOC's, no added fragrance, no NPE's. Fast-acting, convenient formula, suitable for daily use, and contact time of ONE minute or less
- Formulated with patented AHP[®] technology containing no phosphates, quats or phenols. The active ingredient breaks down to water and oxygen after use
- Short contact times of 30 second Virucidal (1 minute for Canine parvovirus), 1 minute Bactericidal, Tuberculocidal and Fungicidal (1 minute for *Candida auris*), 10 second Non-Food Contact Sanitizing and 30 second Soft Surface Sanitizing
- Meets the lowest EPA toxicity category in all 6 toxicity studies, making it a responsible choice for users, around patients and on most common healthcare surfaces. Cleans, disinfects and deodorizes in one labor-saving step

Applications

• This product can be used in multiple areas such as operating rooms, longterm care facilities, medical facilities, animal treatment facilities, cruise ships, hotels (motels), public buildings, public restrooms, recreational facilities, retail businesses and schools (colleges and universities)









General Virucide, Bactericide, Tuberculocide, Fungicide, Sanitizer

Use Directions:

As a One-Step Hospital Disinfectant Cleaner

- Pre-clean heavily soiled areas.
- Spray 6 8 inches from hard, non-porous inanimate surfaces, making sure to wet thoroughly.
- Allow surface to remain wet for 1 minute.
- Air Dry, wipe surfaces to dry and remove any residue, or rinse with potable water as necessary.

Note: Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

Prior to first use on a particular surface, it is recommended to test in a small, discreet area if there is concern of incompatibility, or contact a Diversey representative.

To Spot Sanitize Soft Surfaces†

- Remove gross filth prior to sanitization.
- Hold bottle upright 6 8 inches from surface.
- Spray until fabric is wet. DO NOT SATURATE. Allow surface to remain wet for 30 seconds.
- Gently blot with a clean, damp, color safe cloth and/or let air dry. For difficult odors or heavy fabrics, repeat application.

+plain cotton weave and 100% polyester fabric

| Technical data | Oxivir [®] 1 | | |
|--------------------|-------------------------------|--|--|
| EPA Reg. No. | 70627-74 | | |
| Color | Colorless liquid | | |
| рН | 1.7-2.5 | | |
| Scent | Characteristic of ingredients | | |
| Shelf Life 2 Years | | | |

| Product | Pack size | Dilution | Product code | |
|-----------|--------------------------------|--------------|--------------|--|
| Oxivir® 1 | 12 x 1 US qt. / 946 mL Bottles | Ready-to-use | 100850916 | |

Safe handling

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use; and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDS are available online at www.diversey.com or by calling 888.352.2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate.

AHP® and design are trademarks of Diversey, Inc.