


4				3				2				1																																																																																																																																																																																		
NOTES:																																																																																																																																																																																														
(N1) 1. FIT / FORM / FUNCTION SHALL FOLLOW PS-E.008.																																																																																																																																																																																														
2 APPLY LOCTITE 680.																																																																																																																																																																																														
3 CUT AND SHORTEN O-RING BY .13" TO .20" IN LENGTH BEFORE INSTALLING.																																																																																																																																																																																														
4 SLIT O-RING BEFORE INSTALLING.																																																																																																																																																																																														
5 APPLY LOCTITE 242.																																																																																																																																																																																														
(N6) 6 CONNECT WHITE AND RED TUBINGS TOGETHER AND WATER TEST WHOLE UNIT.																																																																																																																																																																																														
7 BAG 5-035 IN A SEPARATE BAG.																																																																																																																																																																																														
(N8) 8 REWORK CARTRIDGE ASSY IF THE HANDLE DOES NOT RETURN TO THE 'OFF' POSITION AUTOMATICALLY AFTER WATER TESTING.																																																																																																																																																																																														
9 INSTALLATION TORQUE: 8-14 LB-FT.																																																																																																																																																																																														
10 INSTALLATION TORQUE: 30 LB-FT.																																																																																																																																																																																														
11 LUBRICATE SPRING WITH DOW CORNING III SILICONE COMPOUND.																																																																																																																																																																																														
12 PRE-CRIMPED THESE PARTS TOGETHER. SEE INSTALLATION INSTRUCTION.																																																																																																																																																																																														
13 APPLY LIGHT FILM OF DOW CORNING III SILICONE COMPOUND.																																																																																																																																																																																														
14 INSTALLATION TORQUE: 10 -14 LB-IN.																																																																																																																																																																																														
																																																																																																																																																																																														
BILL OF MATERIAL (CURRENT LEVEL)																																																																																																																																																																																														
<table><thead><tr><th>ITEM</th><th>PT/ASSY</th><th>DESCRIPTION</th><th>TYPE</th><th>QTY.</th></tr></thead><tbody><tr><td>1</td><td>1-134</td><td>CARTR 3/8 HOT 1/4 TR</td><td>PART</td><td>1</td></tr><tr><td>2</td><td>1-393</td><td>1-1/8 18 UNEF MOUNTING KIT</td><td>ASSEMBLY</td><td>1</td></tr><tr><td>3</td><td>5-035</td><td>COUPLING & INSERT ASM</td><td>ASSEMBLY</td><td>1</td></tr><tr><td>4</td><td>5-061</td><td>ADAPTER/CARTRIDGE ASSY</td><td>ASSEMBLY</td><td>1</td></tr><tr><td>5</td><td>11733</td><td>SHELL, SPOUT, WATER DISP</td><td>PART</td><td>1</td></tr><tr><td>6</td><td>12512</td><td>BONNET</td><td>PART</td><td>2</td></tr><tr><td>7</td><td>12640</td><td>LEVER HANDLE</td><td>PART</td><td>2</td></tr><tr><td>8</td><td>12641</td><td>ESCUTCHEON</td><td>PART</td><td>1</td></tr><tr><td>9</td><td>12642</td><td>BODY CAP</td><td>PART</td><td>1</td></tr><tr><td>10</td><td>12645</td><td>HANDLE HUB</td><td>PART</td><td>2</td></tr><tr><td>11</td><td>12750</td><td>ADAPTER</td><td>PART</td><td>1</td></tr><tr><td>12</td><td>12949</td><td>1-1/8-18 UNEF MOUNTING NIPPLE</td><td>PART</td><td>1</td></tr><tr><td>13</td><td>50066</td><td>COMPRESSION RING, 1/2</td><td>PART</td><td>3</td></tr><tr><td>14</td><td>50068</td><td>INSERT, HOSE</td><td>PART</td><td>3</td></tr><tr><td>15</td><td>50713</td><td>SPOUT, WATER DISP. (TRAD.)</td><td>PART</td><td>1</td></tr><tr><td>16</td><td>50714</td><td>WATER DISP. CAR.T HOLDER</td><td>PART</td><td>2</td></tr><tr><td>17</td><td>50717</td><td>WATER DISP SPOUT RETAINER</td><td>PART</td><td>1</td></tr><tr><td>18</td><td>50745</td><td>WATER DISP. BODY H/C (CONT)</td><td>PART</td><td>1</td></tr><tr><td>19</td><td>50768</td><td>RETAINER PLATE</td><td>PART</td><td>1</td></tr><tr><td>20</td><td>91017</td><td>O-RING, #2- 012, EPDM, 65-75 DURO, NSF 61</td><td>PART</td><td>2</td></tr><tr><td>21</td><td>91023</td><td>O-RING, #2- 019, EPDM, 65-75 DURO, NSF 61</td><td>PART</td><td>1</td></tr><tr><td>22</td><td>91100</td><td>O-RING, #2-006, EPDM, 65-75 DURO</td><td>PART</td><td>3</td></tr><tr><td>23</td><td>91373</td><td>BLUE IDENTIFIER</td><td>PART</td><td>1</td></tr><tr><td>24</td><td>91374</td><td>RED IDENTIFIER</td><td>PART</td><td>1</td></tr><tr><td>25</td><td>91376</td><td>TUBE, RED, .250 OD X 4 FT</td><td>PART</td><td>1</td></tr><tr><td>26</td><td>91377</td><td>TUBE, BLUE, .250 OD X 4 FT</td><td>PART</td><td>1</td></tr><tr><td>27</td><td>91378</td><td>TUBE, HIGH TEMP, .250 OD X 4 FT</td><td>PART</td><td>1</td></tr><tr><td>28</td><td>91382</td><td>O-RING, #2- 012, TEFLON,</td><td>PART</td><td>1</td></tr><tr><td>29</td><td>91383</td><td>O-RING, #2- 014, TEFLON, NSF 61</td><td>PART</td><td>1</td></tr><tr><td>30</td><td>91772</td><td>O-RING, # 2-131, EP, 50 DURO - GREY</td><td>PART</td><td>1</td></tr><tr><td>31</td><td>92016</td><td>SCRW, 10-24 X 3/4 SKT HD FLT PT SS</td><td>PART</td><td>2</td></tr><tr><td>32</td><td>92192</td><td>SCRW, 10-32 X 5/8 SKT HD CUP PT SS</td><td>PART</td><td>2</td></tr><tr><td>33</td><td>92477</td><td>SCRW, M4 X 16 SKT FLT HD SS</td><td>PART</td><td>1</td></tr><tr><td>34</td><td>98043</td><td>TAG LABEL, HOT WATER WARNING</td><td>PART</td><td>1</td></tr></tbody></table>																ITEM	PT/ASSY	DESCRIPTION	TYPE	QTY.	1	1-134	CARTR 3/8 HOT 1/4 TR	PART	1	2	1-393	1-1/8 18 UNEF MOUNTING KIT	ASSEMBLY	1	3	5-035	COUPLING & INSERT ASM	ASSEMBLY	1	4	5-061	ADAPTER/CARTRIDGE ASSY	ASSEMBLY	1	5	11733	SHELL, SPOUT, WATER DISP	PART	1	6	12512	BONNET	PART	2	7	12640	LEVER HANDLE	PART	2	8	12641	ESCUTCHEON	PART	1	9	12642	BODY CAP	PART	1	10	12645	HANDLE HUB	PART	2	11	12750	ADAPTER	PART	1	12	12949	1-1/8-18 UNEF MOUNTING NIPPLE	PART	1	13	50066	COMPRESSION RING, 1/2	PART	3	14	50068	INSERT, HOSE	PART	3	15	50713	SPOUT, WATER DISP. (TRAD.)	PART	1	16	50714	WATER DISP. CAR.T HOLDER	PART	2	17	50717	WATER DISP SPOUT RETAINER	PART	1	18	50745	WATER DISP. BODY H/C (CONT)	PART	1	19	50768	RETAINER PLATE	PART	1	20	91017	O-RING, #2- 012, EPDM, 65-75 DURO, NSF 61	PART	2	21	91023	O-RING, #2- 019, EPDM, 65-75 DURO, NSF 61	PART	1	22	91100	O-RING, #2-006, EPDM, 65-75 DURO	PART	3	23	91373	BLUE IDENTIFIER	PART	1	24	91374	RED IDENTIFIER	PART	1	25	91376	TUBE, RED, .250 OD X 4 FT	PART	1	26	91377	TUBE, BLUE, .250 OD X 4 FT	PART	1	27	91378	TUBE, HIGH TEMP, .250 OD X 4 FT	PART	1	28	91382	O-RING, #2- 012, TEFLON,	PART	1	29	91383	O-RING, #2- 014, TEFLON, NSF 61	PART	1	30	91772	O-RING, # 2-131, EP, 50 DURO - GREY	PART	1	31	92016	SCRW, 10-24 X 3/4 SKT HD FLT PT SS	PART	2	32	92192	SCRW, 10-32 X 5/8 SKT HD CUP PT SS	PART	2	33	92477	SCRW, M4 X 16 SKT FLT HD SS	PART	1	34	98043	TAG LABEL, HOT WATER WARNING	PART	1
ITEM	PT/ASSY	DESCRIPTION	TYPE	QTY.																																																																																																																																																																																										
1	1-134	CARTR 3/8 HOT 1/4 TR	PART	1																																																																																																																																																																																										
2	1-393	1-1/8 18 UNEF MOUNTING KIT	ASSEMBLY	1																																																																																																																																																																																										
3	5-035	COUPLING & INSERT ASM	ASSEMBLY	1																																																																																																																																																																																										
4	5-061	ADAPTER/CARTRIDGE ASSY	ASSEMBLY	1																																																																																																																																																																																										
5	11733	SHELL, SPOUT, WATER DISP	PART	1																																																																																																																																																																																										
6	12512	BONNET	PART	2																																																																																																																																																																																										
7	12640	LEVER HANDLE	PART	2																																																																																																																																																																																										
8	12641	ESCUTCHEON	PART	1																																																																																																																																																																																										
9	12642	BODY CAP	PART	1																																																																																																																																																																																										
10	12645	HANDLE HUB	PART	2																																																																																																																																																																																										
11	12750	ADAPTER	PART	1																																																																																																																																																																																										
12	12949	1-1/8-18 UNEF MOUNTING NIPPLE	PART	1																																																																																																																																																																																										
13	50066	COMPRESSION RING, 1/2	PART	3																																																																																																																																																																																										
14	50068	INSERT, HOSE	PART	3																																																																																																																																																																																										
15	50713	SPOUT, WATER DISP. (TRAD.)	PART	1																																																																																																																																																																																										
16	50714	WATER DISP. CAR.T HOLDER	PART	2																																																																																																																																																																																										
17	50717	WATER DISP SPOUT RETAINER	PART	1																																																																																																																																																																																										
18	50745	WATER DISP. BODY H/C (CONT)	PART	1																																																																																																																																																																																										
19	50768	RETAINER PLATE	PART	1																																																																																																																																																																																										
20	91017	O-RING, #2- 012, EPDM, 65-75 DURO, NSF 61	PART	2																																																																																																																																																																																										
21	91023	O-RING, #2- 019, EPDM, 65-75 DURO, NSF 61	PART	1																																																																																																																																																																																										
22	91100	O-RING, #2-006, EPDM, 65-75 DURO	PART	3																																																																																																																																																																																										
23	91373	BLUE IDENTIFIER	PART	1																																																																																																																																																																																										
24	91374	RED IDENTIFIER	PART	1																																																																																																																																																																																										
25	91376	TUBE, RED, .250 OD X 4 FT	PART	1																																																																																																																																																																																										
26	91377	TUBE, BLUE, .250 OD X 4 FT	PART	1																																																																																																																																																																																										
27	91378	TUBE, HIGH TEMP, .250 OD X 4 FT	PART	1																																																																																																																																																																																										
28	91382	O-RING, #2- 012, TEFLON,	PART	1																																																																																																																																																																																										
29	91383	O-RING, #2- 014, TEFLON, NSF 61	PART	1																																																																																																																																																																																										
30	91772	O-RING, # 2-131, EP, 50 DURO - GREY	PART	1																																																																																																																																																																																										
31	92016	SCRW, 10-24 X 3/4 SKT HD FLT PT SS	PART	2																																																																																																																																																																																										
32	92192	SCRW, 10-32 X 5/8 SKT HD CUP PT SS	PART	2																																																																																																																																																																																										
33	92477	SCRW, M4 X 16 SKT FLT HD SS	PART	1																																																																																																																																																																																										
34	98043	TAG LABEL, HOT WATER WARNING	PART	1																																																																																																																																																																																										
<table><tr><td colspan="4">TESTING</td><td>-</td><td>-</td><td>-</td><td>UNITS ARE: INCHES (MM)</td></tr><tr><td colspan="4">ASSEMBLY</td><td>-</td><td>-</td><td>-</td><td>TOLERANCES ARE:</td></tr><tr><td colspan="4">PLATING</td><td>-</td><td>-</td><td>-</td><td>FRACTIONS DECIMALS ANGLES</td></tr><tr><td colspan="4">POLISHING</td><td>-</td><td>NEXT ASSY</td><td>USED ON</td><td>±1/16" .X ±.1 (2.5) ±1"</td></tr><tr><td colspan="4">MACHINING</td><td>-</td><td colspan="2">APPLICATION</td><td>(X.XXX) DENOTES CRITICAL DIMS. ALL THREADS ARE CRITICAL</td></tr><tr><td colspan="4">TOOLING FIXTURE #</td><td colspan="2">REMOVE ALL BURRS AND SHARP EDGES</td><td colspan="2">DRAWN JINSON 01/01/19</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td colspan="2">CHECKED V.V. 01/01/19</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td colspan="2">APPROVED V.V. 01/01/19</td></tr></table>																TESTING				-	-	-	UNITS ARE: INCHES (MM)	ASSEMBLY				-	-	-	TOLERANCES ARE:	PLATING				-	-	-	FRACTIONS DECIMALS ANGLES	POLISHING				-	NEXT ASSY	USED ON	±1/16" .X ±.1 (2.5) ±1"	MACHINING				-	APPLICATION		(X.XXX) DENOTES CRITICAL DIMS. ALL THREADS ARE CRITICAL	TOOLING FIXTURE #				REMOVE ALL BURRS AND SHARP EDGES		DRAWN JINSON 01/01/19								CHECKED V.V. 01/01/19								APPROVED V.V. 01/01/19																																																																																																																
TESTING				-	-	-	UNITS ARE: INCHES (MM)																																																																																																																																																																																							
ASSEMBLY				-	-	-	TOLERANCES ARE:																																																																																																																																																																																							
PLATING				-	-	-	FRACTIONS DECIMALS ANGLES																																																																																																																																																																																							
POLISHING				-	NEXT ASSY	USED ON	±1/16" .X ±.1 (2.5) ±1"																																																																																																																																																																																							
MACHINING				-	APPLICATION		(X.XXX) DENOTES CRITICAL DIMS. ALL THREADS ARE CRITICAL																																																																																																																																																																																							
TOOLING FIXTURE #				REMOVE ALL BURRS AND SHARP EDGES		DRAWN JINSON 01/01/19																																																																																																																																																																																								
						CHECKED V.V. 01/01/19																																																																																																																																																																																								
						APPROVED V.V. 01/01/19																																																																																																																																																																																								
<table><tr><td colspan="4">B</td><td colspan="4">A</td><td colspan="4">EN-3558a</td><td colspan="4">01/01/19</td><td colspan="4">V.V.</td><td colspan="4" rowspan="3">COPYRIGHT 2005 BRASSTECH, INC. THESE DRAWINGS AND THE DESIGNS DEPICTED HEREIN ARE THE PROPRIETARY PROPERTY OF BRASSTECH. ANY USE OR REPRODUCTION IS SUBJECT TO THE EXPRESS APPROVAL OF BRASSTECH. UNAUTHORIZED USE IS STRICTLY PROHIBITED. ALL RIGHTS RESERVED.</td></tr><tr><td colspan="4">-</td><td colspan="4">A</td><td colspan="4">EN-3693</td><td colspan="4">08/29/18</td><td colspan="4">J.M.</td></tr><tr><td colspan="4">-</td><td colspan="4">-</td><td colspan="4">EN-3076</td><td colspan="4">04/28/17</td><td colspan="4">J.M.</td></tr><tr><td colspan="2">ZONE</td><td colspan="2">REV</td><td colspan="2">DESCRIPTION</td><td colspan="2">DATE</td><td colspan="2">APPROVED</td><td colspan="2">SCALE</td><td colspan="2">.400</td><td colspan="2">REF. -</td><td colspan="2">SHEET </td><td colspan="2">OF 3</td></tr></table>																B				A				EN-3558a				01/01/19				V.V.				COPYRIGHT 2005 BRASSTECH, INC. THESE DRAWINGS AND THE DESIGNS DEPICTED HEREIN ARE THE PROPRIETARY PROPERTY OF BRASSTECH. ANY USE OR REPRODUCTION IS SUBJECT TO THE EXPRESS APPROVAL OF BRASSTECH. UNAUTHORIZED USE IS STRICTLY PROHIBITED. ALL RIGHTS RESERVED.				-				A				EN-3693				08/29/18				J.M.				-				-				EN-3076				04/28/17				J.M.				ZONE		REV		DESCRIPTION		DATE		APPROVED		SCALE		.400		REF. -		SHEET		OF 3																																																																																												
B				A				EN-3558a				01/01/19				V.V.				COPYRIGHT 2005 BRASSTECH, INC. THESE DRAWINGS AND THE DESIGNS DEPICTED HEREIN ARE THE PROPRIETARY PROPERTY OF BRASSTECH. ANY USE OR REPRODUCTION IS SUBJECT TO THE EXPRESS APPROVAL OF BRASSTECH. UNAUTHORIZED USE IS STRICTLY PROHIBITED. ALL RIGHTS RESERVED.																																																																																																																																																																										
-				A				EN-3693				08/29/18				J.M.																																																																																																																																																																														
-				-				EN-3076				04/28/17				J.M.																																																																																																																																																																														
ZONE		REV		DESCRIPTION		DATE		APPROVED		SCALE		.400		REF. -		SHEET		OF 3																																																																																																																																																																												
4				3				2				1																																																																																																																																																																																		
BRASSTECH INCORPORATED WATER DISPENSER - HOT & COLD 2001 CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207 DWG NO. 3210-5603 REV B																																																																																																																																																																																														

