Electric Range 30" - Ceramic Radiant

Series 7 | Contemporary

Stainless Steel




A refined electric range with multiple oven functions for perfect cooking of anything from a large roast to baking bread and pastry.

- Electric radiant cooktop with four cook elements
- Nine oven functions including Roast, Aero[™] Pastry with Pizza mode, and Rapid Proof for baking bread
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	35 3/4 - 37 5/8"
Width	29 7/8"
Depth	25 1/4"



FEATURES & BENEFITS

COOKING FLEXIBILITY

Accurate, electronically-controlled oven heat, ensures a great result every time with 9 functions and pre-set temperatures including bake, grill, pastry bake with pizza mode and fan forced, for a variety of cooking styles.

A MODERN LEGACY

A refined, minimalist style with attention to the smallest details. High-performance cooking technology offers multiple cooking functions.

FISHER & PAYKEL

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, machined stainless dials and glowing halo dials all add up to an exceptional, premium range.

LARGE CAPACITY OVEN

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

EASY TO CLEAN

Cleaning up spills is effortless. The flat ceramic cooktop is easily wiped after use, and the self-cleaning oven breaks down food residue at a very high temperature leaving a light ash that's easily removed with a damp cloth.

EVEN HEAT

Accurate, electronically-controlled oven heat ensures a great result every time. Dishes on the top shelf turn out as perfectly as the ones on the bottom due to our AeroTech[™] convection system that circulates air evenly throughout the entire oven.

SPECIFICATIONS

Accessories

2-pc grill system (Broil pan and	•
Broil pan	•
Full Extension Telescopic	2 sets (part 578776)
Hob rear trim	3 1/8" (part 81656)
Kick strip, stainless steel	KICKOR30X1

Cleaning

Acid resistant graphite enamel	•
Drop down broil element	•
Drop down grill element	•
Flat easy clean glass surface	•

QUICK REFERENCE GUIDE > OR30SDE6X1

Pyrolytic proof shelf runners		
Pyrolytic self-clean		
Removable oven door		
Removable shelf runners		
Controls		
Audio feedback		
Automatic cooking/minute		
Automatic pre-set		
Celsius/Fahrenheit		
Electronic clock		
High resolution display		
Laser etched graphics		
Precise electronic temperature		
Sabbath mode		
Toughened fused glass		
Turned stainless steel clock		
Turned stainless steel dials		
Oven features		
AeroTech™ technology		

AeroTech™ technology	•
Automatic rapid pre-heat	•
Concealed element	•
Electronic oven control	•
Full extension telescopic	•
Internal light	2 x 25W halogen (rear)
Soft open/close door	•
True convection	•
Turned stainless steel clock	•

Aero Bake	• • 9 •
Aero™ Pastry with Pizza mode	
Number of functions	
Rapid proof	
Roast	
True convection	
Oven performance	
Broil	4050 BTU
Combined warming/Storage	220W
CoolTouch door	Triple glazed
Warming drawer power	220W
Power requirements	
Amperage	50 <i>A</i>
	504
Supply frequency	60Hz
Supply frequency	
Supply frequency Product dimensions	60H:
Supply frequency Product dimensions Depth	60Hz 25 1/4
Supply frequency Product dimensions Depth Height	60H: 25 1/4 35 3/4 - 37 5/8
Supply frequency Product dimensions Depth Height Width	60H: 25 1/4 35 3/4 - 37 5/8
Supply frequency Product dimensions Depth Height Width Rangetop features	60H: 25 1/4 35 3/4 - 37 5/8 29 7/8

Safety

FISHER & PAYKEL

ADA compliant Advanced cooling system Anti-tilt bracket Balanced oven door Catalytic venting system CoolTouch door Full extension telescopic Hi-light high speed ribbon Individual hot surface Non-tip shelves Spill containment 1/8 ga		
Anti-tilt bracket Balanced oven door Catalytic venting system CoolTouch door Full extension telescopic Hi-light high speed ribbon Individual hot surface Non-tip shelves	DA compliant	
Balanced oven door Catalytic venting system CoolTouch door Full extension telescopic Hi-light high speed ribbon Individual hot surface Non-tip shelves	dvanced cooling system	
Catalytic venting system CoolTouch door Full extension telescopic Hi-light high speed ribbon Individual hot surface Non-tip shelves	nti-tilt bracket	
CoolTouch door Full extension telescopic Hi-light high speed ribbon Individual hot surface Non-tip shelves	alanced oven door	
Full extension telescopic Hi-light high speed ribbon Individual hot surface Non-tip shelves	atalytic venting system	
Hi-light high speed ribbon Individual hot surface Non-tip shelves	oolTouch door	
Individual hot surface Non-tip shelves	Ill extension telescopic	
Non-tip shelves	-light high speed ribbon	
	dividual hot surface	
Spill containment 1/8 ga	on-tip shelves	
	bill containment	1/8 gallo
	vill containment	
SKU	U	81

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ✓ User Guide
- ✓ Service & Warranty
- ✓ Installation Guide
- → Data Sheet Electric Range



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com