CITY MULTI®

FBM Series Filter Boxes

Manufactured for MITSUBISHI ELECTRIC US, INC.

P-SERIES PEAD-A-AA4 INDOOR UNITS


MITSUBISHI ELECTRIC

Job Name:	
Schedule Reference:	Date:

GENERAL FEATURES

- All filter boxes include 2**"** thick pleated MERV 13 filter(s) installed
  - Rated MERV 13 when tested in accordance with ANSI/ ASHRAE 52.2 Standard
  - Rated Class 2 under U.L. Standard 900
- Cabinet is constructed of 20 gauge G-60 galvanized steel
- Knurled thumb screws on access door allow easy filter replacement
- Foam gasket provides air-tight connection to indoor unit and access door
- Gasket material complies with UL 723 requirements
- Screw-through cabinet design for secure attachment to indoor unit
- Return connection in back easily field converted to bottom
- Filter access door includes area to record maintenance schedule

Meets LEED requirement of MERV 13




SPECIFICATIONS


Part Number	Use on P-Series Models	Filters Included	Ship Weight (lbs.)	Net Weight (lbs.)
FBM2-3	PEAD-A24,30AA4	(2) - 14" x 20" x 2"	35	32
FBM2-4	PEAD-A36,42AA4	(2) - 14" x 20" x 2", (1) - 14" x 14" x 2"	44	41

EXTERNAL DIMENSIONS

End View




Back View (inlet air)



Model	"A"	"B"
FBM2-3	43-1/4"	41-3/4"
FBM2-4	55-1/8"	53-5/8"


Top View




Specifications are subject to change without notice.
© 2014 Mitsubishi Electric US, Inc.

INLET PRESSURE DROP WITH 2" MERV 13 FILTER(S) INSTALLED


PEAD-A24AA4
with Filter Box FBM2-3



PEAD-A30AA4
with Filter Box FBM2-3




PEAD-A36AA4
with Filter Box FBM2-4



Specifications are subject to change without notice.
© 2014 Mitsubishi Electric US, Inc.

INLET PRESSURE DROP WITH 2" MERV 13 FILTER(S) INSTALLED, CONTD.



Manufactured for MITSUBISHI ELECTRIC US, INC.
1340 Satellite Boulevard
Suwanee, GA 30024
Toll Free: 800-433-4822
www.mehvac.com

Form# FBM Filter Boxes for PEAD-A-AA4 Indoor Units- 201405

Specifications are subject to change without notice.
© 2014 Mitsubishi Electric US, Inc.