

# 65" Eads Patio XL



#### INCLUDED FEATURES

#### Blades (4) Included

- 14° Pitch
- 65" Sweep
- ABS

Downrods 4.5" Downrod with 1" (O.D.)

Downlight N/A

Downlight Glass N/A

Optional Downlight Light Kit 380009 NI, OZ, WZC or Accessory Light Kits Available, see page 292.

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

Control Pull Chain

#### FAN FEATURES

Mounting Slope – Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Wet

Hanging Weight 18.38 lbs.

**Body Material** Steel

Warranty Limited Lifetime

#### MOTOR FEATURES

Motor Size/Type 172mm x 17mm, AC

Amps 0.87 on High

RPM 139 on High

Energy Star No

#### INCLUDED CONTROLS

#### Pull Chain

- 3 Forward Speeds
- Manual Reverse



#### OPTIONAL CONTROLS



371042MUL (shown) 371082

# **BLADE SPECS**

Blade Finish & Part Number (Side 1) (Reversible)

Fan Finish










#### COORDINATING LIGHTING





## HANGING MEASUREMENTS

WITH 4.5" DOWNROD				
Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)	
<b>A:</b> 14.00"	<b>B:</b> 11.00"	<b>C:</b> 11.00"	<b>D:</b> 7.32"	



# AIR PERFORMANCE

**AIRFLOW** POWER AIRFLOW USAGE **EFFICIENCY** 8130 101 81 Cubic Ft. Watts on High Cubic Ft. Per Minute Per Minute (Excludes on High Lights) Per Watt





# 52" Eads™ Patio



#### INCLUDED FEATURES

#### Blades (4) Included

- 14° Pitch
- 52" Sweep
- ABS

Downrods 4.5" Downrod with 1" (O.D.)

Downlight N/A

Downlight Glass N/A

Optional Downlight Light Kit 380009 NI, OZ, WZC or Accessory Light Kits Available, see page 292.

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

Control Pull Chain

#### FAN FEATURES

Mounting Slope - Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Wet

Hanging Weight 18.38 lbs.

**Body Material** Steel

Warranty Limited Lifetime

#### MOTOR FEATURES

Motor Size/Type 172mm x 17mm, AC

Amps 0.66 on High

RPM 201 on High

Energy Star No

#### INCLUDED CONTROLS

#### Pull Chain

- 3 Forward Speeds
- Manual Reverse



#### OPTIONAL CONTROLS



371042MUL (shown) 371082

#### **BLADE SPECS**

Blade Finish & Part Number (Side 1) (Reversible)

Fan Finish









#### COORDINATING LIGHTING






## HANGING MEASUREMENTS

### WITH 4.5" DOWNROD

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)	
<b>A:</b> 14.00"	<b>B:</b> 11.00"	<b>C:</b> 10.87"	<b>D:</b> 7.32"	



#### AIR PERFORMANCE

**AIRFLOW** POWER AIRFLOW USAGE **EFFICIENCY** 5904 78 76 Cubic Ft. Watts on High Cubic Ft. Per Minute Per Minute (Excludes on High Lights) Per Watt

