



# Safety Data Sheet

## Spartan Chemical Company, Inc.

Revision Date: 13-Nov-2019

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier**

**Product Name:** **ISHINE**  
**Product Number:** 4055 , 4059  
**Recommended Use:** Floor Finish  
**Uses Advised Against:** For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
[www.spartanchemical.com](http://www.spartanchemical.com)

**24 Hour Emergency Phone Numbers:**

**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

**GHS Classification**

Not Classified Not classified as hazardous by 29 CFR 1910.1200 (OSHA HazCom-GHS)

**GHS Label Elements**

**Signal Word:** **No signal word**  
**Symbols:** No symbols  
**Hazard Statements:** No hazard statements

**Precautionary Statements:**

**Prevention:** Not Applicable

**Response:**

**-Specific Treatment:** See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

**Storage:** Not Applicable

**Disposal:** Not Applicable

**Hazards Not Otherwise Classified:** Not Applicable

**Other Information:**

- May be harmful if swallowed.
- May cause eye irritation.
- May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-70
Acrylic Polymer	PROPRIETARY	10-30
Ethoxydiglycol	111-90-0	3-7

Tributoxyethyl Phosphate	78-51-3	1-5
Styrene/Acrylates Copolymer	9010-92-8	1-5
PPG-2 Methyl Ether	34590-94-8	1-5
Polypropylene Polymer	PROPRIETARY	0.1-1
Polyethylene Polymer	PROPRIETARY	0.1-1
Zinc Oxide	1314-13-2	0.1-1
Ammonium Hydroxide	1336-21-6	0.1-1
Fluorosurfactant	PROPRIETARY	<0.1
Dimethicone	63148-62-9	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
Methylisothiazolinone	2682-20-4	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

- Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- Skin Contact:** Wash with soap and water. If skin irritation occurs: Get medical attention.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
- Note to Physicians:** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

- Suitable Extinguishing Media:** Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
- Specific Hazards Arising from the Chemical:** Dried product is capable of burning. Combustion products are toxic.
- Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
- Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

#### 6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.
- Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

#### 7. HANDLING AND STORAGE

- Advice on Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
- Storage Conditions:** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.
- Suggested Shelf Life:** 18 months from date of manufacture.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

##### Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
---------------	-----------	----------	-------

PPG-2 Methyl Ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Zinc Oxide 1314-13-2	STEL: 10 mg/m <sup>3</sup> respirable particulate matter TWA: 2 mg/m <sup>3</sup> respirable particulate matter	TWA: 5 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> fume (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) STEL: 10 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup> Ceiling: 15 mg/m <sup>3</sup> dust TWA: 5 mg/m <sup>3</sup> dust and fume STEL: 10 mg/m <sup>3</sup> fume

**Engineering Controls:**

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

**Personal Protective Equipment****Eye/Face Protection:**

Not required with expected use.

**Skin and Body Protection:**

Not required with expected use.

**Respiratory Protection:**

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

**General Hygiene Considerations:**

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance/Physical State:</b>	Liquid
<b>Color:</b>	White emulsion
<b>Odor:</b>	Slight ammonia odor
<b>pH:</b>	8.0-9.0
<b>Melting Point / Freezing Point:</b>	No information available.
<b>Boiling Point / Boiling Range:</b>	100 °C / 212 °F
<b>Flash Point:</b>	> 99 °C / > 210 °F ASTM D56
<b>Evaporation Rate:</b>	< 1 (BuAc = 1)
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper Flammability Limit:</b>	No information available.
<b>Lower Flammability Limit:</b>	No information available.
<b>Vapor Pressure:</b>	No information available.
<b>Vapor Density:</b>	No information available.
<b>Specific Gravity:</b>	1.037
<b>Solubility(ies):</b>	Miscible in water
<b>Partition Coefficient:</b>	No information available.
<b>Autoignition Temperature:</b>	No information available.
<b>Decomposition Temperature:</b>	No information available.
<b>Viscosity:</b>	No information available.

## 10. STABILITY AND REACTIVITY

**Reactivity:**

This material is considered to be non-reactive under normal conditions of use.

**Chemical Stability:**

Stable under normal conditions.

**Possibility of Hazardous Reactions:**

Not expected to occur with normal handling and storage.

**Conditions to Avoid:**

Extremes of temperature and direct sunlight.

**Incompatible Materials:**

Strong oxidizing agents. Strong acids.

**Hazardous Decomposition Products:** May include carbon monoxide, carbon dioxide (CO<sub>2</sub>) and other toxic gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.  
**Symptoms of Exposure:**  
**-Eye Contact:** Pain and redness.  
**-Skin Contact:** Drying of the skin.  
**-Inhalation:** Nasal discomfort and coughing.  
**-Ingestion:** Pain, nausea, vomiting and diarrhea.  
**Immediate, Delayed, Chronic Effects**  
**Product Information:** Data not available or insufficient for classification.  
**Target Organ Effects:** Central nervous system. -Eyes. Respiratory System.  
**Numerical Measures of Toxicity**  
 The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 7880 mg/kg  
 ATEmix (dermal): 52309 mg/kg  
 ATEmix (inhalation-dust/mist): 71.3 mg/l

### Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	Not Available	Not Available
Ethoxydiglycol 111-90-0	= 10502 mg/kg ( Rat )	= 9143 mg/kg ( Rabbit )	> 5240 mg/m <sup>3</sup> ( Rat ) 4 h
Tributoxyethyl Phosphate 78-51-3	= 3 g/kg ( Rat )	> 16 mL/kg ( Rabbit )	> 6.4 mg/L ( Rat ) 4 h
PPG-2 Methyl Ether 34590-94-8	= 5400 µL/kg ( Rat )	= 9500 mg/kg ( Rabbit )	Not Available
Zinc Oxide 1314-13-2	> 5000 mg/kg ( Rat )	Not Available	Not Available
Ammonium Hydroxide 1336-21-6	= 350 mg/kg ( Rat )	Not Available	Not Available
Dimethicone 63148-62-9	> 24 g/kg ( Rat )	Not Available	Not Available
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg ( Rat )	Not Available	= 1.23 mg/L ( Rat ) 4 h

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Ethoxydiglycol 111-90-0	Not Available	10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	3940 - 4670: 48 h Daphnia magna mg/L EC50
Tributoxyethyl Phosphate 78-51-3	Not Available	10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	Not Available
PPG-2 Methyl Ether 34590-94-8	Not Available	10000: 96 h Pimephales promelas mg/L LC50 static	Not Available	1919: 48 h Daphnia magna mg/L LC50

Ammonium Hydroxide 1336-21-6	Not Available	8.2: 96 h Pimephales promelas mg/L LC50	Not Available	0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50
Methylchloroisothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	Not Available	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Other Adverse Effects:** No information available.

### 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

### 14. TRANSPORT INFORMATION

**DOT:** Not Regulated

**Proper Shipping Name:** Non-Hazardous Product

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

**IMDG:** Not Regulated

**Proper Shipping Name:** Non-Hazardous Product

### 15. REGULATORY INFORMATION

**TSCA Status:** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product contains the following listed substances:

#### **Ethoxydiglycol**

CAS No 111-90-0 applies to R-(OCH<sub>2</sub>CH<sub>2</sub>)<sub>n</sub>-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate  
Chemical Category N230

#### **SARA 311/312 Hazard Categories**

**Acute Health Hazard:** Yes

**Chronic Health Hazard:** No

**Fire Hazard:** No

**Sudden release of pressure hazard:** No

**Reactive Hazard:** No

#### **California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

### 16. OTHER INFORMATION

#### **NFPA**

**Health Hazards:** 1

**Flammability:** 0

**Instability:** 0

**Special:** N/A

#### **HMIS**

**Health Hazards:** 1

**Flammability:** 0

**Physical Hazards:** 0

**Revision Date:** 13-Nov-2019

**Reasons for Revision:** Section, 3, 8, 11, and, 12

**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**