



HEX HANGERS



DUST CAPS



WALL FLANGES



ADJUSTABLE FEET



AIR BLOW FILTERS



PIPELINE FILTERS



HEAVY DUTY CLAMPS



REDUCERS

2313 E. Philadelphia Street, Suite P
Ontario, CA 91761
SALES@LCPENNER.COM
LCPENNER.COM

Phone | 800.553.0164
Fax | 909.923.1393



PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

TABLE OF CONTENTS

HEX HANGERS.....	1
CLOSURES.....	5
WALL FLANGES.....	9
ADJUSTABLE FEET.....	12
AIR BLOW FILTERS.....	13
PIPELINE FILTERS.....	14
HEAVY DUTY CLAMPS.....	15
CONCENTRIC REDUCERS.....	16

ABOUT US

Since 1964, L.C. Penner Company, Inc. has been offering outstanding customer service for every one of its customer's needs. Based in Southern California, L.C. Penner Company originally provided food-processing equipment for the dairy industry in USA, Canada, and Mexico.

Today, L.C. Penner Company has expanded its distribution worldwide by adding an improved line of products exclusively manufactured by L.C. Penner Company for a broad variety of industries including mechanical contractors, electrical contractors, semi-conductors, breweries, wineries, food, dairy, and juice processing plants.

Thank you for choosing to be an L.C. Penner Company customer. We genuinely value your loyalty and look forward to serving your future needs.

Sincerely,

The L.C. Penner Team



PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964



HEX HANGERS

Tube Hex Hangers with Polypropylene Inserts (with Nuts & Bolts)

A high-quality product for installation of stainless-steel tubing hangers, manufactured exclusively by L.C. Penner Company.

CHARACTERISTICS:

- 3/16" x 1" polished T-304 stainless-steel
- Hex hanger brackets made in the U.S.A
- Stainless steel nuts and bolts
- Injection molded polypropylene insert



Size (in inches)	Part # (w Inserts)
1/2	.5THI
3/4	.75THI
1	1THI
1 1/2	1.5THI
2	2THI
2 1/2	2.5THI
3	3THI
4	4THI
6	6THI



PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964



HEX HANGERS

Tube Hex Hangers with Rubber Grommets (Buna) (with Nuts & Bolts)

A high quality product for installation of stainless-steel tube hex hangers, manufactured exclusively by L.C. Penner Company.

CHARACTERISTICS:

- 3/16" x 1" polished T-304 stainless-steel
- Hex hanger brackets made in the U.S.A
- Stainless steel nuts and bolts
- Rubber grommets available in Buna, EPDM or Viton rubber.



Size (In Inches)	Part #
1	1THG5
1 1/2	1.5THG5
2	2THG5
2 1/2	2.5THG5
3	3THG5
4	4THG5



PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964



HEX HANGERS

IPS *Pipe* Hex Hangers with Polypropylene or PVC Inserts (with nuts & bolts)

A high quality product for installation of stainless-steel pipe hangers, manufactured exclusively by L.C. Penner Company.

CHARACTERISTICS:

- 3/16" x 1" polished T-304 stainless-steel
- Hex hanger brackets made in the U.S.A
- Stainless steel nuts and bolts
- Polypropylene or PVC Inserts
- Fits schedule 40, iron pipe size



Size (in inches)	Part #
1/2	.5 PHI
3/4	.75 PHI
1	1 PHI
1 1/4	1.25 PHI
1 1/2	1.5 PHI
2	2 PHI
2 1/2	2.5 PHI
3	3 PHI
4	4 PHI
6	6PHI



PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964



HEX HANGERS

IPS **Pipe** Hex Hangers with Rubber Grommets (Buna) (with Nuts & Bolts)

A high quality product for installation of stainless-steel pipe hangers, manufactured exclusively by L.C. Penner Company.

CHARACTERISTICS:

- 3/16" x 1" polished T-304 stainless-steel
- Hex hanger brackets made in the U.S.A
- Stainless steel nuts and bolts
- Rubber grommets available in Buna, EPDM or Viton rubber



Size (in inches)	Part #
3/4	.75 PHG5
1	1 PHG5
1 1/4	1.25 PHG5
1 1/2	1.5 PHG5
2	2 PHG5
2 1/2	2.5 PHG5
3	3 PHG5
3 1/2	3.5 PHG5
4	4 PHG5




PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

Product Dimensions


Tube Hanger W/ Inserts

Size	A	B	Part Number
1/2"	3 1/4"	1 1/2"	.5THI
3/4"	3 1/4"	1 1/2"	.75THI
1"	3 1/4"	1 1/2"	1THI
1 1/2"	4"	2"	1.5THI
2"	4 3/8"	2 1/2"	2THI
2 1/2"	5 1/2"	3 1/4"	2.5THI
3"	5 5/8"	3 5/8"	3THI
4"	7"	4 3/4"	4THI
6"	9 1/2"	6 3/4"	6THI




Tube Hanger W/ Grommets

Size	A	B	Part Number
1"	3 1/4"	1 5/8"	1THG
1 1/2"	4"	2 1/2"	1.5THG5
2"	4 3/8"	2 5/8"	2THG5
2 1/2"	5 1/2"	3 3/8"	2.5THG5
3"	5 5/8"	3 3/4"	3THG5
4"	7"	5 1/8"	4THG5




Pipe Hanger W/ Inserts

Size	A	B	Part Number
1/2"	3 1/4"	1 1/2"	.50PHI
3/4"	3 1/4"	2"	.75PHI
1"	4"	2"	1PHI
1 1/4"	4"	2 1/4"	1.25PHI
1 1/2"	4 3/8"	2 3/4"	1.5PHI
2"	5 1/2"	3 3/8"	2PHI
2 1/2"	5 5/8"	3 3/4"	2.5PHI
3"	7"	4 3/4"	3PHI
4"	7"	4 3/4"	4PHI
6"	9 1/2"	6 3/4"	6PHI



Pipe Hanger W/ Grommets

Size	A	B	Part Number
3/4"	4"	2 1/4"	.75PHGI
1"	4"	2 5/8"	1PHGI
1 1/4"	4"	2 1/2"	1.25PHG5
1 1/2"	4"	3 3/4"	1.5PHG5
2"	4 3/8"	3 1/4"	2PHG5
2 1/2"	5 1/2"	3 3/4"	2.5PHG5
3"	5 5/8"	4 3/8"	3PHG5
3 1/2"	7"	5 1/8"	3.5PHG5
4"	7"	5 3/4"	4PHG5





PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

Dust Caps

Threaded Dust Caps for Bevel-Seat Fittings



Standard dairy-threaded/bevel seat closures for sanitary pipelines, tankers and flowline equipment. These tough ABS plastic closures help seal open ends and keep out dust, insects, mold, odors, and contamination. The female closure also fits John Perry fittings.

29-Female and 28-Male | Available in **RED**, **WHITE** and **BLACK**



Size (In Inches)	Part #
1 1/2	1500-29 1500-29C (w/ chain) 1500-28 1500-28C (w/ chain)
2	2000-29 2000-29C (w/ chain) 2000-28 2000-28C (w/ chain)
2 1/2	2500-29 2500-29C (w/ chain) 2500-28 2500-28C (w/ chain)
3	3000-29 3000-29C (w/ chain) 3000-28 3000-28C (w/ chain)
4	4000-29 4000-29C (w/ chain) 4000-28 4000-28C (w/ chain)

*Custom colors available per request. Custom color requests must be a minimum order of 200 caps.



PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964


Dust Caps

Tri-Clamp Style Snap-on Dust Caps



Polypropylene plastic closures for clamp type fittings and pipe ends. These inexpensive caps protect sanitized pipelines and flowline equipment from dust, insects, mold, and contamination.

Cap Off Tri-Clamp Style Fittings in ~~RED~~, ~~WHITE~~, ~~YELLOW~~, ~~TANGERINE~~, ~~BLUE~~ and ~~GREEN~~.



Size (In Inches)	Part #	Unit
1 ½	Clamp-15(R/W/Y/T/B/G)	10/pack
	Clamp-15(R/W/Y/T/B/G)C (w/ chain)	1/each
2	Clamp-20(R/W/Y/T/B/G)	10/pack
	Clamp-20(R/W/Y/T/B/G)C (w/ chain)	1/each
2 ½	Clamp-25(R/W/Y/T/B/G)	10/pack
	Clamp-25(R/W/Y/T/B/G)C (w/ chain)	1/each
3	Clamp-30(R/W/Y/T/B/G)	10/pack
	Clamp-30(R/W/Y/T/B/G)C (w/ chain)	1/each
4	Clamp-40(R/W/Y/T/)	5/pack
	Clamp-40(R/W/Y/T/)C (w/ chain)	1/each

*Custom colors available per request. Custom color requests must be a minimum order of 200 caps.




PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

Dust Caps

Heavy Duty Tri-Clamp Dust Caps



The original LC Penner Tri-Clamp hard ABS plastic closures for clamp type fittings. These caps protect from dust, insects, mold and contamination; are gray in color and easy to grip.



Size (in inches)	Part #
1 ½	CL-1500 CL-1500C (chain)
2	CL-2000 CL-2000C (chain)
2 ½	CL-2500 CL-2500C (chain)
3	CL-3000 CL-3000C (chain)

*Custom colors available per request. Custom color requests must be a minimum order of 200 caps.



PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

WALL FLANGES

Dished **Tube** Size Wall Flange (Escutcheon)




Our Dished Wall Flanges (tubing only) are made of T-304 polished stainless-steel. They are also known as escutcheons or wall flashings.

- 16 gauge
- T-304 Stainless Steel
- #4 Polished
- Inside Diameters from ½" to 4"
- Outside Diameters from 3" to 7"



Size (in inches)	Part #
½ x 3	.5X3DWF
¾ x 3	.75X3DWF
1 x 3	1X3DWF
½ x 5	.5X5DWF
¾ x 5	.75X5DWF
1 x 5	1X5DWF
1 ½ x 5	1.5X5DWF
2 x 5	2X5DWF
2 ½ x 5	2.5X5DWF
3 x 6	3X6DWF
4 x 7	4X7DWF





PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

WALL FLANGES

Standard **Tube** Size Wall Flange (Escutcheon)




Our Standard Wall Flanges for tubing are made of T-304 polished stainless-steel. They are also known as escutcheons or wall flashings.

- 18 gauge
- T-304 Stainless Steel
- #4 Polished
- Inside Diameters from 1/2" to 6"
- Outside Diameters from 3" to 9.25"



Size (in inches)	Part #
1/2 x 3	.5WF
3/4 x 3	.75WF
1 x 3	1X3WF
1 x 6	1WF
1 1/2 x 6	1.5WF
2 x 6	2WF
2 1/2 x 6	2.5WF
3 x 6	3WF
4 x 6	4WF
6 x 9.25	6WF





PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

WALL FLANGES

Standard *Pipe* Size Wall Flange (Escutcheon)




Our standard wall flanges for IPS pipe are made of T-304 polished stainless-steel. They are also known as escutcheons or wall flashings.

- 18 gauge
- T-304 Stainless Steel
- #4 Polished
- Inside Diameters from ½" (or .84") to 4" (or 4.5")
- Outside Diameters from 3" to 7"



Standard Size (in inches)	Actual Size (in inches)	Part #
½ x 3	.84" x 3"	.5WFP
¾ x 3	1.05" x 3"	.75WFP
1 x 3	1.315" x 3"	1WFP
¾ x 6	1.05" x 6"	.75X6WFP
1 x 6	1.315" x 6"	1X6WFP
1 ¼ x 6	1.66" x 6"	1.25WFP
1 ½ x 6	1.9" x 6"	1.5WFP
2 x 6	2.375" x 6"	2WFP
2 ½ x 6	2.875" x 6"	2.5WFP
3 x 6	3.5" x 6"	3WFP
4 x 7	4.5" x 7"	4WFP





PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

ADJUSTABLE FEET

Stainless Steel Clad Adjustable Feet


Square and round stainless-steel leveling feet are easy to install and fit into squared and round tubing. Our 1 1/2" + 2" adjustable feet are able to level equipment up to 1600 or 2300 lbs. (respectively) of weight using expansion rings and spring-loaded lugs.

CHARACTERISTICS:

- Adjust 2 5/8 inches
- Fits into 16 gauge SS tubing
- Secured by expansion rings at top and four spring-loaded lugs

EASY INSTALLATION:

- Cut tubing for four legs to desired length
- Weld tubing to base
- Insert feet into tubing or equipment
- Adjust to level



16 Gauge Tubing Size (in inches)		Part #
○	1 1/2	1.5SSBF
	2	2SSBF
□	1 1/2	1.5BFSQ
	2	2BFSQ






PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

AIR BLOW FILTERS new

Polypropylene Sanitary Air Blow Filter Discs



The Polypropylene Sanitary Air Blow Filter Discs are 1.0 micron and constructed for compressed air systems used in food and dairy processing plants to trap unwanted particles. The disposable filters come 200 pieces per bag and are available for purchase in two different diameters: **1½"**, and **2"**.



Size (in inches)	Part #
1 ½	AB FILTER-1.5
2	AB FILTER-2



PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964





PIPELINE FILTERS

Pipeline Filter Disc Inserts for Tankers

Easily inserted at the end of the hose before transferring milk from the tanker (reverse flow), our 3" Pipeline Filter Screens are made with a resistant polyester mesh (blue) or nylon mesh (red) surrounded by a 1/2" polypropylene disk, and 800-micron rating. The red heavy duty filter is preferred when filtering larger more forceful pumps. Our one-size filters are sold in bags of 100.

Keep Milk Free of Sediment



Type	Part #	Amount	Photo
Original Blue	D773-3P	Per 100	
Heavy Duty Red	D773-3HDR	Per 100	



PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

HEAVY DUTY CLAMPS

Heavy Duty Tri-Clamp Clamps

Heavy Duty Stainless Steel Clamps with single pin. These heavy-duty fittings are made with T-304 Stainless Steel.

CHARACTERISTICS:

- Heavy duty stainless steel
- Single pin screw like mechanism
- Cross Hole Wing Nut

• USED BY:

- Food Industry
- Brewery
- Winery
- Dairy industry
- Mechanical contractors
- Electrical contractors



Size (In Inches)	Part #
1/2 or 3/4	P13HDC.75
1 1/2	P13HDC1.5
2	P13HDC2
2 1/2	P13HDC2.5
3	P13HDC3
4	P13HDC4




PROCESS EQUIPMENT AND SUPPLIES FOR THE FOOD INDUSTRY SINCE 1964

CONCENTRIC REDUCERS

T304 Stainless Steel | Butt Weld | Polished

Polished concentric reducers for sanitary use, butt weld T-304 stainless steel.

	Nom. size	D	B	C
	1" X 3/4"	1"	2"	1 3/8"
	1 1/2" X 1"	1 1/2"	2"	1"
	2" X 1"	2"	3 1/2"	1"
	2" X 1 1/2"	2"	2"	1 1/2"
	2 1/2" X 2"	2 1/2"	2"	2"
	3" X 2"	3"	4"	2"
	3" X 2 1/2"	3"	2"	2 1/2"

Part #	Size (in inches)
P317-1X.75	1 x 3/4
P317-1.5X1	1 1/2 x 1
P317-2X1	2 x 1
P317-2X1.5	2 x 1 1/2
P317-2.5X2	2 1/2 x 2
P317-3X2	3 x 2
P317-3X2.5	3 x 2 1/2





**While based in Ontario CA,
our sales-reps stretch from Inland Empire,
to all of Orange County, through Los Angeles!**

**LC Penner Company
2313 E. Philadelphia St. #P,
Ontario, CA 91761**

Office: 800-553-0164

**MONDAY - FRIDAY
8:00 am - 4:30 pm**

