

HIBISCUS

FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 948658



CONTENTS

TUB FAUCET	PAGE 2
VALVE	PAGE 3

FEATURES


- Installation Type: Freestanding
- Faucet Centers: Single-Hole
- Handle Type: Lever
- Features: Hand Shower Included
- Tub Faucet Material: Brass
- Handle Material: Metal
- Hot and Cold Indicators: No
- Drain Included: No
- Ceramic Disc Cartridges: Yes
- Hand Shower Material: Zinc
- Tub Spout Flow Rate: 10.5 gpm (39.7 L/min)
@ 80 psi
- Hand Shower Flow Rate: 1.8 gpm (6.8 L/min)
@ 80 psi
- Single Function Hand Shower (Full Spray)
- Integral Diverter to Hand Shower
- Hand Shower Includes Factory Installed
Backflow Prevention Check Valve
- Optional Rough-In Valve Includes Stops
- Underfloor Access is Required for Proper
Installation
- Installation on an Existing Concrete Slab will
Require Cutting and Concrete Removal

REVISED 11/30/2020

HIBISCUS

FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 948658



FEATURES

Length: 8-1/4"
 Width: 13-1/4"
 Height: 41-1/4"
 Height To Spout: 40-3/8"
 Height to Control Valve: 32-1/2"
 Spout Reach: 9-1/4"
 Spout Width: 1-7/8"
 Base Plate Length: 6"
 Base Plate Width: 6"
 Hand Shower Hose Length: 58"

CODES/STANDARDS

cUPC
 ASME A112.18.1/CSA B125.1
 ASME A112.18.3
 WaterSense
 CEC Listed
 Massachusetts Accepted


PRODUCT IMAGE



HIBISCUS

OPTIONAL FREESTANDING TUB FAUCET ROUGH-IN VALVE

SKU: 948658



FEATURES

Material: Brass
Length: 5-1/4"
Width: 3-5/8"
Height: 5-1/8"
NPT Connection: 1/2"

CODES/STANDARDS

cUPC
ASME A112.18.1/CSA B125.1
Massachusetts Accepted

PRODUCT IMAGE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 3
CODE: SHFSR2000WS