

NAPOLEON



ELECTRIC WALL MOUNT, RECESSED  
AND SEE THRU FIREPLACES  
[napoleonfireplaces.com](http://napoleonfireplaces.com)



# Find your happy (fire)place.

Throughout the ages, people have gathered around fires to share in life's greatest joys. There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

And so you can keep enjoying that positive glow for years and years and years, every Napoleon fireplace is backed by an exclusive warranty program.

CLEARion™ - NEFBD50H .....	4 - 5
Alluravision™ Series - 42, 50 & 60 .....	6 - 9
Allure™ Series - 32, 42, 50, 60, 72 & 100 .....	10 - 13
Allure™ Phantom Series - 42, 50 & 60.....	14 - 17
Azure™ Vertical 38 - NEFV38H .....	18 - 19
Outstanding Features .....	20 - 21
Detailed Specifications.....	22 - 27



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 40 years and counting.






Allure™ 100 shown with Orange Flame Color Option.

# CLEARion™ 50 See Thru


The CLEARion™ See Thru Electric Fireplace is the first ever truly see through electric fireplace. The CLEARion™ can be plugged in or hardwired directly into your electrical system creating a relaxing environment in two rooms. This unique fireplace can heat separate rooms at different rates, increasing the comfort of two spaces at the same time. Customize this fireplace with either a sparkling crystal media ember bed or the hand-painted South Beach Logs with Topaz Glass Embers; both sets are included. Illuminated from below by LED, color-changing lights, both ember bed styles glow with a luxurious feel that can be enjoyed from two rooms.

## Options & Accessories



Remote Control      Control Panel      Front Vents Allow Unit to be Fully Recessed      Crystal Media      South Beach Logs with Topaz Glass Embers

### Ember Bed Color Options




Yellow      Orange      Red      Magenta      Pink      Purple      White      Sky Blue      Blue      Green



CLEARion™ Shown with Stainless Steel Surround






**NEFBD50H**

9,000 BTU's

Viewing Area: 43 5/8"W x 12"H

For more detailed specifications, see page 22

Flame Color Options



Blue



Multi-Color



Orange

CLEARion™ shown with Black Surround, Multi-Color Flames, Orange Ember Bed and South Beach Logs with Topaz Glass Embers.

# Alluravision™ Series

See the fireplace, not the frame with Napoleon's Alluravision™ Series linear electric fireplaces. They stand out from the rest with their nearly frameless viewing area which highlights the unique flame colors. Set the mood with yellow, orange, blue and multi-color flames with the push of a button. Easy to use, these fireplaces are plug and play - just hang on the wall and plug them in. Five models, three sizes available, 42-inch slim and 50 and 60-inch slim and deep models, all models include a crystal media ember bed and remote control. The NIGHT LIGHT™ and driftwood logs with topaz glass embers make beautiful additions to the deep model. Napoleon's Alluravision™ Series linear electric fireplaces are about adding the fireplace, and not the frame to your favorite room.

## Options & Accessories



Remote Control



Control Panel



Crystal Media



Driftwood Logs and Glass Ember Media



Slim Size Model (4 1/4")




Deep Size Model (5 13/16")

### Ember Bed Color Options



White



Blue



Green



Red



Yellow



Purple



42"



50"



60"

LOW ENERGY  
**LED**  
 HIGH INTENSITY





**NEFL42CHS**

5,000 BTU's  
1,500 Watts (120V)

Viewing Area : 40 1/4" W x 11 1/16" H

For more detailed specifications, see page 26-27

Flame Color Options

			
Yellow	Blue	Multi-Color	Orange

Alluravision™ 42 Slim shown with Blue Flames, Purple Ember Bed and Crystal Media.




### NEFL50CHS

5,000 BTU's  
1,500 Watts (120V)

Viewing Area : 48 1/4" W x 11 1/16" H

For more detailed specifications, see page 26-27

Alluravision™ 50 Slim shown with Multi-Color Flames, Blue Ember Bed and Crystal.



### NEFL50CHD

9,000 BTU's  
2,800 Watts (120V/240V)

Viewing Area : 48 1/4" W x 11 1/16" H

For more detailed specifications, see page 26-27

Alluravision™ 50 Deep Depth shown with Yellow Flames and Driftwood Log Media with Topaz Glass Embers.



### **NEFL60CHS**

5,000 BTU's  
1,500 Watts (120V)

Viewing Area : 58 5/16" W x 11 1/16" H

For more detailed specifications, see page 26-27

Alluravision™ 60 Slim shown with Multi-Color Flames, Purple Ember Bed and Crystal Media.



### **NEFL60CHD**

9,000 BTU's  
2,800 Watts (120V/240V)

Viewing Area : 58 5/16" W x 11 1/16" H

For more detailed specifications, see page 26-27

Alluravision™ 60 Deep shown with Yellow Flames, Blue Ember Bed and Driftwood Log Media with Topaz Glass Embers.

# Allure™ Series

Making a statement with an Allure™ Series fireplace is easy. With six sizes to choose from, every Allure™ fireplace sparkles with a crystal ember bed and three color flame options; orange, blue or multi-color. Control the appearance as well as temperature and blower with the remote control. Any Allure™ series fireplace can simply be plugged in and hung on a wall for instant satisfaction. What makes these fireplaces special is the ability to be fully recessed into the wall thanks to the placement of front vents. The only difficulty now is deciding which one you want.

## Options & Accessories



Remote Control



Paintable Cord Cover



Touch Screen Control Panel



Front Vents Allow Unit to be Fully Recessed



32" 42" 50" 60" 72" 100"

LOW ENERGY  
**LED**  
HIGH INTENSITY





**NEFL32FH**

5,000 BTU's  
1,500 Watts  
Viewing Area: 32" W x 21 1/8" H

For more detailed specifications on this unit, see page 23-24

Allure™ 32 shown with Orange Flame Color Option.



**NEFL42FH**

5,000 BTU's  
1,500 Watts  
Viewing Area:  
42" W x 21 1/8" H

For more detailed specifications  
on this unit, see page 23-24

Flame Color Options



Blue



Multi-Color



Orange

Allure™ 42 shown with Blue Flame Color Option.



### **NEFL50FH**

5,000 BTU's

1,500 Watts

Viewing Area: 50" W x 28 1/8" H

For more detailed specifications on this unit, see page 23-24

Allure™ 50 shown with Orange Flame Color Option.



### **NEFL60FH**

5,000 BTU's

1,500 Watts

Viewing Area: 60" W x 21 1/8" H

For more detailed specifications on this unit, see page 23-24

Allure™ 60 shown with Blue Flame Color Option.



**NEFL72FH**

5,000 BTU's  
1,500 Watts

Viewing Area: 72" W x 28 1/8" H

For more detailed specifications on this unit, see page 23-24

Allure™ 72 shown with Orange Flame Color Option.



**NEFL100FH**

5,000 BTU's  
1,500 Watts

Viewing Area: 100" W x 28 1/8" H

For more detailed specifications on this unit, see page 23-24

Allure™ 100 shown with Multi-Color Flame Color Option.

# Allure™ Phantom Series

Transform your space by simply hanging one of the Allure™ Phantom Electric Fireplaces, and enjoy the view without glare or reflections thanks to a black matte surround and mesh front. Control comfort and mood with the touch of a button. Adjust flame height and instantly transition between cool blue, orange, or multi-color. All of the Allure™ Phantom wall hanging fireplaces can be installed fully recessed, or easily wall hung protruding only 5" into your space, simply plug in or hardwire. Renew your living space with one of three luxurious Allure™ Phantom Electric Fireplaces.

## Options & Accessories



Remote Control



Paintable Cord Cover



Touch Screen Control Panel



Front Vents Allow Unit to be Fully Recessed




Matte Surround and Mesh Screen eliminates reflections



42"



50"



60"

LOW ENERGY  
**LED**  
HIGH INTENSITY



**NEFL42FH-MT**

5,000 BTU's

1,500 Watts

Viewing Area: 42" W x 21 1/8" H

For more detailed specifications on this unit, see page 25

Flame Color Options



Blue



Multi-Color



Orange

Allure™ Phantom 42 shown with Orange Flame Color Option.



**NEFL50FH-MT**

5,000 BTU's

1,500 Watts

Viewing Area: 50" W x 21 1/8" H

For more detailed specifications on this unit, see page 25

Allure™ Phantom 50 shown with Blue Flame Color Option.



**NEFL60FH-MT**

5,000 BTU's

1,500 Watts

Viewing Area: 60" W x 21 1/8" H

For more detailed specifications on this unit, see page 25

Allure™ Phantom 60 shown with Multi-Color Flame Color Option.

## Azure™ Vertical 38

The Azure™ Vertical electric fireplace is a stunning statement piece for any small or large area without the need for venting. Customize your Azure™ Vertical 38 electric fireplace by choosing from one of three color settings, for not only the CRYSTALINE™ ember bed but the back lit NIGHT LIGHT™ as well. Enjoy the convenience of a “Hang, Plug and Go” fireplace or choose a recessed installation for a sleeker low-profile look. Whatever you do, make sure to sit back, relax, remote in hand and enjoy the memories around your fireplace.

LOW ENERGY  
**LED**  
HIGH INTENSITY

### Options & Accessories



Remote Control



Paintable Cord Cover




Blue Back Lit NIGHT LIGHT™



Orange Back Lit NIGHT LIGHT™



Purple Back Lit NIGHT LIGHT™



**NEFV38H**

5,000 BTU's  
1,500 Watts

Viewing Area: 12" W x 21" H

For more detailed specifications, see page 22



Ember Bed Color Options



Blue



Orange




Purple

The Azure™ Vertical 38 shown with Blue Ember Bed and Blue Back Lit NIGHT LIGHT.

# Outstanding Features

of Napoleon's Advanced Technology



## Reliable LED Technology

Napoleon's electric fireplaces offers reliable LED technology for added convenience. LED lights are extremely energy efficient and long-lasting saving you the hassle of having to change out light bulbs. Plus LED lights are high intensity providing a product you can enjoy during both day and night time.

## No Glare Front with Invisible Screen

Napoleon's Allure™ Phantom Series contains a mesh front and matte surround which eliminates distracting reflections caused by a glass front. High intensity LED lights can be seen at night or during the day!

## Front Vent Heat

Napoleon's Electric Allure™, Allure™ Phantom and Alluravision™ series fireplaces have been designed with front vents, allowing you the option of a fully recessed or convenient wall mount installation.



## ELECTRIC FIREPLACE

Economical to Operate



## ULTRA BRIGHT™ LED LIGHTS

Provide day or night intensity



## ADJUSTABLE TEMPERATURE

Adjust the heat being produced by choosing a temperature



## PLUG IN

Simply plug in and your fireplace is ready



## HARD WIRED

Can be hard wired into existing home wiring (not applicable with the Woodland™ electric log set series)



## SAFE TO TOUCH

Never hot enough to burn



## WHISPER QUIET™

Operates at a whisper to ensure enjoyment



### ECO-FRIENDLY

Only heat the rooms you use most



### NON-REFLECTIVE BACKING

Allows for optimal flame viewing  
(not applicable for the CLEARion™)



### FULL FEATURE REMOTE

Controls thermostat, heat settings, flame settings, timer, on/off and more



SAVE UP TO 30%  
WITH NAPOLEON'S  
**ZONE**  
Heating



### CAN BE RECESSED

Partially or fully recess these electric fireplaces




### BRILLIANT CRYSTALS

Crystal ember bed glows with the LED lights from underneath



### REALISTIC LOG SET

Realistic logset available for the Alluravision™ Series (deep models only) as well as the CLEARion™



### Hidden Touch Screen Controls

The Allure™, Allure™ Phantom, Alluravision™ and CLEARion™ Series touch screen controls allow you to adjust the heat level, flame height, brightness, timer to control hours of operation, flame and ember bed colour and more!

### Flexible Installation Options

The Allure™, Allure™ Phantom and Alluravision™ Series electric fireplaces are designed with front vents so they can be fully recessed for a sleek and non-existent foot print in your room.




### Transformation

All Napoleon's wall mount electric fireplaces, including the new CLEARion™ See Thru electric fireplace, allows for an affordable and quick transformation of any room. Enhance any room in your home, a generous glass front and a clear glass ember bed to complement the crisp, clean design.

## CLEARion™ 50 NEFBD50H

Shown on pages 4 - 5




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFBD50H	9,000	3,000	18 3/8"	17 15/16"	50"	49"	8 1/6"	4 1/2" or 8" *	12"	43 5/8"	Fully Recessed	Yes	Included	Included	Included	Included

\* Framing Depth is dependant on 2x2 vs. 2x4 wall installation.

## Azure™ Vertical 38 NEFV38H

Shown on pages 18 - 19




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFV38H	5,000	1,500	38"	33"	17"	13 3/4"	6"*	2"	21"	12"	Wall Mount/ Partially Recessed	Yes	Included	Included	N/A	Included

\*Excludes glass thickness

Certified under Canadian and American National Standards.  
 Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
 Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

**Allure™ 32  
NEFL32FH**


Shown on pages 10 - 13



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL32FH	5,000	1,500	21 5/8"	21"	32"	27 13/16"	5"	3 1/2 - 5"	12"	22 4/7"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

**Allure™ 42  
NEFL42FH**


Shown on pages 10 - 13



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL42FH	5,000	1,500	21 5/8"	21"	42"	38"	5"	3 1/2 - 5"	12"	32 4/7"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

**Allure™ 50  
NEFL50FH**

Shown on pages 10 - 13




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL50FH	5,000	1,500	21 5/8"	21"	50"	45 15/16"	5"	3 1/2 - 5"	12"	40 4/7"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Certified under Canadian and American National Standards.  
 Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
 Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

## Allure™ 60 NEFL60FH


Shown on pages 10 - 13



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL60FH	5,000	1,500	21 5/8"	21"	60"	55 13/16"	5"	3 1/2 - 5"	12"	50 4/7"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

## Allure™ 72 NEFL72FH


Shown on pages 10 - 13



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL72FH	5,000	1,500	21 5/8"	21"	72"	67 7/8"	5"	3 1/2 - 5"	12"	62 3/5"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

## Allure™ 100 NEFL100FH

Shown on pages 10 - 13



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL100FH	5,000	1,500	21 5/8"	21"	100"	95 7/8"	5"	3 1/2 - 5"	12"	90 4/7"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included


Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.

Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

**Allure™ Phantom 42**  
**NEFL42FH-MT**


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL42FH-MT	5,000	1,500	21 5/8"	21"	42"	38"	5"	3 1/2 - 5"	12"	32 4/7"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

**Allure™ Phantom 50**  
**NEFL50FH-MT**


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL50FH-MT	5,000	1,500	21 5/8"	21"	50"	45 15/16"	5"	3 1/2 - 5"	12"	40 4/7"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

**Allure™ Phantom 60**  
**NEFL60FH-MT**

Shown on pages 14 - 17




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL60FH-MT	5,000	1,500	21 5/8"	21"	60"	55 13/16"	5"	3 1/2 - 5"	12"	50 4/7"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Certified under Canadian and American National Standards.  
 Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
 Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

## Alluravision™ 42 Slim NEFL42CHS


Shown on pages 6-9



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL42CHS	5,000	1,500	17 5/16"	16 1/8"	44 7/16"	42 9/16"	4 1/4"	4 1/2"	11 1/16"	40 1/4"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

## Alluravision™ 50 Slim NEFL50CHS


Shown on pages 6-9



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL50CHS	5,000	1,500	17 5/16"	16 1/8"	52 11/16"	50 13/16"	4 1/4"	4 1/2"	11 1/16"	48 1/2"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

## Alluravision™ 60 Slim NEFL60CHS

Shown on pages 6-9



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL60CHS	5,000	1,500	17 5/16"	16 1/8"	62 9/16"	60 11/16"	4 1/4"	4 1/2"	11 1/16"	58 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included


Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.

Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

## Alluravision™ 50 Deep Depth NEFL50CHD


Shown on pages 6-9



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL50CHD	9,000	2,800	17 5/16"	16 1/8"	52 11/16"	50 13/16"	5 13/16"	6 1/16"	11 1/16"	48 1/2"	Wall Mount/ Fully Recessed	Yes	Included	Included	Included	Included

## Alluravision™ 60 Deep Depth NEFL60CHD

Shown on pages 6-9



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL60CHD	9,000	2,800	17 5/16"	16 1/8"	62 9/16"	60 11/16"	5 13/16"	6 1/16"	11 1/16"	58 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	Included	Included



# NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8  
103 Miller Drive, Crittenden, Kentucky, USA 41030  
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 1-866-820-8686  
napoleonfireplaces.com



Authorized Dealer

Consult your owner's manual for complete installation instructions, accurate framing dimensions and proper clearances to combustible material. Check all local and national building codes. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel inc.