QUICK REFERENCE GUIDE > RS2484SRK1 Date: 13.10.2022 > 1

Integrated Column Refrigerator, 24"

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for seamless integration - this model is right hinge with stainless steel interior.


- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

 Height
 84"

 Width
 23 3/4"

 Depth
 24"



FEATURES & BENEFITS

VARIABLE TEMPERATURE ZONES

Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

MIX & MATCH

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

CLEVER ENERGY

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

APPEALING ILLUMINATION

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

DESIGN QUALITY

The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.

EASY INSTALL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

PERFECT FIT

These models fit flush and have only ½" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories 24" Stainless steel toe kick 42" Stainless steel toe kick AKRS2404 48" Stainless steel toe kick AKRS4804 54" Stainless steel toe kick AKRS5404 60" Stainless steel toe kick AKRS6004

QUICK REFERENCE GUIDE > RS2484SRK1 Date: 13.10.2022 > 2

66" Stainless steel toe kick	AKRS6604	LED ceiling lighting	•
72" Stainless steel toe kick	AKRS7204	LED side lighting	•
78" Stainless steel toe kick	AKRS7804	SmartTouch interface at	•
84" Stainless steel toe kick	AKRS8404	Soft-close fruit and vegetable	•
Contemporary round handle	AHS-RD84	Stackable bottle holders	4
Contemporary square handle	AHD3-RD84		
Joiner kit	AJ-RS84LR	Performance	
Professional round flush handle	AHP3RDSF	ActiveSmart™ Foodcare	•
Professional round handle kit	AHC-RD84	Dual evaporator	•
Professional square handle kit	AHV2-RD84	Frost free	•
Square fine aluminium handle	AHD5RDSF 25863	Humidity control system	•
Square fine black handle kit	AHD5RDSFB 25908	Inverter controlled compressor	•
Stainless steel door panel	24" Right hinge RD2484R4D	Sabbath mode	•
		Variable food modes	Pantry; Fridge; Chill
Capacity		Variable temperature zones	2
Volume	12.4cu ft		
Volume refrigerator	12.4cu ft	Power requirements	
		Rated current	10A
Consumption		Supply frequency	60Hz
Energy rating	Energy star	Supply voltage	115V
Energy usage	232kWh/year		
		Product dimensions	
Features		Depth	24"
Adjustable door shelves	4	Height	84"
Adjustable glass cantilevered	•	Width	23 3/4"
Covered door shelves	1		
Door alarm	•	Product information	
Fruit and vegetable bins	4	Packaged weight	275lbs
Gallon door shelves	1	Unpackaged weight	258lbs
LED bin lighting	•		

Safety and compliance	
ADA compliant	•
Warranty	
Parts and labor	2 years
Sealed system parts and labor	additional 3 years
SKU	26121

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS2484SRK1 Date: 13.10.2022 > 3

Other product downloads available at fisherpaykel.com



Energy Label

Service & Warranty

Installation Guide

Installation Guide - Toe Kick

Specification Guide Integrated Column Refrigerator

Data Sheet Integrated Column Refrigerator

Data Sheet Integrated Column Refrigerator Dual Install (18" + 24")

Data Sheet Integrated Column Refrigerator Dual Install (24" + 24")

Data Sheet Integrated Column Refrigerator Dual Install (24" + 30")

Planning Guide Integrated Column Refrigerator

Key Purchase Decisions Integrated Column Refrigerator



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

 ${f T}$ 1.888.936.7872 ${f W}$ www.fisherpaykel.com