

24" Vacuum Sealing Drawer

EVS 6114





24" Vacuum Sealing Drawer

SPECIFICATIONS	
Overall Unit Dimensions [Excluding Fascia Dimension] 211/8" (537 mm) W x 59/16" (141 mm) H x 219/16" (548 mm) D	
Overall Unit Fascia Dimensions	23 $^{7}/_{16}$ " (595 mm) W x 5 $^{1}/_{4}$ " (134 mm) H x $^{7}/_{8}$ " (23 mm) D
Cutout Dimensions	
Minimum Cabinet Opening Dimensions	$22^{1}/_{16}$ " (560 mm) W x $5^{9}/_{16}$ " (142 mm) H x $21^{7}/_{8}$ " (550 mm) D
Electrical	
Electrical Requirements	120V 15A 60Hz
Power Cord	Molded NEMA 5-15 plug, 7' 2" (2.2m)
Shipping	
Shipping Weight	77 lbs (35 kg)
Shipping Dimensions	26¹/8" W x 8²/8" H x 26⁵/8" L
Support	
Call Miele	(800) 999-1360
Miele Website	[√] ⊕www.mieleusa.com
20/20 Link	√62020technologies.com

ContourLine/PureLine:




EVS 6114 Item 30611468USA

Miele


24" Vacuum Sealing Drawer

SINGLE INSTALLATION IN TALL CABINET



- 1 Ventilation cut-out 221/16" (500 mm) x 13/8" (35 mm)
- 2 Installation dimensions including power cord plug connector Power cord L = 7' 2" (2,200 mm)
 - * Glass front / ** metal front

SINGLE INSTALLATION UNDERCOUNTER



- 1 Ventilation cut-out 221/16" (500 mm) x 13/8" (35 mm)
- 2 Installation dimensions including power cord plug connector Power cord L = 7' 2" (2,200 mm)
- 3 Countertop overhang
 - * Glass front / ** metal front




24" Vacuum Sealing Drawer

INSTALLATION SPECIFICATIONS IN COMBINATION WITH:

24" (60cm) Speed Oven, Steam Oven, XL Combi Steam Oven, Microwave Oven, Coffee

For plumbed appliances, cut-outs are required for the water inlet and drain hoses. (See plumbed appliance installation instructions).




- 1 Ventilation cut-out required when installed in combination with an appliance
- 2 Installation dimensions including power cord plug connector Power cord L = 7' 2" (2,200 mm)
 - * Glass front / ** metal front

INSTALLATION SPECIFICATIONS IN COMBINATION WITH:

24" (60cm) Convection Oven, XXL Combi Steam Oven

For plumbed appliances, cut-outs are required for the water inlet and drain hoses. (See plumbed appliance installation instructions).



- 1 Ventilation cut-out required when installed in combination with an appliance
- 2 Installation dimensions including power cord plug connector Power cord L = 7' 2" (2,200 mm)