



Sloan® Soap Dispenser

ESD-400-SF

Product description

Brushed Stainless Finish, Sloan® Deck-Mounted Foam Soap Dispenser.

Compliances & Certifications



(WELL Building Standard)

Code 3346082

Finish

 Brushed Stainless (SF)

Downloads

- [ESD-400 Installation Instructions.pdf](#)
- [ESD-400 Maint Guide.pdf](#)
- [Special Finishes Brochure.pdf](#)
- [Faucet and Soap Dispenser Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [PVD Special Finishes](#)

Details

- Finish: Brushed Stainless (SF)
- Power Type: Hardwired
- Height: 4.4" (112mm)
- Width: 4.4" (112mm)
- Maximum Deck Thickness: 1.875" (48mm)
- Sensor Type: IR
- Soap Type: Foam

Features

Sensor Activated, Electronic, Hand Washing Foam Soap Dispenser with the following features:

- Touch-free operation improves hand washing hygiene
- Modular One-piece Construction and easily attaches to sink deck surface
- Sensor activated foam soap dispenser
- Touch-free operation improves hand washing hygiene
- Uses refill bottle that simplifies replacement and reduces waste
- Delivers a pre-measured foam soap application "on demand"
- Low Soap Level Indicator
- All electronics sealed
- Double infrared sensors with automatic setting feature
- Soap sold separately from the ESD-400; choose either SJS-1751 (1000mL) or SJS-1751-3 (1000mL)
- Mounting Hardware included
- Note: Must use approved soap refills. Refills cannot be refilled after use. They must be recycled and a new bottle inserted into the dispenser. If they are refilled with a different soap the warranty on the soap dispenser will become null and void.

Recommended specifications

Sloan Optima Foam Soap Dispenser model number ESD-400. Brushed Stainless PVD plated finish.

Soap Refills

- SJS-1751 (1000 ml)
- SJS-1751-3 (1000 ml)
- SJS-1751-4 (1000 ml)

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

