PRICE GROUP	DESCRIPTION	DISCOUNT MULTIPLIER
TM	CTS - CPVC	
VT	CTS - CPVC Ball Valves	



Orders shipped in full bag / carton quantities only

PRODUCTS | PRICE LIST

CTS - CPVC COPPER TUBE SIZE FITTINGS & VALVES

KEY:	
FPTFemale Pipe Thread MPTMale Pipe Thread	SPSpigot CTSCopper Tube Size
SLIPSolvent Cement Socket	IPSIron Pipe Size



Slip

Tee				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4101-005	1/2	500	50	2.38
4101-007	3/4	250	50	4.22
4101-010	1	100	10	22.15
4101-012	11⁄4	100	10	33.99
4101-015	1½	50	5	44.27
4101-020	2	25	5	71.58



Slip

Reducer Tee				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4101-074	½ X½ X¾	250	50	8.28
4101-094	3⁄4 X 1⁄2 X 1⁄2	250	50	4.37
4101-095	3/4 X 1/2 X 3/4	250	50	5.98
4101-101	3/4 X 3/4 X 1/2	250	50	4.60
4101-102*	34 X 34 X 1	100	10	48.87
4101-120*	1 X ½ X ½	100	10	52.66
4101-121*	1 X ½ X ¾	100	10	51.79
4101-122*	1 X ½ X 1	100	10	39.82
4101-124*	1 X ¾ X ½	100	10	49.18
4101-125	1 X ¾ X ¾	100	50	26.87
4101-126*	1 X ¾ X 1	100	10	39.35
4101-130	1 X 1 X ½	100	10	25.17
4101-131	1 X 1 X ¾	100	10	24.01
4101-158*	1¼ X 1 X 1	100	10	76.28
4101-166*	1¼ X 1¼ X ½	60	10	61.43
4101-167*	1¼ X 1¼ X ¾	60	10	54.64
4101-168*	1¼ X 1¼ X 1	100	10	57.74
4101-195*	1½ X 1 X 1	50	5	74.37
4101-209*	1½ X 1½ X ½	50	5	66.09
4101-210*	1½ X 1½ X ¾	50	5	55.12
4101-211*	1½ X 1½ X 1	50	5	50.45
4101-247*	2 X 2 X ½	25	5	92.64
4101-248*	2 X 2 X ¾	25	5	75.79
4101-249	2 X 2 X 1	25	5	71.82
4101-251*	2 X 2 X 1½	25	5	80.99

*Fabricated



90° Elbow				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4106-005	1/2	1000	50	1.76
4106-007	3/4	500	50	2.89
4106-010	1	100	10	8.46



Slin

90° Elbow (con	tinued)			
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4106-012	11⁄4	100	10	16.83
4106-015	1½	100	10	30.37
4106-020	2	50	5	58.27
4106-101	3/4 X 1/2	250	50	6.67



Spigot x Slip

90° Street Elbo	ow .			
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4109-005	1/2	500	50	2.19
4109-007	3/4	250	50	3.42
4109-010	1	100	10	15.67



Slip

45° Elbow				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4117-005	1/2	500	50	2.35
4117-007	3/4	250	50	4.07
4117-010	1	100	10	9.80
4117-012	11⁄4	100	10	21.94
4117-015	1½	100	10	31.78
4117-020	2	25	5	62.96



Spigot x Slip

45° Street Elbo)W			
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4127-005	1/2	500	50	4.72
4127-007	3/4	250	50	6.69
4127-010	1	100	10	19.21



Slip

Coupling				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4129-005	1/2	1000	50	1.53
4129-007	3/4	500	50	1.92
4129-010	1	100	10	8.59
4129-012	11⁄4	100	10	11.74
4129-015	1½	100	10	16.58
4129-020	2	50	10	29.87



Slip x Slip

Reducer Coupl	ing			
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4129-101	3⁄4 X 1∕2	250	50	3.56
4129-131	1 X ¾	100	10	10.74
4129-168*	1¼ X 1	60	10	37.57

^{*}Fabricated



FPT x Slip

Threaded Female Adapter - Stainless Steel*				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4135-005SS	1/2	100	10	56.80
4135-007SS	3/4	50	5	61.28
4135-010SS	1	25	5	186.95

^{*} Suitable for Hot and Cold water applications. 304 Stainless Steel is galvanically compatible with Brass and Copper in potable water plumbing systems.



MPT x Slip

Male Adapter				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4136-005	1/2	1000	50	1.93
4136-007	3/4	500	50	3.28
4136-010	1	100	10	14.71
4136-012	11⁄4	100	10	24.07
4136-015	11/2	100	10	29.68
4136-020	2	50	10	48.96

^{*} CPVC threaded fittings are recommended for cold water applications only. 304 Stainless Steel threaded fittings are suitable for Hot ad Cold water applications.



MPT x Slip

Threaded Male Adapter - Stainless Steel*					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4136-005SS	1/2	100	10	56.80	
4136-007SS	3/4	50	5	61.28	
4136-010SS	1	25	5	186.95	

^{*} Suitable for Hot and Cold water applications. 304 Stainless Steel is galvanically compatible with Brass and Copper in potable water plumbing systems.



MPT x Slip

Reducing Male Adapter					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4136-074	½ X ¾	250	50	7.81	

 * CPVC threaded fittings are recommended for cold water applications only. 304 Stainless Steel threaded fittings are suitable for Hot ad Cold water applications.



Spigot x Slip

Reducer Bushing				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4137-101	3⁄4 X 1∕2	500	50	2.31
4137-130	1 X ½	100	10	7.56
4137-131	1 X ¾	100	10	7.56
4137-166	1¼ X ½	100	10	10.87
4137-167	11/4 X 3/4	100	10	9.82
4137-168	1¼ X 1	100	10	8.59
4137-209	1½ X ½	100	10	12.78
4137-210	1½ X ¾	100	10	12.78
4137-211	1½ X 1	100	10	12.12
4137-212	1½ X 1¼	100	10	12.12
4137-247	2 X ½	50	10	30.34
4137-248	2 X ¾	50	10	28.33
4137-249	2 X 1	50	10	27.36
4137-250	2 X 11/4	50	10	32.23
4137-251	2 X 1½	50	10	27.36



Spigot x Slip

IPS to CTS Transition Bushing					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4140-005	1/2	100	10	10.13	
4140-007	3/4	100	10	10.24	
4140-010	1	100	10	11.29	
4140-012	11⁄4	100	10	14.47	
4140-015	11/2	100	10	18.24	
4140-020	2	50	10	19.21	



Clin v Cli

IPS to CTS Transition Coupling					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4141-007	3/4	250	50	6.89	
4141-010	1	100	10	13.05	



Clin

Сар				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4147-005	1/2	500	50	1.60
4147-007	3/4	250	50	2.13
4147-010	1	100	10	7.77
4147-012	11⁄4	100	10	11.03
4147-015	1½	100	10	16.98
4147-020	2	50	10	34.26



MPT x Spigot

Street Male Adapter					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4161-005	1/2	1000	50	6.187	

^{*} CPVC threaded fittings are recommended for cold water applications only. 304 Stainless Steel threaded fittings are suitable for Hot ad Cold water applications.



 Drop Ear 90° Elbow

 Part No
 Size (in)
 Ctn Qty
 Bag Qty
 List Price (\$)

 DE4106-005
 ½
 250
 50
 5.53



FPT x Slip

 Drop Ear 90° Elbow - Stainless Steel*

 Part No
 Size (in)
 Ctn Qty
 Bag Qty
 List Price (\$)

 DE4107-005SS
 ½
 50
 10
 70.62

 $\mbox{\ensuremath{\,^*}}$ Suitable for Hot and Cold water applications.



Slip x Slip

Ball Valve				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
V07491CE	1/2	100	_	9.22
V08491CE	3/4	100	_	11.93
V10491CE	1	100		20.78
V14491CE	11⁄4	100		37.57
V17491CE	1½	48	_	44.49
V20491CE	2	24		58.96

 ${\it CTS-CPVC Ball Valves have \ discount \ code \ VT}$



CUSTOMER SERVICE

Phone: (800) 776-2756 | Fax: (731) 772-0835 Email: customerservice@lascofittings.com www.lascofittings.com

LIMITED WARRANTY

LASCO Fittings, Inc. products are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of three years from date of installation. If LASCO products prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if LASCO products are not used strictly in accordance with LASCO's directions with respect to use and storage or if the products have been modified in any way.

THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANT-ING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.

DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.

DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.

MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.



△ WARNING:

USE OF COMPRESSED AIR OR GAS IN PVC/CPVC PIPE AND FITTINGS CAN RESULT IN EXPLOSIVE FAILURES AND CAUSE SEVERE INJURY OR DEATH.

STANDARDS AND SPECIFICATIONS - CTS - CPVC

ASTM D 1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly

(Vinyl Chloride) (CPVC) Compounds, Class 23447.

ASTM D 2846 — CPVC Plastic Hot and Cold Water Distribution System
ASTM F 493 — Solvent Cements for CPVC Pipe and Fittings
MATERIAL — Fittings are produced from CPVC Type IV, Grade I.

LISTINGS – NSF/ANSI Standard 14: Plastics Piping system Components and Related Materials.

Includes ANSI Standard 61, Annex G

- CSA (Canadian Standards Association) B137.6

STANDARD TERMS AND CONDITIONS OF SALE

- 1. Terms: 2% 35 days, net 45 days.
- 2. Freight: FOB LASCO warehouses. Prepaid on orders for products only totaling \$1650 net for one shipment to single destination within the contiguous United States.
- $3.\,Minimum\,Order;\,\$100\,net.\,Smaller\,orders\,billed\,at\,this\,minimum\,charge.$
- 4. Claims for shipping errors must be made within 15 days to LASCO. Claims for damage or shortages should be directed promptly to the common carrier by the consignee.
- 5. Returns will be accepted only by prior authorization and if shipped freight prepaid. Returned merchandise subject to a 25% handling/restocking charge.
- 6. Pricing is subject to change without prior notice. However, prior notification will be given in the event of price changes in the period between order placement and scheduled shipment.
- 7. Offer to sell is not implied by possession of this or other LASCO price lists.