

# WALL-MOUNT TELEPHONE TUB FAUCET AND HAND SHOWER - CROSS HANDLES

SKU: 917398

Code: SH419189, SH446424, SH314171, SH419187, SH314175, SH419188, SH314172, SH314176, SH419184, SH419190, SH419185, SH419192, SH419186, SH314174



## FEATURES

Material: Metal construction for strength and durability

Installation Type: Wall Mount

Flow Rate: 13.3 gpm (50.4 L/min) @ 80 psi

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Spray Type: Full

Cartridge Type: Ceramic Disc

Swivel Spout: No

LISTED ID: SH441023\*, SH441006\*



## ADDITIONAL FEATURES


- 2" wall coupler shown in photography.
- Spout reach with 2" couplers = 7-3/8".
- Spout reach with 4" couplers = 10".
- Spout reach with 6" couplers = 12".

REVISED 5/14/2024

# WALL-MOUNT TELEPHONE TUB FAUCET AND HAND SHOWER - CROSS HANDLES

SKU: 917398

Code: SH419189, SH446424, SH314171, SH419187, SH314175, SH419188, SH314172, SH314176, SH419184, SH419190, SH419185, SH419192, SH419186, SH314174



REVISED 5/14/2024

# 2" WALL-MOUNT COUPLER - SET OF 2

SKU: 329446  
Code: SH329446

## FEATURES

Installation Type: Tub Wall Mount



ASME A112.18.1/CSA B125.1, LISTED ID: SH441023\*



## ADDITIONAL FEATURES

- For mounting a clawfoot tub faucet to a flat wall.
- 1-3/4" long.
- 1/2" FIP connections at the wall.
- Sold in pairs.

REVISED 5/14/2024

# 2" WALL-MOUNT COUPLER - SET OF 2

SKU: 329446  
Code: SH329446



REVISED 5/14/2024