



TEMPO[®]

Drainage, Drip Irrigation and Landscape Products

2019 Product Catalog

Pricing Effective 4/1/2019



www.tempoinc.com

Table of Contents

| Price List | |
|--|----|
| Valve Boxes | |
| 6" Round Valve Boxes | 1 |
| 10" Round Valve Boxes | 1 |
| 14" x 19" Standard Valve Boxes | 2 |
| 17" x 24" Jumbo Valve Boxes | 2 |
| 14" x 19" Low Profile Valve Boxes/Risers | 3 |
| 17" x 24" Low Profile Valve Boxes/Risers | 3 |
| Drainage | |
| Round Flat Grates | 4 |
| Round Atrium Grates | 4 |
| Square Flat Grates | 5 |
| Square Atrium Grates | 5 |
| Square Universal Grates | 5 |
| Round Flat Brass Grates | 6 |
| Pop-Up Relief Valves | 6 |
| Round Catch Basins | 7 |
| Square Catch Basins | 7 |
| Sump Box | 8 |
| Low Profile Basins | 8 |
| Downspout Adapters | 8 |
| Basin Kits | 8 |
| Drainage Accessories | 9 |
| Drip Irrigation | |
| AgriJet™ and Assemblies | 10 |
| Rhino™ Compensating Emitters | 11 |
| Take Apart Compensating Emitters | 11 |
| Take Apart Flag Emitters | 11 |
| Take Apart Adjustable Emitters | 12 |
| Mini-Inline Emitters | 12 |
| 8 Outlet Adjustable Bubbler | 12 |
| 4 Outlet Compensating Bubblers | 12 |



| Price List (Continued) | |
|-------------------------------------|---------|
| Zebra™ Adjustable Stream Emitters | 13 |
| Zebra™ Adjustable Fan Sprayers | 13 |
| Zebra™ Adjustable Bubblers | 14 |
| Single Piece Jets | 14 |
| Spray Sticks | 14 |
| Anteater™ Adjustable Jets | 15 |
| Adjustable Micro-Sprinkler | 15 |
| Misters | 15 |
| 18 mm PC Dripperline w/ Check Valve | 16 |
| 17 mm PC Dripperline w/ Check Valve | 16 |
| 1/4" Cobra™ Dripperline | 17 |
| 1/2" Poly Supply Tubing | 18 |
| 3/4" Poly Supply Tubing | 18 |
| Swing Riser Pipe | 18 |
| Polyethylene Distribution Tubing | 19 |
| Vinyl Distribution Tubing | 19 |
| Micro-Fittings | 20 |
| Micro-Fitting Large Packs | 21 |
| Micro-Fitting Adapters | 21 |
| 1/2" Compression Fittings | 22 - 24 |
| 3/4" Compression Fittings | 25 - 26 |
| Quick Lock™ Fittings | 27 - 28 |
| Quick Lock™ Solvent Weld Adapters | 29 |
| 18 mm Insert Fittings | 29 |
| 17 mm Insert Fittings | 30 |
| Funny Pipe Fittings and Assemblies | 31 |
| Y-Filters | 32 |
| Inline Filter | 33 |
| Pressure Regulating Filters | 33 |
| Y-Filter Replacement Parts | 33 |
| Pressure Regulators | 34 |

Table of Contents (Continued)



| Price List (Continued) | |
|---|---------|
| Drip Zone Kits | 34 |
| Full Port High Flow Ball Valves | 35 |
| Full Port Flush Ball Valves | 36 |
| Dual Line Full Port Flush "Y" Ball Valves | 36 |
| Dual Line Full Port Starter "Y" Ball Valves | 36 |
| Ball Valves | 37 |
| Flow Controlling Valves | 37 |
| Micro-Valves | 38 |
| Riser Leads for Jets | 38 |
| Plastic Stakes | 39 |
| Wire Stakes | 40 |
| Stake Assemblies | 41 |
| Poly Rigid Risers | 42 |
| 1/2" Riser Adapters | 42 - 43 |
| Riser Assemblies | 43 |
| IPS Hose Riser Adapters | 44 |
| Tools | 44 |
| Drip Accessories | 45 |
| Micro Packs | 46 - 49 |
| Technical Specifications | |
| Valve Boxes | |
| 6" Round Valve Boxes | 50 |
| 10" Round Valve Boxes | 51 |
| 14" x 19" Standard Valve Boxes | 52 |
| 17" x 24" Jumbo Valve Boxes | 53 |
| Standard Low Profile Valve Boxes | 54 |
| Standard Valve Box Riser Extenders | 55 |
| Jumbo Low Profile Valve Boxes | 56 |
| Jumbo Valve Box Riser Extenders | 57 |

| Technical Specifications (Continued) | |
|---|----|
| Drainage | |
| Round Grates | 58 |
| Square Grates | 59 |
| Square Universal Grates | 60 |
| Round Brass Grates | 60 |
| Pop-Up Relief Valves | 61 |
| Round Catch Basins | 62 |
| Square Catch Basins | 63 |
| Square Low Profile Basins | 64 |
| Drip Irrigation | |
| AgriJet™ Microsprinklers | 65 |
| PC Dripperline w/ Check Valve | 66 |
| Polyethylene Supply Tubing | 66 |
| Rhino™ Compensating Emitters | 67 |
| Take Apart Compensating Emitters | 67 |
| Take Apart Flag Emitters | 67 |
| Take Apart Adjustable Emitters | 67 |
| Anteater™ Adjustable Jets | 67 |
| Single Piece Jets | 67 |
| Zebra™ Adjustable Stream Emitters | 68 |
| Zebra™ Adjustable Fan Sprayers | 68 |
| Zebra™ Adjustable Bubblers | 68 |
| Spray Sticks | 69 |
| Threaded Misters | 69 |
| Barbed Mister | 69 |
| Mini-Inline Emitters | 69 |
| 4 Outlet Pressure Bubblers | 70 |
| 1/4" Cobra™ Dripperline | 70 |
| Adjustable Micro-Sprinkler | 70 |
| 8 Outlet Adjustable Bubbler | 70 |
| Polyethylene / Vinyl Distribution Tubing | 70 |

6" Round Valve Boxes

| | Part No. | Description | Color (Lid/Base) | Part Weight | Box Wt. | Box/Pallet Quantity | List Price |
|---|----------|--------------------------------------|------------------|-------------|---------|---------------------|-------------|
|  | VBR6GB | 6" Round Valve Box (ICV) | Green/Black | 1.10 lbs | 38 lbs | 36/450 | \$8.00 ea. |
| | VBR6GG | 6" Round Valve Box (ICV) | Green/Green | 1.10 lbs | 38 lbs | 36/450 | \$9.00 ea. |
| | VBR6PP | 6" Round Valve Box (Reclaimed Water) | Purple/Purple | 1.10 lbs | 38 lbs | 36/450 | \$10.50 ea. |
| | VBR6SS | 6" Round Valve Box (ICV) | Sand/Sand | 1.10 lbs | 38 lbs | 36/450 | \$10.00 ea. |
|  | VLR6G | 6" Round Lid (ICV) | Green | 0.20 lbs | 10 lbs | 48 | \$4.75 ea. |
| | VLR6P | 6" Round Lid (Reclaimed Water) | Purple | 0.20 lbs | 10 lbs | 48 | \$5.50 ea. |
| | VLR6S | 6" Round Lid (ICV) | Sand | 0.20 lbs | 10 lbs | 48 | \$5.25 ea. |

10" Round Valve Boxes

| | Part No. | Description | Color (Lid/Base) | Part Weight | Box Wt. | Box/Pallet Quantity | List Price |
|---|----------|---|------------------|-------------|---------|---------------------|-------------|
|  | VBR10GB | 10" Round Valve Box (ICV) | Green/Black | 2.40 lbs | 40 lbs | 16/180 | \$24.00 ea. |
| | VBR10GG | 10" Round Valve Box (ICV) | Green/Green | 2.40 lbs | 40 lbs | 16/180 | \$27.00 ea. |
| | VBR10PP | 10" Round Valve Box (Reclaimed Water) | Purple/Purple | 2.40 lbs | 40 lbs | 16/180 | \$31.50 ea. |
| | VBR10SS | 10" Round Valve Box (ICV) | Sand/Sand | 2.40 lbs | 40 lbs | 16/180 | \$30.00 ea. |
|  | VLR10G | 10" Round Lid (ICV) | Green | 0.70 lbs | 11 lbs | 16 | \$9.50 ea. |
| | VLR10P | 10" Round Lid (Reclaimed Water) | Purple | 0.70 lbs | 11 lbs | 16 | \$11.00 ea. |
| | VLR10S | 10" Round Lid (ICV) | Sand | 0.70 lbs | 11 lbs | 16 | \$10.50 ea. |
| | VBA | 3/8" X 2" Stainless Steel Bolt Assembly, 10/bag | Silver | 0.09 lbs | 5 lbs | 40 | \$7.00 ea. |

*Pallet quantities are not boxed.

14" x 19" Standard Rectangular Valve Boxes

| | Part No. | Description | Color (Lid/Base) | Part Weight | Box Wt. | Box/Pallet Quantity | List Price |
|--|----------|---|------------------|-------------|---------|---------------------|-------------|
| | VB1419GB | 14" x 19" Standard Valve Box (ICV) | Green/Black | 6.40 lbs | 38 lbs | 6/90 | \$50.00 ea. |
| | VB1419GG | 14" x 19" Standard Valve Box (ICV) | Green/Green | 6.40 lbs | 38 lbs | 6/90 | \$55.00 ea. |
| | VB1419PP | 14" x 19" Standard Valve Box (Reclaimed Water) | Purple/Purple | 6.40 lbs | 38 lbs | 6/90 | \$64.00 ea. |
| | VB1419SS | 14" x 19" Standard Valve Box (ICV) | Sand/Sand | 6.40 lbs | 38 lbs | 6/90 | \$61.00 ea. |
| | VLR1419G | 14" x 19" Rectangular Lid (ICV) | Green | 1.80 lbs | 28 lbs | 15 | \$28.00 ea. |
| | VLR1419P | 14" x 19" Rectangular Lid (Reclaimed Water) | Purple | 1.80 lbs | 28 lbs | 15 | \$32.00 ea. |
| | VLR1419S | 14" x 19" Rectangular Lid (ICV) | Sand | 1.80 lbs | 28 lbs | 15 | \$31.00 ea. |
| | VBA | 3/8" x 2" Stainless Steel Bolt Assembly, 10/bag | Silver | 0.09 lbs | 5 lbs | 40 | \$7.00 ea. |

17" x 24" Jumbo Rectangular Valve Boxes

| | Part No. | Description | Color (Lid/Base) | Part Weight | Box Wt. | Box/Pallet Quantity | List Price |
|--|----------|---|------------------|-------------|---------|---------------------|--------------|
| | VB1724GB | 17" x 24" Jumbo Valve Box (ICV) | Green/Black | 10.50 lbs | 44 lbs | 4/48 | \$100.00 ea. |
| | VB1724GG | 17" x 24" Jumbo Valve Box (ICV) | Green/Green | 10.50 lbs | 44 lbs | 4/48 | \$105.00 ea. |
| | VB1724PP | 17" x 24" Jumbo Valve Box (Reclaimed Water) | Purple/Purple | 10.50 lbs | 44 lbs | 4/48 | \$115.00 ea. |
| | VB1724SS | 17" x 24" Jumbo Valve Box (ICV) | Sand/Sand | 10.50 lbs | 44 lbs | 4/48 | \$110.00 ea. |
| | VLR1724G | 17" x 24" Rectangular Lid (ICV) | Green | 3.00 lbs | 32 lbs | 10 | \$47.00 ea. |
| | VLR1724P | 17" x 24" Rectangular Lid (Reclaimed Water) | Purple | 3.00 lbs | 32 lbs | 10 | \$52.00 ea. |
| | VLR1724S | 17" x 24" Rectangular Lid (ICV) | Sand | 3.00 lbs | 32 lbs | 10 | \$50.00 ea. |
| | VBA | 3/8" x 2" Stainless Steel Bolt Assembly, 10/bag | Silver | 0.09 lbs | 5 lbs | 40 | \$7.00 ea. |

*Pallet quantities are not boxed.

14" x 19" Low Profile Valve Boxes and Riser Extensions




| | Part No. | Description | Color (Lid/Base) | Part Weight | Box Wt. | Box/Pallet Quantity | List Price |
|--|----------|---|------------------|-------------|---------|---------------------|-------------|
| | VBSLPGB | 14" x 19" Low Profile Valve Box (ICV) | Green/Black | 4.60 lbs | 20 lbs | 4/49 | \$48.00 ea. |
| | VBSLPGG | 14" x 19" Low Profile Valve Box (ICV) | Green/Green | 4.60 lbs | 20 lbs | 4/49 | \$53.00 ea. |
| | VBSLPPP | 14" x 19" Low Profile Valve Box (Reclaimed Water) | Purple/Purple | 4.60 lbs | 20 lbs | 4/49 | \$62.00 ea. |
| | VBSLPSS | 14" x 19" Low Profile Valve Box (ICV) | Sand/Sand | 4.60 lbs | 20 lbs | 4/49 | \$59.00 ea. |
| | VBSRB | 14" x 19" Riser Extension | Black | 2.80 lbs | 19 lbs | 6/91 | \$37.00 ea. |
| | VBSRG | 14" x 19" Riser Extension | Green | 2.80 lbs | 19 lbs | 6/91 | \$40.00 ea. |
| | VBSRP | 14" x 19" Riser Extension | Purple | 2.80 lbs | 19 lbs | 6/91 | \$43.00 ea. |
| | VBSRS | 14" x 19" Riser Extension | Sand | 2.80 lbs | 19 lbs | 6/91 | \$42.00 ea. |
| | VBA | 3/8" X 2" Stainless Steel Bolt Assembly, 10/bag | Silver | 0.09 lbs | 5 lbs | 40 | \$7.00 ea. |

17" x 24" Low Profile Valve Boxes and Riser Extensions




| | Part No. | Description | Color (Lid/Base) | Part Weight | Box Wt. | Box/Pallet Quantity | List Price |
|--|----------|---|------------------|-------------|---------|---------------------|--------------|
| | VBJLPGB | 17" x 24" Low Profile Valve Box (ICV) | Green/Black | 7.50 lbs | 32 lbs | 4/35 | \$90.00 ea. |
| | VBJLPGG | 17" x 24" Low Profile Valve Box (ICV) | Green/Green | 7.50 lbs | 32 lbs | 4/35 | \$95.00 ea. |
| | VBJLPPP | 17" x 24" Low Profile Valve Box (Reclaimed Water) | Purple/Purple | 7.50 lbs | 32 lbs | 4/35 | \$105.00 ea. |
| | VBJLPSS | 17" x 24" Low Profile Valve Box (ICV) | Sand/Sand | 7.50 lbs | 32 lbs | 4/35 | \$100.00 ea. |
| | VBJRB | 17" x 24" Riser Extension | Black | 4.50 lbs | 29 lbs | 6/60 | \$68.00 ea. |
| | VBJRG | 17" x 24" Riser Extension | Green | 4.50 lbs | 29 lbs | 6/60 | \$72.00 ea. |
| | VBJRP | 17" x 24" Riser Extension | Purple | 4.50 lbs | 29 lbs | 6/60 | \$78.00 ea. |
| | VBJRS | 17" x 24" Riser Extension | Sand | 4.50 lbs | 29 lbs | 6/60 | \$76.00 ea. |
| | VBA | 3/8" X 2" Stainless Steel Bolt Assembly, 10/bag | Silver | 0.09 lbs | 5 lbs | 40 | \$7.00 ea. |

*Pallet quantities are not boxed.




Round Flat Grates

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|--|----------|---------------------|--------|-------------|------------|---------|-------------|
|  | G3RFG | 3" Round Flat Grate | Green | 0.13 lbs | 7 lbs | 50 | \$4.20 ea. |
| | G3RFB | 3" Round Flat Grate | Black | 0.13 lbs | 7 lbs | 50 | \$4.20 ea. |
| | G3RFS | 3" Round Flat Grate | Sand | 0.13 lbs | 7 lbs | 50 | \$4.40 ea. |
| | G3RFC | 3" Round Flat Grate | Grey | 0.13 lbs | 7 lbs | 50 | \$4.40 ea. |
| | G3RFP | 3" Round Flat Grate | Purple | 0.13 lbs | 7 lbs | 50 | \$4.40 ea. |
|  | G4RFG | 4" Round Flat Grate | Green | 0.18 lbs | 10 lbs | 50 | \$4.75 ea. |
| | G4RFB | 4" Round Flat Grate | Black | 0.18 lbs | 10 lbs | 50 | \$4.75 ea. |
| | G4RFS | 4" Round Flat Grate | Sand | 0.18 lbs | 10 lbs | 50 | \$5.00 ea. |
| | G4RFC | 4" Round Flat Grate | Grey | 0.18 lbs | 10 bs | 50 | \$5.00 ea. |
|  | G6RFG | 6" Round Flat Grate | Green | 0.46 lbs | 10 lbs | 20 | \$12.00 ea. |
| | G6RFB | 6" Round Flat Grate | Black | 0.46 lbs | 10 lbs | 20 | \$12.00 ea. |
| | G6RFS | 6" Round Flat Grate | Sand | 0.46 lbs | 10 lbs | 20 | \$12.50 ea. |
| | G6RFC | 6" Round Flat Grate | Grey | 0.46 lbs | 10 bs | 20 | \$12.50 ea. |



Round Atrium Grates

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|---|----------|-----------------------|-------|-------------|------------|---------|-------------|
|  | G3RAG | 3" Round Atrium Grate | Green | 0.15 lbs | 5 lbs | 25 | \$9.40 ea. |
| | G3RAB | 3" Round Atrium Grate | Black | 0.15 lbs | 5 lbs | 25 | \$9.40 ea. |
| | G3RAS | 3" Round Atrium Grate | Sand | 0.15 lbs | 5 lbs | 25 | \$9.90 ea. |
|  | G4RAG | 4" Round Atrium Grate | Green | 0.20 lbs | 5 lbs | 20 | \$14.00 ea. |
| | G4RAB | 4" Round Atrium Grate | Black | 0.20 lbs | 5 lbs | 20 | \$14.00 ea. |
| | G4RAS | 4" Round Atrium Grate | Sand | 0.20 lbs | 5 lbs | 20 | \$14.70 ea. |
|  | G6RAG | 6" Round Atrium Grate | Green | 0.51 lbs | 7 lbs | 12 | \$19.20 ea. |
| | G6RAB | 6" Round Atrium Grate | Black | 0.51 lbs | 7 lbs | 12 | \$19.20 ea. |
| | G6RAS | 6" Round Atrium Grate | Sand | 0.51 lbs | 7 lbs | 12 | \$20.00 ea. |


Square Flat Grates

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|--|----------|-----------------------|-------|-------------|------------|---------|--------------|
|  | G9SFG | 9" Square Flat Grate | Green | 0.90 lbs | 10 lbs | 10 | \$36.25 ea. |
| | G9SFB | 9" Square Flat Grate | Black | 0.90 lbs | 10 lbs | 10 | \$36.25 ea. |
| | G9SFS | 9" Square Flat Grate | Sand | 0.90 lbs | 10 lbs | 10 | \$38.00 ea. |
| | G9SFC | 9" Square Flat Grate | Grey | 0.90 lbs | 10 lbs | 10 | \$38.00 ea. |
|  | G12SFG | 12" Square Flat Grate | Green | 1.70 lbs | 18 lbs | 10 | \$52.50 ea. |
| | G12SFB | 12" Square Flat Grate | Black | 1.70 lbs | 18 lbs | 10 | \$52.50 ea. |
| | G12SFS | 12" Square Flat Grate | Sand | 1.70 lbs | 18 lbs | 10 | \$55.00 ea. |
| | G12SFC | 12" Square Flat Grate | Grey | 1.70 lbs | 18 bs | 10 | \$55.00 ea. |
|  | G18SFG | 18" Square Flat Grate | Green | 5.40 lbs | 12 lbs | 2 | \$195.00 ea. |
| | G18SFB | 18" Square Flat Grate | Black | 5.40 lbs | 12 lbs | 2 | \$195.00 ea. |
| | G18SFS | 18" Square Flat Grate | Sand | 5.40 lbs | 12 lbs | 2 | \$200.00 ea. |
| | G18SFC | 18" Square Flat Grate | Grey | 5.40 lbs | 12 bs | 2 | \$200.00 ea. |


Square Atrium Grates

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|--|----------|-------------------------|-------|-------------|------------|---------|-------------|
|  | G9SAG | 9" Square Atrium Grate | Green | 0.65 lbs | 6 lbs | 8 | \$41.50 ea. |
| | G9SAB | 9" Square Atrium Grate | Black | 0.65 lbs | 6 lbs | 8 | \$41.50 ea. |
|  | G12SAG | 12" Square Atrium Grate | Green | 1.30 lbs | 12 lbs | 8 | \$60.00 ea. |
| | G12SAB | 12" Square Atrium Grate | Black | 1.30 lbs | 12 lbs | 8 | \$60.00 ea. |





Square Universal Grates

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|---|----------|---------------------------|-------|-------------|------------|---------|-------------|
|  | G6SUG | 6" Square Universal Grate | Green | 0.55 lbs | 13 lbs | 20 | \$18.00 ea. |
| | G6SUB | 6" Square Universal Grate | Black | 0.55 lbs | 13 lbs | 20 | \$18.00 ea. |
| | G6SUS | 6" Square Universal Grate | Sand | 0.55 lbs | 13 lbs | 20 | \$19.00 ea. |
| | G6SUC | 6" Square Universal Grate | Grey | 0.55 lbs | 13 lbs | 20 | \$19.00 ea. |
| <p>Note: The 6" Square Universal Grate fits 3" and 4" Sewer and Drain, Corrugated and Triple Wall Pipe, 3", 4" and 6" Sewer and Drain Hub Fittings and 6" Round Catch Basins.</p> | | | | | | | |



Round Flat Brass Grates

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|---|----------|--|-------------|-------------|------------|---------|-------------|
|  | GB3R | 3" Round Flat Brass Grate with PVC Collar (Fits 2" Schedule 40 Pipe and 3" Sewer & Drain Fittings) | Satin Brass | 0.30 lbs | 4 lbs | 12 | \$40.00 ea. |




Pop-Up Relief Valves

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|---|----------|---|-------|-------------|------------|---------|-------------|
|  | APU | Pop-Up Valve (fits 3" and 4" hub fittings) | Green | 0.30 lbs | 7 lbs | 20 | \$21.50 ea. |
|  | APU3 | Pop-Up Valve with 3" Elbow (fits 3" PVC Pipe) | Green | 0.60 lbs | 7 lbs | 10 | \$26.25 ea. |
|  | APU4 | Pop-Up Valve with 4" Elbow (fits 4" PVC Pipe) | Green | 0.90 lbs | 9 lbs | 8 | \$30.50 ea. |
|  | APUP34 | Pop-Up Valve with 4" Elbow and Adapter (fits 3" & 4" PVC and Corrugated Pipe) | Green | 1.40 lbs | 10 lbs | 6 | \$37.25 ea. |


Round Catch Basins

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|--|----------|---|-------|-------------|------------|---------|-------------|
|  | BR61 | 6" Round Basin, 1 Outlet (fits 3" and 4" PVC & Corrugated Pipe) | Black | 1.30 lbs | 13 lbs | 8 | \$24.00 ea. |
|  | BR62 | 6" Round Basin, 2 Outlets (fits 3" and 4" PVC & Corrugated Pipe) | Black | 1.50 lbs | 14 lbs | 8 | \$26.00 ea. |



Square Catch Basins

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|--|----------|---|-------|-------------|------------|---------|--------------|
|  | BS92 | 9" Square Basin, 2 Outlets (accepts Adapters [ABA34, ABAO34, ABA6] or Plug [ABP]) | Black | 2.00 lbs | 13 lbs | 6 | \$33.50 ea. |
| | BS94 | 9" Square Basin, 4 Outlets (accepts Adapters [ABA34, ABAO34, ABA6] or Plug [ABP]) | Black | 1.60 lbs | 11 lbs | 6 | \$43.50 ea. |
|  | BS122 | 12" Square Basin, 2 Outlets (accepts Adapters [ABA34, ABAO34, ABA6] or Plug [ABP]) | Black | 3.70 lbs | 21 lbs | 5 | \$49.00 ea. |
| | BS124 | 12" Square Basin, 4 Outlets (accepts Adapters [ABA34, ABAO34, ABA6] or Plug [ABP]) | Black | 3.30 lbs | 19 lbs | 5 | \$68.00 ea. |
|  | BS182 | 18" Square Basin, 2 Outlets (accepts Adapters [ABA34, ABAO34, ABA6] or Plug [ABP]) | Black | 9.10 lbs | 21 lbs | 2 | \$330.00 ea. |
| | BS184 | 18" Square Basin, 4 Outlets (accepts Adapters [ABA34, ABAO34, ABA6] or Plug [ABP]) | Black | 8.70 lbs | 20 lbs | 2 | \$350.00 ea. |


Sump Box

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|---|----------|-------------------------------------|-------|-------------|------------|---------|-------------|
|  | BS120 | 12" Square Sump Box (no outlets) | Black | 4.10 lbs | 22 lbs | 5 | \$57.00 ea. |


Low Profile Basins

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|---|----------|--|-------|-------------|------------|---------|-------------|
|  | BS9LP | 9" Low Profile Basin (accepts Basin Adapters [ABA34, ABAO34, ABA6]) | Black | 0.80 lbs | 11 lbs | 12 | \$27.50 ea. |
|  | BS12LP | 12" Low Profile Basin (accepts Basin Adapters [ABA34, ABAO34, ABA6]) | Black | 1.45 lbs | 20 lbs | 12 | \$34.50 ea. |

Downspout Adapters

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|---|----------|---|-------|-------------|------------|---------|------------|
|  | ADS23 | 2" x 3" Downspout Adapter (fits 3" and 4" PVC or Corrugated Pipe) | Black | 0.40 lbs | 10 lbs | 24 | \$7.00 ea. |
| | ADS34 | 3" x 4" Downspout Adapter (fits 3" and 4" PVC or Corrugated Pipe) | Black | 0.40 lbs | 10 lbs | 24 | \$8.00 ea. |

Basin Kits



| | Part No. | Description | Grate Color | Part Weight | Box Weight | Box Qty | List Price |
|---|----------|--------------------------------|-------------|-------------|------------|---------|--------------|
|  | K9G | 9" Basin Kit with Green Grate | Green | 4.20 lbs | 18 lbs | 4 | \$90.00 ea. |
| | K9B | 9" Basin Kit with Black Grate | Black | 4.20 lbs | 18 lbs | 4 | \$90.00 ea. |
| | K12G | 12" Basin Kit with Green Grate | Green | 6.70 lbs | 29 lbs | 4 | \$120.00 ea. |
| | K12B | 12" Basin Kit with Black Grate | Black | 6.70 lbs | 29 lbs | 4 | \$120.00 ea. |

Kit contains: 1 – 9" or 12" Square Basin, 1 – 9" or 12" Square Flat Grate, 2 – Basin Adapters to 3" or 4" Pipe, 1 – Basin Plug

Drainage Accessories

| | Part No. | Description | Color | Part Weight | Box Weight | Box Qty | List Price |
|--|----------|--|-------|-------------|------------|---------|-------------|
|  | ABP | Basin Plug (fits 9", 12" & 18" Square Basins Outlets) | Black | 0.30 lbs | 12 lbs | 40 | \$6.80 ea. |
|  | ABA34 | Basin Adapter (adapts 9", 12" & 18" Square Basin and 9" & 12" Low Profile Basin Outlets to 3" & 4" PVC and Corrugated Pipe) | Black | 0.50 lbs | 13 lbs | 24 | \$8.40 ea. |
|  | ABAO34 | Offset Basin Adapter (adapts 9", 12" & 18" Square Basin and 9" & 12" Low Profile Basin Outlets to 3" & 4" PVC and Corrugated Pipe) | Black | 0.50 lbs | 13 lbs | 24 | \$9.00 ea. |
|  | ABA6 | Basin Adapter (adapts 9", 12" & 18" Square Basin and 9" & 12" Low Profile Basin Outlets to 6" PVC and Corrugated Pipe) | Black | 0.60 lbs | 17 lbs | 24 | \$10.00 ea. |
|  | AFA34 | Fitting Adapter (adapts 3" & 4" Hub Fitting to 3" & 4" PVC and Corrugated Pipe) | Black | 0.55 lbs | 15 lbs | 24 | \$8.50 ea. |
|  | ABR9 | 9" Square Basin Riser (extends height of 9" Square Basin by 6") | Black | 1.50 lbs | 14 lbs | 8 | \$32.50 ea. |
|  | ABR12 | 12" Square Basin Riser (extends height of 12" Square Basin by 6") | Black | 2.15 lbs | 11 lbs | 4 | \$38.00 ea. |

AgriJet™ and Assemblies NEW

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price | |
|---|--|--|-------------|----------|---------|------------|------------|------------|
| EJ30A | 0.030" Orifice, 12-Stream 360° High-Low Trajectory Jet | Black | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
| EJ35A | 0.035" Orifice, 12-Stream 360° High-Low Trajectory Jet | Orange | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
| EJ40A | 0.040" Orifice, 12-Stream 360° High-Low Trajectory Jet | Blue | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
| EJ45A | 0.045" Orifice, 12-Stream 360° High-Low Trajectory Jet | Violet | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
| EJ50A | 0.050" Orifice, 12-Stream 360° High-Low Trajectory Jet | Green | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
|  | EJ30E | 0.030" Orifice, 22-Stream 360° Standard Trajectory Jet | Black | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. |
| | EJ35E | 0.035" Orifice, 22-Stream 360° Standard Trajectory Jet | Orange | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. |
| | EJ40E | 0.040" Orifice, 22-Stream 360° Standard Trajectory Jet | Blue | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. |
| | EJ45E | 0.045" Orifice, 22-Stream 360° Standard Trajectory Jet | Violet | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. |
| | EJ50E | 0.050" Orifice, 22-Stream 360° Standard Trajectory Jet | Green | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. |
| EJ30J | 0.030" Orifice, 16-Stream 360° Standard Trajectory Jet | Black | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
| EJ35J | 0.035" Orifice, 16-Stream 360° Standard Trajectory Jet | Orange | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
| EJ40J | 0.040" Orifice, 16-Stream 360° Standard Trajectory Jet | Blue | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
| EJ45J | 0.045" Orifice, 16-Stream 360° Standard Trajectory Jet | Violet | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
| EJ50J | 0.050" Orifice, 16-Stream 360° Standard Trajectory Jet | Green | 0.40 lbs | 100 | 1,000 | 4 lbs | \$0.55 ea. | |
|  | TFT24- XXY | 24" Poly Lead (0.160" x 0.245"), Adapter and Specified Jet | N/A | 2.60 lbs | 100 | 1,000 | 27 lbs | \$1.17 ea. |
| | TFT30- XXY | 30" Poly Lead (0.160" x 0.245"), Adapter and Specified Jet | N/A | 3.10 lbs | 100 | 1,000 | 32 lbs | \$1.21 ea. |
| | TFT36- XXY | 36" Poly Lead (0.160" x 0.245"), Adapter and Specified Jet | N/A | 3.60 lbs | 100 | 1,000 | 37 lbs | \$1.25 ea. |
| Assembly Ordering Guide: XX = 30, 35, 40, 45, 50 orifice size. Y = A, E or J pattern. | | | | | | | | |

Rhino™ Compensating Emitters

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|--|------------|-------------|---------|---------|------------|------------|
| ERC5 | 0.5 gph, PC Emitter (with Check Valve) | Red | 0.45 lbs | 100 | 2,000 | 10 lbs | \$0.47 ea. |
| ERC5BL | 0.5 gph, PC Emitter (with Check Valve) | Blue | 0.45 lbs | 100 | 2,000 | 10 lbs | \$0.47 ea. |
| ERC10 | 1.0 gph, PC Emitter (with Check Valve) | Black | 0.45 lbs | 100 | 2,000 | 10 lbs | \$0.47 ea. |
| ERC20 | 2.0 gph, PC Emitter (with Check Valve) | Green | 0.45 lbs | 100 | 2,000 | 10 lbs | \$0.47 ea. |
| ERC20DR | 2.0 gph, PC Emitter (with Check Valve) | Dark Red | 0.45 lbs | 100 | 2,000 | 10 lbs | \$0.47 ea. |



Take Apart Pressure Compensating Emitters

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|--------------------------------|------------|-------------|---------|---------|------------|------------|
| ETAPC5 | 0.5 gph, Take Apart PC Emitter | Red | 0.45 lbs | 100 | 2,000 | 10 lbs | \$0.53 ea. |
| ETAPC10 | 1.0 gph, Take Apart PC Emitter | Black | 0.45 lbs | 100 | 2,000 | 10 lbs | \$0.53 ea. |
| ETAPC20 | 2.0 gph, Take Apart PC Emitter | Green | 0.45 lbs | 100 | 2,000 | 10 lbs | \$0.53 ea. |



Take Apart Flag Emitters

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|--|-------------|-------------|---------|---------|------------|------------|
| ETA10 | 1.0 gph, Take Apart Flag Emitter (with C-LOK™) | Black | 0.33 lbs | 100 | 2,000 | 7 lbs | \$0.31 ea. |
| ETA20G | 2.0 gph, Take Apart Flag Emitter (with C-LOK™) | Light Green | 0.33 lbs | 100 | 2,000 | 7 lbs | \$0.31 ea. |
| ETA20B | 2.0 gph, Take Apart Flag Emitter (with C-LOK™) | Blue | 0.33 lbs | 100 | 2,000 | 7 lbs | \$0.31 ea. |
| ETA40Y | 4.0 gph, Take Apart Flag Emitter (with C-LOK™) | Yellow | 0.33 lbs | 100 | 2,000 | 7 lbs | \$0.31 ea. |
| ETA40G | 4.0 gph, Take Apart Flag Emitter (with C-LOK™) | Dark Green | 0.33 lbs | 100 | 2,000 | 7 lbs | \$0.31 ea. |



Take Apart Adjustable Emitters

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|--|------------|-------------|---------|---------|------------|------------|
| | EAB | 0 - 2 gph, Take Apart Adjustable Emitter with Barbed Inlet | Black | 0.37 lbs | 100 | 1,000 | 5 lbs | \$0.69 ea. |
| | EAS | 0 - 2 gph, Take Apart Adjustable Emitter on 6" Stake | Black | 1.02 lbs | 50 | 1,000 | 12 lbs | \$1.25 ea. |

Mini-Inline Emitters

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|------------------------------|------------|-------------|---------|---------|------------|------------|
| | EMIL5 | 0.5 gph, Mini-Inline Emitter | Red | 0.30 lbs | 100 | 2,000 | 7 lbs | \$0.58 ea. |
| | EMIL10 | 1.0 gph, Mini-Inline Emitter | Black | 0.30 lbs | 100 | 2,000 | 7 lbs | \$0.58 ea. |
| | EMIL20 | 2.0 gph, Mini-Inline Emitter | Green | 0.30 lbs | 100 | 2,000 | 7 lbs | \$0.58 ea. |

8 Outlet Adjustable Bubbler

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|--|------------|-------------|---------|---------|------------|-------------|
| | EAB8 | 0 - 30 gph/Outlet Adjustable Bubbler with 1/4" Swivel Barbed Elbows, 1/2" FIPT Swivel Inlet (includes wrench for valve adjustment, 45 psi max) | Black | 30.00 lbs | 10 | 30 | 10 lbs | \$15.00 ea. |

4 Outlet Pressure Compensating Bubblers

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|---|------------|-------------|---------|---------|------------|------------|
| | FM4 | 4 Outlet Manifold w/ 1/4" Swivel Barbed Elbows, 1/2" FIPT Inlet | Grey | 4.30 lbs | 25 | 100 | 5 lbs | \$5.00 ea. |
| | EPCB2 | 2 gph/Outlet, 4 Swivel Barbed Outlets, 1/2" FIPT PC Bubbler | Blue | 4.40 lbs | 25 | 100 | 5 lbs | \$5.20 ea. |
| | EPCB6 | 6 gph/Outlet, 4 Swivel Barbed Outlets, 1/2" FIPT PC Bubbler | Black | 4.40 lbs | 25 | 100 | 5 lbs | \$5.20 ea. |
| | EPCB10 | 10 gph/Outlet, 4 Swivel Barbed Outlets, 1/2" FIPT PC Bubbler | Red | 4.40 lbs | 25 | 100 | 5 lbs | \$5.20 ea. |
| | EPCB20 | 20 gph/Outlet, 4 Swivel Barbed Outlets, 1/2" FIPT PC Bubbler | Green | 4.40 lbs | 25 | 100 | 5 lbs | \$5.20 ea. |

Zebra™ Adjustable Stream Emitters

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|--|------------|-------------|---------|---------|------------|------------|
| | EZB360 | 360° 8-Stream Adjustable Emitter with Barbed Inlet | Black | 0.36 lbs | 100 | 1,000 | 5 lbs | \$0.55 ea. |
| | EZT360 | 360° 8-Stream Adjustable Emitter with Threaded Inlet | Black | 0.36 lbs | 100 | 1,000 | 5 lbs | \$0.55 ea. |
| | EZS360 | 360° 8-Stream Adjustable Emitter on 6" Stake (includes additional 1/4" barbed connector) | Black | 1.16 lbs | 50 | 1,000 | 14 lbs | \$0.87 ea. |
| | EZB180 | 180° 5-Stream Adjustable Emitter with Barbed Inlet | Black | 0.36 lbs | 100 | 1,000 | 5 lbs | \$0.55 ea. |
| | EZT180 | 180° 5-Stream Adjustable Emitter with Threaded Inlet | Black | 0.36 lbs | 100 | 1,000 | 5 lbs | \$0.55 ea. |
| | EZS180 | 180° 5-Stream Adjustable Emitter on 6" Stake (includes additional 1/4" barbed connector) | Black | 1.16 lbs | 50 | 1,000 | 14 lbs | \$0.87 ea. |

Zebra™ Adjustable Fan Sprayers

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|--|------------|-------------|---------|---------|------------|------------|
| | EZBFAN | Fan Spray Adjustable Emitter with Barbed Inlet | Black | 0.46 lbs | 100 | 1,000 | 6 lbs | \$0.68 ea. |
| | EZTFAN | Fan Spray Adjustable Emitter with Threaded Inlet | Black | 0.46 lbs | 100 | 1,000 | 6 lbs | \$0.68 ea. |
| | EZSFAN | Fan Spray Adjustable Emitter on 6" Stake (includes additional 1/4" barbed connector) | Black | 1.26 lbs | 50 | 1,000 | 14 lbs | \$1.03 ea. |

Zebra™ Adjustable Bubbler

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|--|------------|-------------|---------|---------|------------|------------|
| | EZBBUB | Adjustable Bubbler with Barbed Inlet | Black | 0.42 lbs | 100 | 1,000 | 5 lbs | \$0.68 ea. |
| | EZTBUB | Adjustable Bubbler with Threaded Inlet | Black | 0.42 lbs | 100 | 1,000 | 5 lbs | \$0.68 ea. |
| | EZSBUB | Adjustable Bubbler on 6" Stake (includes additional 1/4" barbed connector) | Black | 1.22 lbs | 50 | 1,000 | 14 lbs | \$1.03 ea. |


Single Piece Jets

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|--------------------------|------------|-------------|---------|---------|------------|------------|
| | EJ436 | 0.040" Orifice, 360° Jet | Blue | 0.10 lbs | 100 | 1,000 | 2 lbs | \$0.27 ea. |
| | EJ536 | 0.050" Orifice, 360° Jet | Green | 0.10 lbs | 100 | 1,000 | 2 lbs | \$0.27 ea. |
| | EJ636 | 0.060" Orifice, 360° Jet | Red | 0.10 lbs | 100 | 1,000 | 2 lbs | \$0.27 ea. |
| | EJ418 | 0.040" Orifice, 180° Jet | Blue | 0.10 lbs | 100 | 1,000 | 2 lbs | \$0.27 ea. |
| | EJ518 | 0.050" Orifice, 180° Jet | Green | 0.10 lbs | 100 | 1,000 | 2 lbs | \$0.27 ea. |
| | EJ618 | 0.060" Orifice, 180° Jet | Red | 0.10 lbs | 100 | 1,000 | 2 lbs | \$0.27 ea. |
| | EJ49 | 0.040" Orifice, 90° Jet | Blue | 0.10 lbs | 100 | 1,000 | 2 lbs | \$0.27 ea. |
| | EJ59 | 0.050" Orifice, 90° Jet | Green | 0.10 lbs | 100 | 1,000 | 2 lbs | \$0.27 ea. |
| | EJ69 | 0.060" Orifice, 90° Jet | Red | 0.10 lbs | 100 | 1,000 | 2 lbs | \$0.27 ea. |


Spray Sticks

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|------------------------------|------------|-------------|---------|---------|------------|------------|
| | ESS160BL | 160° High Flow Spray Stick | Black | 1.00 lbs | 100 | 1,000 | 10 lbs | \$0.29 ea. |
| | ESS160DG | 160° Medium Flow Spray Stick | Green | 1.00 lbs | 100 | 1,000 | 10 lbs | \$0.29 ea. |
| | ESS160AV | 160° Low Flow Spray Stick | Avocado | 1.00 lbs | 100 | 1,000 | 10 lbs | \$0.29 ea. |
| | ESS160TC | 160° Mini Flow Spray Stick | Terracotta | 1.00 lbs | 100 | 1,000 | 10 lbs | \$0.29 ea. |
| | ESS90BR | 90° Low Flow Spray Stick | Brown | 1.00 lbs | 100 | 1,000 | 10 lbs | \$0.29 ea. |
| | ESS90C | 90° Mini Flow Spray Stick | Grey | 1.00 lbs | 100 | 1,000 | 10 lbs | \$0.29 ea. |




Anteater™ Adjustable Jets

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|--|------------|-------------|---------|---------|------------|------------|
|  | EAJ360 | 360° Stream Spray Adjustable Jet w/ Threaded Inlet | Red | 0.55 lbs | 50 | 500 | 4 lbs | \$1.24 ea. |
| | EAJ180 | 180° Fan Spray Adjustable Jet w/ Threaded Inlet | Blue | 0.55 lbs | 50 | 500 | 4 lbs | \$1.24 ea. |
| | EAJ90 | 90° Fan Spray Adjustable Jet w/ Threaded Inlet | Black | 0.55 lbs | 50 | 500 | 4 lbs | \$1.24 ea. |


Adjustable Micro-Sprinkler

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|--|------------|-------------|---------|---------|------------|------------|
|  | EAMS | 0 - 22 gph, Adjustable Micro-Sprinkler w/ Threaded Inlet | Black | 0.80 lbs | 50 | 300 | 4 lbs | \$2.60 ea. |

Misters


| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|---|------------|-------------|---------|---------|------------|------------|
|  | EM6 | 0.6 gph, Plastic Misting Nozzle w/ 100 Mesh Stainless Steel Screen, 1/8" MIPT Inlet | Grey | 0.60 lbs | 50 | 250 | 2 lbs | \$6.20 ea. |
| | EM10 | 1.0 gph, Plastic Misting Nozzle w/ 100 Mesh Stainless Steel Screen, 1/8" MIPT Inlet | Blue | 0.60 lbs | 50 | 250 | 2 lbs | \$6.20 ea. |
|  | EMB30 | 3.0 gph, Plastic Misting/Fogging Nozzle with 1/4" Barbed Inlet | Black | 0.40 lbs | 100 | 500 | 3 lbs | \$1.14 ea. |
|  | FTM | PVC Reducing Threaded Tee, 1/2" x 1/2" x 1/8" (for use with EM6 and EM10 misters) | White | 4.50 lbs | 25 | 150 | 8 lbs | \$2.10 ea. |

18 mm PC Dripperline w/ Check Valve NEW

| Part No. | Description | Color Code | Coil Weight | Coil Size | Pallet Qty | Pallet Wt. | List Price |
|---|---|---|-------------|-----------|------------|------------|----------------------|
| ED18-612/500 | 0.6 gph, 18 mm PC Dripperline w/ Check Valve (0.600" x 0.700", 12" Spacing) | Black | 21.50 lbs | 500' | 10,000' | 465 lbs | \$285.00 ea. |
|  | ED18-618/500 | 0.6 gph, 18 mm PC Dripperline w/ Check Valve (0.600" x 0.700", 18" Spacing) | Black | 21.00 lbs | 500' | 10,000' | 455 lbs \$250.00 ea. |
| | ED18-1012/500 | 1.0 gph, 18 mm PC Dripperline w/ Check Valve (0.600" x 0.700", 12" Spacing) | Black | 21.50 lbs | 500' | 10,000' | 465 lbs \$285.00 ea. |
| | ED18-1018/500 | 1.0 gph, 18 mm PC Dripperline w/ Check Valve (0.600" x 0.700", 18" Spacing) | Black | 21.00 lbs | 500' | 10,000' | 455 lbs \$250.00 ea. |






Note: Other spacing and coil lengths available.

17 mm PC Dripperline w/ Check Valve NEW

| Part No. | Description | Color Code | Coil Weight | Coil Size | Pallet Qty | Pallet Wt. | List Price |
|---|---|---|-------------|-----------|------------|------------|----------------------|
| ED17-612/500 | 0.6 gph, 17 mm PC Dripperline w/ Check Valve (0.560" x 0.660", 12" Spacing) | Brown | 20.00 lbs | 500' | 10,000' | 435 lbs | \$300.00 ea. |
|  | ED17-618/500 | 0.6 gph, 17 mm PC Dripperline w/ Check Valve (0.560" x 0.660", 18" Spacing) | Brown | 19.50 lbs | 500' | 10,000' | 425 lbs \$265.00 ea. |
| | ED17-1012/500 | 1.0 gph, 17 mm PC Dripperline w/ Check Valve (0.560" x 0.660", 12" Spacing) | Brown | 20.00 lbs | 500' | 10,000' | 435 lbs \$300.00 ea. |
| | ED17-1018/500 | 1.0 gph, 17 mm PC Dripperline w/ Check Valve (0.560" x 0.660", 18" Spacing) | Brown | 19.50 lbs | 500' | 10,000' | 425 lbs \$265.00 ea. |

Note: Other spacing and coil lengths available. See specifications in back.

1/4" Cobra™ Dripperline

| Part No. | Description | Color Code | Wt. per 100' | Coil Size | Box Qty | Box Wt. | List Price |
|--|--|------------|--------------|-----------|---------|---------|--------------|
| ED12BL/1000 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 12" Spacing) | Black | 1.10 lbs | 1,000' | 2,000' | 24 lbs | \$155.00 ea. |
| ED6BL/1000 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 6" Spacing) | Black | 1.20 lbs | 1,000' | 2,000' | 25 lbs | \$210.00 ea. |
|  ED6BR/1000 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 6" Spacing) | Brown | 1.20 lbs | 1,000' | 2,000' | 25 lbs | \$231.00 ea. |
|  ED12BL/500 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 12" Spacing) | Black | 1.10 lbs | 500' | 1,000' | 13 lbs | \$80.00 ea. |
| ED6BL/500 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 6" Spacing) | Black | 1.20 lbs | 500' | 1,000' | 13 lbs | \$110.00 ea. |
|  ED6BR/500 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 6" Spacing) | Brown | 1.20 lbs | 500' | 1,000' | 13 lbs | \$121.00 ea. |
| ED12BL/100 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 12" Spacing) | Black | 1.10 lbs | 100' | 2,000' | 24 lbs | \$16.00 ea. |
| ED9BL/100 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 9" Spacing) | Black | 1.15 lbs | 100' | 2,000' | 25 lbs | \$18.50 ea. |
|  ED6BL/100 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 6" Spacing) | Black | 1.20 lbs | 100' | 2,000' | 25 lbs | \$21.60 ea. |
| ED12BR/100 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 12" Spacing) | Brown | 1.10 lbs | 100' | 2,000' | 24 lbs | \$17.50 ea. |
| ED6BR/100 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 6" Spacing) | Brown | 1.20 lbs | 100' | 2,000' | 25 lbs | \$23.60 ea. |
| ED12BL/50 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 12" Spacing) | Black | 1.10 lbs | 50' | 1,800' | 21 lbs | \$8.75 ea. |
|  ED6BL/50 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 6" Spacing) | Black | 1.20 lbs | 50' | 1,800' | 22 lbs | \$12.00 ea. |
| ED6BR/50 | 0.5 gph, 1/4" Dripperline (0.170" x 0.250", 6" Spacing) | Brown | 1.20 lbs | 50' | 1,800' | 22 lbs | \$13.00 ea. |

1/2" Poly Supply Tubing NEW

| Part No. | Description | Color Code | Coil Weight | Coil Size | Pallet Qty | Pallet Wt. | List Price |
|-----------|---|------------|-------------|-----------|------------|------------|--------------|
| T620/500 | 1/2" Poly Tubing (0.520" ID x 0.620" OD) | Black | 18.00 lbs | 500' | 12,000' | 470 lbs | \$87.00 ea. |
| T700/250 | 1/2" Poly Tubing (0.600" ID x 0.700" OD) | Black | 10.00 lbs | 250' | 8,000' | 355 lbs | \$50.00 ea. |
| T700/500 | 1/2" Poly Tubing (0.600" ID x 0.700" OD) | Black | 20.50 lbs | 500' | 12,000' | 530 lbs | \$95.00 ea. |
| T700/1000 | 1/2" Poly Tubing (0.600" ID x 0.700" OD) | Black | 41.00 lbs | 1,000' | 20,000' | 855 lbs | \$188.00 ea. |
| T710/500 | 1/2" Poly Tubing (0.620" ID x 0.710" OD) | Black | 19.00 lbs | 500' | 12,000' | 490 lbs | \$90.00 ea. |



3/4" Poly Supply Tubing NEW

| Part No. | Description | Color Code | Coil Weight | Coil Size | Pallet Qty | Pallet Wt. | List Price |
|----------|---|------------|-------------|-----------|------------|------------|--------------|
| T940/500 | 3/4" Poly Tubing (0.830" ID x 0.940" OD) | Black | 31.00 lbs | 500' | 5,000' | 345 lbs | \$150.00 ea. |






Swing Riser Pipe




| Part No. | Description | Color Code | Coil Weight | Coil Size | Box/ Pallet Qty | Box Wt. | List Price |
|----------|--|------------|-------------|-----------|--------------------|------------|-------------|
| TSR/100 | Swing Riser Pipe (0.490" x 0.690") Individually Shrink Wrapped | Black | 7.50 lbs | 100' | 600/ 12,600' | 47 lbs | \$50.00 ea. |



Polyethylene Distribution Tubing

| Part No. | Description | Color Code | Wt. per 100' | Coil Size | Box Qty | Box Wt. | List Price |
|---|-------------|------------------------------------|--------------|-----------|---------|---------|--------------------|
|  | T185/2000 | 1/8" Poly Tubing (0.125" x 0.185") | Black | 0.6 lbs | 2,000' | 4,000' | 26 lbs \$93.00 ea. |
| | T220/1500 | 1/4" Poly Tubing (0.160" x 0.220") | Black | 0.7 lbs | 1,500' | 3,000' | 23 lbs \$77.00 ea. |
| | T250/1250 | 1/4" Poly Tubing (0.170" x 0.250") | Black | 1.1 lbs | 1,250' | 2,500' | 29 lbs \$99.00 ea. |
|  | T185/1000 | 1/8" Poly Tubing (0.125" x 0.185") | Black | 0.6 lbs | 1,000' | 4,000' | 27 lbs \$52.00 ea. |
| | T220/1000 | 1/4" Poly Tubing (0.160" x 0.220") | Black | 0.7 lbs | 1,000' | 3,000' | 24 lbs \$62.00 ea. |
| | T250/500 | 1/4" Poly Tubing (0.170" x 0.250") | Black | 1.1 lbs | 500' | 3,000' | 37 lbs \$49.50 ea. |
| | T250/1000 | 1/4" Poly Tubing (0.170" x 0.250") | Black | 1.1 lbs | 1,000' | 3,000' | 36 lbs \$87.00 ea. |
|  | T185/100 | 1/8" Poly Tubing (0.125" x 0.185") | Black | 0.6 lbs | 100' | 4,000' | 25 lbs \$5.60 ea. |
| | T220/100 | 1/4" Poly Tubing (0.160" x 0.220") | Black | 0.7 lbs | 100' | 3,200' | 24 lbs \$6.50 ea. |
| | T250/50 | 1/4" Poly Tubing (0.170" x 0.250") | Black | 1.1 lbs | 50' | 2,000' | 23 lbs \$5.60 ea. |
| | T250/100 | 1/4" Poly Tubing (0.170" x 0.250") | Black | 1.1 lbs | 100' | 2,800' | 32 lbs \$8.25 ea. |

Vinyl Distribution Tubing

| Part No. | Description | Color Code | Wt. per 100' | Coil Size | Box Qty | Box Wt. | List Price |
|---|-------------|--|--------------|-----------|---------|---------|---------------------|
|  | T185V/2000 | 1/8" Vinyl Tubing (0.125" x 0.185") | Black | 1.0 lbs | 2,000' | 4,000' | 42 lbs \$142.00 ea. |
| | T220V/1500 | 1/4" Vinyl Tubing (0.160" x 0.220") | Black | 1.2 lbs | 1,500' | 3,000' | 36 lbs \$127.00 ea. |
| | T250V/1250 | 1/4" Vinyl Tubing (0.170" x 0.250") | Black | 1.7 lbs | 1,250' | 2,500' | 44 lbs \$146.00 ea. |
|  | T185V/1000 | 1/8" Vinyl Tubing (0.125" x 0.185") | Black | 1.0 lbs | 1,000' | 4,000' | 43 lbs \$84.00 ea. |
| | T220V/1000 | 1/4" Vinyl Tubing (0.160" x 0.220") | Black | 1.2 lbs | 1,000' | 3,000' | 38 lbs \$98.00 ea. |
| | T250V/500 | 1/4" Vinyl Tubing (0.170" x 0.250") | Black | 1.7 lbs | 500' | 3,000' | 54 lbs \$71.00 ea. |
| | T250V/1000 | 1/4" Vinyl Tubing (0.170" x 0.250") | Black | 1.7 lbs | 1,000' | 3,000' | 52 lbs \$132.00 ea. |
|  | T185V/100 | 1/8" Vinyl Tubing (0.125" x 0.185") | Black | 1.0 lbs | 100' | 4,800' | 49 lbs \$8.00 ea. |
| | T220V/100 | 1/4" Vinyl Tubing (0.160" x 0.220") | Black | 1.2 lbs | 100' | 3,200' | 38 lbs \$9.50 ea. |
| | T250V/100 | 1/4" Vinyl Tubing (0.170" x 0.250") | Black | 1.7 lbs | 100' | 2,800' | 47 lbs \$12.50 ea. |
| | T250HVV/100 | 1/4" Heavy Wall Vinyl Tubing (0.155" x 0.250") | Black | 2.0 lbs | 100' | 2,800' | 54 lbs \$18.75 ea. |

Micro-Fittings

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|--|------------|-------------|---------|---------|------------|------------|
|  | FC125 | 1/8" Barbed Coupling | Black | 0.07 lbs | 100 | 5,000 | 5 lbs | \$0.12 ea. |
|  | FC250 | 1/4" Barbed Coupling | Black | 0.14 lbs | 100 | 5,000 | 8 lbs | \$0.11 ea. |
|  | FBB250HD | 1/4" Heavy Duty Adapter (barb x barb) | Black | 0.12 lbs | 100 | 5,000 | 7 lbs | \$0.12 ea. |
|  | FBB250 | 1/4" Adapter (barb x barb) | Black | 0.08 lbs | 100 | 5,000 | 5 lbs | \$0.12 ea. |
|  | FT125 | 1/8" Barbed Tee | Black | 0.10 lbs | 100 | 3,000 | 4 lbs | \$0.35 ea. |
|  | FT250 | 1/4" Barbed Tee | Black | 0.19 lbs | 100 | 3,000 | 7 lbs | \$0.19 ea. |
|  | FEL250 | 1/4" Barbed Elbow | Black | 0.13 lbs | 100 | 3,000 | 5 lbs | \$0.17 ea. |
|  | FX250 | 1/4" Barbed Cross | Black | 0.25 lbs | 50 | 1,000 | 4 lbs | \$0.31 ea. |
|  | FGP2 | Dual Goof Plug (10/rack) | Black | 0.11 lbs | 100 | 5,000 | 7 lbs | \$0.06 ea. |
|  | FGPT | Threaded Goof Plug | Black | 0.10 lbs | 100 | 2,000 | 3 lbs | \$0.41 ea. |
|  | FBP250 | Bug Plug for T220 and T250 Distribution Tubing | Black | 0.11 lbs | 100 | 5,000 | 7 lbs | \$0.30 ea. |

Micro-Fitting Large Packs

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|--------------|---|------------|-------------|---------|---------|------------|------------|
| | FC250/500 | 1/4" Barbed Coupling (500/bag) | Black | 0.14 lbs | 500 | 20,000 | 30 lbs | \$0.10 ea. |
| | FBB250HD/500 | 1/4" Heavy Duty Adapter (barb x barb) (500/bag) | Black | 0.12 lbs | 500 | 20,000 | 25 lbs | \$0.11 ea. |
| | FGP2/1000 | Dual Goof Plug (10/rack) (1,000/bag) | Black | 0.11 lbs | 1,000 | 30,000 | 35 lbs | \$0.05 ea. |

Micro-Fitting Adapters

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|---|------------|-------------|---------|---------|------------|------------|
| | FRBA | 1/4" x 1/8" Reducing Barbed Adapter | Black | 0.08 lbs | 100 | 3,000 | 4 lbs | \$0.21 ea. |
| | FBT250 | 1/4" EZ Turn™ Adapter (barb x thread) | Black | 0.15 lbs | 100 | 2,000 | 4 lbs | \$0.21 ea. |
| | FTT250 | 1/4" EZ Turn™ Adapter (thread x thread) | Black | 0.14 lbs | 100 | 2,000 | 4 lbs | \$0.21 ea. |
| | FBQT250 | 1/4" EZ Turn™ Adapter (barb x quick thread) | Black | 0.14 lbs | 100 | 2,000 | 4 lbs | \$0.21 ea. |

1/2" Crocodile™ Compression Fittings

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|--|------------|-------------|---------|---------|------------|------------|
|  | FSA700 | 1/2" Socket Adapter (0.700" to 0.710" OD tubing x 1/2" socket / 3/4" spigot) | Black | 1.60 lbs | 100 | 500 | 9 lbs | \$1.01 ea. |
|  | FCA250 | Compression Adapter (1/2" slip x 0.250" OD tubing) | Orange | 0.60 lbs | 100 | 2,000 | 13 lbs | \$0.31 ea. |
| | FCA620 | Compression Adapter (1/2" slip x 0.620" OD tubing) | Green | 0.45 lbs | 100 | 2,000 | 10 lbs | \$0.27 ea. |
| | FCA700 | Compression Adapter (1/2" slip x 0.700" OD tubing) | Black | 0.40 lbs | 100 | 2,000 | 9 lbs | \$0.27 ea. |
| | FCA710 | Compression Adapter (1/2" slip x 0.710" OD tubing) | Blue | 0.40 lbs | 100 | 2,000 | 9 lbs | \$0.27 ea. |
|  | FCC620 | Compression Coupling (fits 0.620" OD tubing) | Green | 3.00 lbs | 25 | 1,000 | 32 lbs | \$0.82 ea. |
| | FCC700 | Compression Coupling (fits 0.700" OD tubing) | Black | 2.90 lbs | 25 | 1,000 | 31 lbs | \$0.82 ea. |
| | FCC710 | Compression Coupling (fits 0.710" OD tubing) | Blue | 2.90 lbs | 25 | 1,000 | 31 lbs | \$0.82 ea. |
|  | FRCC67 | Reducing Coupling (from 0.620" to 0.700" OD tubing) | Green | 2.90 lbs | 25 | 1,000 | 31 lbs | \$0.86 ea. |
| | FRCC671 | Reducing Coupling (from 0.620" to 0.710" OD tubing) | Green | 2.90 lbs | 25 | 1,000 | 31 lbs | \$0.86 ea. |
| | FRCC771 | Reducing Coupling (from 0.700" to 0.710" OD tubing) | Blue | 2.90 lbs | 25 | 1,000 | 31 lbs | \$0.86 ea. |
|  | FCT620 | Compression Tee (fits 0.620" OD tubing) | Green | 5.00 lbs | 15 | 480 | 26 lbs | \$1.29 ea. |
| | FCT700 | Compression Tee (fits 0.700" OD tubing) | Black | 4.80 lbs | 15 | 480 | 25 lbs | \$1.29 ea. |
| | FCT710 | Compression Tee (fits 0.710" OD tubing) | Blue | 4.80 lbs | 15 | 480 | 25 lbs | \$1.29 ea. |
|  | FCEL620 | Compression Elbow (fits 0.620" OD tubing) | Green | 3.60 lbs | 25 | 800 | 31 lbs | \$1.23 ea. |
| | FCEL700 | Compression Elbow (fits 0.700" OD tubing) | Black | 3.50 lbs | 25 | 800 | 30 lbs | \$1.23 ea. |
| | FCEL710 | Compression Elbow (fits 0.710" OD tubing) | Blue | 3.50 lbs | 25 | 800 | 30 lbs | \$1.23 ea. |

1/2" Crocodile™ Compression Fittings

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|-----------|---|----------------|-------------|---------|---------|------------|------------|
| | FCEP620 | Compression End Plug w/ unscrewing cap (0.620" OD tubing) | Green | 4.00 lbs | 25 | 800 | 34 lbs | \$1.25 ea. |
| | FCEP700 | Compression End Plug w/ unscrewing cap (0.700" OD tubing) | Black | 4.00 lbs | 25 | 800 | 34 lbs | \$1.25 ea. |
| | FCEP710 | Compression End Plug w/ unscrewing cap (0.710" OD tubing) | Blue | 4.00 lbs | 25 | 800 | 34 lbs | \$1.25 ea. |
| | FCSAW620 | 3/4" FHT Swivel Adapter w/ washer (0.620" OD tubing) | Green | 3.40 lbs | 25 | 800 | 29 lbs | \$1.30 ea. |
| | FCSAW700 | 3/4" FHT Swivel Adapter w/ washer (0.700" OD tubing) | Black | 3.30 lbs | 25 | 800 | 28 lbs | \$1.30 ea. |
| | FCSAW710 | 3/4" FHT Swivel Adapter w/ washer (0.710" OD tubing) | Blue | 3.30 lbs | 25 | 800 | 28 lbs | \$1.30 ea. |
| | FCSA620 | 3/4" FHT Swivel Adapter w/ screen (0.620" OD tubing) | Green | 3.70 lbs | 25 | 800 | 31 lbs | \$1.60 ea. |
| | FCSA700 | 3/4" FHT Swivel Adapter w/ screen (0.700" OD tubing) | Black | 3.60 lbs | 25 | 800 | 31 lbs | \$1.60 ea. |
| | FCSA710 | 3/4" FHT Swivel Adapter w/ screen (0.710" OD tubing) | Blue | 3.60 lbs | 25 | 800 | 31 lbs | \$1.60 ea. |
| | FCSAPW620 | 3/4" FIPT Swivel Adapter w/ washer (0.620" OD tubing) | Green/ Navy | 3.40 lbs | 25 | 800 | 29 lbs | \$1.50 ea. |
| | FCSAPW700 | 3/4" FIPT Swivel Adapter w/ washer (0.700" OD tubing) | Black/ Navy | 3.30 lbs | 25 | 800 | 28 lbs | \$1.50 ea. |
| | FCSAPW710 | 3/4" FIPT Swivel Adapter w/ washer (0.710" OD tubing) | Blue/ Navy | 3.30 lbs | 25 | 800 | 28 lbs | \$1.50 ea. |
| | FCSTW620 | 3/4" FHT Swivel Tee w/ washer (0.620" OD tubing) | Green | 5.70 lbs | 15 | 480 | 29 lbs | \$1.55 ea. |
| | FCSTW700 | 3/4" FHT Swivel Tee w/ washer (0.700" OD tubing) | Black | 5.60 lbs | 15 | 480 | 29 lbs | \$1.55 ea. |
| | FCSTW710 | 3/4" FHT Swivel Tee w/ washer (0.710" OD tubing) | Blue | 5.60 lbs | 15 | 480 | 29 lbs | \$1.55 ea. |

1/2" Crocodile™ Compression Fittings

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|--|------------|-------------|---------|---------|------------|------------|
| | FCST620 | 3/4" FHT Swivel Tee w/ screen (0.620" OD tubing) | Green | 6.00 lbs | 15 | 480 | 31 lbs | \$1.88 ea. |
| | FCST700 | 3/4" FHT Swivel Tee w/ screen (0.700" OD tubing) | Black | 5.90 lbs | 15 | 480 | 30 lbs | \$1.88 ea. |
| | FCST710 | 3/4" FHT Swivel Tee w/ screen (0.710" OD tubing) | Blue | 5.90 lbs | 15 | 480 | 30 lbs | \$1.88 ea. |
| | FCSLW620 | 3/4" FHT Swivel Elbow w/ washer (0.620" OD tubing) | Green | 4.30 lbs | 25 | 500 | 23 lbs | \$1.54 ea. |
| | FCSLW700 | 3/4" FHT Swivel Elbow w/ washer (0.700" OD tubing) | Black | 4.20 lbs | 25 | 500 | 23 lbs | \$1.54 ea. |
| | FCSLW710 | 3/4" FHT Swivel Elbow w/ washer (0.710" OD tubing) | Blue | 4.20 lbs | 25 | 500 | 23 lbs | \$1.54 ea. |
| | FCSL620 | 3/4" FHT Swivel Elbow w/ screen (0.620" OD tubing) | Green | 4.50 lbs | 25 | 500 | 25 lbs | \$1.88 ea. |
| | FCSL700 | 3/4" FHT Swivel Elbow w/ screen (0.700" OD tubing) | Black | 4.40 lbs | 25 | 500 | 24 lbs | \$1.88 ea. |
| | FCSL710 | 3/4" FHT Swivel Elbow w/ screen (0.710" OD tubing) | Blue | 4.40 lbs | 25 | 500 | 24 lbs | \$1.88 ea. |
| | FCMAH620 | 3/4" MHT Adapter (fits 0.620" OD tubing) | Green | 2.20 lbs | 50 | 1,000 | 24 lbs | \$0.74 ea. |
| | FCMAH700 | 3/4" MHT Adapter (fits 0.700" OD tubing) | Black | 2.20 lbs | 50 | 1,000 | 24 lbs | \$0.74 ea. |
| | FCMAH710 | 3/4" MHT Adapter (fits 0.710" OD tubing) | Blue | 2.20 lbs | 50 | 1,000 | 24 lbs | \$0.74 ea. |
| | FCMAP620 | 3/4" MIPT Adapter (fits 0.620" OD tubing) | Green | 2.20 lbs | 50 | 1,000 | 24 lbs | \$0.74 ea. |
| | FCMAP700 | 3/4" MIPT Adapter (fits 0.700" OD tubing) | Black | 2.20 lbs | 50 | 1,000 | 24 lbs | \$0.74 ea. |
| | FCMAP710 | 3/4" MIPT Adapter (fits 0.710" OD tubing) | Blue | 2.20 lbs | 50 | 1,000 | 24 lbs | \$0.74 ea. |

3/4" Crocodile™ Compression Fittings

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|--|----------------|-------------|---------|---------|------------|------------|
|  | FCA900 | Compression Adapter (3/4" slip x 0.940" OD tubing) | Grey | 0.80 lbs | 100 | 1,000 | 10 lbs | \$0.48 ea. |
|  | FCC900 | Compression Coupling (fits 0.940" OD tubing) | Grey | 5.70 lbs | 25 | 500 | 30 lbs | \$1.33 ea. |
|  | FRCC970 | Reducing Coupling (from 0.700" to 0.940" OD tubing) | Grey | 4.10 lbs | 25 | 500 | 22 lbs | \$1.39 ea. |
| | FRCC971 | Reducing Coupling (from 0.710" to 0.940" OD tubing) | Grey | 4.10 lbs | 25 | 500 | 22 lbs | \$1.39 ea. |
|  | FCT900 | Compression Tee (fits 0.940" OD tubing) | Grey | 8.40 lbs | 25 | 300 | 27 lbs | \$2.38 ea. |
|  | FRCT997 | Reducing Compression Tee (from 0.940" to 0.700" OD tubing) | Grey/ Black | 7.50 lbs | 25 | 300 | 24 lbs | \$2.38 ea. |
|  | FCEL900 | Compression Elbow (fits 0.940" OD tubing) | Grey | 5.90 lbs | 25 | 500 | 31 lbs | \$1.64 ea. |
|  | FCEP900 | Compression End Plug with unscrewing cap (fits 0.940" OD tubing) | Grey | 5.20 lbs | 25 | 600 | 33 lbs | \$1.85 ea. |

3/4" Crocodile™ Compression Fittings

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|---|------------|-------------|---------|---------|------------|------------|
|  FCSAW900 | 3/4" FHT Swivel Adapter with washer (fits 0.940" OD tubing) | Grey | 4.50 lbs | 25 | 600 | 29 lbs | \$2.38 ea. |
|  FCSA900 | 3/4" FHT Swivel Adapter with screen washer (fits 0.940" OD tubing) | Grey | 4.80 lbs | 25 | 600 | 31 lbs | \$2.70 ea. |
|  FCSTW900 | 3/4" FHT Swivel Tee with washer (fits 0.940" OD tubing) | Grey | 8.00 lbs | 25 | 300 | 26 lbs | \$3.10 ea. |
|  FCST900 | 3/4" FHT Swivel Tee with screen washer (fits 0.940" OD tubing) | Grey | 8.30 lbs | 25 | 300 | 27 lbs | \$3.42 ea. |
|  FCMAH900 | 3/4" MHT Adapter (fits 0.940" OD tubing) | Grey | 3.40 lbs | 25 | 700 | 26 lbs | \$1.29 ea. |
|  FCMAP900 | 3/4" MIPT Adapter (fits 0.940" OD tubing) | Grey | 3.40 lbs | 25 | 700 | 26 lbs | \$1.29 ea. |

Quick Lock™ Fittings Selection Chart

| Series | Tubing Nominal Size | Inside Diameter Range | Wall Thickness Range |
|--------|-------------------------------|---------------------------------------|---------------------------------------|
| 600 | 0.600" ID x 0.700" OD (18 mm) | 0.590" to 0.630" (15.0 mm to 16.0 mm) | 0.040" to 0.050" (1.02 mm to 1.27 mm) |
| 700 | 0.720" ID x 0.820" OD (20 mm) | 0.700" to 0.740" (17.8 mm to 18.8 mm) | 0.045" to 0.055" (1.14 mm to 1.40 mm) |
| 800 | 0.820" ID x 0.940" OD (3/4") | 0.800" to 0.840" (20.3 mm to 21.3 mm) | 0.055" to 0.065" (1.40 mm to 1.65 mm) |
| 1000 | 1.060" ID x 1.200" OD (1") | 1.035" to 1.085" (26.3 mm to 27.6 mm) | 0.065" to 0.075" (1.65 mm to 1.90 mm) |

Quick Lock™ Fittings

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|------------|--|------------|-------------|---------|---------|------------|------------|
|  | FQLC600 | 600 Quick Lock™ Coupling | Black | 5.00 lbs | 100 | 1,000 | 52 lbs | \$1.03 ea. |
| | FQLC700 | 700 Quick Lock™ Coupling | Black | 6.10 lbs | 100 | 700 | 44 lbs | \$1.45 ea. |
| | FQLC800 | 800 Quick Lock™ Coupling | Black | 7.90 lbs | 50 | 500 | 41 lbs | \$2.89 ea. |
| | FQLC1000 | 1000 Quick Lock™ Coupling | Black | 12.90 lbs | 50 | 300 | 41 lbs | \$3.62 ea. |
|  | FQLT600 | 600 Quick Lock™ Tee | Black | 7.30 lbs | 50 | 400 | 30 lbs | \$2.69 ea. |
| | FQLT700 | 700 Quick Lock™ Tee | Black | 9.10 lbs | 50 | 350 | 33 lbs | \$2.90 ea. |
| | FQLT800 | 800 Quick Lock™ Tee | Black | 11.70 lbs | 25 | 250 | 30 lbs | \$7.20 ea. |
| | FQLT1000 | 1000 Quick Lock™ Tee | Black | 18.20 lbs | 25 | 150 | 38 lbs | \$9.30 ea. |
|  | FQLL600 | 600 Quick Lock™ Elbow | Black | 5.80 lbs | 50 | 600 | 36 lbs | \$2.60 ea. |
| | FQLL700 | 700 Quick Lock™ Elbow | Black | 7.00 lbs | 50 | 500 | 36 lbs | \$3.30 ea. |
| | FQLL800 | 800 Quick Lock™ Elbow | Black | 9.60 lbs | 50 | 300 | 30 lbs | \$8.25 ea. |
|  | FQLSTW600 | 600 Quick Lock™ x 3/4" FHT Swivel Tee with washer | Black | 7.30 lbs | 50 | 400 | 32 lbs | \$2.80 ea. |
| | FQLSTW700 | 700 Quick Lock™ x 3/4" FHT Swivel Tee with washer | Black | 8.60 lbs | 50 | 300 | 27 lbs | \$3.20 ea. |
| | FQLSTW800 | 800 Quick Lock™ x 3/4" FHT Swivel Tee with washer | Black | 10.30 lbs | 25 | 300 | 32 lbs | \$6.50 ea. |
| | FQLSTW1000 | 1000 Quick Lock™ x 3/4" FHT Swivel Tee with washer | Black | 15.20 lbs | 25 | 200 | 40 lbs | \$9.30 ea. |

Quick Lock™ Fittings

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|-----------|---|------------|-------------|---------|---------|------------|------------|
|  | FQLST600 | 600 Quick Lock™ x 3/4" FHT Swivel Tee with screen washer | Black | 7.70 lbs | 50 | 400 | 33 lbs | \$3.10 ea. |
| | FQLST700 | 700 Quick Lock™ x 3/4" FHT Swivel Tee with screen washer | Black | 8.90 lbs | 50 | 300 | 28 lbs | \$3.50 ea. |
| | FQLST800 | 800 Quick Lock™ x 3/4" FHT Swivel Tee with screen washer | Black | 10.60 lbs | 25 | 300 | 33 lbs | \$6.80 ea. |
| | FQLST1000 | 1000 Quick Lock™ x 3/4" FHT Swivel Tee with screen washer | Black | 15.50 lbs | 25 | 200 | 41 lbs | \$9.60 ea. |
|  | FQLMAH600 | 600 Quick Lock™ x 3/4 MHT Adapter | Black | 3.60 lbs | 100 | 800 | 31 lbs | \$1.25 ea. |
| | FQLMAH700 | 700 Quick Lock™ x 3/4 MHT Adapter | Black | 4.20 lbs | 100 | 600 | 27 lbs | \$1.55 ea. |
| | FQLMAH800 | 800 Quick Lock™ x 3/4 MHT Adapter | Black | 5.50 lbs | 50 | 600 | 35 lbs | \$2.80 ea. |
|  | FQLEP600 | 600 Quick Lock™ End Plug with unscrewing cap | Black | 5.40 lbs | 100 | 800 | 44 lbs | \$1.85 ea. |
| | FQLEP700 | 700 Quick Lock™ End Plug with unscrewing cap | Black | 6.00 lbs | 100 | 600 | 37 lbs | \$2.15 ea. |
| | FQLEP800 | 800 Quick Lock™ End Plug with unscrewing cap | Black | 7.30 lbs | 50 | 600 | 45 lbs | \$3.40 ea. |
|  | FQLSAW600 | 600 Quick Lock™ x 3/4" FHT Swivel Adapter with washer | Black | 4.90 lbs | 100 | 800 | 40 lbs | \$2.00 ea. |
| | FQLSAW700 | 700 Quick Lock™ x 3/4" FHT Swivel Adapter with washer | Black | 5.70 lbs | 100 | 600 | 35 lbs | \$2.20 ea. |
| | FQLSAW800 | 800 Quick Lock™ x 3/4" FHT Swivel Adapter with washer | Black | 6.80 lbs | 50 | 600 | 42 lbs | \$3.75 ea. |
|  | FQLSA600 | 600 Quick Lock™ x 3/4" FHT Swivel Adapter with screen | Black | 5.20 lbs | 100 | 800 | 43 lbs | \$2.30 ea. |
| | FQLSA700 | 700 Quick Lock™ x 3/4" FHT Swivel Adapter with screen | Black | 6.00 lbs | 100 | 600 | 37 lbs | \$2.50 ea. |
| | FQLSA800 | 800 Quick Lock™ x 3/4" FHT Swivel Adapter with screen | Black | 7.10 lbs | 50 | 600 | 44 lbs | \$4.05 ea. |

Quick Lock™ Solvent Weld Adapters NEW

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|---|------------|-------------|---------|---------|------------|------------|
| FQLA600 | 600 Quick Lock™ x 1/2" Socket / 3/4" Spigot | Black | 3.30 lbs | 50 | 300 | 11 lbs | \$1.25 ea. |
| FQLA700 | 700 Quick Lock™ x 1/2" Socket / 3/4" Spigot | Black | 3.80 lbs | 50 | 300 | 13 lbs | \$1.35 ea. |
| FQLA800 | 800 Quick Lock™ x 1/2" Socket / 3/4" Spigot | Black | 4.70 lbs | 50 | 300 | 16 lbs | \$1.75 ea. |

18 mm Insert Fittings

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|--|------------|-------------|---------|---------|------------|------------|
| FIC18 | 18 mm Insert Barbed Coupling (fits 0.600" to 0.620" ID tubing) | Black | 0.95 lbs | 100 | 1,000 | 11 lbs | \$0.34 ea. |
| FIT18 | 18 mm Insert Barbed Tee (fits 0.600" to 0.620" ID tubing) | Black | 1.40 lbs | 50 | 600 | 10 lbs | \$0.49 ea. |
| FIEL18 | 18 mm Insert Barbed Elbow (fits 0.600" to 0.620" ID tubing) | Black | 1.15 lbs | 50 | 600 | 8 lbs | \$0.49 ea. |
| FIX18 | 18 mm Insert Barbed Cross (fits 0.600" to 0.620" ID tubing) | Black | 2.00 lbs | 50 | 400 | 9 lbs | \$1.13 ea. |
| FIMA1850 | 1/2" MIPT Adapter x 18 mm Insert Barb (fits 0.600" to 0.620" ID tubing) | Black | 1.65 lbs | 50 | 400 | 8 lbs | \$0.68 ea. |
| FIMA1875 | 3/4" MIPT Adapter x 18 mm Insert Barb (fits 0.600" to 0.620" ID tubing) | Black | 2.80 lbs | 50 | 400 | 12 lbs | \$0.74 ea. |
| FITT1850 | 1/2" MIPT x 18 mm Insert x 18 mm Insert Barbed Tee (fits 0.600" to 0.620" ID tubing) | Black | 2.00 lbs | 50 | 400 | 11 lbs | \$0.90 ea. |

17 mm Insert Fittings

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|-----------|--|------------|-------------|---------|---------|------------|------------|
|  | FIC17 | 17 mm Insert Barbed Coupling (fits 0.540" to 0.580" ID tubing) | Brown | 0.95 lbs | 100 | 1,000 | 11 lbs | \$0.31 ea. |
|  | FIT17 | 17 mm Insert Barbed Tee (fits 0.540" to 0.580" ID tubing) | Brown | 1.40 lbs | 50 | 600 | 10 lbs | \$0.45 ea. |
|  | FIEL17 | 17 mm Insert Barbed Elbow (fits 0.540" to 0.580" ID tubing) | Brown | 1.15 lbs | 50 | 600 | 8 lbs | \$0.45 ea. |
|  | FIX17 | 17 mm Insert Barbed Cross (fits 0.540" to 0.580" ID tubing) | Brown | 2.00 lbs | 50 | 400 | 9 lbs | \$1.03 ea. |
|  | FIMA1750 | 1/2" MIPT Adapter x 17 mm Insert Barb (fits 0.540" to 0.580" ID tubing) | Brown | 1.65 lbs | 50 | 400 | 8 lbs | \$0.62 ea. |
|  | FIMA1775 | 3/4" MIPT Adapter x 17 mm Insert Barb (fits 0.540" to 0.580" ID tubing) | Brown | 2.80 lbs | 50 | 400 | 12 lbs | \$0.67 ea. |
|  | FITT1750 | 1/2" MIPT x 17 mm Insert x 17 mm Insert Barbed Tee (fits 0.540" to 0.580" ID tubing) | Brown | 2.00 lbs | 50 | 400 | 9 lbs | \$0.82 ea. |
|  | FIELT1750 | 1/2" MIPT x 17 mm Insert Barbed Elbow (fits 0.540" to 0.580" ID tubing) | Brown | 2.00 lbs | 50 | 400 | 9 lbs | \$0.98 ea. |
|  | FIELT1775 | 3/4" MIPT x 17 mm Insert Barbed Elbow (fits 0.540" to 0.580" ID tubing) | Brown | 2.50 lbs | 50 | 400 | 11 lbs | \$1.03 ea. |

Funny Pipe Fittings and Assemblies


| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|-----------|--|------------|-------------|---------|---------|------------|------------|
|  | FFPC | Funny Pipe Coupling | Black | 1.30 lbs | 100 | 1,000 | 14 lbs | \$0.40 ea. |
|  | FFPML50 | 1/2" MIPT Funny Pipe Elbow | Black | 2.10 lbs | 50 | 1,000 | 22 lbs | \$0.33 ea. |
| | FFPML75 | 3/4" MIPT Funny Pipe Elbow | Black | 2.80 lbs | 50 | 800 | 24 lbs | \$0.39 ea. |
|  | FFPMA50 | 1/2" MIPT Funny Pipe Adapter | Black | 1.50 lbs | 50 | 1,000 | 16 lbs | \$0.42 ea. |
| | FFPMA75 | 3/4" MIPT Funny Pipe Adapter | Black | 2.00 lbs | 50 | 800 | 17 lbs | \$0.44 ea. |
|  | FFPT | Funny Pipe Tee | Black | 1.80 lbs | 50 | 500 | 10 lbs | \$0.85 ea. |
| Note: Spiral barbs for above products fit 0.490" to 0.500" ID Swing Riser Pipe. | | | | | | | | |
|  | FFPSL50 | 1/2" Funny Pipe Marlex Street Elbow (1/2" FIPT x 1/2" MIPT) | Black | 3.60 lbs | 50 | 1,000 | 37 lbs | \$0.35 ea. |
| | FFPSL75 | 3/4" Funny Pipe Marlex Street Elbow (3/4" FIPT x 3/4" MIPT) | Black | 5.00 lbs | 50 | 800 | 41 lbs | \$0.54 ea. |
|  | FFPSR650 | 1/2" Funny Pipe Swing Riser Assembly (6" length) | Black | 11.1 lbs | N/A | 250 | 29 lbs | \$1.55 ea. |
| | FFPSR1250 | 1/2" Funny Pipe Swing Riser Assembly (12" length) | Black | 15.2 lbs | N/A | 125 | 20 lbs | \$2.06 ea. |
| | FFPSR1275 | 3/4" Funny Pipe Swing Riser Assembly (12" length) | Black | 18.1 lbs | N/A | 125 | 24 lbs | \$2.35 ea. |

Y-Filters

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|---|------------|-------------|---------|---------|------------|-------------|
|  | FYF75 | 3/4" MIPT Y-Filter with 150 Mesh Polyester Screen (10 gpm, 75 psi max) | Black | 36.0 lbs | N/A | 50 | 20 lbs | \$15.50 ea. |
| | FYFS75 | 3/4" MIPT Y-Filter with 150 Mesh Stainless Steel Screen (10 gpm, 75 psi max) | Black | 36.0 lbs | N/A | 50 | 20 lbs | \$19.50 ea. |
| | FYF100 | 1" MIPT Y-Filter with 150 Mesh Polyester Screen (10 gpm, 75 psi max) | Black | 38.0 lbs | N/A | 40 | 17 lbs | \$18.50 ea. |
| | FYFS100 | 1" MIPT Y-Filter with 150 Mesh Stainless Steel Screen (10 gpm, 75 psi max) | Black | 38.0 lbs | N/A | 40 | 17 lbs | \$22.50 ea. |
|  | FYF75V | 3/4" MIPT Y-Filter with 150 Mesh Polyester Screen and Valve (10 gpm, 75 psi max) | Black | 38.0 lbs | N/A | 25 | 11 lbs | \$18.50 ea. |
| | FYFS75V | 3/4" MIPT Y-Filter with 150 Mesh Stainless Steel Screen and Valve (10 gpm, 75 psi max) | Black | 38.0 lbs | N/A | 25 | 11 lbs | \$22.50 ea. |
| | FYF100V | 1" MIPT Y-Filter with 150 Mesh Polyester Screen and Valve (10 gpm, 75 psi max) | Black | 40.0 lbs | N/A | 25 | 12 lbs | \$21.50 ea. |
| | FYFS100V | 1" MIPT Y-Filter with 150 Mesh Stainless Steel Screen and Valve (10 gpm, 75 psi max) | Black | 40.0 lbs | N/A | 25 | 12 lbs | \$25.50 ea. |
|  | FYFH75 | 3/4" Hose Thread Y-Filter with 150 Mesh Polyester Screen (3/4" FHT Swivel x 3/4" MHT, 10 gpm, 75 psi max) | Black | 38.0 lbs | N/A | 25 | 11 lbs | \$17.50 ea. |


Inline Filter

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|--|------------|-------------|---------|---------|------------|-------------|
| FILF75 | 3/4" Hose Thread Inline Filter w/ 120 Mesh Polyester Screen (3/4" FHT x 3/4" MHT, 5 gpm max, 75 psi max) | Black | 12.1 lbs | 10 | 50 | 7 lbs | \$11.00 ea. |






Pressure Regulating Filters

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|---|------------|-------------|---------|---------|------------|-------------|
| FPRF75 | 3/4", 25 psi Pressure Regulating Filter (3/4" MIPT, 0.2 - 5 gpm, 75 psi max, 200 Mesh Stainless Steel Screen) | Black | 25.0 lbs | N/A | 25 | 7 lbs | \$33.00 ea. |
| FPRF100 | 1", 45 psi Pressure Regulating Filter (1" MIPT, 0.2 - 10 gpm, 75 psi max, 200 Mesh Stainless Steel Screen) | Black | 30.0 lbs | N/A | 25 | 9 lbs | \$37.00 ea. |



Y-Filter Replacement Parts

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|---|------------|-------------|---------|---------|------------|-------------|
| FSP150 | 150 Mesh Polyester Screen | Black | 2.00 lbs | 5 | 20 | 1 lbs | \$8.25 ea. |
| FSS150 | 150 Mesh Stainless Screen (Replacement Screen for Part Nos. FYFS75, FYFS100, FYFS75V, FYFS100V and FYFH75) | Black | 2.00 lbs | 5 | 20 | 1 lbs | \$12.40 ea. |
| FOR27 | Rubber O-Ring (Replacement O-Ring for Part Nos. FSP150 and FSS150) | Black | 0.10 lbs | 25 | 100 | 1 lbs | \$0.78 ea. |
| FOR136 | Rubber O-Ring (Replacement O-Ring for Y-Filter Body Part Nos. FYF75, FYFS75, FYF100, FYFS100, FYF75V, FYFS75V, FYF100V, FYFS100V, FYFH75) | Black | 0.25 lbs | 20 | 100 | 1 lbs | \$0.83 ea. |

Pressure Regulators

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|--|------------|-------------|---------|---------|------------|-------------|
| FPR15P | 15 psi Senninger Pressure Regulator (3/4" FIPT x 3/4" FIPT, 0.1 - 8 gpm) | Black | 25.0 lbs | 5 | 25 | 7 lbs | \$22.00 ea. |
| FPR20P | 20 psi Senninger Pressure Regulator (3/4" FIPT x 3/4" FIPT, 0.1 - 8 gpm) | Black | 25.0 lbs | 5 | 25 | 7 lbs | \$22.00 ea. |
| FPR25P | 25 psi Senninger Pressure Regulator (3/4" FIPT x 3/4" FIPT, 0.1 - 8 gpm) | Black | 25.0 lbs | 5 | 25 | 7 lbs | \$22.00 ea. |
| FPR30P | 30 psi Senninger Pressure Regulator (3/4" FIPT x 3/4" FIPT, 0.1 - 8 gpm) | Black | 25.0 lbs | 5 | 25 | 7 lbs | \$22.00 ea. |
| FPR40P | 40 psi Senninger Pressure Regulator (3/4" FIPT x 3/4" FIPT, 0.1 - 8 gpm) | Black | 25.0 lbs | 5 | 25 | 7 lbs | \$22.00 ea. |
| FPR20H | 20 psi Senninger Pressure Regulator (3/4" FHT x 3/4" MHT, 0.1 - 7 gpm) | Black | 14.8 lbs | 10 | 50 | 9 lbs | \$19.00 ea. |
| FPR30H | 30 psi Senninger Pressure Regulator (3/4" FHT x 3/4" MHT, 0.1 - 7 gpm) | Black | 14.8 lbs | 10 | 50 | 9 lbs | \$19.00 ea. |

Maximum inlet pressure rating of 150 psi and 100 psi for pipe thread and hose thread regulators, respectively. Pressure regulators must be installed downstream of all shut-off valves.

Drip Zone Kits


| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|----------|--|------------|-------------|---------|---------|------------|-------------|
| FDZK2071 | Drip Zone Kit with 20 psi Pressure Regulator (fits 0.710" OD tubing) | Black | 70.0 lbs | 1 | 50 | 36 lbs | \$40.00 ea. |
| FDZK3071 | Drip Zone Kit with 30 psi Pressure Regulator (fits 0.710" OD tubing) | Black | 70.0 lbs | 1 | 50 | 36 lbs | \$40.00 ea. |

Kit contains: 1 - 3/4" Y-Filter (FYF75), 1 - 3/4" FIPT x 3/4" FIPT, 0.1 - 8 gpm Pressure Regulator (FPR20P or FPR30P), 1 - 1" MIPT x 3/4" FIPT Reducer Bushing, 1 - 3/4" MIPT Adapter (FCMAP710, fits 0.710" OD tubing)


Full Port High Flow Ball Valves NEW

| | Part No. | Description | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|------------|--|-------------|---------|---------|------------|------------|
|  | FBVSS | High Flow Solvent Weld Ball Valve (3/4" Socket / 1" Spigot x 3/4" Socket / 1" Spigot) | 10.0 lbs | 25 | 300 | 32 lbs | \$4.25 ea. |
|  | FBVSWM | High Flow Ball Valve (3/4" FHT Swivel x 3/4" MHT) | 12.8 lbs | 25 | 250 | 34 lbs | \$7.00 ea. |
|  | FBVQL600 | High Flow Ball Valve (600 Quick Lock™ x 600 Quick Lock™) | 16.5 lbs | 25 | 150 | 26 lbs | \$4.50 ea. |
| | FBVQL700 | High Flow Ball Valve (700 Quick Lock™ x 700 Quick Lock™) | 17.5 lbs | 25 | 150 | 28 lbs | \$5.50 ea. |
| | FBVQL800 | High Flow Ball Valve (800 Quick Lock™ x 800 Quick Lock™) | 19.5 lbs | 25 | 150 | 31 lbs | \$6.00 ea. |
|  | FBVQL600SW | High Flow Ball Valve (3/4" FHT Swivel x 600 Quick Lock™) | 15.9 lbs | 25 | 200 | 34 lbs | \$4.75 ea. |
| | FBVQL700SW | High Flow Ball Valve (3/4" FHT Swivel x 700 Quick Lock™) | 16.3 lbs | 25 | 200 | 35 lbs | \$5.50 ea. |
| | FBVQL800SW | High Flow Ball Valve (3/4" FHT Swivel x 800 Quick Lock™) | 17.2 lbs | 25 | 200 | 36 lbs | \$6.00 ea. |
|  | FBVQL600S | High Flow Ball Valve (3/4" Socket / 1" Spigot x 600 Quick Lock™) | 13.2 lbs | 25 | 200 | 28 lbs | \$4.50 ea. |
| | FBVQL700S | High Flow Ball Valve (3/4" Socket / 1" Spigot x 700 Quick Lock™) | 13.7 lbs | 25 | 200 | 29 lbs | \$5.25 ea. |
| | FBVQL800S | High Flow Ball Valve (3/4" Socket / 1" Spigot x 800 Quick Lock™) | 14.6 lbs | 25 | 200 | 31 lbs | \$5.75 ea. |


Full Port Flush Ball Valves NEW

| | Part No. | Description | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|---|-------------|---------|---------|------------|------------|
|  | FFVQL600 | High Flow Flush Ball Valve (600 Quick Lock™ x 3/4" MHT) | 13.3 lbs | 25 | 200 | 28 lbs | \$4.75 ea. |
| | FFVQL700 | High Flow Flush Ball Valve (700 Quick Lock™ x 3/4" MHT) | 13.8 lbs | 25 | 200 | 29 lbs | \$5.50 ea. |
| | FFVQL800 | High Flow Flush Ball Valve (800 Quick Lock™ x 3/4" MHT) | 14.7 lbs | 25 | 200 | 31 lbs | \$6.00 ea. |

Dual Line Full Port Flush "Y" Ball Valves NEW



| | Part No. | Description | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|-----------|--|-------------|---------|---------|------------|------------|
|  | FFYVQL600 | Dual Line High Flow Flush "Y" Ball Valve (Dual 600 Quick Lock™ x 3/4" MHT) | 21.0 lbs | 10 | 100 | 23 lbs | \$9.25 ea. |
| | FFYVQL700 | Dual Line High Flow Flush "Y" Ball Valve (Dual 700 Quick Lock™ x 3/4" MHT) | 22.0 lbs | 10 | 100 | 24 lbs | \$9.25 ea. |

Dual Line Full Port Starter "Y" Ball Valves NEW




| | Part No. | Description | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|-----------|---|-------------|---------|---------|------------|------------|
|  | FSYVQL600 | Dual Line High Flow Starter "Y" Ball Valve (3/4" FHT Swivel x Dual 600 Quick Lock™) | 24.0 lbs | 10 | 100 | 26 lbs | \$9.75 ea. |
| | FSYVQL700 | Dual Line High Flow Starter "Y" Ball Valve (3/4" FHT Swivel x Dual 700 Quick Lock™) | 25.0 lbs | 10 | 100 | 27 lbs | \$9.75 ea. |

Note: Other combinations/assemblies available. Please call for pricing and availability.



Ball Valves

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|-----------|---|------------|-------------|---------|---------|------------|------------|
|  | FBV75 | 3/4" Ball Valve (3/4" FHT x 3/4" MHT, 75 psi max) | Black | 4.90 lbs | 25 | 150 | 8 lbs | \$2.60 ea. |
| | FBV75/100 | 3/4" Ball Valve (3/4" FHT x 3/4" MHT, 75 psi max) | Black | 4.90 lbs | 100 | 800 | 42 lbs | \$2.46 ea. |
| | FBV75B | 3/4" Ball Valve (3/4" FHT x 3/4" MHT, 75 psi max) | Black | 4.90 lbs | N/A | 800 | 42 lbs | \$2.40 ea. |
|  | FYBV75 | 3/4" Y-Ball Valve (3/4" FHT Inlet x 3/4" MHT Outlets, 75 psi max) | Black | 8.00 lbs | 15 | 75 | 7 lbs | \$4.15 ea. |



Flow Controlling Valves

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|---|------------|-------------|---------|---------|------------|------------|
|  | FIV17 | 17 mm Insert Flow Controlling Valve (fits 0.540" to 0.580" ID tubing) | Brown | 4.20 lbs | 25 | 200 | 10 lbs | \$3.60 ea. |
| | FIV18 | 18 mm Insert Flow Controlling Valve (fits 0.600" to 0.620" ID tubing) | Black | 4.20 lbs | 25 | 200 | 10 lbs | \$3.85 ea. |
|  | FCV620 | 1/2" Compression Flow Controlling Valve (fits 0.620" OD tubing) | Green | 6.10 lbs | 15 | 150 | 10 lbs | \$2.50 ea. |
| | FCV700 | 1/2" Compression Flow Controlling Valve (fits 0.700" OD tubing) | Black | 5.90 lbs | 15 | 150 | 10 lbs | \$2.50 ea. |
| | FCV710 | 1/2" Compression Flow Controlling Valve (fits 0.710" OD tubing) | Blue | 5.90 lbs | 15 | 150 | 10 lbs | \$2.50 ea. |
|  | FCV900 | 3/4" Compression Flow Controlling Valve (fits 0.940" OD tubing) | Grey | 8.40 lbs | 25 | 125 | 12 lbs | \$2.90 ea. |

Micro-Valves






| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|---|------------|-------------|---------|---------|------------|------------|
|  | FVB250 | 1/4" Flow Controlling Valve (barb x barb) | Black | 0.50 lbs | 50 | 500 | 4 lbs | \$1.24 ea. |
|  | FVT250 | 1/4" Flow Controlling Valve (thread x thread) | Black | 0.50 lbs | 50 | 500 | 4 lbs | \$1.24 ea. |

Riser Leads for Jets

| | Part No. | Description | Color Code | Wt. per 100 | Bundle Qty | Box Qty | Box Weight | List Price |
|---|----------------------|---|------------|-------------|------------|---------|------------|------------|
|  | TFT24P | 24" Polyethylene Riser Lead for Jets w/ 1/4" Barbed Adapter (0.160" ID x 0.245" OD) | Black | 2.30 lbs | 100 | 1,000 | 23 lbs | \$0.58 ea. |
| | TFT30P | 30" Polyethylene Riser Lead for Jets w/ 1/4" Barbed Adapter (0.160" ID x 0.245" OD) | Black | 2.80 lbs | 100 | 1,000 | 29 lbs | \$0.62 ea. |
| | NEW TFT36P | 36" Polyethylene Riser Lead for Jets w/ 1/4" Barbed Adapter (0.160" ID x 0.245" OD) | Black | 3.30 lbs | 100 | 1,000 | 35 lbs | \$0.66 ea. |
|  | TFT24V | 24" Vinyl Riser Lead for Jets w/ 1/4" Barbed Adapter (0.150" ID x 0.250" OD) | Black | 4.30 lbs | 100 | 800 | 35 lbs | \$0.71 ea. |
| | TFT30V | 30" Vinyl Riser Lead for Jets w/ 1/4" Barbed Adapter (0.150" ID x 0.250" OD) | Black | 5.30 lbs | 100 | 800 | 43 lbs | \$0.77 ea. |

Note: Other lengths and dimensions available upon request.

Plastic Stakes




| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|--|------------|-------------|---------|---------|------------|------------|
|  | FS6 | 6" Plastic Support Stake (fits 0.185", 0.220", 0.250" and 0.300" OD tubing) | Black | 1.05 lbs | 100 | 2,000 | 23 lbs | \$0.23 ea. |
|  | FSJ6 | 6" Cleated Plastic J-Stake (holds down 0.620" to 0.710" OD tubing) | Black | 2.90 lbs | 50 | 400 | 13 lbs | \$0.64 ea. |
|  | FRRS8 | 8" Plastic Rigid Riser Stake (with 1/4" barbed side inlet) | Black | 2.42 lbs | 50 | 400 | 11 lbs | \$0.72 ea. |
|  | FS9 | 9" Plastic Stake (accepts 0.245" to 0.250" OD tubing) | Black | 4.90 lbs | N/A | 400 | 21 lbs | \$0.64 ea. |
|  | FS13 | 13" Plastic Stake (accepts 0.300" OD rigid riser and 0.245" to 0.270" OD tubing) | Black | 5.30 lbs | N/A | 400 | 23 lbs | \$0.77 ea. |

Wire Stakes




| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|---|------------|-------------|---------|---------|------------|------------|
| | FSU4 | 4" Galvanized Wire U-Stake, 14 gauge (for 1/4" tubing) | Silver | 1.10 lbs | 50 | 2,000 | 23 lbs | \$0.28 ea. |
| | FSU6 | 6" Non-Galvanized Wire U-Stake, 11 gauge (1/2" & 3/4" tubing) | Grey | 3.90 lbs | 100 | 1,000 | 40 lbs | \$0.25 ea. |
| | FSU6B | 6" Non-Galvanized Wire U-Stake, 11 gauge (1/2" & 3/4" tubing) | Grey | 3.90 lbs | N/A | 1,000 | 40 lbs | \$0.19 ea. |
| | FSU6GB | 6" Galvanized Wire U-Stake, 11 gauge (1/2" & 3/4" tubing) | Silver | 3.90 lbs | N/A | 1,000 | 40 lbs | \$0.26 ea. |
| | FSU8GB | 8" Galvanized Wire U-Stake, 12 gauge (1/2" & 3/4" tubing) | Silver | 4.10 lbs | N/A | 500 | 25 lbs | \$0.30 ea. |
| | FSDU6 | 6" Galvanized Wire U-Stake with Dimple, 11 gauge (1/2" & 3/4" tubing) | Silver | 3.90 lbs | 100 | 1,000 | 40 lbs | \$0.35 ea. |
| | FSDU6B | 6" Galvanized Wire U-Stake with Dimple, 11 gauge (1/2" & 3/4" tubing) | Silver | 3.90 lbs | N/A | 1,000 | 40 lbs | \$0.30 ea. |
| | FSJ5 | 5" Galvanized Wire J-Stake, 14 gauge (for 1/4" tubing) | Silver | 1.05 lbs | 100 | 2,000 | 21 lbs | \$0.23 ea. |
| | FSJ8 | 8" Galvanized Wire J-Stake, 12 gauge (1/2" & 3/4" tubing) | Silver | 2.50 lbs | 100 | 1,000 | 26 lbs | \$0.26 ea. |
| | FSJ8B | 8" Galvanized Wire J-Stake, 12 gauge (1/2" & 3/4" tubing) | Silver | 2.50 lbs | N/A | 1,000 | 26 lbs | \$0.20 ea. |
| | FS14 | 14" Galvanized Wire Stabilizer Stake, 11 gauge (for rigid riser assemblies) | Silver | 4.70 lbs | 50 | 500 | 25 lbs | \$1.04 ea. |

Note: Please call for pricing on quantities greater than 30,000.


Stake Assemblies

| Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|---|------------|-------------|---------|---------|------------|------------|
|  FSA24 | Assembly comprising 24" Heavy Wall Vinyl Tubing with 1/4" Connector (FBB250HD) and 13" Stake (FS13) | Black | 10.5 lbs | N/A | 200 | 23 lbs | \$1.86 ea. |
|  FSA24-V | Assembly comprising 24" Heavy Wall Vinyl Tubing with 1/4" Connector (FBB250HD), 13" Stake (FS13) and 1/4" Flow Controlling Valve (FVB250) | Black | 11.0 lbs | N/A | 200 | 24 lbs | \$3.10 ea. |
|  FSA24-Q | Assembly comprising 24" Heavy Wall Vinyl Tubing with 1/4" Connector (FBB250HD), 13" Stake (FS13) and 90° Adjustable Jet (EAJ90) | Black | 11.0 lbs | N/A | 200 | 24 lbs | \$3.30 ea. |
| FSA24-H | Assembly comprising 24" Heavy Wall Vinyl Tubing with 1/4" Connector (FBB250HD), 13" Stake (FS13) and 180° Adjustable Jet (EAJ180) | Blue | 11.0 lbs | N/A | 200 | 24 lbs | \$3.30 ea. |
| FSA24-F | Assembly comprising 24" Heavy Wall Vinyl Tubing with 1/4" Connector (FBB250HD), 13" Stake (FS13) and 360° Adjustable Jet (EAJ360) | Red | 11.0 lbs | N/A | 200 | 24 lbs | \$3.30 ea. |

Poly Rigid Risers

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|---|------------|-------------|---------|---------|------------|------------|
|  | TR6 | 6" Riser (0.160" x 0.300") | Black | 1.05 lbs | 100 | 2,000 | 22 lbs | \$0.19 ea. |
| | TR8 | 8" Riser (0.160" x 0.300") | Black | 1.40 lbs | 100 | 1,500 | 22 lbs | \$0.23 ea. |
| | TR12 | 12" Riser (0.160" x 0.300") | Black | 2.10 lbs | 100 | 1,000 | 22 lbs | \$0.29 ea. |
| | TR18 | 18" Riser (0.160" x 0.300") | Black | 3.15 lbs | 100 | 1,000 | 33 lbs | \$0.41 ea. |
|  | TRA6-B | 6" Riser (0.160" x 0.300") with Barbed Adapter | Black | 1.20 lbs | 100 | 2,000 | 25 lbs | \$0.51 ea. |
| | TRA8-B | 8" Riser (0.160" x 0.300") with Barbed Adapter | Black | 1.55 lbs | 100 | 1,500 | 25 lbs | \$0.55 ea. |
| | TRA12-B | 12" Riser (0.160" x 0.300") with Barbed Adapter | Black | 2.25 lbs | 100 | 1,000 | 25 lbs | \$0.61 ea. |
| | TRA18-B | 18" Riser (0.160" x 0.300") with Barbed Adapter | Black | 3.30 lbs | 100 | 1,000 | 36 lbs | \$0.73 ea. |
|  | TRA6-T | 6" Riser (0.160" x 0.300") with Threaded Adapter | Black | 1.20 lbs | 100 | 2,000 | 25 lbs | \$0.51 ea. |
| | TRA8-T | 8" Riser (0.160" x 0.300") with Threaded Adapter | Black | 1.55 lbs | 100 | 1,500 | 25 lbs | \$0.55 ea. |
| | TRA12-T | 12" Riser (0.160" x 0.300") with Threaded Adapter | Black | 2.25 lbs | 100 | 1,000 | 25 lbs | \$0.61 ea. |
| | TRA18-T | 18" Riser (0.160" x 0.300") with Threaded Adapter | Black | 3.30 lbs | 100 | 1,000 | 36 lbs | \$0.73 ea. |



1/2" Riser Adapters

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|--|------------|-------------|---------|---------|------------|------------|
|  | FMA50 | 1/2" Male Adapter for Rigid Riser (1/2" MIPT x Compression Opening to accept 0.160" ID x 0.300" OD Rigid Riser) | Black | 0.55 lbs | 100 | 1,000 | 7 lbs | \$0.68 ea. |

1/2" Riser Adapters

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|--|------------|-------------|---------|---------|------------|------------|
|  | FAJ | Adapter for Jets (1/2" FIPT x 10-32 NPT) | Black | 1.60 lbs | 50 | 250 | 5 lbs | \$1.00 ea. |
|  | FREL250 | 1/2" Riser with 1/4" Barbed Elbow (1/2" FIPT x 1/2" MIPT x 1/4" Barbed Elbow) | Black | 2.60 lbs | 50 | 200 | 6 lbs | \$1.86 ea. |

Riser Assemblies

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|---|------------|-------------|---------|---------|------------|------------|
|  | FMA50-6 | 6" Riser (0.160" x 0.300") in FMA50 1/2" Male Adapter | Black | 1.60 lbs | N/A | 400 | 8 lbs | \$0.97 ea. |
| | FMA50-8 | 8" Riser (0.160" x 0.300") in FMA50 1/2" Male Adapter | Black | 1.95 lbs | N/A | 400 | 9 lbs | \$1.01 ea. |
| | FMA50-12 | 12" Riser (0.160" x 0.300") in FMA50 1/2" Male Adapter | Black | 2.65 lbs | N/A | 400 | 12 lbs | \$1.07 ea. |
|  | FRRS8-6 | 6" Riser (0.160" x 0.300") on FRRS8 8" Stake | Black | 3.45 lbs | N/A | 400 | 15 lbs | \$1.07 ea. |
| | FRRS8-8 | 8" Riser (0.160" x 0.300") on FRRS8 8" Stake | Black | 3.80 lbs | N/A | 400 | 17 lbs | \$1.11 ea. |
| | FRRS8-12 | 12" Riser (0.160" x 0.300") on FRRS8 8" Stake | Black | 4.50 lbs | N/A | 400 | 20 lbs | \$1.17 ea. |









IPS Hose Riser Adapters

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|---|------------|-------------|---------|---------|------------|------------|
| | FHA7550 | IPS Hose Adapter (1/2" Socket / 3/4" Spigot x 3/4" MHT) | Black | 2.10 lbs | 100 | 800 | 19 lbs | \$0.97 ea. |
| | FHA7575 | IPS Hose Adapter (3/4" Socket / 1" Spigot x 3/4" MHT) | Black | 3.10 lbs | 100 | 1,000 | 33 lbs | \$1.13 ea. |
| | FSTT75W | 3/4" FHT Swivel w/ Washer x 3/4" Male Hose Thread Tee | Black | 6.10 lbs | 50 | 500 | 32 lbs | \$1.75 ea. |

Tools

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|--|----------|---|------------|-------------|---------|---------|------------|-------------|
| | ZMP | EZ Mini Punch | Yellow | 0.70 lbs | 50 | 250 | 3 lbs | \$0.82 ea. |
| | ZP | EZ Punch | Yellow | 6.60 lbs | 10 | 100 | 8 lbs | \$3.60 ea. |
| | ZPP | EZ Punch Pro (with spring-loaded tip and retainer clip for high speed punching and insertion) | Yellow | 7.30 lbs | 10 | 50 | 5 lbs | \$7.25 ea. |
| | ZPLP | EZ Plier Punch | Blue | 19.00 lbs | 1 | 10 | 3 lbs | \$31.00 ea. |
| | ZTC | EZ Tubing Cutter with Stainless Steel Blade (for Poly Tubing up to 1" OD) | Red | 26.00 lbs | 1 | 15 | 5 lbs | \$21.50 ea. |

Drip Accessories

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|----------|---|-------------|-------------|---------|---------|------------|------------|
|  | FF870 | Figure "8" End Plug (fits 0.620" OD to 0.710 OD tubing) | Black | 0.50 lbs | 100 | 2,000 | 11 lbs | \$0.25 ea. |
|  | FF890 | Figure "8" End Plug (fits 0.830" OD to 0.940 OD tubing) | Black | 1.00 lbs | 100 | 1,000 | 11 lbs | \$0.50 ea. |
|  | FHAT | 3/4" FHT Swivel x 1/4" Barbed Adapter | Black | 2.50 lbs | 50 | 250 | 7 lbs | \$1.65 ea. |
|  | FHPA | 3/4" FHT Swivel x 3/4" FIPT Swivel Adapter | Black/ Navy | 4.20 lbs | 25 | 150 | 7 lbs | \$2.58 ea. |
|  | FCAP75 | 3/4" FHT Cap with washer | Black | 1.80 lbs | 50 | 500 | 10 lbs | \$0.65 ea. |
|  | FSW75 | 3/4" Screen Washer (stainless steel, 30 mesh) | Black | 0.50 lbs | 100 | 1,000 | 6 lbs | \$0.71 ea. |
|  | FW75 | 3/4" Hose Washer | Black | 0.20 lbs | 100 | 3,000 | 7 lbs | \$0.13 ea. |
|  | FMC250 | 1/4" Mounting Clamp (fits 0.220" to 0.250" OD tubing) | Black | 0.12 lbs | 100 | 2,500 | 3 lbs | \$0.15 ea |
| | FMC710 | 1/2" Mounting Clamp (fits 0.620" to 0.710" OD tubing) | Black | 0.60 lbs | 100 | 1,000 | 7 lbs | \$0.39 ea. |

Micro Packs

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|-----------|--|-------------|-------------|---------|---------|------------|------------|
|  | ERC5/10 | 0.5 gph, PC Emitter | Red | 0.45 lbs | 10 | 2,000 | 10 lbs | \$0.64 ea. |
| | ERC10/10 | 1.0 gph, PC Emitter | Black | 0.45 lbs | 10 | 2,000 | 10 lbs | \$0.64 ea. |
| | ERC20/10 | 2.0 gph, PC Emitter | Green | 0.45 lbs | 10 | 2,000 | 10 lbs | \$0.64 ea. |
|  | ETA10/10 | 1.0 gph, Flag Emitter | Black | 0.33 lbs | 10 | 2,000 | 7 lbs | \$0.42 ea. |
| | ETA20G/10 | 2.0 gph, Flag Emitter | Light Green | 0.33 lbs | 10 | 2,000 | 7 lbs | \$0.42 ea. |
| | ETA20B/10 | 2.0 gph, Flag Emitter | Blue | 0.33 lbs | 10 | 2,000 | 7 lbs | \$0.42 ea. |
| | ETA40Y/10 | 4.0 gph, Flag Emitter | Yellow | 0.33 lbs | 10 | 2,000 | 7 lbs | \$0.42 ea. |
| | ETA40G/10 | 4.0 gph, Flag Emitter | Dark Green | 0.33 lbs | 10 | 2,000 | 7 lbs | \$0.42 ea. |
|  | EAJ360/5 | 360° Stream Spray Adjustable Jet | Red | 0.55 lbs | 5 | 500 | 4 lbs | \$1.45 ea. |
| | EAJ180/5 | 180° Fan Spray Adjustable Jet | Blue | 0.55 lbs | 5 | 500 | 4 lbs | \$1.45 ea. |
| | EAJ90/5 | 90° Fan Spray Adjustable Jet | Black | 0.55 lbs | 5 | 500 | 4 lbs | \$1.45 ea. |
|  | EZB360/10 | 360° 8-Stream Adjustable Emitter with Barbed Inlet | Black | 0.36 lbs | 10 | 1,000 | 5 lbs | \$0.66 ea. |
| | EZS360/5 | 360° 8-Stream Adjustable Emitter on 6" Stake | Black | 1.16 lbs | 5 | 1,000 | 14 lbs | \$1.08 ea. |
|  | EZBFAN/10 | Fan Spray Adjustable Emitter with Barbed Inlet | Black | 0.46 lbs | 10 | 1,000 | 6 lbs | \$0.78 ea. |
| | EZSFAN/5 | Fan Spray Adjustable Emitter on 6" Stake | Black | 1.26 lbs | 5 | 1,000 | 14 lbs | \$1.23 ea. |

Micro Packs




| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|-----------|--|------------|-------------|---------|---------|------------|------------|
|  | EPCB6/1 | 6 gph/Outlet, 4 Barbed Outlets, 1/2" FIPT Bubbler | Black | 4.40 lbs | 1 | 100 | 5 lbs | \$5.70 ea. |
| | EPCB10/1 | 10 gph/Outlet, 4 Barbed Outlets, 1/2" FIPT Bubbler | Red | 4.40 lbs | 1 | 100 | 5 lbs | \$5.70 ea. |
|  | EMB30/5 | 3.0 GPH, Plastic Misting/Fogging Nozzle with 1/4" Barbed Inlet | Black | 0.40 lbs | 5 | 500 | 4 lbs | \$1.34 ea. |
|  | FC250/10 | 1/4" Barbed Coupling | Black | 0.14 lbs | 10 | 5,000 | 8 lbs | \$0.21 ea. |
| | FC250/25 | 1/4" Barbed Coupling | Black | 0.14 lbs | 25 | 5,000 | 8 lbs | \$0.16 ea. |
|  | FT250/10 | 1/4" Barbed Tee | Black | 0.19 lbs | 10 | 3,000 | 7 lbs | \$0.29 ea. |
| | FT250/25 | 1/4" Barbed Tee | Black | 0.19 lbs | 25 | 3,000 | 7 lbs | \$0.24 ea. |
|  | FEL250/10 | 1/4" Barbed Elbow | Black | 0.13 lbs | 10 | 3,000 | 5 lbs | \$0.27 ea. |
| | FEL250/25 | 1/4" Barbed Elbow | Black | 0.13 lbs | 25 | 3,000 | 5 lbs | \$0.22 ea. |
|  | FGP2/20 | Dual Goof Plug (10/rack) | Black | 0.11 lbs | 20 | 5,000 | 7 lbs | \$0.12 ea. |
|  | FBP250/10 | Bug Plug for T220 and T250 Distribution Tubing | Black | 0.11 lbs | 10 | 5,000 | 7 lbs | \$0.39 ea. |

Micro Packs


| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|-----------|---|------------|-------------|---------|---------|------------|------------|
|  | FVB250/5 | 1/4" Flow Controlling Valve (barb x barb) | Black | 0.50 lbs | 5 | 500 | 4 lbs | \$1.44 ea. |
|  | FCC620/5 | Compression Coupling | Green | 3.00 lbs | 5 | 1,000 | 32 lbs | \$0.98 ea. |
| | FCC700/5 | Compression Coupling | Black | 2.90 lbs | 5 | 1,000 | 31 lbs | \$0.98 ea. |
| | FCC710/5 | Compression Coupling | Blue | 2.90 lbs | 5 | 1,000 | 31 lbs | \$0.98 ea. |
|  | FCT620/5 | Compression Tee | Green | 5.00 lbs | 5 | 480 | 26 lbs | \$1.45 ea. |
| | FCT700/5 | Compression Tee | Black | 4.80 lbs | 5 | 480 | 25 lbs | \$1.45 ea. |
| | FCT710/5 | Compression Tee | Blue | 4.80 lbs | 5 | 480 | 25 lbs | \$1.45 ea. |
|  | FCEL620/5 | Compression Elbow | Green | 3.60 lbs | 5 | 800 | 31 lbs | \$1.41 ea. |
| | FCEL700/5 | Compression Elbow | Black | 3.50 lbs | 5 | 800 | 30 lbs | \$1.41 ea. |
| | FCEL710/5 | Compression Elbow | Blue | 3.50 lbs | 5 | 800 | 30 lbs | \$1.41 ea. |
|  | FCEP620/5 | Compression End Plug | Green | 4.00 lbs | 5 | 800 | 34 lbs | \$1.41 ea. |
| | FCEP700/5 | Compression End Plug | Black | 4.00 lbs | 5 | 800 | 34 lbs | \$1.41 ea. |
| | FCEP710/5 | Compression End Plug | Blue | 4.00 lbs | 5 | 800 | 34 lbs | \$1.41 ea. |

Note: 620 Series fittings fit 0.620" OD tubing.
 700 Series fittings fit 0.700" OD tubing.
 710 Series fittings fit 0.710" OD tubing.

Micro Packs

| | Part No. | Description | Color Code | Wt. per 100 | Bag Qty | Box Qty | Box Weight | List Price |
|---|-----------|---|------------|-------------|---------|---------|------------|------------|
|  | FSJ5/10 | 5" Galvanized Wire J-Stake, 14 gauge | Silver | 1.05 lbs | 10 | 2,000 | 21 lbs | \$0.33 ea. |
| | FSJ8/10 | 8" Galvanized Wire J-Stake, 12 gauge | Silver | 2.50 lbs | 10 | 1,000 | 26 lbs | \$0.36 ea. |
|  | FS6/10 | 6" Plastic Support Stake | Black | 1.05 lbs | 10 | 2,000 | 23 lbs | \$0.33 ea. |
|  | FRRS8-6/5 | 6" Riser (0.160" x 0.300") on FRRS8 8" Stake | Black | 3.45 lbs | 5 | 300 | 12 lbs | \$1.28 ea. |
| | | Note: Riser needs to be screwed on to stake. | | | | | | |
|  | FREL250/5 | 1/2" Riser with 1/4" Barbed Elbow (1/2" FIPT x 1/2" MIPT x 1/4" Barbed Elbow) | Black | 2.60 lbs | 5 | 180 | 5 lbs | \$2.17 ea. |
|  | ZPP/1 | EZ Punch Pro (with spring-loaded tip and retainer clip for high speed punching and insertion) | Yellow | 7.30 lbs | 1 | 50 | 5 lbs | \$7.50 ea. |

6" Round Valve Boxes



A robust 6" round valve box with snap-in lid. Used as a durable enclosure to protect and provide easy access to valves or subsurface components of an irrigation system. Has overlapping lid to prevent dirt and grass from lodging between lid and body.

Features:

- Available in green, black, sand and purple.
- Secure snap-in lid.
- Lift hole in lid for easy removal.
- Skid resistant lid.
- Bottom flange to prevent sinking.
- "ICV" or "Reclaimed Water" marking.
- Overlapping lid prevents dirt and grass entering box.
- Pre-molded pipe slots (fits up to 2" diameter pipe).
- Manufactured from structurally foamed HDPE.
- Contains UV inhibitors to prevent discoloration.
- Made in USA.

| Part No. | Description | Color | | Dimensions | | | | | Lockable |
|----------|--|--------|--------|--------------|---------------|--------|----------|----|----------|
| | | Lid | Base | Top | Inside Bottom | Height | Weight | | |
| VBR6GG | 6" Round Valve Box (ICV) | Green | Green | 6.25" ϕ | 7.25" ϕ | 9.00" | 1.10 lbs | No | |
| VBR6GB | 6" Round Valve Box (ICV) | Green | Black | 6.25" ϕ | 7.25" ϕ | 9.00" | 1.10 lbs | No | |
| VBR6PP | 6" Round Valve Box (Reclaimed Water) | Purple | Purple | 6.25" ϕ | 7.25" ϕ | 9.00" | 1.10 lbs | No | |
| VBR6SS | 6" Round Valve Box (ICV) | Sand | Sand | 6.25" ϕ | 7.25" ϕ | 9.00" | 1.10 lbs | No | |
| VLR6G | 6" Round Replacement Lid (ICV) | Green | N/A | N/A | N/A | N/A | 0.20 lbs | No | |
| VLR6P | 6" Round Replacement Lid (Reclaimed Water) | Purple | N/A | N/A | N/A | N/A | 0.20 lbs | No | |
| VLR6S | 6" Round Replacement Lid (ICV) | Sand | N/A | N/A | N/A | N/A | 0.20 lbs | No | |

10" Round Valve Boxes



A robust 10" round valve box with twist lock bayonet style lid. Used as a durable enclosure to protect and provide easy access to valves or subsurface components of an irrigation system. Has overlapping lid to prevent dirt and grass from lodging between lid and body.

Features:

- Available in green, black, sand and purple.
- Secure twist lock bayonet style lid.
- Two blind holes in lid to easily rotate lid for removal.
- Skid resistant lid.
- Lockable lid option to prevent vandalism.
- Stepped body for additional side wall support.
- Bottom flange to prevent sinking.
- "ICV" or "Reclaimed Water" marking.
- Overlapping lid prevents dirt and grass entering box.
- Pre-molded pipe slots (fits up to 2.5" diameter pipe).
- Manufactured from structurally foamed HDPE.
- Contains UV inhibitors to prevent discoloration.
- Made in USA.

| Part No. | Description | Color | | Dimensions | | | Weight | Lockable Option |
|----------|---|--------|--------|--------------|---------------|--------|----------|-----------------|
| | | Lid | Base | Top | Inside Bottom | Height | | |
| VBR10GG | 10" Round Valve Box (ICV) | Green | Green | 9.50" ϕ | 11.25" ϕ | 10.50" | 2.40 lbs | Yes |
| VBR10GB | 10" Round Valve Box (ICV) | Green | Black | 9.50" ϕ | 11.25" ϕ | 10.50" | 2.40 lbs | Yes |
| VBR10PP | 10" Round Valve Box (Reclaimed Water) | Purple | Purple | 9.50" ϕ | 11.25" ϕ | 10.50" | 2.40 lbs | Yes |
| VBR10SS | 10" Round Valve Box (ICV) | Sand | Sand | 9.50" ϕ | 11.25" ϕ | 10.50" | 2.40 lbs | Yes |
| VLR10G | 10" Round Replacement Lid (ICV) | Green | N/A | N/A | N/A | N/A | 0.70 lbs | Yes |
| VLR10P | 10" Round Replacement Lid (Reclaimed Water) | Purple | N/A | N/A | N/A | N/A | 0.70 lbs | Yes |
| VLR10S | 10" Round Replacement Lid (ICV) | Sand | N/A | N/A | N/A | N/A | 0.70 lbs | Yes |
| VBA | 3/8" x 2" SS Bolt Assembly to bolt down 10" and 14" x 19" Valve Boxes | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

14" x 19" Standard Valve Boxes



A robust 14" X 19" standard rectangular valve box with snap-in lid. Used as a durable enclosure to protect and provide easy access to valves or subsurface components of an irrigation system. Has overlapping lid to prevent dirt and grass from lodging between lid and body.

Features:

- Available in green, black, sand and purple.
- Secure snap-in lid.
- Easy removal of lid.
- Skid resistant lid.
- Lockable lid option to prevent vandalism.
- Extra ribs for additional side wall support.
- Bottom flange to prevent sinking.
- "ICV" or "Reclaimed Water" marking.
- Overlapping lid prevents dirt and grass entering box.
- Pre-molded pipe slots (fits up to 2.5" diameter pipe).
- Manufactured from structurally foamed HDPE.
- Contains UV inhibitors to prevent discoloration.
- Made in USA.

| Part No. | Description | Color | | Dimensions | | | Weight | Lockable Option |
|----------|---|--------|--------|-----------------|-----------------|--------|----------|-----------------|
| | | Lid | Base | Top | Inside Bottom | Height | | |
| VB1419GG | 14" x 19" Rectangular Valve Box (ICV) | Green | Green | 11.75" x 16.75" | 14.00" x 19.00" | 12.50" | 6.40 lbs | Yes |
| VB1419GB | 14" x 19" Rectangular Valve Box (ICV) | Green | Black | 11.75" x 16.75" | 14.00" x 19.00" | 12.50" | 6.40 lbs | Yes |
| VB1419PP | 14" x 19" Rectangular Valve Box (Reclaimed Water) | Purple | Purple | 11.75" x 16.75" | 14.00" x 19.00" | 12.50" | 6.40 lbs | Yes |
| VB1419SS | 14" x 19" Rectangular Valve Box (ICV) | Sand | Sand | 11.75" x 16.75" | 14.00" x 19.00" | 12.50" | 6.40 lbs | Yes |
| VLR1419G | 14" x 19" Rectangular Replacement Lid (ICV) | Green | N/A | N/A | N/A | N/A | 1.80 lbs | Yes |
| VLR1419P | 14" x 19" Rectangular Replacement Lid (Reclaimed Water) | Purple | N/A | N/A | N/A | N/A | 1.80 lbs | Yes |
| VLR1419S | 14" x 19" Rectangular Replacement Lid (ICV) | Sand | N/A | N/A | N/A | N/A | 1.80 lbs | Yes |
| VBA | 3/8" x 2" SS Bolt Assembly to bolt down 10" and 14" x 19" Valve Boxes | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

17" x 24" Jumbo Valve Boxes




A robust 17" X 24" jumbo rectangular valve box with snap-in lid. Used as a durable enclosure to protect and provide easy access to valves or subsurface components of an irrigation system. Has overlapping lid to prevent dirt and grass from lodging between lid and body.

Features:

- Available in green, black, sand and purple.
- Secure snap-in, skid resistant lid.
- Recessed corners on valve box for easy removal of lid.
- Can be used with jumbo riser to extend height by 5".
- Lockable lid option to prevent vandalism.
- Extra ribs for additional side wall support.
- Bottom flange to prevent sinking.
- "ICV" or "Reclaimed Water" marking.
- Overlapping lid prevents dirt and grass entering box.
- Pre-molded pipe slots (fits up to 2.5" diameter pipe).
- Manufactured from structurally foamed HDPE.
- Contains UV inhibitors to prevent discoloration.
- Made in USA.

| Part No. | Description | Color | | Dimensions | | | Weight | Lockable Option |
|----------|--|--------|--------|---------------|---------------|--------|----------|-----------------|
| | | Lid | Base | Outside Top | Inside Bottom | Height | | |
| VB1724GG | 17" x 24" Rectangular Valve Box (ICV) | Green | Green | 15.0" x 21.0" | 17.0" x 23.5" | 12.75" | 10.5 lbs | Yes |
| VB1724GB | 17" x 24" Rectangular Valve Box (ICV) | Green | Black | 15.0" x 21.0" | 17.0" x 23.5" | 12.75" | 10.5 lbs | Yes |
| VB1724PP | 17" x 24" Rectangular Valve Box (Reclaimed Water) | Purple | Purple | 15.0" x 21.0" | 17.0" x 23.5" | 12.75" | 10.5 lbs | Yes |
| VB1724SS | 17" x 24" Rectangular Valve Box (ICV) | Sand | Sand | 15.0" x 21.0" | 17.0" x 23.5" | 12.75" | 10.5 lbs | Yes |
| VLR1724G | 17" x 24" Rectangular Replacement Lid (ICV) | Green | N/A | N/A | N/A | N/A | 3.00 lbs | Yes |
| VLR1724P | 17" x 24" Rectangular Replacement Lid (Reclaimed Water) | Purple | N/A | N/A | N/A | N/A | 3.00 lbs | Yes |
| VLR1724S | 17" x 24" Rectangular Replacement Lid (ICV) | Sand | N/A | N/A | N/A | N/A | 3.00 lbs | Yes |
| VBA | 3/8" x 2" SS Bolt Assembly to bolt down 10", 14" x 19" and 17" x 24" Valve Boxes | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

Standard Low Profile Valve Box



A robust standard low profile valve box with snap-in lid. Ideal for shallow pipe and valve installations with a height of 6.75" (compared to a normal box height of 12.50"). Used as a durable enclosure to protect and provide easy access to valves or subsurface components of an irrigation system. Has overlapping lid to prevent dirt and grass from lodging between lid and body.

Features:

- Available in green, black, sand and purple.
- Secure snap-in, skid resistant lid.
- Recessed corners on valve box for easy removal of lid.
- Can be used with standard valve box as a riser.
- Lockable lid option to prevent vandalism.
- Extra ribs for additional side wall support.
- Bottom flange to prevent sinking.
- "ICV" or "Reclaimed Water" marking.
- Overlapping lid prevents dirt and grass entering box.
- Manufactured from structurally foamed HDPE.
- Contains UV inhibitors to prevent discoloration.
- Made in USA.

| Part No. | Description | Color | | Dimensions | | | Weight | Lockable Option |
|----------|--|--------|--------|-----------------|---------------|--------|----------|-----------------|
| | | Lid | Base | Outside Top | Inside Bottom | Height | | |
| VBSLPGG | Standard Low Profile Valve Box (ICV) | Green | Green | 11.75" x 16.75" | 12.1" x 17.4" | 6.75" | 4.60 lbs | Yes |
| VBSLPGB | Standard Low Profile Valve Box (ICV) | Green | Black | 11.75" x 16.75" | 12.1" x 17.4" | 6.75" | 4.60 lbs | Yes |
| VBSLPPP | Standard Low Profile Valve Box (Reclaimed Water) | Purple | Purple | 11.75" x 16.75" | 12.1" x 17.4" | 6.75" | 4.60 lbs | Yes |
| VBSLPSS | Standard Low Profile Valve Box (ICV) | Sand | Sand | 11.75" x 16.75" | 12.1" x 17.4" | 6.75" | 5.60 lbs | Yes |
| VLR1419G | 14" x 19" Rectangular Replacement Lid (ICV) | Green | N/A | N/A | N/A | N/A | 1.80 lbs | Yes |
| VLR1419P | 14" x 19" Rectangular Replacement Lid (Reclaimed Water) | Purple | N/A | N/A | N/A | N/A | 1.80 lbs | Yes |
| VLR1419S | 14" x 19" Rectangular Replacement Lid (ICV) | Sand | N/A | N/A | N/A | N/A | 1.80 lbs | Yes |
| VBA | 3/8" x 2" SS Bolt Assembly to bolt down 10", 14" x 19" and 17" x 24" Valve Boxes | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

Standard Valve Box Riser Extender




A robust standard valve box riser extender can be used to increase the height of a standard valve box by 5" when stacked together. Accepts standard valve box snap-in lid. Multiple riser extenders can be stacked on top of each other to increase height by 5" per extender. Can also be used as a standard low profile box when combined with standard lid.

Features:

- Available in green, black, sand and purple.
- Accepts secure snap-in, skid resistant lid.
- Recessed corners on valve box for easy removal of lid.
- Lockable lid option to prevent vandalism.
- Extra ribs for additional side wall support.
- Bottom flange to prevent sinking.
- Manufactured from structurally foamed HDPE.
- Contains UV inhibitors to prevent discoloration.
- Made in USA.

| Part No. | Description | Color | Dimensions | | | Weight | Lockable Option |
|----------|--|--------|-----------------|---------------|--------|----------|-----------------|
| | | | Outside Top | Inside Bottom | Height | | |
| VBSRG | Standard Valve Box Riser Extender | Green | 11.75" x 16.75" | 12.1" x 17.4" | 6.50" | 2.80 lbs | Yes |
| VBSRB | Standard Valve Box Riser Extender | Black | 11.75" x 16.75" | 12.1" x 17.4" | 6.50" | 2.80 lbs | Yes |
| VBSRP | Standard Valve Box Riser Extender | Purple | 11.75" x 16.75" | 12.1" x 17.4" | 6.50" | 2.80 lbs | Yes |
| VBSRS | Standard Valve Box Riser Extender | Sand | 11.75" x 16.75" | 12.1" x 17.4" | 6.50" | 2.80 lbs | Yes |
| VLR1419G | 14" x 19" Rectangular Replacement Lid (ICV) | Green | N/A | N/A | N/A | 1.80 lbs | Yes |
| VLR1419P | 14" x 19" Rectangular Replacement Lid (Reclaimed Water) | Purple | N/A | N/A | N/A | 1.80 lbs | Yes |
| VLR1419S | 14" x 19" Rectangular Replacement Lid (ICV) | Sand | N/A | N/A | N/A | 1.80 lbs | Yes |
| VBA | 3/8" x 2" SS Bolt Assembly to bolt down 10", 14" x 19" and 17" x 24" Valve Boxes | N/A | N/A | N/A | N/A | N/A | N/A |

Jumbo Low Profile Valve Box



A robust jumbo low profile valve box with snap-in lid. Ideal for shallow pipe and valve installations with a height of 7" (compared to a normal box height of 12.75"). Used as a durable enclosure to protect and provide easy access to valves or subsurface components of an irrigation system. Has overlapping lid to prevent dirt and grass from lodging between lid and body.

Features:

- Available in green, black, sand and purple.
- Secure snap-in, skid resistant lid.
- Recessed corners on valve box for easy removal of lid.
- Can be used with jumbo valve box as a riser.
- Lockable lid option to prevent vandalism.
- Extra ribs for additional side wall support.
- Bottom flange to prevent sinking.
- "ICV" or "Reclaimed Water" marking.
- Overlapping lid prevents dirt and grass entering box.
- Manufactured from structurally foamed HDPE.
- Contains UV inhibitors to prevent discoloration.
- Made in USA.

| Part No. | Description | Color | | Dimensions | | | | Lockable Option |
|----------|--|--------|--------|---------------|---------------|--------|----------|-----------------|
| | | Lid | Base | Outside Top | Inside Bottom | Height | Weight | |
| VBJLPGG | Jumbo Low Profile Valve Box (ICV) | Green | Green | 15.0" x 21.0" | 15.5" x 21.5" | 7.00" | 7.5 lbs | Yes |
| VBJLPGB | Jumbo Low Profile Valve Box (ICV) | Green | Black | 15.0" x 21.0" | 15.5" x 21.5" | 7.00" | 7.5 lbs | Yes |
| VBJLPPP | Jumbo Low Profile Valve Box (Reclaimed Water) | Purple | Purple | 15.0" x 21.0" | 15.5" x 21.5" | 7.00" | 7.5 lbs | Yes |
| VBJLPSS | Jumbo Low Profile Valve Box (ICV) | Sand | Sand | 15.0" x 21.0" | 15.5" x 21.5" | 7.00" | 7.5 lbs | Yes |
| VLR1724G | 17" x 24" Rectangular Replacement Lid (ICV) | Green | N/A | N/A | N/A | N/A | 3.00 lbs | Yes |
| VLR1724P | 17" x 24" Rectangular Replacement Lid (Reclaimed Water) | Purple | N/A | N/A | N/A | N/A | 3.00 lbs | Yes |
| VLR1724S | 17" x 24" Rectangular Replacement Lid (ICV) | Sand | N/A | N/A | N/A | N/A | 3.00 lbs | Yes |
| VBA | 3/8" x 2" SS Bolt Assembly to bolt down 10", 14" x 19" and 17" x 24" Valve Boxes | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

Jumbo Valve Box Riser Extender




A robust jumbo valve box riser extender can be used to increase the height of a jumbo valve box by 5" when stacked together. Accepts jumbo valve box snap-in lid. Multiple riser extenders can be stacked on top of each other to increase height by 5" per extender. Can also be used as a jumbo low profile box when combined with jumbo lid.

Features:

- Available in green, black, sand and purple.
- Accepts secure snap-in, skid resistant lid.
- Recessed corners on valve box for easy removal of lid.
- Lockable lid option to prevent vandalism.
- Extra ribs for additional side wall support.
- Bottom flange to prevent sinking.
- Manufactured from structurally foamed HDPE.
- Contains UV inhibitors to prevent discoloration.
- Made in USA.

| Part No. | Description | Color | Dimensions | | | Weight | Lockable Option |
|----------|--|--------|---------------|---------------|--------|----------|-----------------|
| | | | Outside Top | Inside Bottom | Height | | |
| VBJRG | Jumbo Valve Box Riser Extender | Green | 15.0" x 21.0" | 15.5" x 21.5" | 6.75" | 4.25 lbs | Yes |
| VBJRB | Jumbo Valve Box Riser Extender | Black | 15.0" x 21.0" | 15.5" x 21.5" | 6.75" | 4.25 lbs | Yes |
| VBJRP | Jumbo Valve Box Riser Extender | Purple | 15.0" x 21.0" | 15.5" x 21.5" | 6.75" | 4.25 lbs | Yes |
| VBJRS | Jumbo Valve Box Riser Extender | Sand | 15.0" x 21.0" | 15.5" x 21.5" | 6.75" | 4.25 lbs | Yes |
| VLR1724G | 17" x 24" Rectangular Replacement Lid (ICV) | Green | N/A | N/A | N/A | 3.00 lbs | Yes |
| VLR1724P | 17" x 24" Rectangular Replacement Lid (Reclaimed Water) | Purple | N/A | N/A | N/A | 3.00 lbs | Yes |
| VLR1724S | 17" x 24" Rectangular Replacement Lid (ICV) | Sand | N/A | N/A | N/A | 3.00 lbs | Yes |
| VBA | 3/8" x 2" SS Bolt Assembly to bolt down 10", 14" x 19" and 17" x 24" Valve Boxes | N/A | N/A | N/A | N/A | N/A | N/A |

Round Grates: 3", 4" and 6"



Features:

- Manufactured from structurally foamed High Density Polyethylene (HDPE).
- UV stabilized to protect from sun degradation.
- Available in green, black, sand, grey (grey color only available in flat grates) and purple (3" round flat grate only).
- Flat and atrium (domed) profiles.
- Each grate has three stepped diameters to fit Sewer and Drain Pipe and Fittings, Triple Wall Pipe and Corrugated Pipe.
- Textured anti-skid surface.
- Load rated for pedestrian traffic (flat grates only).
- ADA compliant (flat grates only).
- Made in the USA.


| Part No. | Description | Each Diameter Fits | | | Slot Width | Flow Rating | Max Load ¹ |
|----------|-------------------|---|---|--|------------|-------------|-----------------------|
| | | Small | Medium | Large | | | |
| G3RFG | 3", Flat, Green | 3" Triple Wall Pipe | 3" S and D Pipe (ASTM D2729), 3" Corrugated Pipe ³ | 3" S and D Fittings (SDR 35) | 3/16" | 3 GPM | 500 lbs |
| G3RFB | 3", Flat, Black | | | | | | |
| G3RFS | 3", Flat, Sand | | | | | | |
| G3RFC | 3", Flat, Grey | | | | | | |
| G3RFP | 3", Flat, Purple | | | | | | |
| G4RFG | 4", Flat, Green | 4" Triple Wall Pipe | 4" S and D Pipe (ASTM D2729), 4" Corrugated Pipe ³ | 4" S and D Fittings (SDR 35) | 1/4" | 6 GPM | 750 lbs |
| G4RFB | 4", Flat, Black | | | | | | |
| G4RFS | 4", Flat, Sand | | | | | | |
| G4RFC | 4", Flat, Grey | | | | | | |
| G6RFG | 6", Flat, Green | 6" Sewer Pipe (ASTM D3034, SDR 35) ² | 6" S and D Pipe (ASTM D2729), 6" Corrugated Pipe ³ | 6" S and D Fittings (SDR 35), 6" Round Catch Basin | 5/16" | 16 GPM | 1,000 lbs |
| G6RFB | 6", Flat, Black | | | | | | |
| G6RFS | 6", Flat, Sand | | | | | | |
| G6RFC | 6", Flat, Grey | | | | | | |
| G3RAG | 3", Atrium, Green | 3" Triple Wall Pipe | 3" S and D Pipe (ASTM D2729), 3" Corrugated Pipe ³ | 3" S and D Fittings (SDR 35) | 1/4" | 12 GPM | N/A |
| G3RAB | 3", Atrium, Black | | | | | | |
| G3RAS | 3", Atrium, Sand | | | | | | |
| G4RAG | 4", Atrium, Green | 4" Triple Wall Pipe | 4" S and D Pipe (ASTM D2729), 4" Corrugated Pipe ³ | 4" S and D Fittings (SDR 35) | 5/16" | 20 GPM | N/A |
| G4RAB | 4", Atrium, Black | | | | | | |
| G4RAS | 4", Atrium, Sand | | | | | | |
| G6RAG | 6", Atrium, Green | 6" Sewer Pipe (ASTM D3034, SDR 35) ² | 6" S and D Pipe (ASTM D2729), 6" Corrugated Pipe ³ | 6" S and D Fittings (SDR 35), 6" Round Catch Basin | 3/8" | 36 GPM | N/A |
| G6RAB | 6", Atrium, Black | | | | | | |
| G6RAS | 6", Atrium, Sand | | | | | | |

1. Maximum load based on weight uniformly applied across entire grate surface.

2. Grates will fit 6" Sewer Pipe (ASTM D3034, SDR 35) provided the pipe wall thickness is close to the specified minimum of 0.180".

3. Due to wide manufacturing tolerances of Corrugated Pipe, this fit may not be perfect. If loose, push to larger diameter.

Square Grates: 9", 12" and 18"



Features:

- Manufactured from structurally foamed High Density Polyethylene (HDPE).
- UV stabilized to protect from sun degradation.
- Available in green, black, sand and grey (sand and grey color only available in flat grates).
- Flat and atrium (domed) profiles.
- Fits 9", 12" and 18" catch basins.
- Textured anti-skid surface.
- Load rated for autos and light trucks at speeds less than 20 mph (flat grates only).
- Includes two bolt holes to secure to basin (use #6 1.5" long Phillips flat head stainless screws).
- ADA compliant (flat grates only).
- Made in the USA.

| Part No. | Description | Fits | Slot Width | Flow Rating | Max Load ¹ |
|----------|--------------------|------------------------|------------|-------------|-----------------------|
| G9SFG | 9", Flat, Green | 9" Square Catch Basin | 3/8" | 50 GPM | 2,000 lbs |
| G9SFB | 9", Flat, Black | | | | |
| G9SFS | 9", Flat, Sand | | | | |
| G9SFC | 9", Flat, Grey | | | | |
| G12SFG | 12", Flat, Green | 12" Square Catch Basin | 7/16" | 70 GPM | 3,000 lbs |
| G12SFB | 12", Flat, Black | | | | |
| G12SFS | 12", Flat, Sand | | | | |
| G12SFC | 12", Flat, Grey | | | | |
| G18SFG | 18", Flat, Green | 18" Square Catch Basin | 15/32" | 120 GPM | 4,000 lbs |
| G18SFB | 18", Flat, Black | | | | |
| G18SFS | 18", Flat, Sand | | | | |
| G18SFC | 18", Flat, Grey | | | | |
| G9SAG | 9", Atrium, Green | 9" Square Catch Basin | 3/8" | 40 GPM | N/A |
| G9SAB | 9", Atrium, Black | | | | |
| G12SAG | 12", Atrium, Green | 12" Square Catch Basin | 7/16" | 65 GPM | N/A |
| G12SAB | 12", Atrium, Black | | | | |

1. Maximum load rating based on basin encased in concrete and weight uniformly applied across entire grate surface.

Square Universal Grates: 6"




Features:

- Manufactured from structurally foamed High Density Polyethylene (HDPE).
- UV stabilized to protect from sun degradation.
- Available in green, black, sand and grey.
- Textured anti-skid surface.
- Load rated for pedestrian traffic.
- ADA compliant.
- Made in the USA.

| Part No. | Description | Fits | Slot Width | Flow Rating | Max Load ¹ |
|----------|-----------------|---|------------|-------------|-----------------------|
| G6SUG | 6", Flat, Green | 3" & 4" S and D Pipe (ASTM D2729), | 1/4" | 11 GPM | 250 lbs |
| G6SUB | 6", Flat, Black | 3" & 4" Corrugated Pipe, 3" & 4" Triple | | | |
| G6SUS | 6", Flat, Sand | Wall Pipe, 3", 4" & 6" S and D Fittings | | | |
| G6SUC | 6", Flat, Grey | (SDR 35), 6" Round Catch Basin | | | |

1. Maximum load rating based on basin encased in concrete and weight uniformly applied across entire grate surface.

Round Brass Grates: 3"



Features:

- Grate is manufactured from solid cast brass with satin finish and Collar is manufactured from PVC.
- Collar can be solvent welded onto Sewer & Drain Fittings or Pipe.
- Grate can be removed from Collar for easy cleaning.
- A luxury product suited for use around highly visible areas.
- Grate is secured to PVC Collar by 2 brass screws to prevent theft.
- ADA compliant.

| Part No. | Description | Fits | Slot Width | Flow Rating | Max Load ¹ |
|----------|-----------------------|--|------------|-------------|-----------------------|
| GB3R | 3", Flat, Satin Brass | 2" SCH-40 Pipe and 3" S and D Fittings | 1/4" | 4 GPM | 500 lbs |

1. Maximum load rating based on basin encased in concrete and weight uniformly applied across entire grate surface.

Pop-Up Relief Valves



Features:

- Available in 4 configurations.
- Pop-Up body manufactured from structurally foamed High Density Polyethylene (HDPE).
- Elbow (where applicable) manufactured from PVC.
- Adapter (where applicable) manufactured from High Impact Polystyrene (HIPS).
- UV stabilized to protect from sun degradation.
- Cover rises 1/2" to discharge excess water in system.
- Spring automatically retracts cover to flush position after excess water is discharged.
- Can be used in both vertical and horizontal position.
- Stainless steel spring to prevent rusting.
- PVC elbows (where applicable) include a 1/4" drain hole to eliminate standing water.
- Made in the USA.

| Part No. | Description | Connects To |
|----------|--|--|
| APU | Pop-Up Relief Valve (Emitter), Green | 3" or 4" S and D Fittings (SDR 35) |
| APU3 | Pop-Up Relief Valve (Emitter) with 3" Elbow, Green | 3" S and D Pipe (ASTM D2729) and 3" Triple Wall Pipe |
| APU4 | Pop-Up Relief Valve (Emitter) with 4" Elbow, Green | 4" S and D Pipe (ASTM D2729 & D3034) and 4" Triple Wall Pipe |
| APUP34 | Pop-Up Relief Valve (Emitter) with 4" Elbow and Adapter, Green | 3" or 4" Corrugated Pipe, 3" or 4" Triple Wall Pipe and 3" or 4" S and D Pipe (ASTM D2729) |

Round Catch Basins: 6"




Features:

- Manufactured from High Impact Polystyrene (HIPS).
- UV stabilized to protect from sun degradation.
- Available in both 1 and 2 outlet models.
- Universal outlet used to connect to 3" & 4" Sewer & Drain Pipe (ASTM D2729), 3" & 4" Corrugated Pipe and 3" & 4" Triple Wall Pipe.
- Accepts 6" Round Flat Grates, 6" Round Atrium Grates and 6" Square Universal Grates.
- To extend height of basin, use 6" PVC Pipe (ASTM D2729 and ASTM D3034, SDR 35) as a riser.
- Includes a sump to allow sediment to settle in basin to minimize clogging of pipes.
- Made in the USA.

| Part No. | Description | Inlet (Top) Accepts | Outlet (Side) Fits | Number of Outlets | Capacity | Sump Capacity |
|----------|--|--|--|-------------------|------------|---------------|
| BR61 | 6" Round Catch Basin, 1 Outlet, Black | 6" Round Flat and Atrium Grates, 6" Square Universal Grates, 6" PVC Pipe (ASTM D2729 and ASTM D3034, SDR 35) | 3" or 4" Corrugated, Triple Wall and S and D Pipe (ASTM D2729) | 1 | 0.80 gals. | 0.20 gals |
| BR62 | 6" Round Catch Basin, 2 Outlets, Black | 6" Round Flat and Atrium Grates, 6" Square Universal Grates, 6" PVC Pipe (ASTM D2729 and ASTM D3034, SDR 35) | 3" or 4" Corrugated, Triple Wall and S and D Pipe (ASTM D2729) | 2 | 0.80 gals. | 0.20 gals |

Square Catch Basins: 9", 12" and 18"




Features:

- Manufactured from High Density Polyethylene (HDPE).
- UV stabilized to protect from sun degradation.
- Two or four side panel openings plus an optional perforated opening at the bottom of the basin.
- Includes four 5/8" potential drain holes at bottom.
- Use a 3" and 4" Basin Adapter (ABA34 or ABAO34) to connect to 3" & 4" Sewer & Drain Pipe (ASTM D2729), 3" & 4" Corrugated Pipe and 3" & 4" Triple Wall Pipe.
- Use a 6" Basin Adapter (ABA6) to connect to 6" PVC Pipe (ASTM D2729 and ASTM D3034, SDR 35) and 6" Corrugated Pipe.
- Use a Basin Plug to plug unused outlets.
- Use 9" or 12" Square Basin Riser(s) to extend height of 9" and 12" Square Catch Basins, respectively.
- Accepts 9", 12" and 18" Square Flat and Square Atrium Grates.
- Includes 4 screw holes to enable grates to be secured to basin.
- Made in the USA.

| Part No. | Description | Inlet (Top) Accepts | Outlet (Side) Fits | Number of Outlets | Capacity | Sump Capacity |
|----------|--|--|--|-------------------|------------|---------------|
| BS92 | 9" Square Catch Basin, 2 Outlets, Black | 9" Square Flat and Atrium Grates and 9" Square Basin Riser | Basin Plug (ABP), 3" & 4" Basin Adapter (ABA34 or ABAO34), and 6" Basin Adapter (ABA6) | 2 | 2.20 gals | 0.45 gals |
| BS94 | 9" Square Catch Basin, 4 Outlets, Black | 9" Square Flat and Atrium Grates and 9" Square Basin Riser | Basin Plug (ABP), 3" & 4" Basin Adapter (ABA34 or ABAO34), and 6" Basin Adapter (ABA6) | 4 | 2.20 gals | 0.45 gals |
| BS122 | 12" Square Catch Basin, 2 Outlets, Black | 12" Square Flat and Atrium Grates and 12" Square Basin Riser | Basin Plug (ABP), 3" & 4" Basin Adapter (ABA34 or ABAO34), and 6" Basin Adapter (ABA6) | 2 | 5.10 gals | 1.25 gals |
| BS124 | 12" Square Catch Basin, 4 Outlets, Black | 12" Square Flat and Atrium Grates and 12" Square Basin Riser | Basin Plug (ABP), 3" & 4" Basin Adapter (ABA34 or ABAO34), and 6" Basin Adapter (ABA6) | 4 | 5.10 gals | 1.25 gals |
| BS182 | 18" Square Catch Basin, 2 Outlets, Black | 18" Square Flat Grates | Basin Plug (ABP), 3" & 4" Basin Adapter (ABA34 or ABAO34), and 6" Basin Adapter (ABA6) | 2 | 16.70 gals | 4.90 gals |
| BS184 | 18" Square Catch Basin, 4 Outlets, Black | 18" Square Flat Grates | Basin Plug (ABP), 3" & 4" Basin Adapter (ABA34 or ABAO34), and 6" Basin Adapter (ABA6) | 4 | 16.70 gals | 4.90 gals |

Square Low Profile Basins: 9” and 12”






Features:

- Manufactured from High Impact Polystyrene (HIPS).
- UV stabilized to protect from sun degradation.
- One bottom opening designed to accept Basin Adapters (ABA34 and ABA6).
- Use a 3” and 4” Basin Adapter (ABA34) to connect to 3” & 4” Sewer & Drain Pipe (ASTM D2729), 3” & 4” Corrugated Pipe and 3” & 4” Triple Wall Pipe.
- Use a 6” Basin Adapter (ABA6) to connect to 6” PVC Pipe (ASTM D2729 and ASTM D3034, SDR 35) and 6” Corrugated Pipe.
- Accepts 9” and 12” Square Flat and Square Atrium Grates.
- Includes 2 screw holes to enable grates to be secured to basin.
- Made in the USA.

| Part No. | Description | Inlet (Top) Accepts | Outlet (Bottom) Fits | Number of Outlets |
|----------|------------------------------|-----------------------------------|--|-------------------|
| BS9LP | 9” Low Profile Basin, Black | 9” Square Flat and Atrium Grates | Basin Plug (ABP), 3” & 4” Basin Adapter (ABA34), and 6” Basin Adapter (ABA6) | 1 |
| BS12LP | 12” Low Profile Basin, Black | 12” Square Flat and Atrium Grates | Basin Plug (ABP), 3” & 4” Basin Adapter (ABA34), and 6” Basin Adapter (ABA6) | 1 |

AGRIJET™ MICROSPRINKLERS

- Operating range from 10 to 30 psi.
- No moving parts.
- Quick twist thread for fast installation.
- Color coded nozzles for flow rate identification.
- Wide range of flow rates available.
- Open frame design to minimize bugs effecting spray patterns.

| Pattern / Code | | | |  A |  E |  J |
|-------------------------|-------------|----------------|------------|---|---|---|
| Coverage / # of Streams | | | | 360° / 12 Streams | 360° / 22 Streams | 360° / 16 Streams |
| Trajectory | | | | High 25° / Low 5° | Standard 15° | Standard 15° |
| Base Color | Nozzle Size | Pressure (psi) | Flow (gph) | Diameter (feet) High / Low | Diameter (feet) | Diameter (feet) |
| Black | 0.030" | 10 | 4.4 | 10 / 9 | 10 | 8 |
| | | 15 | 5.2 | 12 / 10 | 11 | 9 |
| | | 20 | 5.9 | 14 / 10 | 12 | 9 |
| | | 25 | 6.6 | 14 / 11 | 13 | 10 |
| | | 30 | 7.2 | 15 / 11 | 14 | 10 |
| Orange | 0.035" | 10 | 6.0 | 14 / 10 | 11 | 9 |
| | | 15 | 7.2 | 16 / 12 | 12 | 10 |
| | | 20 | 8.3 | 17 / 13 | 14 | 11 |
| | | 25 | 9.3 | 18 / 14 | 15 | 12 |
| | | 30 | 10.2 | 19 / 15 | 16 | 12 |
| Blue | 0.040" | 10 | 7.5 | 15 / 11 | 12 | 10 |
| | | 15 | 9.1 | 17 / 13 | 13 | 11 |
| | | 20 | 10.6 | 19 / 15 | 15 | 12 |
| | | 25 | 11.9 | 21 / 17 | 16 | 13 |
| | | 30 | 13.1 | 22 / 18 | 17 | 14 |
| Violet | 0.045" | 10 | 10.0 | 17 / 13 | 14 | 12 |
| | | 15 | 12.0 | 20 / 15 | 15 | 13 |
| | | 20 | 13.9 | 22 / 17 | 16 | 14 |
| | | 25 | 15.7 | 24 / 19 | 17 | 15 |
| | | 30 | 17.4 | 26 / 21 | 18 | 15 |
| Green | 0.050" | 10 | 11.8 | 20 / 14 | 14 | 14 |
| | | 15 | 14.1 | 23 / 17 | 15 | 15 |
| | | 20 | 16.3 | 25 / 19 | 17 | 16 |
| | | 25 | 18.2 | 27 / 21 | 19 | 17 |
| | | 30 | 20.2 | 29 / 23 | 21 | 18 |

PC DRIPPERLINE w/ CHECK VALVE

- Pressure compensating between 7.5 and 50 psi.
- Check valve opens at low pressure of 7.5 psi.
- Includes check valve to prevent drainage of line on shut down.
- Anti-syphon feature to prevent dirt from being sucked back if a vacuum occurs.
- Consistent clog free performance.
- 2 flow rates available.
- Wide variety of spacings available.
- Long lasting silicone diaphragm.

DISCHARGE RATES (GPH)

| Dripperline Flow Rate | 10 psi | 20 psi | 30 psi | 40 psi | 50 psi |
|-----------------------|----------|----------|----------|----------|----------|
| 0.6 gph | 0.63 gph | 0.64 gph | 0.64 gph | 0.65 gph | 0.64 gph |
| 1.0 gph | 0.99 gph | 1.00 gph | 1.01 gph | 1.02 gph | 1.03 gph |

MAX LENGTH OF RUN (FEET)

| Dripperline Dimensions | Starting Line Pressure | 0.6 gph | | | 1.0 gph | | |
|--|------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | 12" Spacing | 18" Spacing | 24" Spacing | 12" Spacing | 18" Spacing | 24" Spacing |
| 0.560" ID x 0.660" OD (17 mm Brown) | 20 psi | 265' | 400' | 490' | 200' | 260' | 350' |
| | 30 psi | 337' | 475' | 595' | 240' | 340' | 425' |
| | 40 psi | 410' | 550' | 700' | 280' | 420' | 500' |
| 0.600" ID x 0.700" OD (18 mm Black) | 20 psi | 330' | 440' | 570' | 240' | 320' | 400' |
| | 30 psi | 410' | 555' | 685' | 285' | 395' | 480' |
| | 40 psi | 490' | 670' | 800' | 330' | 470' | 560' |

POLYETHYLENE SUPPLY TUBING

- Blend of LLDPE and MDPE for increased strength.
- Minimum of 2% carbon black for UV protection.

FRICITION LOSS (psi/100 feet)

| Flow | Part Number | | | |
|----------|------------------------|------------------------|------------------------|------------------------|
| | T620 (0.520" x 0.620") | T700 (0.600" x 0.700") | T710 (0.620" x 0.710") | T940 (0.830" x 0.940") |
| 0.5 gpm | 0.3 | 0.2 | 0.1 | 0.1 |
| 1.0 gpm | 1.2 | 0.6 | 0.5 | 0.1 |
| 1.5 gpm | 2.3 | 1.1 | 1.1 | 0.2 |
| 2.0 gpm | 4.6 | 2.0 | 1.6 | 0.4 |
| 2.5 gpm | 6.0 | 2.9 | 2.4 | 0.7 |
| 3.0 gpm | 10.0 | 5.0 | 4.0 | 1.0 |
| 4.0 gpm | | 8.5 | 7.0 | 1.7 |
| 5.0 gpm | | | 9.8 | 2.7 |
| 6.0 gpm | | | | 3.8 |
| 7.0 gpm | | | | 5.2 |
| 8.0 gpm | | | | 6.6 |
| 9.0 gpm | | | | 8.3 |
| 10.0 gpm | | | | 10.1 |

RHINO™ COMPENSATING EMITTER

- Pressure compensating from 10 to 50 psi.
- Designed with internal check valve to minimize water waste and prevent dirt suck back.
- Turbulent flow path to minimize clogging.
- Self-piercing barb -- no need to pre-punch hole in supply tubing.

DISCHARGE RATES (GPH)

| Part No. | 10 psi | 20 psi | 30 psi | 50 psi |
|----------|----------|----------|----------|----------|
| ERC5/BL | 0.50 gph | 0.60 gph | 0.60 gph | 0.50 gph |
| ERC10 | 0.90 gph | 1.10 gph | 1.10 gph | 1.05 gph |
| ERC20/DR | 1.80 gph | 2.20 gph | 2.20 gph | 1.90 gph |

TAKE APART PC EMITTER

- Pressure compensating from 10 to 50 psi.
- Can be unscrewed and taken apart for easy cleaning.
- Turbulent flow path to minimize clogging.

DISCHARGE RATES (GPH)

| Part No. | 10 psi | 20 psi | 30 psi | 50 psi |
|----------|----------|----------|----------|----------|
| ETAPC5 | 0.45 gph | 0.50 gph | 0.55 gph | 0.55 gph |
| ETAPC10 | 1.05 gph | 1.20 gph | 1.25 gph | 1.25 gph |
| ETAPC20 | 1.70 gph | 2.00 gph | 2.20 gph | 2.30 gph |

TAKE APART FLAG EMITTER

- Operating range from 15 to 40 psi.
- Can be taken apart for easy cleaning.
- C-LOK™ design to prevent emitter from blowing apart.

DISCHARGE RATES (GPH)

| Part No. | 15 psi | 25 psi | 40 psi |
|----------|---------|---------|---------|
| ETA10 | 1.3 gph | 1.7 gph | 2.2 gph |
| ETA20G/B | 2.0 gph | 2.6 gph | 3.4 gph |
| ETA40Y/G | 4.0 gph | 5.2 gph | 6.8 gph |

TAKE APART ADJUSTABLE EMITTER

- Operating range from 10 to 30 psi.
- Rotating handle adjusts flow from 0 to 2.2 gph.
- Turbulent flow path to minimize clogging.
- Can be taken apart for easy cleaning.

DISCHARGE RATES (GPH)

| Part No. | 10 psi | 20 psi | 30 psi |
|----------|-------------|-------------|-------------|
| EAB/EAS | 1.5 gph max | 1.8 gph max | 2.2 gph max |

ANTEATER™ ADJUSTABLE JET

- Operating range from 15 to 40 psi.
- Rotating valve handle adjusts flow from 7 to 26 gph and throw from 2 to 10 feet.
- Can be shut off when not in use.
- 10-32 NPT inlet can be directly screwed on to riser or adapter for jets.

DISCHARGE RATES (GPH)

| Radius (feet) | EAJ90 | EAJ180 | EAJ360 |
|---------------|--------|--------|--------|
| 2 ft | 10 gph | 8 gph | 7 gph |
| 3 ft | 12 gph | 10 gph | 9 gph |
| 4 ft | 14 gph | 12 gph | 11 gph |
| 5 ft | 16 gph | 14 gph | 13 gph |
| 6 ft | 18 gph | 16 gph | 15 gph |
| 7 ft | 20 gph | 18 gph | 17 gph |
| 8 ft | 22 gph | 20 gph | 19 gph |
| 9 ft | 24 gph | 22 gph | 21 gph |
| 10 ft | 26 gph | 24 gph | 23 gph |

SINGLE PIECE JET

- Operating range from 20 to 30 psi.
- 10-32 NPT inlet can be directly screwed on to riser or adapter for jets.
- Winged design for easy hand installation without additional tools.

DISCHARGE RATES (GPH)

| Part No. | Flow Pattern | 20 psi | | 30 psi | |
|----------|--------------|-----------|--------|-----------|--------|
| | | Discharge | Radius | Discharge | Radius |
| EJ436 | | 10 gph | 4.0' | 13 gph | 5.0' |
| EJ536 | | 16 gph | 4.5' | 20 gph | 5.5' |
| EJ636 | | 23 gph | 5.0' | 29 gph | 6.0' |
| EJ418 | | 10 gph | 5.0' | 13 gph | 6.0' |
| EJ518 | | 16 gph | 5.5' | 20 gph | 6.5' |
| EJ618 | | 23 gph | 6.0' | 29 gph | 7.0' |
| EJ49 | | 10 gph | 6.0' | 13 gph | 7.5' |
| EJ59 | | 16 gph | 7.0' | 20 gph | 8.0' |
| EJ69 | | 23 gph | 7.5' | 29 gph | 8.5' |

ZEBRA™ 360° ADJUSTABLE STREAM EMITTERS (EZB360, EZT360, EZS360)

| No. of Clicks | 15 psi | | 20 psi | | 30 psi | |
|---------------|-----------|----------|-----------|----------|-----------|----------|
| | Discharge | Diameter | Discharge | Diameter | Discharge | Diameter |
| 2 | 4.0 gph | 0" | 5.5 gph | 6" | 6.0 gph | 8" |
| 4 | 6.5 gph | 7" | 8.0 gph | 10" | 10.0 gph | 16" |
| 6 | 7.5 gph | 10" | 9.0 gph | 13" | 11.0 gph | 18" |
| 8 | 8.5 gph | 12" | 10.0 gph | 16" | 12.0 gph | 20" |
| 10 | 9.0 gph | 14" | 11.0 gph | 18" | 13.0 gph | 22" |
| 12 | 9.5 gph | 15" | 12.0 gph | 20" | 14.0 gph | 24" |
| 14 | 10.0 gph | 16" | 12.5 gph | 22" | 15.0 gph | 26" |



ZEBRA™ 180° ADJUSTABLE STREAM EMITTERS (EZB180, EZT180, EZS180)

| No. of Clicks | 15 psi | | 20 psi | | 30 psi | |
|---------------|-----------|--------|-----------|--------|-----------|--------|
| | Discharge | Radius | Discharge | Radius | Discharge | Radius |
| 2 | 5.0 gph | 8" | 6.5 gph | 11" | 7.5 gph | 14" |
| 4 | 7.5 gph | 15" | 10.0 gph | 19" | 12.0 gph | 24" |
| 6 | 9.0 gph | 20" | 12.0 gph | 25" | 14.0 gph | 31" |
| 8 | 10.0 gph | 24" | 13.0 gph | 29" | 15.5 gph | 35" |
| 10 | 11.0 gph | 27" | 14.0 gph | 32" | 17.0 gph | 38" |
| 12 | 12.0 gph | 28" | 15.0 gph | 34" | 18.0 gph | 40" |
| 14 | 13.0 gph | 29" | 16.0 gph | 35" | 19.0 gph | 42" |



ZEBRA™ ADJUSTABLE FAN SPRAYERS (EZBFAN, EZTFAN, EZSFAN)

| No. of Clicks | 20 psi | | 30 psi | | 40 psi | |
|---------------|-----------|----------|-----------|----------|-----------|----------|
| | Discharge | Diameter | Discharge | Diameter | Discharge | Diameter |
| 2 | 5.0 gph | 6" | 6.0 gph | 12" | 7.5 gph | 30" |
| 4 | 7.0 gph | 18" | 9.0 gph | 30" | 10.5 gph | 66" |
| 6 | 9.0 gph | 36" | 11.5 gph | 48" | 13.5 gph | 96" |
| 8 | 10.5 gph | 54" | 13.5 gph | 78" | 16.0 gph | 114" |
| 10 | 12.0 gph | 72" | 15.0 gph | 96" | 18.0 gph | 126" |
| 12 | 13.0 gph | 84" | 16.5 gph | 108" | 19.5 gph | 132" |



ZEBRA™ ADJUSTABLE BUBBLERS (EZBBUB, EZTBUB, EZSBUB)

| No. of Clicks | 15 psi | | 20 psi | | 30 psi | |
|---------------|-----------|----------|-----------|----------|-----------|----------|
| | Discharge | Diameter | Discharge | Diameter | Discharge | Diameter |
| 2 | 4.0 gph | 0" | 5.0 gph | 0" | 7.0 gph | 0" |
| 4 | 7.0 gph | 0" | 9.0 gph | 0" | 11.0 gph | 0" |
| 6 | 10.0 gph | 0" | 13.0 gph | 0" | 15.0 gph | 0" |
| 8 | 13.0 gph | 0" | 17.0 gph | 4" | 19.0 gph | 6" |
| 10 | 16.0 gph | 4" | 20.0 gph | 6" | 23.0 gph | 9" |
| 12 | 19.0 gph | 6" | 23.0 gph | 9" | 27.0 gph | 13" |
| 14 | 22.0 gph | 9" | 27.0 gph | 13" | 31.0 gph | 18" |



*Diameter/radius rated at 8" above ground level.

SPRAY STICKS

- Operating range from 15 to 25 psi.
- Bottom can be used as shut off.
- Fits 1/8" tubing (0.125" ID x 0.185" OD).

DISCHARGE RATES (GPH)

| Part No. | Spray Pattern | 15 psi | | | 25 psi | | |
|----------|---------------|-----------------------|-----------------------|------------------|-----------------------|-----------------------|------------------|
| | | Discharge Rates (GPH) | Max # of Spray Sticks | | Discharge Rates (GPH) | Max # of Spray Sticks | |
| | | | 0.600" ID Tubing | 0.820" ID Tubing | | 0.600" ID Tubing | 0.820" ID Tubing |
| ESS160BL | 160° | 12.6 gph | 20 | 40 | 17.4 gph | 15 | 29 |
| ESS160DG | 160° | 9.6 gph | 27 | 52 | 13.2 gph | 19 | 38 |
| ESS160AV | 160° | 5.4 gph | 48 | 93 | 7.2 gph | 36 | 70 |
| ESS160TC | 160° | 3.6 gph | 73 | 140 | 4.8 gph | 54 | 105 |
| ESS90BR | 90° | 5.4 gph | 48 | 93 | 7.8 gph | 33 | 64 |
| ESS90C | 90° | 2.4 gph | 110 | 211 | 3.6 gph | 73 | 140 |

THREADED MISTERS

- Minimum operating pressure of 30 psi.
- Droplets in the 30 to 80 micron range.
- Includes 100 mesh stainless steel screen.

DISCHARGE RATES (GPH)

| Part No. | Cone Angle | 30 psi | 45 psi | 60 psi | 75 psi | 90 psi |
|----------|------------|----------|----------|----------|----------|----------|
| EM6 | 80° | 0.65 gph | 0.80 gph | 0.90 gph | 1.00 gph | 1.10 gph |
| EM10 | 80° | 0.90 gph | 1.10 gph | 1.30 gph | 1.40 gph | 1.50 gph |

BARBED MISTER

- Minimum operating pressure of 30 psi.
- Cone angle of 30° at 45 psi.

DISCHARGE RATES (GPH)

| Part No. | 30 psi | 45 psi | 60 psi |
|----------|----------|----------|----------|
| EMB30 | 3.50 gph | 4.20 gph | 5.20 gph |

MINI-INLINE EMITTERS

- Minimum operating pressure of 10 psi.
- Turbulent flow path to minimize clogging.
- Use with 0.170" ID x 0.250" OD tubing.
- Flow can go through emitter in either direction.

DISCHARGE RATES (GPH)

| Part No. | Max # Allowed* | 15 psi | 20 psi | 30 psi |
|----------|----------------|----------|----------|----------|
| EMIL5 | 30 emitters | 0.60 gph | 0.70 gph | 0.90 gph |
| EMIL10 | 15 emitters | 0.90 gph | 1.05 gph | 1.35 gph |
| EMIL20 | 10 emitters | 1.40 gph | 1.60 gph | 2.10 gph |

*Based on average of 12" spacing between emitters.

4 OUTLET PRESSURE COMPENSATING BUBBLERS

- Pressure compensating from 20 to 60 psi.
- Built-in filter slots to minimize clogging.
- Fits 1/4" tubing (0.170" ID x 0.250" OD).
- 1/2" FIPT inlet.

DISCHARGE RATES / OUTLET (GPH)

| Part No. | 20 psi | 30 psi | 45 psi | 60 psi |
|----------|----------|----------|----------|----------|
| EPCB2 | 1.8 gph | 2.0 gph | 2.4 gph | 2.6 gph |
| EPCB6 | 5.2 gph | 6.2 gph | 7.8 gph | 8.5 gph |
| EPCB10 | 8.0 gph | 9.3 gph | 11.6 gph | 13.0 gph |
| EPCB20 | 14.0 gph | 18.0 gph | 21.0 gph | 23.0 gph |

1/4" COBRA™ DRIPPERLINE

- Operating range from 15 to 30 psi.
- Turbulent flow path to minimize clogging.
- Fits all 1/4" barbed fittings (0.170" x 0.250" tubing).

DISCHARGE RATES (GPH)

| 15 psi | 20 psi | 30 psi |
|----------|----------|----------|
| 0.45 gph | 0.50 gph | 0.60 gph |

| Spacing | Max Length of Run |
|---------|-------------------|
| 6" | 18' |
| 9" | 25' |
| 12" | 32' |

ADJUSTABLE MICRO-SPRINKLER

- Operating range from 15 to 40 psi.
- Max flow of 25 gph at 40 psi.
- Rotating valve handle adjusts throw from 7 to 11 feet.
- Can be shut off when not in use.
- 10-32 NPT inlet can be directly screwed on to riser or adapter for jets.

| Pressure | 15 psi | 20 psi | 40 psi |
|---------------|--------|--------|--------|
| Radius (feet) | 7' | 9' | 11' |

8 OUTLET ADJUSTABLE BUBBLER

- Shut off capability.
- Maximum pressure allowed of 45 psi.
- 1/4" barbed swivel elbows.
- Valve adjustment tool included.
- Built-in filter slots to minimize clogging.
- Fits 1/4" tubing (0.170" ID x 0.250" OD).
- 1/2" FIPT swivel inlet.

MAX DISCHARGE RATE / OUTLET (GPH)

| Part No. | 20 psi | 30 psi | 45 psi |
|----------|--------|--------|--------|
| EAB8 | 18 gph | 22 gph | 30 gph |

POLYETHYLENE / VINYL DISTRIBUTION TUBING

FRICITION LOSS (psi/100 feet)

| Flow | Part Number | | |
|--------|-------------|--------|--------|
| | T185/V | T220/V | T250/V |
| 3 gph | 5.9 | 1.7 | 1.3 |
| 6 gph | 19.7 | 5.8 | 4.3 |
| 9 gph | 41.5 | 12.2 | 9.1 |
| 12 gph | | 20.9 | 15.6 |
| 15 gph | | 31.7 | 23.9 |
| 18 gph | | 43.9 | 33.0 |
| 21 gph | | | 44.3 |

| Part No. | Page | Part No. | Page | Part No. | Page | Part No. | Page | Part No. | Page | Part No. | Page |
|---------------|------|------------|------|--------------|------|------------|------|-----------|------|-----------|------|
| ABA34 | 9 | ED6BL/500 | 17 | ERC5/10 | 46 | FBVQL600S | 35 | FCSA710 | 23 | FFPSR1275 | 31 |
| ABA6 | 9 | ED6BR/1000 | 17 | ESS160AV | 14 | FBVQL700S | 35 | FCSA900 | 26 | FFPT | 31 |
| ABAO34 | 9 | ED6BR/100 | 17 | ESS160BL | 14 | FBVQL800S | 35 | FCSAPW620 | 23 | FFVQL600 | 36 |
| ABP | 9 | ED6BR/500 | 17 | ESS160DG | 14 | FBVQL600SW | 35 | FCSAPW700 | 23 | FFVQL700 | 36 |
| ABR12 | 9 | ED6BR/50 | 17 | ESS160TC | 14 | FBVQL700SW | 35 | FCSAPW710 | 23 | FFVQL800 | 36 |
| ABR9 | 9 | ED9BL/100 | 17 | ESS90BR | 14 | FBVQL800SW | 35 | FCSAW620 | 23 | FFYVQL600 | 36 |
| ADS23 | 8 | EJ30A | 10 | ESS90C | 14 | FBVSS | 35 | FCSAW700 | 23 | FFYVQL700 | 36 |
| ADS34 | 8 | EJ30E | 10 | ETAPC10 | 11 | FBVSWM | 35 | FCSAW710 | 23 | FGP2 | 20 |
| AFA34 | 9 | EJ30J | 10 | ETAPC20 | 11 | FC125 | 20 | FCSAW900 | 26 | FGP2/1000 | 21 |
| APU | 6 | EJ35A | 10 | ETAPC5 | 11 | FC250 | 20 | FCSL620 | 24 | FGP2/20 | 47 |
| APU3 | 6 | EJ35E | 10 | ETA10 | 11 | FC250/10 | 47 | FCSL700 | 24 | FGPT | 20 |
| APU4 | 6 | EJ35J | 10 | ETA20B | 11 | FC250/25 | 47 | FCSL710 | 24 | FHA7550 | 44 |
| APUP34 | 6 | EJ40A | 10 | ETA20G | 11 | FC250/500 | 21 | FCSLW620 | 24 | FHA7575 | 44 |
| BR61 | 7 | EJ40E | 10 | ETA40G | 11 | FCA250 | 22 | FCSLW700 | 24 | FHAT | 45 |
| BR62 | 7 | EJ40J | 10 | ETA40Y | 11 | FCA620 | 22 | FCSLW710 | 24 | FHPA | 45 |
| BS120 | 8 | EJ45A | 10 | ETA10/10 | 46 | FCA700 | 22 | FCST620 | 24 | FIC17 | 30 |
| BS122 | 7 | EJ45E | 10 | ETA20B/10 | 46 | FCA710 | 22 | FCST700 | 24 | FIC18 | 29 |
| BS124 | 7 | EJ45J | 10 | ETA20G/10 | 46 | FCA900 | 25 | FCST710 | 24 | FIEL17 | 30 |
| BS12LP | 8 | EJ50A | 10 | ETA40G/10 | 46 | FCAP75 | 45 | FCST900 | 26 | FIEL18 | 29 |
| BS182 | 7 | EJ50E | 10 | ETA40Y/10 | 46 | FCC620 | 22 | FCSTW620 | 23 | FIELT1750 | 30 |
| BS184 | 7 | EJ50J | 10 | EZB180 | 13 | FCC620/5 | 48 | FCSTW700 | 23 | FIELT1775 | 30 |
| BS92 | 7 | EJ436 | 14 | EZB360 | 13 | FCC700 | 22 | FCSTW710 | 23 | FILF75 | 33 |
| BS94 | 7 | EJ536 | 14 | EZB360/10 | 46 | FCC700/5 | 48 | FCSTW900 | 26 | FIMA1750 | 30 |
| BS9LP | 8 | EJ636 | 14 | EZBBUB | 14 | FCC710 | 22 | FCT620 | 22 | FIMA1775 | 30 |
| EAB | 12 | EJ418 | 14 | EZBFAN | 13 | FCC710/5 | 48 | FCT620/5 | 48 | FIMA1850 | 29 |
| EAB8 | 12 | EJ518 | 14 | EZBFAN/10 | 46 | FCC900 | 25 | FCT700 | 22 | FIMA1875 | 29 |
| EAS | 12 | EJ618 | 14 | EZS180 | 13 | FCCL620 | 22 | FCT700/5 | 48 | FIT17 | 30 |
| EAJ180 | 15 | EJ49 | 14 | EZS360 | 13 | FCCL620/5 | 48 | FCT710 | 22 | FIT18 | 29 |
| EAJ180/5 | 46 | EJ59 | 14 | EZS360/5 | 46 | FCCL700 | 22 | FCT710/5 | 48 | FITT1750 | 30 |
| EAJ360 | 15 | EJ69 | 14 | EZSBUB | 14 | FCCL700/5 | 48 | FCT900 | 25 | FITT1850 | 29 |
| EAJ360/5 | 46 | EM10 | 15 | EZSFAN | 13 | FCCL710 | 22 | FCV620 | 37 | FIV17 | 37 |
| EAJ90 | 15 | EM6 | 15 | EZSFAN/5 | 46 | FCCL710/5 | 48 | FCV700 | 37 | FIV18 | 37 |
| EAJ90/5 | 46 | EMB30 | 15 | EZT180 | 13 | FCCL900 | 25 | FCV710 | 37 | FIX17 | 30 |
| EAMS | 15 | EMB30/5 | 47 | EZT360 | 13 | FCEP620 | 23 | FCV900 | 37 | FIX18 | 29 |
| ED12BL/100 | 17 | EMIL10 | 12 | EZTBUB | 14 | FCEP620/5 | 48 | FDZK2071 | 34 | FM4 | 12 |
| ED12BL/1000 | 17 | EMIL20 | 12 | EZTFAN | 13 | FCEP700 | 23 | FDZK3071 | 34 | FMA50 | 42 |
| ED12BR/100 | 17 | EMIL5 | 12 | FAJ | 43 | FCEP700/5 | 48 | FEL250 | 20 | FMA50-12 | 43 |
| ED12BL/50 | 17 | EPCB10 | 12 | FBB250 | 20 | FCEP710 | 23 | FEL250/10 | 47 | FMA50-6 | 43 |
| ED12BL/500 | 17 | EPCB10/1 | 47 | FBB250HD | 20 | FCEP710/5 | 48 | FEL250/25 | 47 | FMA50-8 | 43 |
| ED17-1012/500 | 16 | EPCB2 | 12 | FBB250HD/500 | 21 | FCEP900 | 25 | FF870 | 45 | FMC250 | 45 |
| ED17-1018/500 | 16 | EPCB20 | 12 | FBP250 | 20 | FCMAH620 | 24 | FF890 | 45 | FMC710 | 45 |
| ED17-612/500 | 16 | EPCB6 | 12 | FBP250/10 | 47 | FCMAH700 | 24 | FFPC | 31 | FOR27 | 33 |
| ED17-618/500 | 16 | EPCB6/1 | 47 | FBQT250 | 21 | FCMAH710 | 24 | FFPMA50 | 31 | FOR136 | 33 |
| ED18-1012/500 | 16 | ERC10 | 11 | FBT250 | 21 | FCMAH900 | 26 | FFPMA75 | 31 | FPR15P | 34 |
| ED18-1018/500 | 16 | ERC20 | 11 | FBV75 | 37 | FCMAP620 | 24 | FFPML50 | 31 | FPR20H | 34 |
| ED18-612/500 | 16 | ERC20DR | 11 | FBV75B | 37 | FCMAP700 | 24 | FFPML75 | 31 | FPR20P | 34 |
| ED18-618/500 | 16 | ERC5 | 11 | FBV75/100 | 37 | FCMAP710 | 24 | FFPSL50 | 31 | FPR25P | 34 |
| ED6BL/1000 | 17 | ERC5BL | 11 | FBVQL600 | 35 | FCMAP900 | 26 | FFPSL75 | 31 | FPR30H | 34 |
| ED6BL/100 | 17 | ERC10/10 | 46 | FBVQL700 | 35 | FCSA620 | 23 | FFPSR650 | 31 | FPR30P | 34 |
| ED6BL/50 | 17 | ERC20/10 | 46 | FBVQL800 | 35 | FCSA700 | 23 | FFPSR1250 | 31 | FPR40P | 34 |

| Part No. | Page | Part No. | Page | Part No. | Page | Part No. | Page | Part No. | Page |
|------------|------|-----------|------|-----------|------|-------------|------|----------|-------|
| FPRF100 | 33 | FS13 | 39 | FYFS75V | 32 | T185/2000 | 19 | VB1419SS | 2 |
| FPRF75 | 33 | FS14 | 40 | G12SAB | 5 | T185V/100 | 19 | VB1724GB | 2 |
| FQLA600 | 29 | FS6 | 39 | G12SAG | 5 | T185V/1000 | 19 | VB1724GG | 2 |
| FQLA700 | 29 | FS6/10 | 49 | G12SFB | 5 | T185V/2000 | 19 | VB1724PP | 2 |
| FQLA800 | 29 | FS9 | 39 | G12SFC | 5 | T220/100 | 19 | VB1724SS | 2 |
| FQLC1000 | 27 | FSA24 | 41 | G12SFG | 5 | T220/1000 | 19 | VBA | 1 - 3 |
| FQLC600 | 27 | FSA24-F | 41 | G12SFS | 5 | T220/1500 | 19 | VBJLPGB | 3 |
| FQLC700 | 27 | FSA24-H | 41 | G18SFB | 5 | T220V/100 | 19 | VBJLPGG | 3 |
| FQLC800 | 27 | FSA24-Q | 41 | G18SFC | 5 | T220V/1000 | 19 | VBJLPPP | 3 |
| FQLEP600 | 28 | FSA24-V | 41 | G18SFG | 5 | T220V/1500 | 19 | VBJLPSS | 3 |
| FQLEP700 | 28 | FSA700 | 22 | G18SFS | 5 | T250/100 | 19 | VBJRJB | 3 |
| FQLEP800 | 28 | FSDU6 | 40 | G3RAB | 4 | T250/1000 | 19 | VBJRG | 3 |
| FQLL600 | 27 | FSDU6B | 40 | G3RAG | 4 | T250/1250 | 19 | VBJRP | 3 |
| FQLL700 | 27 | FSJ5 | 40 | G3RAS | 4 | T250/50 | 19 | VBJRS | 3 |
| FQLL800 | 27 | FSJ5/10 | 49 | G3RFB | 4 | T250/500 | 19 | VBR10GB | 1 |
| FQLMAH600 | 28 | FSJ6 | 39 | G3RFC | 4 | T250HWV/100 | 19 | VBR10GG | 1 |
| FQLMAH700 | 28 | FSJ8 | 40 | G3RFG | 4 | T250V/100 | 19 | VBR10PP | 1 |
| FQLMAH800 | 28 | FSJ8B | 40 | G3RFP | 4 | T250V/1000 | 19 | VBR10SS | 1 |
| FQLSA600 | 28 | FSJ8/10 | 49 | G3RFS | 4 | T250V/1250 | 19 | VBR6GB | 1 |
| FQLSA700 | 28 | FSP150 | 33 | G4RAB | 4 | T250V/500 | 19 | VBR6GG | 1 |
| FQLSA800 | 28 | FSS150 | 33 | G4RAG | 4 | T620/500 | 18 | VBR6PP | 1 |
| FQLSAW600 | 28 | FSTT75W | 44 | G4RAS | 4 | T700/1000 | 18 | VBR6SS | 1 |
| FQLSAW700 | 28 | FSU4 | 40 | G4RFB | 4 | T700/250 | 18 | VBSLPGB | 3 |
| FQLSAW800 | 28 | FSU6 | 40 | G4RFC | 4 | T700/500 | 18 | VBSLPGG | 3 |
| FQLSTW1000 | 27 | FSU6B | 40 | G4RFG | 4 | T710/500 | 18 | VBSLPPP | 3 |
| FQLSTW600 | 27 | FSU6GB | 40 | G4RFS | 4 | T940/500 | 18 | VBSLPSS | 3 |
| FQLSTW700 | 27 | FSU8GB | 40 | G6RAB | 4 | TFT24-XXY | 10 | VBSRB | 3 |
| FQLSTW800 | 27 | FSW75 | 45 | G6RAG | 4 | TFT24P | 38 | VBSRG | 3 |
| FQLST1000 | 28 | FSYVQL600 | 36 | G6RAS | 4 | TFT24V | 38 | VBSRP | 3 |
| FQLST600 | 28 | FSYVQL700 | 36 | G6RFB | 4 | TFT30-XXY | 10 | VBSRS | 3 |
| FQLST700 | 28 | FT125 | 20 | G6RFC | 4 | TFT30P | 38 | VLR10G | 1 |
| FQLST800 | 28 | FT250 | 20 | G6RFG | 4 | TFT30V | 38 | VLR10P | 1 |
| FQLT1000 | 27 | FT250/10 | 47 | G6RFS | 4 | TFT36-XXY | 10 | VLR10S | 1 |
| FQLT600 | 27 | FT250/25 | 47 | G6SUB | 5 | TFT36P | 38 | VLR1419G | 2 |
| FQLT700 | 27 | FTM | 15 | G6SUC | 5 | TR12 | 42 | VLR1419P | 2 |
| FQLT800 | 27 | FTT250 | 21 | G6SUG | 5 | TR18 | 42 | VLR1419S | 2 |
| FRBA | 21 | FVB250 | 38 | G6SUS | 5 | TR6 | 42 | VLR1724G | 2 |
| FRCC67 | 22 | FVB250/5 | 48 | G9SAB | 5 | TR8 | 42 | VLR1724P | 2 |
| FRCC671 | 22 | FVT250 | 38 | G9SAG | 5 | TRA12-B | 42 | VLR1724S | 2 |
| FRCC771 | 22 | FW75 | 45 | G9SFB | 5 | TRA12-T | 42 | VLR6G | 1 |
| FRCC970 | 25 | FX250 | 20 | G9SFC | 5 | TRA18-B | 42 | VLR6P | 1 |
| FRCC971 | 25 | FYBV75 | 37 | G9SFG | 5 | TRA18-T | 42 | VLR6S | 1 |
| FRCT997 | 25 | FYF100 | 32 | G9SFS | 5 | TRA6-B | 42 | ZMP | 44 |
| FREL250 | 43 | FYF100V | 32 | GB3R | 6 | TRA6-T | 42 | ZP | 44 |
| FREL250/5 | 49 | FYF75 | 32 | K12B | 8 | TRA8-B | 42 | ZPLP | 44 |
| FRRS8 | 39 | FYF75V | 32 | K12G | 8 | TRA8-T | 42 | ZPP | 44 |
| FRRS8-12 | 43 | FYFH75 | 32 | K9B | 8 | TSR/100 | 18 | ZPP/1 | 49 |
| FRRS8-6 | 43 | FYFS100 | 32 | K9G | 8 | VB1419GB | 2 | ZTC | 44 |
| FRRS8-6/5 | 49 | FYFS100V | 32 | T185/100 | 19 | VB1419GG | 2 | | |
| FRRS8-8 | 43 | FYFS75 | 32 | T185/1000 | 19 | VB1419PP | 2 | | |



Products manufactured by Tempo Products Inc. are warranted to be free from defects in material and workmanship for a period of one year from date of delivery.

This warranty is expressly conditioned upon the proper installation and application of the product as recommended by Tempo Products Inc.

Within the period of this warranty, Tempo Products Inc. is obliged to repair or replace part or all of product, or to refund a part or all of the original purchase price, if any part proves defective in material or workmanship. The option to repair, replace or pay a refund shall be at the sole discretion of Tempo Products Inc. Misuse, neglect, modification or unauthorized repair shall completely void this warranty.

This warranty constitutes the exclusive warranty made by Tempo Products Inc. for its products and is expressly in lieu of all other warranties, express or implied, including warranty of "merchantability" or "fitness for purpose".

Tempo Products Inc. will not be liable or responsible for incidental or consequential damage of any nature. Tempo Product Inc.'s sole liability and responsibility shall be for the repair or replacement of defective parts or refund of part or all of the original purchase price therefore pursuant to this warranty.

This warranty is not deemed a consumer warranty and does not extend to anyone else other than those who purchase products from Tempo Products Inc. for resale.

This warranty is only effective if notice of any claim is delivered to the company within 30 days after discovery of any defect. Tempo Product Inc. neither assumes nor authorizes any representative or other person to assume for us any liability in connection with the sale or any shipment of our products.

Authorization must be obtained from the factory before any product may be returned. All authorized returns must be returned freight pre-paid, must be in a clean and salable condition and may be subject to a 20% restocking charge.

Tempo Products Inc.

337 W. Bedford
Fresno, CA 93711

Customer Service

(888) 90-TEMPO
(888) 908-3676

Phone

(559) 435-9500

Fax

(559) 435-9501

Website

www.tempoinc.com

