




DIVERSIFIED HEAT TRANSFER, INC.

Lindy Coil Central Water Heaters Lindy Industrial Heat Exchangers DHT Heating and Cooling Coils

DHT 1215-2 SERIES



Model: DHT-1215-2				60 °F Entering Air		
E.W.T.	GPM	P.D. FT	CFM	MBTUH	L.A.T. °F	L.W.T. °F
180 °F	2	0.92	550	29.3	109.2	150
			775	34.2	100.8	144.9
			1000	37.99	95	141.2
	4	3.49	550	32.9	115.3	163.1
			775	39.46	106.9	159.8
			1000	44.56	101.1	157.2
	6	7.64	550	34.4	117.7	168.2
			775	41.58	109.5	165.8
			1000	47.3	103.6	163.8


Designers and Manufacturers of Heat Transfer Equipment



DIVERSIFIED HEAT TRANSFER, INC.

Lindy Coil Central Water Heaters Lindy Industrial Heat Exchangers DHT Heating and Cooling Coils

DHT 1218-2 SERIES



Model: DHT-1218-2				60 °F Entering Air		
E.W.T.	GPM	P.D. FT	CFM	MBTUH	L.A.T. °F	L.W.T. °F
180 °F	5	5.83	900	49.4	110.6	165.9
			1000	52.2	108.2	165.1
			1100	54.8	106	164.4
	7	10.76	900	51.2	112.6	165
			1000	54.1	110.0	164.2
			1100	56.8	107.1	163.4
	9	14.9	900	52.4	113.8	168.1
			1000	55.5	111.3	167.4
			1100	58.3	109	166.7


Designers and Manufacturers of Heat Transfer Equipment



DIVERSIFIED HEAT TRANSFER, INC.

Lindy Coil Central Water Heaters Lindy Industrial Heat Exchangers DHT Heating and Cooling Coils

DHT 1520-2 SERIES



Model: DHT-1520-2				60 °F Entering Air		
E.W.T.	GPM	P.D. FT	CFM	MBTUH	L.A.T. °F	L.W.T. °F
180 °F	4	1.4	900	48.8	110	155
			1150	54.8	104	151.9
			1400	59.8	99.4	149.4
	8	5.5	900	54.2	115.6	166.1
			1150	61.8	109.6	164.1
			1400	68.3	105	162.5
	12	12.24	900	56.3	177.7	170.3
			1150	64.7	111.9	168.9
			1400	71.8	107.3	167.7


Designers and Manufacturers of Heat Transfer Equipment



DIVERSIFIED HEAT TRANSFER, INC.

Lindy Coil Central Water Heaters Lindy Industrial Heat Exchangers DHT Heating and Cooling Coils

DHT 1724-2 SERIES



Model: DHT-1724-2				60 °F Entering Air		
E.W.T.	GPM	P.D. FT	CFM	MBTUH	L.A.T. °F	L.W.T. °F
180 °F	7	2.33	1500	78.8	108.6	157
			1700	83.5	105.4	155.6
			1900	87.8	102.7	154.3
	9	3.81	1500	82.6	110.9	161.2
			1700	87.8	107.7	160
			1900	92.5	105	158.9
	11	5.64	1500	85.2	112.5	164.1
			1700	90.8	109.4	163.1
			1900	95.9	106.6	162.1


Designers and Manufacturers of Heat Transfer Equipment



DIVERSIFIED HEAT TRANSFER, INC.

Lindy Coil Central Water Heaters Lindy Industrial Heat Exchangers DHT Heating and Cooling Coils

DHT 2020-2 SERIES



Model: DHT-2020-2				60 °F Entering Air		
E.W.T.	GPM	P.D. FT	CFM	MBTUH	L.A.T. °F	L.W.T. °F
180 °F	6.0	1.59	1000	58.6	114	160
			1500	71.3	103.9	155.6
			2000	80.6	97.2	152.5
	7.5	2.48	1000	60.8	116.1	163.4
			1500	74.7	106	159.6
			2000	85.1	99.3	156.7
	8.6	3.26	1000	62	117.2	165.2
			1500	76.6	107.1	161.7
			2000	87.6	100.4	159.1


Designers and Manufacturers of Heat Transfer Equipment



DIVERSIFIED HEAT TRANSFER, INC.

Lindy Coil Central Water Heaters Lindy Industrial Heat Exchangers DHT Heating and Cooling Coils

DHT 2030-2 SERIES



Model: DHT-2030-2				60 °F Entering Air		
E.W.T.	GPM	P.D. FT	CFM	MBTUH	L.A.T. °F	L.W.T. °F
180 °F	15	4.98	1800	107.64	115.1	165.3
			2400	125.38	108.2	162.8
			3000	139.87	103	160.9
	20	8.8	1800	110.96	116.8	168.6
			2400	129.97	109.9	166.7
			3000	145.65	104.8	165
	25	13.68	1800	113	117.9	170.7
			2400	132.92	111.1	169.1
			3000	149.4	105.9	167.7


Designers and Manufacturers of Heat Transfer Equipment



DIVERSIFIED HEAT TRANSFER, INC.

Lindy Coil Central Water Heaters Lindy Industrial Heat Exchangers DHT Heating and Cooling Coils

DHT 2025-2 SERIES



Model: DHT-2025-2				60 °F Entering Air		
E.W.T.	GPM	P.D. FT	CFM	MBTUH	L.A.T. °F	L.W.T. °F
180 °F	10	4.5	1500	86	112.9	162.3
			2000	99.5	105.9	159.6
			2500	110	100.7	157.4
	15	10.11	1500	90.68	115.7	167.6
			2000	105.84	108.8	165.5
			2500	118.27	103.6	163.8
	20	17.93	1500	93.2	117.3	170.4
			2000	109.38	110.4	168.8
			2500	122.73	105.3	167.4


Designers and Manufacturers of Heat Transfer Equipment



DIVERSIFIED HEAT TRANSFER, INC.

Lindy Coil Central Water Heaters Lindy Industrial Heat Exchangers DHT Heating and Cooling Coils

DHT 2525-2 SERIES



Model: DHT -2525 -2				60 °F Entering Air		
E.W.T.	GPM	P.D. FT	CFM	MBTUH	L.A.T. °F	L.W.T. °F
180 °F	9.8	3.8	1800	101.1	111.8	158.8
			2400	116.4	104.7	155.6
			3000	128.6	99.5	153.1
	11.2	4.96	1800	103.5	113	161
			2400	119.5	105.9	158.1
			3000	132.4	100.7	155.8
	12.5	6.17	1800	105.2	133.9	162.7
			2400	121.9	106.9	160
			3000	135.4	101.6	157.8

Designers and Manufacturers of Heat Transfer Equipment